

# About this Documentation

This document refers to the user exits activated by the ADARUN parameters UEXn, HEXnn, and CDXnn (see the *Adabas Operations* documentation for descriptions of the ADARUN parameters).

The user exits documented in this document are as follows:

User Exit	ADARUN	Use
User Exit 1	UEX1	Command processing (Adabas nucleus) -- being retired.
User Exit 2	UEX2	Dual log processing
User Exit 3	UEX3	User-defined phonetic processing
User Exit 4	UEX4	User-generated log data
User Exit 5	UEX5	Adabas Review hub event handler
User Exit 6	UEX6	Data compression (ADACMP)
User Exit 8	UEX8	Operator interface
User Exit 9	UEX9	Data unload (ADAULD)
User Exit 11	UEX11	Command processing (Adabas nucleus) -- new.
User Exit 12	UEX12	Multiple log processing

Hyperdescriptor Exit	ADARUN	Use
1 . . 31	HEX01 . . HEX31	User-supplied algorithm to create hyperindex values . . .

Collation Descriptor Exit	ADARUN	Use
1 . . 8	CDX01 . . CDX08	User-supplied algorithm to encode and decode values for the corresponding collation descriptors . .

SMF User Exit	ADARUN	Use
SMF User Exit	UEXSMF	User-supplied detail section to be included in the SMF record