Getting Started Getting Started

Getting Started

This chapter introduces the AOS screen system and usage conventions. It contains the following topics:

- Accessing AOS
- The Main Menu
- Adabas Online System Demo Version

Accessing AOS

- To access the Adabas Online System (AOS) screens:
 - 1. In ISPF, invoke a Natural session.
 - 2. On the command line of the Natural session Main Menu, enter:

LOGON SYSAOS

You are connected to Adabas Online System.

3. On the command line of the Natural session Main Menu, enter:

MENU

The Adabas Online System Main Menu appears.

Getting Started The Main Menu

The Main Menu

From the main menu, you can access Basic Services or any Other Service that is installed on your system. Such services are highlighted on the menu.

15:08:13	***** A D A B A S BASIC - Main Menu		****	2009-08-11 PMAIN02
Code	Basic Services	Code	Other Services	
 A	Session monitoring	1	Adabas Cache F	acility
C	•	2	Delta Save Facility	
F	File maintenance	3	Trigger Maintenance	
М	Database maintenance	4	AOS Security	
0	Session opercoms	5	Transaction Manager	
R	Database report	6	Adabas Statistics	
S	Space calculation	7	Vista	
?	Help	8	Fastpath	
	Exit	9	SAF Security	
Code Database 1955	(WIS1955)			
Command ==>				
PF1 PF2	PF3 PF4 PF6	PF7-	PF8 P	F12
Help	Exit			

The Adabas Online System Main Menu allows you to perform DBA tasks within Basic Services, selectable by menu option:

Option	Task	Read	
A	Session monitoring functions display nucleus parameters, session statistics, buffer sizes for queues and areas, and maintenance levels	Monitoring Adabas Sessions	
С	Checkpoint maintenance lists and deletes checkpoint information.	Maintaining Checkpoints	
F	File maintenance controls Adabas fields (increase or add a field, release a descriptor) and files (define a new file; delete a file; refresh, rename, or renumber a file; allocate file space; change file parameters). It also controls ISN / storage block reuse.	Maintaining Files	
M	Database maintenance controls Adabas database (ASSO/DATA) file and space allocation, DIB blocks, and lets you recover space unused by ABENDed utilities.	Maintaining Databases	
О	Session opercoms control extended error recovery, lock/unlock of files, stop user(s), session termination, and management of online utilities	Performing System Operator Command Functions	
R	Database report displays tables of "critical" extents, a file's FDT, general and specific file information, VOLSER, and general database information.	Reviewing the Database Report	
S	Space calculation provides an aid to calculating database ASSO, DATA, sort, temp, and WORK space.	Calculating Space Requirements	

This section provides more details about using the Main Menu and some general information about AOS screens:

- Specifying the Basic Services Database
- Using Program Function (PF) Keys
- Invoking Basic Services Functions
- Getting Help
- Basic Services Messages

Specifying the Basic Services Database

The database on which Basic Services is installed becomes the default database for Basic Services functions. However, you can specify the database of any active Adabas nucleus session. Subsequent Basic Services functions refer to that database until you specify another database or exit Basic Services.

If you specify a database that is also an Event Replicator Server, the main menu identifies the database as an Event Replicator Server by displaying "Replicator" in the upper left corner of the screen, as shown below. This is the only screen on which this identification explicitly occurs, but the Basic Services functions available and the information displayed for Event Replicator Server databases vary slightly from those provided regular Adabas databases.

15:36:09 Replicator	**** A D A B A S BASIC - Main Menu		****	2009-08-11 PMAIN02
Code	Basic Services	Code	Other Services	
	Session monitoring	1	Adabas Casha E	
C	Checkpoint maintenance	_	Adabas Cache Facility Delta Save Facility	
F	File maintenance	3		
M	Database maintenance	4	Trigger Maintenance AOS Security	
0	Session opercoms	5	Transaction Manager	
R	Database report	6	Adabas Statistics	
S	Space calculation	7	Vista	
?	Help	8	Fastpath	
1	Exit	9	SAF Security	
Code Database 1954	(WIS1954)			
Command ==>				
PF1 PF2 Help	PF3 PF4 PF6 Exit	PF7-	PF8 P	F12

Using Program Function (PF) Keys

Available PF keys and their functions are listed at the bottom of each Basic Services screen. The following program function (PF) keys may appear on Basic Services screens:

Function Key	Description
PF1	Get help
PF3	Exit to previous screen
PF7	Page backward through a series of screens.
PF8	Page forward through a series of screens.
PF12	Return to the Adabas Online System main menu

Invoking Basic Services Functions

You can invoke AOS Basic Service functions by selecting a menu option or, for most functions, by entering a command directly on the command line.

- Selecting a Menu Option
- Entering Commands Directly

Selecting a Menu Option

To invoke function using a menu option:

1. Enter the option code in the Code field.

Selecting a Main Menu function displays a menu of choices for that function.

Entering Commands Directly

Most Basic Services functions can be invoked using direct commands from the command line. The only exceptions are Adabas Online System security functions.

Each direct command corresponds to a function on a Basic Services menu. You can issue a direct command for a function on a different menu from the one currently displayed. You do not have to leave the current menu to perform a function that is not displayed.

More information about the direct commands is included in the *Basic Services Direct Commands*, where the direct command equivalent to each menu function is described.

Getting Help

Two direct commands that can be issued from any Basic Services menu are? and help.

- The ? option (you can also use PF1; see the section *Program Functions Keys*) displays a brief comment about the current menu.
- help provides concise information about the individual Basic Services functions.

Basic Services Messages

Basic Services issues a message confirming each completed function. If an error occurs, a message appears containing a reference number and describing the error.

Before analyzing an error:

- 1. Try reviewing the Help information (option ? or PF1) for the last step you performed to see if any requirements were overlooked.
- 2. Retry the operation.

Response code 22 is returned if the Adabas session is terminated and restarted while Basic Services is active. In this case, AOS should be stopped and restarted.

Adabas Online System Demo Version

The Adabas Online System (AOS) Demo version is a version of AOS with limited functionality, as described in this section. The items on each AOS menu that are not provided with the AOS Demo version have asterisks for their menu option codes. In general, you are only allowed to view information in the Demo version; to maintain parameters and settings, you must have the full version of AOS installed.

For example, on the following screen, the **Main Menu**. **Space calculation** as well as **Trigger Maintenance** options are not available.

```
**** A D A B A S BASIC SERVICES ****
15:08:13
                                                                      2009-08-11
                                                                           PMAIN02
                                  - Main Menu -
                                          Code Other Services
              Code Basic Services
              A Session monitoring
                                                  ----
                                                   1
                                                          Adabas Cache Facility
              C Checkpoint maintenance 2 Delta Save Facility
F File maintenance * Trigger Maintenance
M Database maintenance 4 AOS Security
O Session opercoms 5 Transaction Manager
R Database report 6 Adabas Statistics
                   Database report 6 Auadas Statilla Space calculation 7 Vista Help 8 Fastpath 9 SAF Security
               ?
                                                   ----
 Code .....
Database ... 1955 (WIS1955)
Command ==>
PF1---- PF2---- PF3---- PF4---- PF6---- PF7---- PF8---- PF12----
         Exit
```

The rest of this section describes which AOS options are available in the Demo version and which are not.

Selecting A from the Main Menu displays the Session Monitoring menu. You can only select Display parameters, Display installed products, Display queues, Display resource utilization, and Display maintenance levels on this menu.

```
2009-08-18
                       ***** A D A B A S BASIC SERVICES *****
19:17:59
                                  - Session Monitoring -
 Code Service
                                                   Code Service
 * Display cluster members * Refresh nucleus statistics
* Maintain user profiles * Current resource statistics
D Display parameters * Maintain TCP/IP URL
Display installed products U Display resource utilization
Display event log buffer * Replicator Management
Modify parameters Z Display maintenance levels
Display queues
  Q Display queues
       Help
  ?
                                                           Exit
          -----
 ____
                                                            -----
          Code .....
          Database ID .. 1955 (WIS1955)
Command ==>
PF1---- PF2----- PF3----- PF4----- PF6---- PF7----- PF8----- PF12----
Help
                        Exit
                                                                                     Menu
```

Selecting **Q** on the **Session Monitoring** menu causes the **Queue Displays** menu to appear. You can only select **Display Hold Queue** on the **Queue Displays** menu.

```
***** A D A B A S BASIC SERVICES *****
19:23:16
                                                        2009-08-18
                       - Queue Displays -
                                                        PACQ002
                   Code
                       Service
                   ----
                         _____
                         Display User Queue Elements
                         Display Command Oueue
                   H
                         Display Hold Queue
                   ?
                         Help
                         Exit
                         _____
                   ____
  Max No. Elements ... 100
  Last Activity ..... 0
                           (elapsed time in seconds)
  Selection Criteria
   ET-ID (User-ID) .. _____ User Type ... ___
    Job Name ..... ____
    Terminal ID .....
  Database ID ...... 1955 (WIS1955)
                                                      0
Command ==>
PF1---- PF2---- PF3---- PF4---- PF6---- PF7---- PF8---- PF12----
      Exit Clear UID
```

Selecting U on the **Session Monitoring** menu causes the **Resource Utilization** menu to appear. You can only select **System status** and **Thread usage** on the **Resource Utilization** menu.

```
***** A D A B A S BASIC SERVICES *****
19:24:53
                                                          2009-08-18
                    - Resource Utilization -
                                                          PACU002
Code Service
                                  Code Service
                                       _____
                                  ____
    Command usage
                                  S System status
   File usage
                                  T Thread usage
   High water marks (pools/queues) * WORK status
Workpool (LWP) usage * Cluster usage
Nucleus File Status * Display PPT table
    PLOG status
   Help
   Exit
     -----
      Code ....._
      File Number .. 0
      Database ID .. 1955 (WIS1955)
Command ==>
PF1---- PF2---- PF3---- PF4---- PF6---- PF7---- PF8---- PF12----
                Exit
```

Selecting C on the Main Menu causes the Checkpoint Maintenance menu to appear. You can only select List checkpoints on the Checkpoint Maintenance menu.

```
2009-08-18
               ***** A D A B A S BASIC SERVICES *****

- Checkpoint Maintenance -
19:26:42
                                                        PCP0002
                     - Checkpoint Maintenance -
                    Code Service
                          -----
                     C
                          List checkpoints
                         Delete checkpoints
                     ?
                          Help
                          Exit
                          _____
     Code .....
     Date(YYYY-MM-DD) . 0000-00-00
     Ext. CP-list ..... N
     Checkpoint Name .. ALL
     Database ID ..... 1955 (WIS1955)
Command ==>
PF1---- PF2---- PF3---- PF4---- PF6---- PF7---- PF8---- PF12----
       Exit
```

Selecting **F** on the **Main Menu** causes the **File Maintenance** menu to appear. You can only select **Define/modify FDT** on the **File Maintenance** menu.

```
**** A D A B A S BASIC SERVICES ****
19:27:42
                                          2009-08-18
               - File Maintenance -
                                          PFL0004
Code Service
                       Code Service
____ ______
 Logically delete/undel descriptr * Maintain expanded files
 ? Help
                            .____
   Code ....._
    File No ..... 0 Descriptor Name .. ___
    Database ID .. 1955 (WIS1955)
Command ==>
PF1---- PF2---- PF3---- PF4---- PF6---- PF7---- PF8---- PF12----
                                        Menu
```

Selecting C on the **Main Menu** causes the **FDT/SDT Definition** / **Modification** menu to appear. You can only select **Define new FDT** on the **FDT/SDT Definition** / **Modification** menu.

```
19:29:54
                **** A D A B A S BASIC SERVICES *****
                                                             2009-08-18
                 - FDT/SDT Definition / Modification -
                                                             PFLC004
                   Code
                          Service
                    ----
                          _____
                         Add new field(s)
                         Change field parameters
                    D
                         Define new FDT
                         Delete field from FDT
                         Undelete field from FDT
                         Online invert
                         Define/add SDT
                          Help
                          Exit
       Code ....._
       File No. .....
       Field Name ...
       Database ID .. 1955 (WIS1955)
Command ==>
PF1---- PF2---- PF3---- PF4---- PF6---- PF7---- PF8---- PF12----
Help Def. File Exit
                                                           Menu
```

Selecting **M** on the **Main Menu** causes the **Database Maintenance** menu to appear. In the Demo version, this menu only shows the options available when there is a licensed product installed; no options are available in Demo mode.

```
***** A D A B A S BASIC SERVICES *****
19:31:45
                                                             2009-08-18
                       - Database Maintenance -
                                                             PDM0002
                   Code
                        Service
                   ____
                         Add new dataset to ASSO/DATA
                         Increase/decrease ASSO/DATA
                         List/reset DIB block entries
                         Recover unused space
                          Uncouple two ADABAS files
                          Help
                         Exit
      Code ....._
      File No. ..... 0
      Coupled File .. 0
      Database ID ... 1955 (WIS1955)
Command ==>
PF1---- PF2---- PF3---- PF4---- PF6---- PF7---- PF8---- PF12----
Help
                Exit
                                                           Menu
```

Selecting O on the Main Menu causes the Session Opercoms menu to appear. You can only select Extended Error Recovery, Lock or unlock files, Stop user(s) and Termination Commands on the Session Opercoms menu.

```
**** A D A B A S BASIC SERVICES **** 2009-08-18
19:36:22
                           - Session Opercoms -
                                                                  PACI002
Code Service
                                        Code Service
 ____ _______
 * Allocate/Deallocate CLOG/PLOG S Stop user(s)

* Issue reactivate CLOG command T Termination Commands

E Extended Error Recovery * Manage Online Utilities

* Force CLOG or PLOG switch * User Table Maintenance

L Lock or unlock files * Replicator Management
     Reset ONLINE-DUMP-Status
                                        ? Help
      Exit
      _____
                                        ----
       Code ....._
      Userid(ETID) ... ___
      CLOG/PLOG Ind .. _
      Database ID .... 1955 (WIS1955)
Command ==>
PF1---- PF2---- PF3---- PF4---- PF6---- PF7---- PF8---- PF12----
        Exit
```

Selecting **E** on the **Session Opercoms** causes the **Extended Error Recovery** menu to appear. You can only select **Add/Delete PIN modules** and **Display/modify PIN routines** on the **Extended Error Recovery** menu.

```
**** A D A B A S BASIC SERVICES **** 2009-08-18

Extended Error Recovery - PACIE02
19:41:23
                            - Extended Error Recovery -
                     Code Service
                     ____
                           Display message buffer
                           Display/modify environment
                      * Display/modify Exit routines

M Add/Delete PIN modules

P Display/modify PIN routines

* Refresh threshold and alert exits
                             SNAP a nucleus dump
                            Help
                      ?
                            Exit
   Code ..... _ _ _ End Address ... _ _ _
   Database ID .... 1955 (WIS1955)
Command ==>
PF1---- PF2----- PF3----- PF4----- PF6---- PF7----- PF8----- PF12----
Help
         Exit
```

Selecting L on the Session Opercoms causes the Lock/Unlock Files menu to appear. You can only select Display locked files on the Lock/Unlock Files menu.

```
***** A D A B A S BASIC SERVICES *****
19:43:48
                                                           2009-08-18
                      - Lock / Unlock Files -
                                                           PACIL02
               ----
                      _____
                     Display locked files
                     Lock file for all users
                      Advance lock file
                     Lock file except for UTI/EXF users
                     Unlock file from general lock
                     Release an advance lock
                      Unlock file from UTI/EXF lock
                ?
                      Help
                      Exit
   Code .....
   File Number ..
   UTI/EXF Ind .. U
   Database ID .. 1955 (WIS1955)
Command ==>
PF1---- PF2---- PF3---- PF4---- PF6---- PF7---- PF8---- PF12----
```

Selecting **S** on the **Session Opercoms** causes the **Stop Users** menu to appear. In the Demo version, this menu only shows the options available when there is a licensed product installed; no options are available in Demo mode.

```
**** A D A B A S BASIC SERVICES **** 2009-08-18
19:46:31
                         - Stop Users -
                                                        PACIS02
                  Code Service
                  ____
                     Stop users using file
                      Stop inactive users
                      Stop users by jobname
                      Stop a selected user
                      Help
                       Exit
                      _____
   Code ....._
   File Number ..... __
   Last Activity .... (elapsed time in seconds)
   Job Name .....__
   Purge UQE(s) .... N
   Selected Userid ..
   Selected Userid .. ( XXXXXXX Database ID ..... 1955 (WIS1955)
Command ==>
PF1---- PF2---- PF3---- PF4---- PF6---- PF7---- PF8---- PF12----
Help Disp UQ Exit Clear UID
```

Selecting **T** on the **Session Opercoms** causes the **Session Termination** menu to appear. You can only select **Normal session termination** on the **Session Termination** menu.

```
2009-08-18
19:47:44
               ***** A D A B A S BASIC SERVICES *****
                      - Session Termination -
                                                         PACT002
                Code
                       Service
                 ----
                       _____
                      Normal session termination (ADAEND)
                 Α
                       Cancel session immediately (CANCEL)
                       Stop session
                                              (HALT)
                 ?
                       Help
                       Exit
                       _____
     Database ID .. 1955 (WIS1955)
     Current nr. of users in User Queue ... 1
     Nr. of users with open transactions .. 0
Command ==>
PF1---- PF2---- PF3---- PF4---- PF6---- PF7---- PF8---- PF12----
              Exit
                                                       Menu
```

Selecting **R** from the **Main Menu** displays the **Database Report** menu. You can only select **Display file(s)** and **General database layout** on this menu.

```
***** A D A B A S BASIC SERVICES *****
19:50:37
                                                             2009-08-18
                         - Database Report -
                                                             PDR0002
                Code
                      Service
                       List files with crit. no. of extents
                 *
                       Display field description table (FDT)
                 F
                      Display file(s)
                      General database layout
                 G
                      List VOLSER distribution of database
                      Display ASSO/DATA block (RABN)
                 *
                      Display unused storage
                 ?
                      Help
                      Exit
                       ______
   File No ..... 0____
                      _ Password ..
   Database ID .. 1955 (WIS1955)
   VOLSER ..... ____
Command ==>
PF1---- PF2---- PF3---- PF4---- PF6---- PF7---- PF8---- PF12----
Help
                 Exit
```

Note:

Option F will display system files only.