

Adabas Online System

User Guide

Version 8.2.3

May 2011

This document applies to Adabas Online System Version 8.2.3.

Specifications contained herein are subject to change and these changes will be reported in subsequent release notes or new editions.

Copyright © 2011 Software AG, Darmstadt, Germany and/or Software AG USA, Inc., Reston, VA, United States of America, and/or their licensors.

Detailed information on trademarks and patents owned by Software AG and/or its subsidiaries is located at <http://documentation.softwareag.com/legal/>.

Use of this software is subject to adherence to Software AG's licensing conditions and terms. These terms are part of the product documentation, located at <http://documentation.softwareag.com/legal/> and/or in the root installation directory of the licensed product(s).

This software may include portions of third-party products. For third-party copyright notices and license terms, please refer to "License Texts, Copyright Notices and Disclaimers of Third-Party Products". This document is part of the product documentation, located at <http://documentation.softwareag.com/legal/> and/or in the root installation directory of the licensed product(s).

Table of Contents

1 Using Adabas Online System (AOS)	1
2 Conventions	3
3 Getting Started	5
Accessing AOS	6
The Main Menu	7
Adabas Online System Demo Version	11
4 Monitoring Adabas Sessions	21
Displaying Cluster Members	23
Maintaining User Profiles	25
Displaying or Modifying Parameters	29
Displaying Installed Products	36
Displaying the Event Log Buffer	37
Displaying Queues	38
Refreshing Nucleus Statistics	42
Obtaining Current Resource Statistics	43
Maintaining TCP/IP URLs	47
Monitoring Resource Utilization	48
Replicator Management	68
Displaying Maintenance Levels	68
5 Maintaining Checkpoints	71
Listing Checkpoints	72
Deleting Checkpoints	74
6 Maintaining Files	77
Defining or Modifying the FDT	79
Releasing a Descriptor	89
Deleting an Adabas File	90
Defining a New File	91
Logically Deleting or Undeleting a Descriptor	93
Modifying File Parameters	94
Reordering a File Online	99
Refreshing a File to Empty Status	101
Allocating or Deallocating File Space	102
Maintaining Expanded Files	103
7 Maintaining Databases	105
Adding a New Associator or Data Storage Extent	107
Increasing or Decreasing Associator or Data Storage Data Set Size	108
Displaying and Resetting DIB Block Entries	109
Recovering Unused Space	109
Uncoupling Adabas Files	109
8 Performing System Operator Command Functions	111
Allocating/Deallocating CLOG and PLOG Data Sets	113
Reactivating Command Logging	116
Extended Error Recovery Functions	116

Forcing Dual/Multiple CLOG/PLOG Switch	123
Locking / Unlocking Files	124
Resetting Online Dump Status	126
Stopping Users	126
Termination Commands	129
Managing Online Utilities	129
Maintaining the User Table	131
9 Reviewing the Database Report	135
Displaying Files with Critical Number of Extents	137
Displaying Field Definition Table (FDT)	137
Displaying Files	140
Displaying General Database Layout	145
Displaying Volume Serial Numbers for Database	147
Displaying RABNs	148
Displaying Unused Storage	150
10 Calculating Space Requirements	151
Estimating Associator Space	153
Estimating Sizes for Directory and Data Structures in a Cluster Environment	155
Estimating Data Storage Space	159
Estimating Space for the DD/FILEA Sequential Data Set	160
Estimating Sort Data Set Space	161
Estimating Temp Data Set Space	165
Estimating Work Data Set Space	169
11 Troubleshooting Options	171
Displaying Database Status Information	172
Displaying Active Targets	173
Forcing a Database Abend	174
Stopping a Utility	174
Index	177

1 Using Adabas Online System (AOS)

This document describes how to use the Basic Services of Adabas Online System (AOS), including each of its Basic Services menus and screens.

This document is provided for Adabas system administrators using the Adabas Online System to maintain their Adabas databases and files.

• <i>Getting Started</i>	Describes how to access Adabas Online System, the main menu, and describes the Adabas Online System Demo version.
• <i>Monitoring Adabas Sessions</i>	Describes how to use AOS to perform session monitoring functions, including how to display nucleus parameters, session statistics, buffer sizes for queues and areas, and maintenance levels.
• <i>Maintaining Checkpoints</i>	Describes how to list and delete checkpoint information using AOS.
• <i>Maintaining Files</i>	Describes how to perform file maintenance using AOS. File maintenance allows you to maintain Adabas fields and files, including allocating file space and changing file parameters. It also allows you to control ISN/storage block reuse.
• <i>Maintaining Databases</i>	Describes how to use AOS to control Adabas database (ASSO/DATA) file and space allocation, DIB blocks, and to recover space unused by abended utilities.
• <i>Performing System Operator Command Functions</i>	Describes how to use AOS to perform various system operator command functions.
• <i>Reviewing the Database Report</i>	Describes how to use AOS to review the database report, corresponding to selected functions of the report produced by the ADAREP utility.
• <i>Calculating Space Requirements</i>	Describes how to use AOS to calculate the space requirements for your Adabas database.
• <i>Troubleshooting Options</i>	Describes how to locate and use AOS troubleshooting options for your Adabas database.

2 Conventions

Throughout this document, the terms "Adabas Online System" and "AOS" are used interchangeably.

Data set names starting with DD are referred to in Adabas Online System Documentation with a slash separating the DD from the remainder of the data set name to accommodate z/VSE data set names that do not contain the DD prefix. The slash is not part of the data set name.

A product version is identified by the first two digits of the versioning number. Software AG distinguishes between major and minor versions according to the amount of functionality or technology added to the product. All other digits indicate correction levels.

In the product documentation, the notations *vrs*, *vr*, or simply *v* are often used as placeholders for the current product version, for example, in data set or module names.

Placeholder	Meaning	Definition
<i>v</i>	version	Major Version The first digit of the product version number indicates major architecture and functionality implementation or enhancement that adds value to the product.
<i>r</i>	release	Minor Version The second digit of the version number indicates new or enhanced functionality that adds value to the product.
<i>s</i>	system maintenance level	Correction Level Correction levels contain error corrections only, without new functionality, including documentation of all modifications and repairs. In case it is necessary to include functional changes into a correction level, an exception handling process ensures that corresponding quality assurance activities are triggered. These functional changes are documented. The main goal is to avoid impacts when you install such a correction level. The third number of an Adabas version denotes the system maintenance level.

Conventions

Placeholder	Meaning	Definition
		On certain platforms supported by Adabas, additional levels may exist, such as update package, patch level, service pack and hot fix.

3 Getting Started

- Accessing AOS 6
- The Main Menu 7
- Adabas Online System Demo Version 11

This chapter introduces the AOS screen system and usage conventions.

Accessing AOS

► **To access the Adabas Online System (AOS) screens:**

- 1 In ISPF, invoke a Natural session.
- 2 On the command line of the Natural session **Main Menu**, enter:

```
LOGON SYSAOS
```

You are connected to Adabas Online System.

- 3 On the command line of the Natural session **Main Menu**, enter:

```
MENU
```

The Adabas Online System **Main Menu** appears.

```
15:08:13          ***** A D A B A S  BASIC  SERVICES *****          2009-08-11
                                     - Main Menu -                               PMAIN02

      Code  Basic Services                Code  Other Services
      ----  -
      A     Session monitoring             1     Adabas Cache Facility
      C     Checkpoint maintenance        2     Delta Save Facility
      F     File maintenance               3     Trigger Maintenance
      M     Database maintenance          4     AOS Security
      O     Session opercoms              5     Transaction Manager
      R     Database report                6     Adabas Statistics
      S     Space calculation              7     Vista
      ?     Help                           8     Fastpath
      .     Exit                           9     SAF Security
      ----  -

Code ..... _
Database ... 1955      (WIS1955)

Command ==>
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help                Exit
```

The Main Menu

From the main menu, you can access Basic Services or any Other Service that is installed on your system. Such services are highlighted on the menu.

```

15:08:13          ***** A D A B A S  BASIC  SERVICES  *****                2009-08-11
                                -  Main Menu  -                                PMAIN02

          Code  Basic Services                Code  Other Services
          ----  - - - - -                    ----  - - - - -
          A     Session monitoring            1     Adabas Cache Facility
          C     Checkpoint maintenance        2     Delta Save Facility
          F     File maintenance              3     Trigger Maintenance
          M     Database maintenance          4     AOS Security
          O     Session opercoms              5     Transaction Manager
          R     Database report                6     Adabas Statistics
          S     Space calculation              7     Vista
          ?     Help                           8     Fastpath
          .     Exit                           9     SAF Security
          ----  - - - - -                    ----  - - - - -

Code ..... _
Database ... 1955      (WIS1955)

Command ==>
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help           Exit

```

The Adabas Online System Main Menu allows you to perform DBA tasks within Basic Services, selectable by menu option:

Option	Task	Read
A	Session monitoring functions display nucleus parameters, session statistics, buffer sizes for queues and areas, and maintenance levels	Monitoring Adabas Sessions
C	Checkpoint maintenance lists and deletes checkpoint information.	Maintaining Checkpoints
F	File maintenance controls Adabas fields (increase or add a field, release a descriptor) and files (define a new file; delete a file; refresh, rename, or renumber a file; allocate file space; change file parameters). It also controls ISN / storage block reuse.	Maintaining Files
M	Database maintenance controls Adabas database (ASSO/DATA) file and space allocation, DIB blocks, and lets you recover space unused by ABENDED utilities.	Maintaining Databases
O	Session opercoms control extended error recovery, lock/unlock of files, stop user(s), session termination, and management of online utilities	Performing System Operator Command Functions

Option	Task	Read
R	Database report displays tables of "critical" extents, a file's FDT, general and specific file information, VOLSER, and general database information.	<i>Reviewing the Database Report</i>
S	Space calculation provides an aid to calculating database ASSO, DATA, sort, temp, and WORK space.	<i>Calculating Space Requirements</i>

This section provides more details about using the Main Menu and some general information about AOS screens:

- [Specifying the Basic Services Database](#)
- [Using Program Function \(PF\) Keys](#)
- [Invoking Basic Services Functions](#)
- [Getting Help](#)
- [Basic Services Messages](#)

Specifying the Basic Services Database

The database on which Basic Services is installed becomes the default database for Basic Services functions. However, you can specify the database of any active Adabas nucleus session. Subsequent Basic Services functions refer to that database until you specify another database or exit Basic Services.

If you specify a database that is also an Event Replicator Server, the main menu identifies the database as an Event Replicator Server by displaying "Replicator" in the upper left corner of the screen, as shown below. This is the only screen on which this identification explicitly occurs, but the Basic Services functions available and the information displayed for Event Replicator Server databases vary slightly from those provided regular Adabas databases.

```

15:36:09          ***** A D A B A S  BASIC  SERVICES *****          2009-08-11
Replicator          -  Main Menu  -          PMAIN02

          Code  Basic Services          Code  Other Services
          ----  - - - - -          ----  - - - - -
          A    Session monitoring          1    Adabas Cache Facility
          C    Checkpoint maintenance      2    Delta Save Facility
          F    File maintenance            3    Trigger Maintenance
          M    Database maintenance        4    AOS Security
          O    Session opercoms            5    Transaction Manager
          R    Database report              6    Adabas Statistics
          S    Space calculation            7    Vista
          ?    Help                        8    Fastpath
          .    Exit                        9    SAF Security
          ----  - - - - -          ----  - - - - -

Code ..... _
Database ... 1954      (WIS1954)

Command ==>
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit

```

Using Program Function (PF) Keys

Available PF keys and their functions are listed at the bottom of each Basic Services screen. The following program function (PF) keys may appear on Basic Services screens:

Function Key	Description
PF1	Get help
PF3	Exit to previous screen
PF7	Page backward through a series of screens.
PF8	Page forward through a series of screens.
PF12	Return to the Adabas Online System main menu

Invoking Basic Services Functions

You can invoke AOS Basic Service functions by selecting a menu option or, for most functions, by entering a command directly on the command line.

- [Selecting a Menu Option](#)

- [Entering Commands Directly](#)

Selecting a Menu Option

▶ To invoke function using a menu option:

- Enter the option code in the `Code` field.

Selecting a Main Menu function displays a menu of choices for that function.

Entering Commands Directly

Most Basic Services functions can be invoked using direct commands from the command line. The only exceptions are Adabas Online System security functions.

Each direct command corresponds to a function on a Basic Services menu. You can issue a direct command for a function on a different menu from the one currently displayed. You do not have to leave the current menu to perform a function that is not displayed.

More information about the direct commands is included in the *Basic Services Direct Commands*, where the direct command equivalent to each menu function is described.

Getting Help

Two direct commands that can be issued from any Basic Services menu are `?` and `help`.

- The `?` option (you can also use `PF1`; see the section [Program Functions Keys](#)) displays a brief comment about the current menu.
- `help` provides concise information about the individual Basic Services functions.

Basic Services Messages

Basic Services issues a message confirming each completed function. If an error occurs, a message appears containing a reference number and describing the error.

Before analyzing an error:

1. Try reviewing the Help information (option `?` or `PF1`) for the last step you performed to see if any requirements were overlooked.
2. Retry the operation.

Response code 22 is returned if the Adabas session is terminated and restarted while Basic Services is active. In this case, AOS should be stopped and restarted.

Adabas Online System Demo Version

The Adabas Online System (AOS) Demo version is a version of AOS with limited functionality, as described in this section. The items on each AOS menu that are not provided with the AOS Demo version have asterisks for their menu option codes. In general, you are only allowed to view information in the Demo version; to maintain parameters and settings, you must have the full version of AOS installed.

For example, on the following screen, the **Main Menu. Space calculation** as well as **Trigger Maintenance** options are not available.

```

15:08:13          ***** A D A B A S  BASIC  SERVICES *****          2009-08-11
                               - Main Menu -                               PMAIN02

      Code  Basic Services                Code  Other Services
      ----  -
      A     Session monitoring            1     Adabas Cache Facility
      C     Checkpoint maintenance       2     Delta Save Facility
      F     File maintenance              *     Trigger Maintenance
      M     Database maintenance         4     AOS Security
      O     Session opercoms             5     Transaction Manager
      R     Database report               6     Adabas Statistics
      *     Space calculation              7     Vista
      ?     Help                          8     Fastpath
      .     Exit                          9     SAF Security
      ----  -

Code ..... _
Database ... 1955      (WIS1955)

Command ==>
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help                Exit
  
```

The rest of this section describes which AOS options are available in the Demo version and which are not.

Selecting **A** from the **Main Menu** displays the **Session Monitoring** menu. You can only select **Display parameters**, **Display installed products**, **Display queues**, **Display resource utilization**, and **Display maintenance levels** on this menu.

```

19:17:59          ***** A D A B A S  BASIC  SERVICES *****          2009-08-18
                  -  Session Monitoring  -                               PAC0002

Code   Service
-----
*      Display cluster members
*      Maintain user profiles
D      Display parameters
I      Display installed products
*      Display event log buffer
*      Modify parameters
Q      Display queues
?      Help
-----

Code ..... _
Database ID .. 1955      (WIS1955)

Command ==>
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help                Exit                               Menu
    
```

Selecting **Q** on the **Session Monitoring** menu causes the **Queue Displays** menu to appear. You can only select **Display Hold Queue** on the **Queue Displays** menu.

```

19:23:16          ***** A D A B A S  BASIC  SERVICES *****          2009-08-18
                  -  Queue Displays  -                               PAC0002

                Code   Service
                -----
                *      Display User Queue Elements
                *      Display Command Queue
                H      Display Hold Queue
                ?      Help
                .      Exit
                -----

Code ..... _
Max No. Elements ... 100
Last Activity ..... 0      (elapsed time in seconds)
Selection Criteria
  ET-ID (User-ID) .. _____ User Type ... ____
  Job Name ..... _____
  Terminal ID ..... _____
Database ID ..... 1955      (WIS1955)          0

Command ==>
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help                Exit      Clear UID                               Menu
    
```


Selecting **U** on the **Session Monitoring** menu causes the **Resource Utilization** menu to appear. You can only select **System status** and **Thread usage** on the **Resource Utilization** menu.

```

19:24:53          ***** A D A B A S BASIC SERVICES *****          2009-08-18
                   - Resource Utilization -                          PACU002

Code  Service                                          Code  Service
-----
*    Command usage                                  S    System status
*    File usage                                      T    Thread usage
*    High water marks (pools/queues)                *    WORK status
*    Workpool (LWP) usage                            *    Cluster usage
*    Nucleus File Status                            *    Display PPT table
*    PLOG status
?    Help
.    Exit
-----

Code ..... _
File Number .. 0
Database ID .. 1955 (WIS1955)

Command ==>
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help           Exit           Menu

```

Selecting **C** on the **Main Menu** causes the **Checkpoint Maintenance** menu to appear. You can only select **List checkpoints** on the **Checkpoint Maintenance** menu.

```

19:26:42          ***** A D A B A S  BASIC  SERVICES *****          2009-08-18
                   -  Checkpoint Maintenance  -                          PCP0002

                                Code      Service
                                -----
                                C        List checkpoints
                                *        Delete checkpoints
                                ?        Help
                                .        Exit
                                -----

Code ..... _
Date(YYYY-MM-DD) . 0000-00-00
Ext. CP-list ..... N
Checkpoint Name .. ALL
Database ID ..... 1955   (WIS1955)

Command ==>
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help                Exit                                Menu
    
```

Selecting **F** on the **Main Menu** causes the **File Maintenance** menu to appear. You can only select **Define/modify FDT** on the **File Maintenance** menu.

```

19:27:42          ***** A D A B A S  BASIC  SERVICES *****          2009-08-18
                   -  File Maintenance  -                              PFL0004

Code  Service                                Code  Service
-----
C    Define/modify FDT                        *    Modify file parameters
*    Release descriptor                       *    Reorder file online
*    Delete existing file                     *    Refresh file to empty status
*    Define new file                          *    Allocate/deallocate file space
*    Logically delete/undel descriptor       *    Maintain expanded files
?    Help                                    .    Exit
-----

Code ..... _
File No ..... 0      Descriptor Name .. __
Database ID .. 1955   (WIS1955)

Command ==>
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help                Exit                                Menu
    
```

Selecting **C** on the **Main Menu** causes the **FDT/SDT Definition / Modification** menu to appear. You can only select **Define new FDT** on the **FDT/SDT Definition / Modification** menu.

```

19:29:54          ***** A D A B A S  BASIC  SERVICES *****          2009-08-18
                  -  FDT/SDT Definition / Modification  -          PFLC004

                  Code      Service
                  ----      -
                  *        Add new field(s)
                  *        Change field parameters
                  D        Define new FDT
                  *        Delete field from FDT
                  *        Undelete field from FDT
                  *        Online invert
                  *        Define/add SDT
                  ?        Help
                  .        Exit
                  ----      -

Code ..... _
File No. ....
Field Name ... __
Database ID .. 1955  (WIS1955)

Command ==>
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help      Def. File Exit                               Menu

```

Selecting **M** on the **Main Menu** causes the **Database Maintenance** menu to appear. In the Demo version, this menu only shows the options available when there is a licensed product installed; no options are available in Demo mode.

```

19:31:45          ***** A D A B A S  BASIC  SERVICES *****          2009-08-18
                  - Database Maintenance -                               PDM0002

                Code   Service
                ----   -
                *      Add new dataset to ASSO/DATA
                *      Increase/decrease ASSO/DATA
                *      List/reset DIB block entries
                *      Recover unused space
                *      Uncouple two ADABAS files
                ?      Help
                .      Exit
                ----   -

Code ..... _
File No. .... 0
Coupled File .. 0
Database ID ... 1955   (WIS1955)

Command ==>
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help                Exit                               Menu
    
```

Selecting **O** on the **Main Menu** causes the **Session Opercoms** menu to appear. You can only select **Extended Error Recovery, Lock or unlock files, Stop user(s)** and **Termination Commands** on the **Session Opercoms** menu.

```

19:36:22          ***** A D A B A S  BASIC  SERVICES *****          2009-08-18
                  - Session Opercoms -                               PACI002

Code  Service                Code  Service
----  -                    ----  -
*     Allocate/Deallocate CLOG/PLOG      S     Stop user(s)
*     Issue reactivate CLOG command      T     Termination Commands
E     Extended Error Recovery           *     Manage Online Utilities
*     Force CLOG or PLOG switch         *     User Table Maintenance
L     Lock or unlock files              *     Replicator Management
*     Reset ONLINE-DUMP-Status
.     Exit                             ?     Help
----  -                    ----  -

Code ..... _
Userid(ETID) ... _____
CLOG/PLOG Ind .. _
Database ID .... 1955   (WIS1955)

Command ==>
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help                Exit                               Menu
    
```

Selecting **E** on the **Session Opercoms** causes the **Extended Error Recovery** menu to appear. You can only select **Add/Delete PIN modules** and **Display/modify PIN routines** on the **Extended Error Recovery** menu.

```

19:41:23          ***** A D A B A S  BASIC  SERVICES *****          2009-08-18
                   - Extended Error Recovery -                          PACIE02

          Code      Service
          ----      -
          *          Display message buffer
          *          Display/modify environment
          *          Display/modify Exit routines
          M          Add/Delete PIN modules
          P          Display/modify PIN routines
          *          Refresh threshold and alert exits
          *          SNAP a nucleus dump
          ?          Help
          .          Exit
          ----      -

Code ..... _
Start Address .. _____ End Address ... _____
Database ID .... 1955      (WIS1955)

Command ==>
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit          Menu

```

Selecting **L** on the **Session Opercoms** causes the **Lock/Unlock Files** menu to appear. You can only select **Display locked files** on the **Lock/Unlock Files** menu.

```

19:43:48          ***** A D A B A S  BASIC  SERVICES *****          2009-08-18
                  - Lock / Unlock Files -                               PACIL02

Code   Service
-----
D      Display locked files
*      Lock file for all users
*      Advance lock file
*      Lock file except for UTI/EXF users
*      Unlock file from general lock
*      Release an advance lock
*      Unlock file from UTI/EXF lock
?      Help
.      Exit
-----

Code .....
File Number ..
UTI/EXF Ind .. U
Database ID .. 1955   (WIS1955)

Command ==>
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----

```

Selecting **S** on the **Session Opercoms** causes the **Stop Users** menu to appear. In the Demo version, this menu only shows the options available when there is a licensed product installed; no options are available in Demo mode.

```

19:46:31          ***** A D A B A S  BASIC  SERVICES *****          2009-08-18
                  - Stop Users -                                       PACIS02

Code   Service
-----
*      Stop users using file
*      Stop inactive users
*      Stop users by jobname
*      Stop a selected user
?      Help
.      Exit
-----

Code ..... _
File Number ..... _____
Last Activity .... _____ (elapsed time in seconds)
Job Name ..... _____
Purge UQE(s) ..... N
Selected Userid ..          ( XXXXXXXX
Database ID ..... 1955     (WIS1955)

Command ==>
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help      Disp UQ   Exit      Clear UID                               Menu

```

Selecting **T** on the **Session Opercoms** causes the **Session Termination** menu to appear. You can only select **Normal session termination** on the **Session Termination** menu.

```

19:47:44          ***** A D A B A S  BASIC  SERVICES  *****          2009-08-18
                                     -  Session Termination  -          PACT002

          Code      Service
          ----      -
          A          Normal session termination (ADAEND)
          *          Cancel session immediately (CANCEL)
          *          Stop session                (HALT)
          ?          Help
          .          Exit
          ----      -

Code ..... _
Database ID .. 1955  (WIS1955)

Current nr. of users in User Queue ... 1
Nr. of users with open transactions .. 0

Command ==>
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit          Menu

```

Selecting **R** from the **Main Menu** displays the **Database Report** menu. You can only select **Display file(s)** and **General database layout** on this menu.

```
19:50:37          ***** A D A B A S  BASIC  SERVICES *****          2009-08-18
                   - Database Report -                               PDR0002

Code      Service
-----
*         List files with crit. no. of extents
*         Display field description table (FDT)
F         Display file(s)
G         General database layout
*         List VOLSER distribution of database
*         Display ASSO/DATA block (RABN)
*         Display unused storage
?         Help
.         Exit
-----

Code ..... _
File No ..... 0_____ Password ..
Database ID .. 1955 (WIS1955)
VOLSER ..... _____

Command ==>
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit          Menu
```



Note: Option F will display system files only.

4 Monitoring Adabas Sessions

▪ Displaying Cluster Members	23
▪ Maintaining User Profiles	25
▪ Displaying or Modifying Parameters	29
▪ Displaying Installed Products	36
▪ Displaying the Event Log Buffer	37
▪ Displaying Queues	38
▪ Refreshing Nucleus Statistics	42
▪ Obtaining Current Resource Statistics	43
▪ Maintaining TCP/IP URLs	47
▪ Monitoring Resource Utilization	48
▪ Replicator Management	68
▪ Displaying Maintenance Levels	68

The Adabas session monitoring functions allow you to control and manage major Adabas resources. These functions are most useful when analyzing system performance or seeking the cause of performance problems. Session monitoring functions can be accessed from the **Session Monitoring** menu:

```


16:01:21          ***** A D A B A S  BASIC  SERVICES *****          2009-08-11
                   -  Session Monitoring  -                          PAC0002

Code   Service
-----
A      Display cluster members
C      Maintain user profiles
D      Display parameters
I      Display installed products
L      Display event log buffer
P      Modify parameters
Q      Display queues
?      Help
-----

Code   Service
-----
R      Refresh nucleus statistics
S      Current resource statistics
T      Maintain TCP/IP URL
U      Display resource utilization
V      Replicator Management
Z      Display maintenance levels
.      Exit
-----

Code ..... _
Database ID .. 1955      (WIS1955)

Command ==>
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help                Exit                                Menu
    
```

 **Note:** In cluster environments, the PF2 key allows you to scroll sequentially through nucleus IDs in the cluster using the NextNucid command. In addition, the current nucleus ID is shown in a NucID field on this screen. When the highest nucleus in a cluster is reached, PF2 causes AOS to cycle back to the beginning and changes the nucleus ID to the lowest nucleus ID in the cluster. Once the nucleus ID is changed, it remains in use for all Adabas Online System screens until it is changed again.

Using the session monitoring environment you can monitor the Adabas nuclei in a multiprocessing environment. When you enter the DBID of a cluster database on the **Session Monitoring** menu, subsequent screens include a field to specify the ID of the nucleus (NUCID) in the cluster you want to monitor:

- If you do not set the nucleus ID, AOS defaults to the local nucleus.
- If you set the nucleus ID to zero for a cluster database, the selected function is performed for *all* active nuclei in the cluster.

Using the AOS session monitoring environment, you can perform the following functions, accessible by menu option:

Option	Function
A	<i>Displaying Cluster Members</i>
C	<i>Maintaining User Profiles</i>
D/P	<i>Displaying or Modifying Parameters</i>
I	<i>Displaying Installed Products</i>
L	<i>Displaying the Event Log Buffer</i>
Q	<i>Displaying Queues</i>
R	<i>Refreshing Nucleus Statistics</i>
S	<i>Obtaining Current Resource Statistics</i>
T	<i>Maintaining TCP/IP URLs</i>
U	<i>Monitoring Resource Utilization</i>
V	<i>Replicator Management</i>
Z	<i>Displaying Maintenance Levels</i>

Displaying Cluster Members

Selecting option **A** from the **Session Monitoring** menu to display cluster members produces the following screen:

```

14:02:01          ***** A D A B A S  BASIC  SERVICES *****          2009-08-12
DBID 1955          - Display Cluster Members -          PACA002

Total number of active(WORK not empty) nuclei in the cluster ... 5

I Sel I NucID | Image ID I Jobname  I Status   I Available Plex Services  I
-----|-----|-----|-----|-----|-----|-----|-----|
I  _  I  1    I DAEMVS  I ADANUC01 I Active   I All      I
I  _  I  2    I DAEMVS  I ADANUC02 I Inactive I List,Cache I
I  _  I  3    I DDZMVS  I ADANUC03 I Active   I All      I
I  _  I  4    I DDZMVS  I ADANUC04 I Active   I All      I
I  _  I 1021  | ZHST    | USAXXXRP | Active   | All      I
I      I      |         |          |          |          |          I
I      I      |         |          |          |          |          I
I      I      |         |          |          |          |          I
I      I      |         |          |          |          |          I
I      I      |         |          |          |          |          I
I      I      |         |          |          |          |          I
I      I      |         |          |          |          |          I
I      I      |         |          |          |          |          I
I      I      |         |          |          |          |          I

Command ==>
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help      PPT       Exit      Refresh   --       -       +       Menu

```

The screen displays a list of nuclei participating in the cluster and information about the current status of each nucleus.

▶ **To select a nucleus for additional processing:**

- Enter "S" in the Sel column opposite that nucleus.

▶ **To display additional information about a nucleus:**

- Enter "D" in the Sel column opposite that nucleus.

For an Adabas cluster nucleus that has a nonzero nucleus ID, its entry in the parallel participant table (PPT) is displayed in a screen similar to the following:

```

14:08:42          ***** A D A B A S  BASIC  SERVICES *****          2009-08-12
DBID 1955          - Display PPT Entry -          MACA012

NucID ... 1021    Active Nucleus, PLOG(s) not copied, CLOG(s) not copied

Name      Dataset Status          DataSet Name
-----
WORK1     RD.USAXXX.DB1955.WORKR1
PLOGR1    RD.USAXXX.DB1955.PLOGR1
PLOGR2    RD.USAXXX.DB1955.PLOGR2
CLOGR1    RD.USAXXX.DB1955.CLOGR1
CLOGR2    RD.USAXXX.DB1955.CLOGR2

Press 'ENTER', PF3 or PF12 to continue
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help           Exit           Menu
    
```

▶ **To display the PPT for this DBID:**

- Press PF2. The Display PPT Table screen appears.

```

14:10:29          ***** A D A B A S  BASIC  SERVICES *****          2009-08-12
DBID 1955          - Display PPT Table -          MACA022

NucID .. 1021      Active Nucleus, PLOG(s) not copied, CLOG(s) not copied
Image .. ZHST      All Sysplex Services Active

          Label Name          Dataset Name
          -----          -
          WORK1              RD.USAWIS.DB1955.WORKR1
          PLOGR1              RD.USAWIS.DB1955.PLOGR1
          PLOGR2              RD.USAWIS.DB1955.PLOGR2
          CLOGR1              RD.USAWIS.DB1955.CLOGR1
          CLOGR2              RD.USAWIS.DB1955.CLOGR2

PF1----- PF3----- PF4----- PF6----- PF7----- PF8----- PF9----- PF12-----
Help      Exit      Refresh      PrevPPT          NextPPT      Menu

```

Maintaining User Profiles

Adabas allows you to retain user-related information from session to session in a user profile table that includes

- ET records;
- user priority;
- user-specific timeout (TNxx, TT, and TLSCMD);
- ISN buffering (NSISN, NSISNHQ);
- command ID (NQCID) values that differ from the established ADARUN values; and
- owner ID information for multicient files.

Selecting **Maintain user profiles** (option **C**) on the **Session Monitoring** menu displays the following **Maintain User Profiles** menu:

```

16:50:03          ***** A D A B A S  BASIC  SERVICES *****          2009-08-11
                  -  Maintain User Profiles  -                          PACIC02

                  Code      Service
                  ----      -
                  L        List/modify user profile(s)
                  M        Mass function
                  X        Delete ETID-ranges
                  ?        Help
                  .        Exit
                  ----      -

Code ..... _
Start UID .... _____
Database ID .. 1955   (WIS1955)

Command ==>
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help                Exit                               Menu

```

From the **Maintain User Profiles** menu, you can:

- list and modify a user profile table (option **L**);
- copy a user profile to one or more other users (option **M**); and
- remove one or more ETIDs from the Adabas checkpoint file thereby deleting both profile and ET data (option **X**).

If necessary, you can supply a starting user ID. If the `Start UID` field is left empty, Basic Services displays entries starting from the beginning of the user profile table. You can use range notation for the starting value. For example, if you enter `JA*` in the `Start UID` field, the display begins with user IDs that start with the letters "JA".

If necessary, you can change the database by specifying the database ID in the `Database ID` field..

▶ **To list and modify the user profile table**

- Enter **L** in the `Code` field.

The List/Modify User Profiles screen displays the user profile table:

```

16:54:18          ***** A D A B A S BASIC SERVICES *****          2009-08-11
DBID 1955          - List/Modify User Profiles -          PACICL2

Mark entries with 'M' to modify or 'X' to delete :

M  Userid   Prty  TNA  TNAE  TNAX  TT    TLSCMD NSISN NISNHQ NOCID Owner-Id
-  -----
-  BAFKE    9     100  100   100   100
-  CC       9     100  100   100   100
-  CICS
-  CPNJV

```

You can modify existing profiles and add new user ones. For each user, you can maintain

- a user priority to add "weight" to the normal, built-in priorities of Adabas commands issued by a specific user when they contend with other commands for Adabas database priority. The effect is to change the user's database access priority. An equivalent direct command is

```
CHANGE PRIORITY
```

- nonactivity timeout values for access-only users (TNA), ET logic users (TNAE), and EXU users (TNAX).
- transaction time limits for ET Logic users (TT).
- a time limit for executing a database query (Sx) command (TLSCMD).
- the number of ISNs allowed per TBI element (NSISN).
- the number of records that can be placed in hold status at one time (NISNHQ).
- the number of active command IDs allowed (NOCID).
- an owner ID for multiclient support.

► **To copy the attributes of a user profile to one or more other user profiles**

- Enter **M** in the Code field.

```

16:55:44          ***** A D A B A S BASIC SERVICES *****          2009-08-11
DBID 1955          - Maintain User Profiles -          PACICM2

Set the user profiles of the userids entered below to the same as
userid .. USER1____

Userid   Userid   Userid   Userid   Userid   Userid   Userid
-----
XYZ1     XYZ2

```

On the resulting screen, you can type in the user ID of the profile to be copied, and the names of the users whose profiles are to be taken from that user ID.

In the example, users XYZ1 and XYZ2 inherit all values from user USER1 and effectively define a group.

▶ **To delete a range of user IDs**


- 1 Enter **X** in the Code field.
- 2 Specify a complete or partial user ID or an asterisk (all user IDs) in the Start UID field.

A window opens asking whether you want to delete all user IDs or select the user IDs to be deleted:

```

17:00:42          ***** A D A B A S  BASIC  SERVICES *****          2009-08-11
                  - Maintain User Profiles -                          PACIC02

                Code      Service
                ----      -
                L          List/modify user profile(s)
                M          Mass function
                X          Delete ETID-ranges
                ?          Help
                .          Exit
                +-----+
Code ..... x          | 'Y' - Select ETIDs for
Start UID .... ba*    | Deletion
Database ID .. 105    | 'N' - Delete ETIDs with NO
                    | Selection
                    | Y <==== Select Option
                    | PF1=Help   PF3=Exit
                    +-----+
Command ==>
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help              Exit
  
```

 **Caution:** Be careful about answering **N** (No) to the prompt. You could inadvertently delete IDs that you want to keep.

- 3 If you enter **N** (No) in the window's Select Option field, Basic Services deletes all user IDs in the specified range without any confirmation.

If you answer **Y** (Yes, the default), the Mass Delete of ET-IDs screen is displayed so that specific ETIDs may be marked for retention:


```

10:40:33          ***** A D A B A S  BASIC SERVICES *****          2009-08-11
DBID 1955          -      Mass Delete of ET-IDs          -          PACICD2

Delete all ET-IDs starting with Userid = BA*
All entries marked 'K' (Keep) will N O T be deleted.

  Userid      Userid      Userid      Userid      Userid      Userid      Userid
  -----      -----      -----      -----      -----      -----      -----
  BABRAB      BABRAN      BACANT      BADBEE      BADFUE      BADKED      BADKHK
  BADNTU      BADTCS      BADWAT      BAFCKA      BAFJVS      BAGDTS      BAGJAR
  BAGJKI      BAGJVN      BAGKIT      BAGLAW      BAGNET      BAGPCT      BAGPCP
  BAGPCR      BAGPST      BAGSIR      BAGSWI      BAGTUF      BAGTON      BAGZAP
  BAHNAK      BAJLOB      BAJPJS      BAKLIM      BAKSAT      BAMCID      BAMLIP
  BAMLOT      BAMPCS      BAPEHN      BAPLAB      BARHEN      BARHER      BASHEP
  BASMOR      BASWAN      BASWIG

```

As indicated in the message on the screen, you need to mark with "k" those user IDs that you want to *keep*. Unmarked user IDs will be deleted when you press ENTER.



Note: When a user ID is deleted, both the user profile and any ET data for the user are deleted.

You can leave the screen without deleting any user IDs by using the EXIT key PF3 .

Displaying or Modifying Parameters

▶ To view Adabas nucleus (ADARUN) parameters:

- Select option **D** on the **Session Monitoring** menu and press Enter.

The equivalent direct command is

```
DISPLAY PARAMETERS
```

A series of Display Parameters screens appear. You can scroll through the screens using the PF7 (scroll backward) and PF8 (scroll forward) keys. The information on these screens and the number of screens that appear varies depending on the type database you have selected.

ADARUN Parameter Reference, in the *Adabas Online Systems (AOS) Reference Guide*

The following screens might display for a regular Adabas database:

Monitoring Adabas Sessions

```

20:33:33          ***** A D A B A S BASIC SERVICES *****          2009-12-18
DBID 1955          - Display Parameters -                               PACPD12

----- Pools -----
Sort Area          (LS).. 19968
Int. User Buffer    (LU).. 400000
Buffer Pool        (LBP).. 106240
Format Pool        (LFP).. 150000
ISN List Table     (LI).. 360000
Seq. Cmd. Table    (LQ).. 20000
Work Pool          (LWP).. 1500000
Attached Buffer     (NAB).. 100
Security Pool      (LCP).. 10000
UQ-DE Pool        (LDEUQP).. 50000
Err. Recovery      (MSGBUF).. 36

----- Queues -----
Command Queue      (NC) .. 20
Hold Queue         (NH) .. 800
User Queue         (NU) .. 200

----- Time Windows -----
Transaction Time   (TT) .. 4858
Max Transaction Time (MXTT) .. 3600
Nonactivity ACC-User (TNAA) .. 4858
Nonactivity ET-User (TNAE) .. 4858
Nonactivity EXU-User (TNAX) .. 4858
Max Nonactivity Time(MXTNA) .. 3600
Time Limit Sx-Cmds (TLSCMD) .. 300
Max Time for Sx-Cmds(MXTSX) .. 3600
Command Time       (CT) .. 3858
SYNS60 Interval   (INTNAS) .. 3600

Page 1 of 5
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help                Exit                +                Menu

```

```

20:33:33          ***** A D A B A S BASIC SERVICES *****          2009-12-18
DBID 1955          - Display Parameters -                               PACPD12

----- Miscellaneous -----
Read only session(READONLY) .. NO
UTI only session  (UTIONLY) .. NO
OPEN required     (OPENRQ) .. NO
Ignore DIB Entry  (IGNDIB) .. NO
Local nucleus     (LOCAL) .. NO
Number of Threads (NT) .. 5
Non DE Search     (NONDES) .. YES
Log AOS/DBS Update (AOSLOG) .. NO
Batch Support     (BATCH) .. NO
Data Protection Area (LP) .. 1000
Ignore Work Part 4 (IGNDTP) .. NO
WORK-Part-4 Area  (LDTP) .. 0
WORK-Part-2 Area  (LWKP2) .. 106
SVC               (SVC) .. 249

----- User Specific Limits -----
Hold Queue Limit (NISNHQ) .. 200
CIDs per User    (NQCID) .. 40
ISN per TBI Element(NSISN) .. 100

----- Buffer Pool -----
Bufferflush Dur. (TFLUSH) .. 1
Parallel LFIOP I/O (FMXIO) .. 1
Async. by Vol-Ser (ASYTVS) .. YES

Page 2 of 5
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help                Exit                -                +                Menu

```

```

20:33:33          ***** A D A B A S  BASIC  SERVICES *****          2009-12-18
DBID 1955          -  Display Parameters  -          PACPD12

---- Command Logging ----          ----- Command Logging? -----
Command Logging .. YES          Log VOLSER info (LOGVOLIO) .. NO
LOGCB ..... NO          Max buffer size/cmd (CLOGMAX) .. 16384
LOGFB ..... YES          Max buffer size/buf(CLOGBMAX) .. 4096
LOGRB ..... YES          Log ABDX (LOGABDX) .. 7073
LOGSB ..... NO          Log multifetch buffer (LOGMB) .. NO
LOGVB ..... NO          Log users buffer (LOGUB) .. NO
LOGIB ..... NO          Command log layout(CLOGLAYOUT).. 5
LOGIO ..... NO
LOGUX ..... NO
LOGSIZE ..... 5064          ----- Protection Logging -----
DUAL CLOG Size ... 675          PLOG required (PLOGRQ) .. YES
DUAL CLOG Dev. ... 3390          DUAL PLOG Size (DUALPLS) .. 240
NCLOG ..... 0          DUAL PLOG Device (DUALPLD) .. 3390
          NPLOG ..... 0

Page 3 of 5
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit          -          +          Menu

```

```

20:33:33          ***** A D A B A S  BASIC  SERVICES *****          2009-12-18
DBID 1955          -  Display Parameters  -          PACPD12

----- Large Pools -----          ----- Other Services -----
Flush I/O Pool (LFIOP) .. 80000          Triggers / Procedures (SPT) .. NO
          Delta Save Facility (DSF) .. YES
          Cache Facility (CACHE) .. NO
          Transaction Manager (ATM) .. NO
          TCP/IP Support (TCPIP) .. NO
          Ext. Error Recovery (SMGT) .. YES
          2 Phase Commit Support(DTP) .. NO

----- Additional Miscellaneous -----
LARGEPAGE ..... NO
V64BIT ..... NO
Number plog buffers ..... 1
Number work1 buffers ..... 1
Event log buffer size .... 1024
SRLOG ..... Upd
LOGWARN ..... 0

Review:
Support (REVIEW) .. NO

Filter ..... YES
Max bufsize cmd .... 16384
Max bufsize buf .... 5120

Page 4 of 5
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit          -          +          Menu

```

```

20:33:33          ***** A D A B A S  BASIC  SERVICES *****          2009-12-18
DBID 1955          -  Display Parameters  -          PACPD12

---- Replication Parameters ----
Replication ..... YES
RPWARNPercent ..... 0
RPWARNINcrement ..... 10
RPWARNINterval ..... 60
RPWARNMessageLimit ... 5
RPCONNECTCount ..... 0
RPCONNECTInterval .... 0
RPLSORT ..... YES

Page 5 of 5
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help                Exit                -                Menu

```



Note: In cluster environments, the PF2 key allows you to scroll sequentially through nucleus IDs in the cluster using the NextNucid command. In addition, the current nucleus ID is shown in a NucID field on this screen. When the highest nucleus in a cluster is reached, PF2 causes AOS to cycle back to the beginning and changes the nucleus ID to the lowest nucleus ID in the cluster. Once the nucleus ID is changed, it remains in use for all Adabas Online System screens until it is changed again.

► **To modify Adabas nucleus (ADARUN) parameters:**

- Choose option **P** on the **Session Monitoring** menu and press Enter. Modifiable values are highlighted (intensified) on the displays. The equivalent direct command is:

```
MODIFY PARAMETERS
```

A series of Modify Parameters screens appear. You can scroll through the screens using the PF7 (scroll backward) and PF8 (scroll forward) keys. The information on these screens and the number of screens that appear varies depending on the type database you have selected. For a description of each ADARUN parameter, read *ADARUN Parameter Reference*, in the *Adabas Online Systems (AOS) Reference Guide*.

The following screens might display for a regular Adabas database that is part of a cluster:

```

20:42:00          ***** A D A B A S BASIC SERVICES *****          2009-12-18
DBID 1955          - Modify Parameters -                               PACP012

```

Modify parameters below, as required:

```

----- Pools -----
Sort Area          (LS).. 19968
Int. User Buffer    (LU).. 400000
Buffer Pool        (LBP).. 106240
Format Pool        (LFP).. 150000
ISN List Table     (LI).. 360000
Seq. Cmd. Table    (LQ).. 20000
Work Pool          (LWP).. 1500000
Attached Buffer     (NAB).. 100
Security Pool      (LCP).. 10000
UQ-DE Pool         (LDEUQP).. 50000
Err. Recovery      (MSGBUF).. 36

----- Queues -----
Command Queue      (NC) .. 20
Hold Queue         (NH) .. 800
User Queue         (NU) .. 200

----- Time Windows -----
Transaction Time   (TT) .. 4858
Max Transaction Time (MXTT) .. 3600
Nonactivity ACC-User (TNAA) .. 4858
Nonactivity ET-User (TNAE) .. 4858
Nonactivity EXU-User (TNAX) .. 4858
Max Nonactivity Time(MXTNA) .. 3600
Time Limit Sx-Cmds (TLSCMD) .. 300
Max Time for Sx-Cmds(MXTSX) .. 3600
Command Time       (CT) .. 3858
SYNS60 Interval    (INTNAS) .. 3600

```

Page 1 of 5

```

PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help                Exit                +                Menu

```

```

20:42:00          ***** A D A B A S BASIC SERVICES *****          2009-12-18
DBID 1955          - Modify Parameters -                               PACP012

```

Modify parameters below, as required:

```

----- Miscellaneous -----
ReadOnly session (READONLY) .. NO
UTI only session (UTIONLY) .. NO
OPEN required   (OPENRQ) .. NO
Ignore DIB Entry (IGNDIB) .. NO
Local nucleus   (LOCAL) .. NO
Number of Threads (NT) .. 5
Non DE Search   (NONDES) .. YES
Log AOS/DBS Update (AOSLOG) .. NO
Batch Support   (BATCH) .. NO
Data Protection Area (LP) .. 1000
Ignore Work Part 4 (IGNDTP) .. NO
WORK-Part-4 Area (LDTP) .. 0
WORK-Part-2 Area (LWKP2) .. 106
SVC             (SVC) .. 249

----- User Specific Limits -----
Hold Queue Limit (NISNHQ) .. 200
CIDs per User    (NQCID) .. 40
ISNs / TBI Element (NSISN) .. 100

----- Buffer Pool -----
Bufferflush Dur. (TFLUSH) .. 1
Parallel LFIOP I/O (FMXIO) .. 1
Async. by Vol-Ser (ASYTVS) .. YES

```

Page 2 of 5

```

PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help                Exit                -                +                Menu

```

```

20:42:00          ***** A D A B A S BASIC SERVICES *****          2009-12-18
DBID 1955          - Modify Parameters -                               PACP012

Modify parameters below, as required:
---- Command Logging ----          ----- Command Logging? -----
Command Logging .. YES          Log VOLSER info (LOGVOLIO) .. NO
LOGCB ..... NO          Max buffer size/cmd (CLOGMAX) .. 16384
LOGFB ..... YES          Max buffer size/buf(CLOGBMAX) .. 4096
LOGRB ..... YES          Log ABDX (LOGABDX) .. 7073
LOGSB ..... NO          Log multifetch buffer (LOGMB) .. NO
LOGVB ..... NO          Log users buffer (LOGUB) .. NO
LOGIB ..... NO          Command log layout(CLOGLAYOUT).. 5
LOGIO ..... NO
LOGUX ..... NO
LOGSIZE ..... 5064          ----- Protection Logging -----
DUAL CLOG Size ... 675          PLOG required (PLOGRQ) .. YES
DUAL CLOG Dev. ... 3390          DUAL PLOG Size (DUALPLS) .. 240
NCLOG ..... 0          DUAL PLOG Device (DUALPLD) .. 3390
                                NPLOG ..... 0

Page 3 of 5
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit          -          +          Menu
    
```

```

20:42:00          ***** A D A B A S BASIC SERVICES *****          2009-12-18
DBID 1955          - Modify Parameters -                               PACP012

----- Large Pools -----          ----- Other Services -----
Flush I/O Pool (LFIOP) .. 80000          Triggers / Procedures (SPT) .. NO
                                Delta Save Facility (DSF) .. YES
                                Cache Facility (CACHE) .. NO
                                Transaction Manager (ATM) .. NO
                                TCP/IP Support (TCPIP) .. NO
----- Additional Miscellaneous -----          Ext. Error Recovery (SMGT) .. YES
LARGEPAGE ..... NO          2 Phase Commit Support(DTP) .. NO
V64BIT ..... NO
Number plog buffers ..... 1          Review:
Number work1 buffers ..... 1          Support (REVIEW) .. NO
Event log buffer size .... 1024          Filter ..... YES
SRLOG ..... Upd          Max bufsize cmd .... 16384
LOGWARN ..... 0          Max bufsize buf .... 5120

Page 4 of 5
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit          -          +          Menu
    
```

```

20:42:00          ***** A D A B A S  BASIC  SERVICES *****          2009-12-18
DBID 1955          -  Modify Parameters  -          PACP012
NucID: 1021

----- Cluster/Parallel Services -----      ---- Cluster/Parallel Services ----
Environment ..... Sysplex                      MXMSG ..... 300
Arm element name .....                          MXMSGWarn ..... 0
Cache structure name . ADA_CACHE4                MXCANCEL ..... 300
Lock structure name .. ADA_LOCK4                 MXCANCELWarn ..... 75
Sysplex group name ... WISPLEX                   MXWtor ..... 0
Cache type ..... DSP                             MXStatus ..... 15
DIrratio ..... 4
Elemratio ..... 1
Redo Pool (LRDP) ..... 80000
CLOGMRg ..... NO
CLUCACHEUnchanged .... No
CLULOCKSize ..... 0
CLUCACHESize ..... 0

                                                                    Page 5 of 6
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit          -          +          Menu

```

```

20:42:00          ***** A D A B A S  BASIC  SERVICES *****          2009-12-18
DBID 1955          -  Modify Parameters  -          PACP012

----- Replication Parameters -----
Replication ..... YES
RPWARNPercent ..... 0
RPWARNINCrement ..... 10
RPWARNINterval ..... 60
RPWARNMessagelimit ... 5
RPCONNECTCount ..... 0
RPCONNECTInterval .... 0
RPLSORT ..... YES

                                                                    Page 5 of 5
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit          -          Menu

```



Note: In cluster environments, the PF2 key allows you to scroll sequentially through nucleus IDs in the cluster using the `NextNucid` command. In addition, the current nucleus ID is shown in a `NucID` field on this screen. When the highest nucleus in a cluster is reached, PF2 causes AOS to cycle back to the beginning and changes the nucleus ID to the lowest nucleus ID in the cluster. Once the nucleus ID is changed, it remains in use for all Adabas Online System screens until it is changed again.

Displaying Installed Products

Choose option **I** on the **Session Monitoring** menu and press `ENTER` to display a list of installed products.

```

10:32:36          ***** A D A B A S  BASIC  SERVICES *****          2009-08-12
DBid 1955          - Display Installed Products -          PACII02

-----
Cache Facility ..... NO          Extended Error Recovery ..... YES
Delta Save Facility ..... YES      Recovery Aid ..... YES
Cluster Services ..... NO          Stored Procedures & Triggers .. NO
Parallel Services ..... NO          Two Phase Commit ..... NO
Fastpath ..... NO                  TCPIP support ..... NO
Vista ..... NO                      Event Replicator ..... YES
Transaction Manager ..... NO
SAF Security Interface ... NO
Review ..... NO
Adabas Online System ..... YES

Command ==>
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit          Menu
    
```

This screen displays what is installed on the current selected Adabas

Displaying the Event Log Buffer

Selecting **Display Event Log Buffer** (option L) from the **Session Monitoring** menu invokes the Display Event Log Buffer screen.

The Adabas event log is a wraparound log in memory that is used to log each response code 145 (RSP145) event. The INFOBUFFERSIZE ADARUN parameter identifies the size of the Adabas event log. Each entry in the event log is currently 128 bytes, although this may change in later Adabas releases. When the Adabas event log fills up, the oldest entries in the log are overwritten.

This is the equivalent of running the ADADBS DEVENTLOG utility function.

```

22:13:04          ***** A D A B A S  BASIC  SERVICES *****          2009-08-14
DBID 11131          -  Display Event Buffer Log  -                       PACL002

Sel  Nucid File  Resp  ISN          Date          Time          Aff Jobn  Causer Jobn
-----
_           1    145   9999        2009-08-14  20:12:18     SCAATATU  SCAATATU
_
_
_
_
_
_
_
_
_
_
_
_
_
_
_
_
_

Enter 'S' to display

PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help                      Exit                      Menu

```

When you enter an "S" next to an event listed on the Display Event Buffer Log screen, the Selected Event Buffer Log screen appears, allowing you to review detailed log data in the event log for the selected event.

Monitoring Adabas Sessions

```
22:13:04          ***** A D A B A S  BASIC  SERVICES *****      2009-08-14
DBID 11131          - Selected Event Buffer Log -                      PACL002
```

```
File  Resp  ISN      Date      Time      Nucid
-----
1     145     9999     2009-08-14 20:12:18
-----
```

Affected

```
Jobname  ET id    SAF id
-----
```

```
SCAATATU  ???
```

```
Userid (hex)
```

```
0004A10E209800004040404040404000FC0100E4F0F0F200000000
-----
```

Causer

```
Jobname  ET id    SAF id
-----
```

```
SCAATATU  ???
```

```
Userid (hex)
```

```
0004A10E209800004040404040404000FC0100E4F0F0F100000000
```

Press ENTER to continue

Displaying Queues

Choose option **Q** on the **Session Monitoring** menu and press **ENTER** to display the **Queue Displays** menu.

```

10:33:15          ***** A D A B A S BASIC SERVICES *****          2009-08-12
                   - Queue Displays -                               PACQ002

                   Code      Service
                   ----      -
                   A         Display User Queue Elements
                   C         Display Command Queue
                   H         Display Hold Queue
                   ?         Help
                   .         Exit
                   ----      -

Code ..... _
Max No. Elements ... 100
Last Activity ..... 0          (elapsed time in seconds)
Selection Criteria
  ET-ID (User-ID) .. _____ User Type ... ____
  Job Name ..... _____
  Terminal ID ..... _____
  Database ID ..... 1955      (WIS1955)          0

Command ==>
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit      Clear UID          Menu

```



Note: In cluster environments, the PF2 key allows you to scroll sequentially through nucleus IDs in the cluster using the `NextNucid` command. In addition, the current nucleus ID is shown in a `NucID` field on this screen. When the highest nucleus in a cluster is reached, PF2 causes AOS to cycle back to the beginning and changes the nucleus ID to the lowest nucleus ID in the cluster. Once the nucleus ID is changed, it remains in use for all Adabas Online System screens until it is changed again.

The Display Queues function shows, in table format, the contents of the user, command or hold queues. Each displayed table entry contains a related TID, job name, user ID, current status, and related information such as files currently in use and command type.

If you try to display a queue that is currently empty, an appropriate message appears on the Display Queues menu.

Individual entries in the selected queues can be displayed to provide more detailed information, or selected for a later Basic Services function (the individual user-level statistics sampling described in section *Current Resource Statistics* is an example).

This section covers the following topics:

- [Displaying User Queue Elements](#)
- [Displaying the Command Queue](#)

- [Displaying the Hold Queue](#)

Displaying User Queue Elements

If you select **Display User Queue Elements** (option **A**) on the **Queue Displays** menu, you must also specify the maximum number of elements to display. Other selection criteria you may optionally specify include:


- number of seconds since last activity
- logical user ID (ETID)
- type of user (ACC, AOS, ET, EXU, EXF, UTI)
- job name
- terminal ID; and
- database ID

If multiple selection criteria are specified, they are combined with logical ORs.

The equivalent display direct command is:

```
DISPLAY UQ user queue
```

```
10:37:07          ***** A D A B A S  BASIC  SERVICES *****          2009-08-12
DBID 1955          -  Display User Queue  -          PACQA32
SEL-CRIT: MAX-NUM = 100
                                     Total Users .. 1
Mark entries with 'D' (Display) or 'S' (Select):
  I      I      I      I      I      I      I      I      I      I      I
M I    TID    I  ET-ID    I Job Name I Type I Status I Activity I File(s)  I
-----
_ I BANLW    I BANLW    I COMPLETE I AOS  I      I      I      I 19,100... I
_ I BARAW  1 I BARAW    I COMPLETE I ET   I ET   I      I 2361 I 50,100  I
_ I BASMA  1 I BASMA    I COMPLETE I ET   I ET   I      I 135  I 100    I
_ I          I          I          I      I      I      I      I      I      I
_ I          I          I          I      I      I      I      I      I      I
_ I          I          I          I      I      I      I      I      I      I
_ I          I          I          I      I      I      I      I      I      I
_ I          I          I          I      I      I      I      I      I      I
_ I          I          I          I      I      I      I      I      I      I
_ I          I          I          I      I      I      I      I      I      I
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit      Refresh      -          +          Menu
```

 **Note:** In cluster environments, the PF2 key allows you to scroll sequentially through nucleus IDs in the cluster using the NextNucid command. In addition, the current nucleus ID is shown in a NucID field on this screen. When the highest nucleus in a cluster is reached, PF2 causes AOS to cycle back to the beginning and changes the nucleus ID to the lowest nucleus

ID in the cluster. Once the nucleus ID is changed, it remains in use for all Adabas Online System screens until it is changed again.

If you choose to display (D) an individual user ID, a user queue element information screen similar to the following appears:

```

11:44:18      ***** A D A B A S  BASIC  SERVICES  *****      2009-08-12
DBID 1955      -  Display User Queue Element  -      PACQA32

I          I          I          I User I          I Last      I Trans-I
I  TID    I User ID  I Job Name I Type I Status I Activity I lator I
-----
I BANLW  1 I BANLW    I DCOMPLET I AOS  I          I          0 I 0    I
-----
Global Uid= 5203405496720001 4040404040404040 00FB1900 E2C1C7D3E64040F1
Hold Queue Limit ..... 1500
Max. parallel CIDs per User . 100          Start Times
Max. ISNs per TBI Element ... 51          Session ..... 2006-07-14 11:04:28
Max. Time of Nonactivity .... 3775        Transaction .. 0000-00-00
Max. Transaction Time ..... 0
Time Limit for Sx Commands .. 315        File List
No. of ISNs currently held .. 0           19,100,110
No. of CIDs currently in use: 1
No. of Calls ..... 105
No. of I/Os ..... 74
Priority from ET/CP File .... 0
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit          Menu

```

Displaying the Command Queue

If you choose **Display Command Queue** (option C) on the **Queue Displays** menu, the current commands in the command queue and their status are listed. PF2 allows you to switch the display between "time-in" and "job name".

The equivalent display direct command is:

```
DISPLAY CQ
```

```
10:53:54          ***** A D A B A S BASIC SERVICES *****          2009-08-12
DBID 1955          - Display Command Queue -                          PACQC02
```

Mark entries with 'S' to select :

M	I	TID	I	Jobname	I	Cmd. Status	I	Prty	I	Fnr.	I	Cmd	I	Cmd.Seq.Nr	
I		BANLW	1	I	COMPLETE	I	In Process	I	93	I		I	UC	I	2712
I				I		I		I		I		I		I	
I				I		I		I		I		I		I	
I				I		I		I		I		I		I	
I				I		I		I		I		I		I	
I				I		I		I		I		I		I	
I				I		I		I		I		I		I	
I				I		I		I		I		I		I	
I				I		I		I		I		I		I	
I				I		I		I		I		I		I	

```
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help       T-in/Jobn Exit   Refresh          -           +           Menu
```

Displaying the Hold Queue

If you choose **Display Hold Queue** (option **H**) on the **Queue Displays** menu, a list of the ISNs currently in hold status is displayed.

The equivalent display direct command is:

```
DISPLAY HQ
```

Refreshing Nucleus Statistics

Selecting **Refresh Nucleus Statistics** (option **R**) on the **Session Monitoring** menu displays the **Refresh Statistics** screen:

```

10:57:24          ***** A D A B A S  BASIC  SERVICES *****          2009-08-12
DBID 1955          - Refresh Statistics -                               PACR002

Mark each nucleus statistic to be reset:

      - Command Usage
      - File Usage
      - Pool Usage
      - Thread Usage
      - Counters

Command ==>
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit          Menu

```

To select the statistics to be refreshed, place an "X" in the space next to the statistic type.

More than one statistic may be refreshed at the same time. The statistics selected are reset to zero.

PF3 cancels the request and returns to the **Session Monitoring** menu. PF12 cancels the request and returns to the **AOS Main Menu**.

Obtaining Current Resource Statistics

Selecting **Current Resource Statistics** (option S) on the **Session Monitoring** menu invokes the **Resource Statistics** menu:

```

11:04:13          ***** A D A B A S  BASIC  SERVICES *****          2009-08-12
                  - Resource Statistics -                               PACS002

                Code      Service
                -----
                G      Start General Statistics
                R      Read General Statistics
                S      Read User Statistics
                U      Start User Statistics
                ?      Help
                .      Exit
                -----

Code ..... _
Duration ..... 60 seconds
User ID .....
Database ID .. 1955      (WIS1955)

Command ==>
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help      Disp UQ   Exit      Clear UID                               Menu
    
```

Resource statistics provide information about file and command use either for a single user (user statistics) or for all currently active users (general statistics). The statistics must first be collected by starting a sampling period for which you have specified a time period in seconds (duration).

▶ **To obtain statistics for all currently active users**

- Start general statistics (option **G**) and, after the specified duration, read them (option **R**).

The equivalent direct commands are:

```

START STATISTICS
READ STATISTICS
    
```

For more information, read *Basic Services Direct Commands*.

If user statistics are started (option **U**) or subsequently read (option **S**), a user ID must either be indicated on this screen or have been previously selected in the **Display User Queue** (PF2) or **Display Command Queue** options. PF4 is used to deselect a previously selected user ID.

This section covers the following topics:

Two screens of statistics are displayed: the first shows command usage and the second shows file usage. You can use PF4 to toggle between the two screens:

- [Command Usage Display](#)

- File Usage Display

Command Usage Display

The following command usage information is displayed for specific users:

```

18:42:07          ***** A D A B A S  BASIC  SERVICES *****          2009-08-19
DBID 1955          -  General Statistic:  Command Usage  -          PACSR22

Statistic Start Time ..... 2009-08-19  14:34:19

L1/4 - Read/Get Record ...          A1/A4 - Update Record ....
L2/5 - Read Physical .....          N1/N2 - Add Record .....
L3/6 - Read Logical .....          5          E1/E4 - Delete Record ....
L9   - Read Descriptor ...
LF   - Read Field Def. ...          OP   - Open User Sess ...
RE   - Read ET Data .....          CL   - Close User Sess ..
                                          ET   - End Transaction ..
S1/4 - Find Records .....          5          BT   - Backout Tran. ....
S2   - Find Sorted .....
S5   - Find Coupled ISN ..          RC   - Release Cmd ID ...          8
S8   - Process ISN List ..          UC   - Utility Command ..          6
S9   - Sort ISN List .....

                                          Press PF8 for more

Command ==>
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit      File      --          +          Menu

```

Monitoring Adbas Sessions

```
18:42:07          ***** A D A B A S  BASIC  SERVICES *****          2009-08-19
DBID 1955          -  General Statistic:  Command Usage  -          PACSR22
```

```
Statistic Start Time ..... 2009-08-19  14:34:19
```

```
REST - Follow up cmds ....          U0 - U0 commands .....
          U1 - U1 commands .....
YA - YA commands .....          U2 - U2 commands .....
YB - YB commands .....          U3 - U3 commands .....
YC - YC commands .....
YP - YP commands .....
YCAL - YCAL commands .....

V1 - V1 commands .....
V2 - V2 commands .....
V3 - V3 commands .....
V4 - V4 commands .....

Total Commands .....          24
```

```
Command ==>
```

```
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit      File      --      -          -          Menu
```

File Usage Display

The following file usage information is displayed for specific users:

```
18:42:07          ***** A D A B A S  BASIC  SERVICES *****          2009-08-19
DBID 1955          -  General Statistic:  File Usage  -          PACSR22
```

```
Statistic Start Time ..... 2009-08-19  14:34:19
```

File	File Name	No. Cmds	File	File Name	No. Cmds
0	*Cmds with no Fnr*	14	11	NAT-SYSTEM	10

```
Total Commands:          24
```

```
Command ==>
```

```
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit      Cmds      --      -          +          Menu
```

Maintaining TCP/IP URLs

Selecting **Maintain TCP/IP URL** (option **T**) from the **Session Monitoring** menu invokes the Display/Maintain URL screen:

```

14:33:42      ***** A D A B A S  BASIC SERVICES  *****      2009-08-12
DBID 1955      - Display/Maintain URL -      PACTC02

Mark entries with 'O' to Open or 'C' to Close a URL:

           M           URL           Status           Message
           -           -           -           -
           - HPS://TCPIPMVS:1962_   Closed
           - HPS://TCPIPMVS:1963_   Open
           - HPS://TCPIPMVS:1964_   Open
           - HPS://TCPIPMVS:1965_   Open
           - _____

Command ==>
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help           Exit      Refr      --      -      +      Menu

```

The screen displays a list of all defined URLs and their current status: open or closed.

▶ To change the status of a URL:

- Enter "O" to open or "C" to close a URL in the corresponding M column next to the URL entry.

▶ To define a new URL and open it:

- Use the blank line provided at the end of the URL list.

Once you have made your changes, press PF4 (Refr) to refresh the list.

Monitoring Resource Utilization

Resource utilization displays provide a comprehensive overview of Adabas operation.

Each of the resource utilization options contain a refresh capability (PF4) that allows you to refresh the displayed values, a convenience for long-term monitoring of Adabas system functions.

Selecting **Resource Utilization** (option **U**) from the **Session Monitoring** menu invokes the **Resource Utilization** menu:

```

14:06:59          ***** A D A B A S BASIC SERVICES *****          2009-08-13
                    - Resource Utilization -                          PACU002

Code  Service                                     Code  Service
-----
C    Command usage                               S    System status
F    File usage                                  T    Thread usage
H    High water marks (pools/queues)            W    WORK status
L    Workpool (LWP) usage                       X    Cluster usage
N    Nucleus File Status                       Y    Display PPT table
P    PLOG status
?    Help
.    Exit
-----

Code ..... _
File Number .. 0
Database ID .. 1955 (WIS1955)                 NucID .. 1021

Command ==>
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit          Menu

```



Note: In cluster environments, the PF2 key allows you to scroll sequentially through nucleus IDs in the cluster using the `NextNucid` command. In addition, the current nucleus ID is shown in a `NucID` field on this screen. When the highest nucleus in a cluster is reached, PF2 causes AOS to cycle back to the beginning and changes the nucleus ID to the lowest nucleus ID in the cluster. Once the nucleus ID is changed, it remains in use for all Adabas Online System screens until it is changed again.

This section covers the following topics:

- [Monitoring Command Usage](#)
- [Monitoring File Usage](#)
- [Reviewing High Water Marks](#)
- [Monitoring Work Pool \(LWP\) Usage](#)

- Reviewing Nucleus File Status
- Reviewing Protection Log (PLOG) Status
- Reviewing System Status
- Monitoring Thread Usage
- Reviewing Work Status
- Monitoring Cluster Usage

Monitoring Command Usage

Selecting **Command Usage** (option C) on the **Resource Utilization** menu displays the Command Usage screen, which shows the total and average execution time of each Adabas command type issued during the current session and processed by the Adabas nucleus. It also shows the total of all Adabas commands issued.

The equivalent direct command is:

```
DISPLAY CMDUSAGE
```

A two-screen display appears:

```

14:15:32          ***** A D A B A S BASIC SERVICES *****          2009-08-13
DBID 1955          - Command Usage -          PACUC12
NucID: 1021

Total Commands .. 3813

CMD-Type I  Nr. CMDs  I  Aver. Dur.  I  CMD-Type I  Nr. CMDs  I  Aver. Dur.  I
-----
A1/4  I           I           I  BT      I           2 I      152.921 I
CL    I           17 I      0.176 I  ET      I           2 I      0.581 I
E1/4  I           147 I     0.320 I  L1/4   I           I           I
L2/5  I           1 I           I  L3/6   I           1072 I     3.139 I
L9    I           31 I      4.392 I  LF     I           I           I
N1/2  I           138 I     2.605 I  OP     I           32 I      4.237 I
UC    I           360 I     1.003 I  RC     I           317 I     0.030 I
RE    I           I           I  REST   I           1371 I     I
S1/4  I           292 I     8.313 I  S2     I           I           I
S5    I           I           I  S8     I           I           I
S9    I           I           I  YA     I           I           I
(Aver. Dur. - units of milliseconds)
Page 1 of 2

PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit      Refresh          +          Menu

```

```

14:15:32          ***** A D A B A S BASIC SERVICES *****          2009-08-13
DBID 1955          - Command Usage -          PACUC12
NucID: 1021

Total Commands .. 3813

CMD-Type I  Nr. CMDs  I  Aver. Dur.  I  CMD-Type I  Nr. CMDs  I  Aver. Dur.  I
-----
YB      I           I           I  YF      I           I           I
YP      I           I           I  YCAL   I           I           I
V1      I           1 I       9.988 I  V2      I           I           I
V3      I           15 I           I  V4      I           15 I       0.009 I
U0      I           I           I  U1      I           I           I
U2      I           I           I  U3      I           I           I

(Aver. Dur. - units of milliseconds)                                Page 2 of 2

PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit       Refresh          -           Menu

```

Adabas includes some V* and Y* commands, which you may see mentioned in Adabas shutdown statistics or in Adabas Online System (AOS) screens. These commands are used internally by Adabas and Adabas add-on products and should not be used in direct calls in your applications. Should you use them, errors will result.

Monitoring File Usage

Selecting **File Usage** (option **F**) on the **Resource Utilization** menu displays the File Usage screen, which shows all files of the database used during the session and the number of accesses to each file.

The equivalent direct command is:

```

DISPLAY FILUSAGE

```

```

14:17:32          ***** A D A B A S BASIC SERVICES *****          2009-08-13
DBID 1955          - File Usage -          PACUF12
Nucid: 1021
  Fnr  I Tot. Cmds   Fnr  I Tot. Cmds   Fnr  I Tot. Cmds   Fnr  I Tot. Cmds
-----
    0  I      2141    11  I      1683    19  I          3

```

PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help Repos Exit Refresh -- Menu

If a file number other than zero is specified on the **Resource Utilization** menu, the File Usage display shows file use information for the specified file:

```

14:17:32          ***** A D A B A S BASIC SERVICES *****          2009-08-13
DBID 1955          - File Usage -          PACUF12

Usage Numbers for File 100 :   ACC Users .. 1          EXU Users ..
                             UPD Users ..          UTI Users ..

      -- USERS --
      M   TID/User  Jobname      CPU-ID      VM-ID      Open Mode
      -   -
          BADFAM 3  COMPLETE  999999999999          EXF UTI EXU

Mark entry with a 'S' to select a User
Total Users in this list for this file is 1          Page 1 of 1

```

Reviewing High Water Marks

Selecting **High Water Marks** (option **H**) on the **Resource Utilization** menu displays the maximum percent used of selected pools and queues in the current session, as well as the date and time when the high point was reached.

Values are displayed for the user, command, and hold queues; the ISN list and sequential command tables; the format and work pools; and the attached buffers (NAB).

These values are a good starting point when looking for a problem with limited buffer, pool, or queue space, or if you are looking for unused storage resources.

The equivalent direct command is:

```
DISPLAY HWM
```

A multiple-screen report appears.

```

14:55:08          ***** A D A B A S BASIC SERVICES *****          2009-08-13
DBID 1955          - High Water Marks -          PACUH12
NucID: 1021

 Pool / Queue      I   Size   I   Used   I %Used I   Date      Time   I
-----
Attached Buffer(NAB) I   409600 I   48640 I   11.8 I
Command Queue (NC) I    3840 I    192 I    5.0 I 2009-08-13 10:55:07 I
Format Pool (LFP) I  150000 I    6336 I    4.2 I 2009-08-12 16:32:41 I
Hold Queue (NH) I   11256 I    2828 I   25.1 I 2009-08-12 16:32:41 I
ISN-List Table (LI) I  360000 I    464 I    0.1 I 2009-08-12 16:32:41 I
Seq. Cmd. Table(LQ) I   20000 I    600 I    3.0 I 2009-08-12 16:32:41 I
User Queue (NU) I   61200 I   1800 I    2.9 I 2009-08-13 09:25:00 I
Unique DE Pool (DUQ) I   50000 I     0 I    0.0 I
Security Pool (LCP) I   10000 I     0 I    0.0 I
UQ File List (UQF) I   19584 I    288 I    1.4 I 2009-08-13 09:25:00 I
ATM Trans. IDs (XID) I     0 I     0 I    0.0 I
Work Pool (LWP) I  1500000 I  55332 I    3.6 I 2009-08-12 09:58:58 I
Redo Pool (LRDP)I   80000 I  48952 I   61.1 I 2009-08-12 16:31:40 I
                                          Page 1 of 2

PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help           Exit       Refresh          +           Menu
    
```



```

14:55:08          ***** A D A B A S  BASIC  SERVICES *****          2009-08-13
DBID 1955          - High Water Marks -          PACUH12
NucID: 1021

```

Pool / Queue	I	Size	I	Used	I	%Used	I	Date	Time	I
Replication	(RPL)	100000	I	784	I	0.7	I	2009-08-12	09:58:59	I
Work Part 1	(LP)	1000	I	99	I	9.9	I	2009-08-12	16:31:40	I
Work Part 2	(LWKP2)	106	I	0	I	0.0	I			I
Work Part 3		6984	I	0	I	0.0	I			I
PLOG Prot buf(NPROT1)		1	I	1	I	100.0	I	2009-08-12	13:58:59	I
Work Prt1 Prot bf(NW)		1	I	1	I	100.0	I	2009-08-12	13:58:59	I

Page 2 of 2

```

PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit      Refresh          -          Menu

```

Monitoring Work Pool (LWP) Usage

Selecting **Work Pool (LWP) Usage** (option L) on the **Resource Utilization** menu displays the length of the used and unused parts of the work pool as well as the length of the longest single unused part. These numbers can be used to tune the work pool length for the next session.

The equivalent direct command is:

```
DISPLAY LWPUSAGE
```

```
14:59:10      ***** A D A B A S  BASIC  SERVICES *****      2009-08-13
DBID 1955          -  Workpool Usage  -                      PACUL02
NUCID: 1021
```

```
Workpool (LWP)
Used part .....          9192 Bytes
Unused part .....       1487496 Bytes
Biggest unused part ..   1487496 Bytes
```

```
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help                Exit      Refresh                Menu
```

Reviewing Nucleus File Status

Selecting **Nucleus File Status** (option **N**) on the **Resource Utilization** menu is the equivalent of entering the DNFV operator command. The following display appears:

```

16:09:17          ***** A D A B A S  BASIC  SERVICES *****          2006-07-14
DBID  1955          - Nucleus File Status -          PACUN02
NucID 1021

```

File	Locking NucID	Access count	Update count	State
24		0	0	Access
25		0	0	Access, Update

```

Last page
PF1----- PF2----- PF3----- PF4----- PF7----- PF8----- PF9----- PF12-----
Help      Repos      Exit      Refresh    -          +          Menu

```

In an Adabas cluster environment, the file may be locked for exclusive use by another cluster nucleus. If this is the case and the file is in the nucleus file status table, the Locking NucID column for the file shows the ID of the nucleus that has exclusive control.

The Access count and Update count columns display the number of access or update users, respectively, that refer to the specified file in their user queue elements (UQEs). These users either have specified the file in an OP command with the "R" option or are using the file in an as yet incomplete transaction.

The State column indicates when the file is used for access only or for access and update. It indicates to what extent a nucleus can use a file on its own. If the requested use exceeds the given state, the nucleus must first communicate with the other nuclei in the cluster in order to upgrade the state.

Reviewing Protection Log (PLOG) Status

Selecting **Protection Log (PLOG) Status** (option P) on the **Resource Utilization** menu displays the status of dual protection logs, if used.

The equivalent direct command is:

```
DISPLAY PLOGSTATUS
```

```
15:06:40          ***** A D A B A S BASIC SERVICES *****          2009-08-13
DBID 1955          - PLOG Status -          PACUP02
NucID: 1021
```

```
    The nucleus is currently writing on ..... PLOGR2

    Size of one PLOG area (in BLKs.) .....          240
    Last block written .....          26 ( 11 %)

    Number of switches since nucleus start .....          1
    Date/Time of last switch ..... 2009-08-12 16:32:41

    Number of switches due to coordinated switch....          0
    Number of writes forced by the merge process....          0

    Number of switch requests before threshold met..          0
    Threshold setting ..... 75%

    Number of PLOGs .....          2
```

```
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help                Exit      Refresh          PrevNuc  NextNuc  Menu
```

Reviewing System Status

Selecting **System Status** (option **S**) on the **Resource Utilization** menu displays I/O counts for the ASSO, DATA, WORK, and PLOG data sets; remote and local call distribution; and other current session status information.

The equivalent direct command is:

```
DISPLAY SYSTEMSTATUS
```

```

15:07:19          ***** A D A B A S BASIC SERVICES *****          2009-08-13
DBID 1955          - System Status -          PACUS02
NucID: 1021

          Physical
          Reads          Writes          Call Distribution
-----
ASSO          1198          221 Remote Logical ..... 0
DATA          1625          153 Remote Physical ..... 0
WORK          99          398 Local Logical ..... 2527
PLOG          377          Local Physical ..... 0

Logical Reads:          No. of HQEs active ..... 0
...          14,143 No. of UQEs in User Queue .. 2
Buffer Efficiency .... 5.0 No. of CQEs waiting in CQ .. 0
Format Translations .. 44 Total intern. Autorestarts . 17
Format Overwrites .... 0 No. of PLOG switches ..... 1
          No. of Bufferflushes ..... 55
Throw Backs for ISN .. 0 No. of CLOGs ..... 2
Throw Backs for Space. 0 No. of PLOGs ..... 2

                                page 1 of 2

PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit          Refresh          +          Menu

```

If you are running Adabas version 8.1, press PF8 to display an additional screen that indicates if one or more of the following are in progress:

- Online database save running;
- ADAEND in progress;
- Online file save running;
- READONLY/UTIONLY transition;
- READONLY status;
- Update processing suspended;
- ET-sync in progress;
- UTIONLY status; and
- Exclusive-DB-control utility running.

Otherwise, "Adabas operation normal" is displayed.

```
15:07:19          ***** A D A B A S  BASIC  SERVICES *****          2009-08-13
DBID 1955          - System Status -          PACUS02
NucID: 1021
```

```
                Nucleus Status Flags
                -----
                Adabas operation normal
```

page 2 of 2

```
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help                Exit        Refresh                +        Menu
```

Monitoring Thread Usage

Selecting **Thread Usage** (option **T**) on the **Resource Utilization** menu displays a table of all defined Adabas threads, the status of each, the command type currently in process in each active thread, and the number of commands processed by each thread in the current session.

The equivalent direct command is:

```
DISPLAY THREADUSAGE
```

```

15:54:29          ***** A D A B A S BASIC SERVICES *****          2009-08-13
DBID 1955          - Thread Usage -          PACUT02
NucID: 1021

```

Nr.	I	Thread Status	I	Command Type	I	Wait Event	I	Nr. CMDs	I
1	I	Active	I	Simple Cmd.	I		I	3994	I
2	I	Not active	I		I		I	27	I
3	I	Not active	I		I		I	9	I
4	I	Not active	I		I		I	0	I
5	I	Not active	I		I		I	0	I
	I		I		I		I		I
	I		I		I		I		I
	I		I		I		I		I
	I		I		I		I		I
	I		I		I		I		I
	I		I		I		I		I
	I		I		I		I		I
	I		I		I		I		I
	I		I		I		I		I
	I		I		I		I		I
	I		I		I		I		I

```

PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit          Refresh          Menu

```

Reviewing Work Status

Selecting **WORK Status** (option **W**) on the **Resource Utilization** menu displays the Work area sizes (in blocks) for the:

- data protection area (Work part 1; ADARUN LP parameter);
- area used for intermediate ISN lists (Work part 2; ADARUN LWKP2 parameter);
- area used for resulting ISN lists (Work part 3);

The equivalent direct command is:

```
DISPLAY WORKSTATUS
```

```

15:57:18          ***** A D A B A S  BASIC  SERVICES *****          2009-08-13
DBID 1955          -   WORK Status   -                               PACUW02
NucID: 1021

                W O R K  Dataset
+-----+
I Protection Area                                1000 Blks I
I-----I
I Intermediate ISN Area                          106 Blks I
I-----I
I Resulting ISN Area                             6984 Blks I
I-----I
I Distributed Transaction Processing Area          0 Blks I
+-----+

PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help                Exit                               Menu

```

If you have DTP=RM in your ADARUN parameter settings, and press PF4 on the new screen, then the new screen DTP Work Area displays (shown below):

```

17:04:47          ***** A D A B A S  BASIC  SERVICES *****          2009-08-13
                                -   DTP Work Area   -                               PACUK02

                Code      Service
                ----      -
                D          Display PET-status users
                H          Display heuristically terminated users
                R          Display DTP rabns
                U          Work Part 4 usage
                X          Force heuristic BT/ET
                ?          Help
                .          Exit
                ----      -

Code ..... _
Selected User ....
Database ID ..... 1955   (WIS1955)

Command ==>
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help Clear UID  Exit                               Menu

```

The DTP Work Area menu performs the following functions:

Option	Function	Action
D	Display PET-status users	Displays the current environment of PET-status users. You can select one or more to display additional information.
H	Display heuristically terminated users	Displays a list of the heuristically terminated users. You can select one or more to display additional information.
R	Display DTP Rabns	Displays a list of allocated RABNs. You can select a user, display additional information, issue BT or ET, and display total RABNs for a user.
U	Work Part 4 Usage	Displays the breakdown of information of the Work Part 4.
X	Force Heuristic BT/ET	Issues a BT or ET for a selected user. Select the user through the "Display DTP RABNs" menu item.
---	PF2	Clears the selected user.

If you select Display PET-status users, the screen Display PET-Status Users displays (shown below):

```

17:17:39      ***** A D A B A S BASIC SERVICES *****      2009-08-13
DBID 1955      - Display PET-Status Users -                  PACUKD2

Mark entries with 'D' (Display):

M I Global ID                                          I RMID hex I
-----
_ I 000F710020640000B96353B18528B38200000000B96353B185286F02 I 044E0059 I
_ I
_ I
_ I
_ I
_ I
_ I
_ I
_ I
_ I
_ I
_ I
_ I

PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit      Refresh      -          +          Menu

```

Monitoring Cluster Usage



Note: This option is only active in an Adabas nucleus cluster environment.

Selecting **Cluster usage** (option X) on the **Resource Utilization** menu displays nucleus cluster statistics that are equivalent to those displayed using the DXCACHE, DXLOCK, and DXFILE operator commands. These statistics are made available through selections on the **Cluster Usage** menu. For more information, read the *Adabas Cluster Services* or *Adabas Parallel Services* documentation.

The equivalent direct command is:

DISPLAY CLUSTERSTATUS

```
16:02:32          ***** A D A B A S BASIC SERVICES *****          2009-08-13
                                     - Cluster Usage -                               PACUX02

          Code      Service
          ----      -
          C          Cache statistics
          F          File statistics
          L          Lock statistics
          ?          Help
          .          Exit
          ----      -

Code ..... _
File Number .. 0
Database ID .. 1955 (WIS1955)          NucID .. 1021

Command ==>
PF1----- PF2----- PF3----- PF4----- PF6----- PF9----- PF10----- PF12-----
Help          Exit          Fuse          Flist          Menu
```

This section covers the following topics:

- [Cache Statistics](#)
- [File Statistics](#)
- [Lock Statistics](#)

Cache Statistics

Choosing **Cache Statistics** (option C) on the **Cluster Usage** menu displays the **Cache Statistics** menu:

```

16:04:21          ***** A D A B A S  BASIC  SERVICES *****          2009-08-13
                                     - Cache Statistics -                    PACUX12

      Code   Service
      ----   -
      K     Cast-out / Directory
      P     Publishing requests
      X     Individual cache blocks
      .     Exit
      ?     Help
      ----   -

Code ..... _
Database ID .. 1955   (WIS1955)                NucID .. 1021

PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help                Exit      Refresh                Menu

```

On all subscreens of cache statistics, displayed counters may include a unit code, with the following possible values:

Unit Code	The total shown is in . . .
blank	bytes
K	kilobytes
M	megabytes
G	gigabytes
T	terabytes

If a value has a unit code shown, it has been divided by the unit measurement to convert it to bytes, showing the significant digits to nine places with no decimal point.

Press PF9 to see the entire value. This value is the exact count up to 20 digits in length.

- [Cast-out / Directory](#)
- [Publishing Requests](#)

- All Cache Blocks

Cast-out / Directory

Choosing **Cast-out / Directory** (option **K**) on the **Cache Statistics** menu display the following:

```

16:04:21          ***** A D A B A S  BASIC  SERVICES *****          2009-08-13
DBID 1955          - Cast-out / Directory -          PACUX12
NucID 1021

      Cast-out Directory Reads          Directory Reads
      -----
Total .....          112          Total .....          37
  Sync .....          0           Sync .....          1
  Async ....          112         Async ....          36

      Unlock Cast-out Calls
      -----
Total .....          82
  Sync .....          0
  Async ....          82

PF1----- PF2----- PF3----- PF4----- PF7----- PF8----- PF9----- PF12-----
Help          Exit      Refresh          Detail      Menu
    
```

Publishing Requests

Choosing **Publishing Requests** (option **P**) on the **Cache Statistics** menu displays the following:

```

16:30:28          ***** A D A B A S BASIC SERVICES *****          2009-08-13
DBID 1955          - Publishing Requests -          PACUX12
NucID 1021

          Publishing Request Category
          -----
          Update sync .....          50
          BT or CL or ET ....          7
          Redo threshold ....          74
          Full bufferpool ...          13
          All blocks .....          43
          Specific RABN .....          0
          File DS blocks ....          0
          All DSST blocks ...          55
          File NI blocks ....          0

PF1----- PF2----- PF3----- PF4----- PF7----- PF8----- PF9----- PF12-----
Help       Exit       Refresh          Detail       Menu

```

All Cache Blocks

Choosing **All Cache Blocks** (option **X**) on the **Cache Statistics** menu displays the following:

```

16:32:59          ***** A D A B A S BASIC SERVICES *****          2009-08-13
DBID 1955          - All Cache Blocks -          PACUX12
NucID 1021

          Reads                               Writes
          -----                               -----
          Total .....          3,118          Total .....          1,559
          Sync .....          1,752          Sync .....          1,559
          Async .....          1,366          Async .....          0

          In cache .....          345          Written .....          1,559
          Not in cache ..          2,773          Not written .....          0
          Struc. full ...          0          Struc. full .....          0

          Cast-out Reads                       Other
          -----                               -----
          Total .....          677          Validates .....          24,388
          Sync .....          677          Invalid .....          0
          Async .....          0          Deletes .....          2
                                   Timeouts .....          0
                                   Redo processes .....          0

PF1----- PF2----- PF3----- PF4----- PF7----- PF8----- PF9----- PF12-----
Help       Repos      Exit       Refresh   PrevBlk   NxtBlk   Detail   Menu

```

Use PF7 and PF8 to scroll through the cache blocks; use PF2 to reposition.

Statistics are displayed for the following:

- All cache blocks;
- Address converter (AC) cache blocks;
- Data Storage (DS) cache blocks;
- Data Storage space table (DSST) cache blocks;
- File control block (FCB) cache blocks;
- Normal index (NI) cache blocks;
- Upper index (UI) cache blocks.

File Statistics

Choosing **File Statistics** (option F) on the **Cluster Usage** menu for file 25 displays the following menu:

```

16:35:19          ***** A D A B A S  BASIC  SERVICES *****          2009-08-13
DBID 1955          - File 0 Statistics -          PACUX22
NucID 1021
  Reads
-----
Total .....          45          Writes
Sync .....          37          Total .....          70
Async .....          8          Sync .....          70
                                     Async .....          0
  In cache .....          29          Written .....          70
  Not in cache ..          16          Not written .....          0
  Struc. full ...          0          Struc. full .....          0

  Cast-out Reads
-----
Total .....          69          Other
Sync .....          69          Validates .....          1,102
Async .....          0          Invalid .....          0
                                     Deletes .....          0
                                     Timeouts .....          0
                                     Redo processes .....          0

PF1----- PF2----- PF3----- PF4----- PF7----- PF8----- PF9----- PF12-----
Help      Repos      Exit      Refresh      Detail      Menu
    
```

Lock Statistics

Choosing **Lock Statistics** (option **L**) on the **Cluster Usage** menu displays the **Lock Statistics** menu:

```

16:37:07          ***** A D A B A S  BASIC  SERVICES *****          2009-08-13
                                - Lock Statistics -                                PACUX32

Code   Service                                     Code   Service
-----
A      Buffer flush lock                            J      Global update command sync lock
B      Cancel lock                                  K      Hold ISN lock
C      Checkpoint lock                              L      New-Data-RABN lock
D      DSF lock                                     M      Online save lock
E      ETID lock                                    N      Parameter lock
F      File-lock-table lock                         O      Recovery lock
G      FST lock                                     P      RLOG lock
H      GCB lock                                     Q      Security lock
I      Global ET sync lock                          R      Spats lock
.      Exit                                        S      Unique descriptor lock
?      Help

-----
Code ..... _
Database ID .. 1955   (WIS1955)                   NucID .. 1021

PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit       Refresh          Menu

```

Each of the options on the **Lock Statistics** menu displays statistics for a particular lock. For each lock, the screen displays obtain-and-release information about the various types of that lock that are currently in use by a cluster nucleus:

- The system may obtain locks conditionally or unconditionally, synchronously or asynchronously. A conditional request for a lock may be granted or rejected.
- Releases may be issued synchronously or asynchronously.

For example, choosing **Hold ISN Lock** (option **J**) on the **Lock Statistics** menu displays the Hold ISN Lock screen:

```

16:37:07          ***** A D A B A S  BASIC  SERVICES *****          2009-08-13
DBID  1955          - Hold ISN Lock -          PACUX32
NucID 1021

      Obtains          Releases
      -----          -----
Conditional ....          313      Issued .....          313
      Granted .....          313          Sync .....          287
      Rejected ....          0          Async .....          26
Unconditional ..          0

Sync .....          189
Async .....          124

PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help      Repos      Exit      Refresh          PrevLok  NxtLok  Menu
    
```

Use PF7 and PF8 to scroll through the lock displays; use PF2 to reposition to a different lock display.

Replicator Management

The Replicator management screens are only visible if the Event Replicator for Adabas is installed and active. If the **V** option on the **Session Monitoring** menu is not highlighted, the Event Replicator is *not* installed and this option cannot be selected. For more detailed information concerning Replicator Management screens, refer to the Event Replicator for Adabas documentation.

Displaying Maintenance Levels



Note: This function is only available for Adabas version 8 or above databases.

Selecting **Display Maintenance Levels** (option **Z**) on the **Session Monitoring** menu displays information about the Adabas nucleus modules:


```

18:34:02          ***** A D A B A S BASIC SERVICES *****          2009-08-13
DBID 1955          - Display Maintenance Levels -                      PACZ002
NucID .. 1021

Select Module Name: _____
-----
ADARUN  RUNMVS  Date 2009-07-30, Version 8.2, SM 1, Base A0828008
          RUNIND  Date 2009-07-30, Version 8.2, SM 1, Base AI828000
ADANCX          Date 2009-07-23, Version 8.2, SM 1, Base AN828000
ADAXCF          Date 2007-06-15, Version 8.1, SM 1, Base AP818000
ADAXEC          Date 2008-02-20, Version 8.1, SM 1, Base AP818000
ADAXEL          Date 2009-05-25, Version 8.2, SM 1, Base AP828000
ADACLU          Date 2009-07-23, Version 8.2, SM 1, Base AN828000
ADAMXI          Date 2009-07-20, Version 8.2, SM 1, Base AN828000
ADAMIM          Date 2009-01-26, Version 8.2, SM 1, Base AN828000
ADARVU          Date 2009-07-12, Version 8.2, SM 1, Base AN820000
ADACLX          Date 2009-07-09, Version 8.2, SM 1, Base AN820000
ADARMT          Date 2009-06-03, Version 8.1, SM 1, Base AN810000

Command ==>
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit          --          -          +          Menu

```

Maintenance levels for each module are displayed. Any zaps that are applied to the module are also listed.

The list of modules can be limited by entering a specific module name in the `Select Module Name` field at the top of the screen. An asterisk (*) can also be used as a wildcard value in this field. For example, specifying "ADARUN" displays information for the ADARUN module only. Specifying "ADAR*" lists all modules with names that begin with "ADAR", which would include ADARUN as well as ADARVU and other modules.

5 Maintaining Checkpoints

- Listing Checkpoints 72
- Deleting Checkpoints 74

Selecting **Checkpoint Maintenance** (option C) from the Adabas Online System **Main Menu** invokes the **Checkpoint Maintenance** menu:

```

08:11:42          ***** A D A B A S  BASIC SERVICES  *****          2006-07-21
                   - Checkpoint Maintenance -                          PCP0002

                                Code      Service
                                ----      -
                                C        List checkpoints
                                D        Delete checkpoints
                                ?        Help
                                .        Exit
                                ----      -

Code ..... _
Date(YYYY-MM-DD) . _____
Ext. CP-list ..... N
Checkpoint Name .. ALL
Database ID ..... 105      (RD-MPM105)

Command ==>
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help              Exit              Menu
    
```

Using the AOS checkpoint maintenance environment, you can perform the following functions, accessible by menu option:

Option	Function
C	<i>Listing Checkpoints</i> lists checkpoints currently in the checkpoint file.
D	<i>Deleting Checkpoints</i> allows you to remove all checkpoint file entries up to a specified date.

Listing Checkpoints

Selecting **List checkpoints** (option C) on the **Checkpoint Maintenance** menu lists checkpoints currently in the checkpoint file.

The result can be either a basic or an extended list, depending on the setting of the External CP-list field, which can be used to override the CPEXLIST operating control parameter.

You can start the list of checkpoints on a particular day by entering the date in the Date field in exactly the format shown.

You can specify the database for which the checkpoint list is to be written.

You can restrict the list to a particular checkpoint name by changing the ALL designation in the Checkpoint Name field to one of the following:

Type	Description
SYNC	nucleus initialization
SYNF	user open EXF
SYNP	utility, without nucleus
SYNS	ADARES
SYNV	volume ID change
SYNX	utility
SYN1	ADASAV DB begin
SYN2	ADASAV DB begin
SYN4	ADASAV file begin
SYN5	ADASAV file begin

For more information about checkpoint names, refer to your *Adabas Utilities* documentation.

The following screen displays a normal checkpoint list:

```

18:56:29          ***** A D A B A S  BASIC  SERVICES *****          2009-08-13
DBID 1955          - List Checkpoints -          PCPC012

  CP   CP   Date      Time      PLOG   Block   Vol/Ser   User Job Name
  Name Type                                Number  Number  Number   Type
  ----
SYNP  30   2009-02-17 19:07:59                                USAWISNO
SYNP  30   2009-02-17 19:07:59                                USAWISNO
SYNP  30   2009-02-17 19:08:00                                USAWISNO
SYNP  30   2009-02-17 19:08:01                                USAWISNO
SYNP  30   2009-02-17 19:08:01                                USAWISNO
SYNC  01   2009-02-17 19:08:02                                USAWISNO
SYNS  5B   2009-02-17 19:08:02                                EXU  ADAEND
SYNP  30   2009-02-17 19:17:04                2         1   DUAL      USAWISTA
SYNC  01   2009-02-17 19:27:58                2         2   DUAL      USAWISRP
SYNP  30   2009-02-17 19:42:40                2        365   DUAL      UTI  USAWISTA
SYNP  30   2009-02-17 19:42:40                2        366   DUAL      UTI  USAWISTA
SYNP  30   2009-02-17 19:42:40                2        367   DUAL      UTI  USAWISTA
SYNS  60   2009-02-17 21:17:58                2       21370   DUAL      ADABAS
SYNS  60   2009-02-18 16:41:30                2       21371   DUAL      ADABAS
SYNS  60   2009-02-19 09:25:33                2       21372   DUAL      ADABAS
PF1----- PF2----- PF3----- PF4----- PF6----- PF7 ----- PF8----- PF12-----
Help          Exit          Top          -          +          Menu

```

This screen illustrates an extended checkpoint list providing additional information about each checkpoint:

Maintaining Checkpoints

```
18:58:21          ***** A D A B A S  BASIC  SERVICES *****          2009-08-13
DBID 1955          - List Checkpoints -          PCPC012

  CP   CP   Date      Time      PLOG   Block   Vol/Ser   User Job Name
  Name Type                                Number   Number   Number   Type
-----
SYNP  30   2009-02-17  19:07:59                                USAWISNO
      LOAD                                FNR= 1
SYNP  30   2009-02-17  19:07:59                                USAWISNO
      LOAD                                FNR= 2
SYNP  30   2009-02-17  19:08:00                                USAWISNO
      LOAD                                FNR= 3
SYNP  30   2009-02-17  19:08:01                                USAWISNO
      LOAD                                FNR= 6
SYNP  30   2009-02-17  19:08:01                                USAWISNO
      LOAD                                FNR= 7
SYNC  01   2009-02-17  19:08:02                                USAWISNO
      SESSION OPEN                      IGNDIB = N , FORCE = N
SYNS  5B   2009-02-17  19:08:02                                EXU  ADAEND
      REFRESH STATS
SYNP  30   2009-02-17  19:17:04          2          1   DUAL          USAWISTA
PF1----- PF2----- PF3----- PF4----- PF6----- PF7 ----- PF8----- PF12-----
Help                Exit                Top          -          +          Menu
```

Deleting Checkpoints

You can remove all checkpoint file entries up to the date you specify in the `Date` field by selecting **Delete checkpoints** (option **D**) on the **Checkpoint Maintenance** menu. The following screen appears:

```
18:59:08          ***** A D A B A S  BASIC  SERVICES *****          2009-08-13
DBID 1955          -  Delete Checkpoints  -                               PCPD002
```

All checkpoint entries up to .. 2009-08-13 (YYYY-MM-DD)
will be deleted.

Confirm by pressing the 'ENTER' key or
modify the date and then press 'ENTER'.

```
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help                Exit                Menu
```


6 Maintaining Files

- Defining or Modifying the FDT 79
- Releasing a Descriptor 89
- Deleting an Adabas File 90
- Defining a New File 91
- Logically Deleting or Undeleting a Descriptor 93
- Modifying File Parameters 94
- Reordering a File Online 99
- Refreshing a File to Empty Status 101
- Allocating or Deallocating File Space 102
- Maintaining Expanded Files 103

Selecting **File Maintenance** (option F) from the Adabas Online System **Main Menu** invokes the **File Maintenance** menu:

```

19:11:56          ***** A D A B A S BASIC SERVICES *****          2009-08-13
                  - File Maintenance -                               PFL0004

Code  Service                                           Code  Service
-----
C   Define/modify FDT                                  M   Modify file parameters
D   Release descriptor                                O   Reorder file online
E   Delete existing file                              R   Refresh file to empty status
F   Define new file                                   S   Allocate/deallocate file space
L   Logically delete/undelet descriptor              X   Maintain expanded files
?   Help                                             .   Exit
-----

Code ..... _
File No ..... 0      Descriptor Name .. ___
Database ID .. 1955  (WIS1955)

Command ==>
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help           Exit           Menu
    
```

Options **C** (Define/modify FDT) and **X** (Maintain expanded files) on this menu display additional menus. The other file maintenance options require you to enter a valid file number and database ID. Option **D** (Release descriptor) also requires that you specify the name of the descriptor to be released.

From the **File Maintenance** menu, you can perform any of the following functions, selectable by menu option:

Option	Function
C	<i>Defining or Modifying the FDT</i> allows you to change the length of a field; add a field to a file; create a new field definition table (FDT); or create a special descriptor table (SDT).
D	<i>Releasing a Descriptor</i> allows you to release a field from descriptor status by freeing the specified field's inverted list in the Associator.
E	<i>Deleting an Adabas File</i> allows you to free extents used by an existing Adabas file.
F	<i>Defining a New File</i> allows you to define a new database file for which an FDT has already been created.
L	<i>Logically Deleting or Undeleting a Descriptor</i> allows you to logically delete or undelete a descriptor field.

Option	Function
M	<i>Modifying File Parameters</i> allows you to modify the padding factor, the maximum compressed record length, file number, file name, extent allocation for NI/UI/AC/DS, ISN reusage, and DS reusage.
O	<i>Reordering a File Online</i> allows you to start a process to reorder the Associator, Data Storage, or the entire file.
R	<i>Refreshing a File to Empty Status</i> allows you to delete all file records and assign a single extent to each file component.
S	<i>Allocating or Deallocating File Space</i> allows you to create or remove extents for the address converter, normal and upper index, and Data Storage of a file.
X	<i>Maintaining Expanded Files</i> allows you to insert or remove a component file into/from an expanded file chain.

Defining or Modifying the FDT

Selecting **Define/Modify FDT** (option C) on the **File Maintenance** menu displays the **FDT/SDT Definition / Modification** menu:

```

02:56:42          ***** A D A B A S  BASIC  SERVICES *****          2009-08-14
                -  FDT/SDT Definition / Modification  -          PFLC004

                Code      Service
                ----      -
                A        Add new field(s)
                C        Change field parameters
                D        Define new FDT
                F        Delete field from FDT
                G        Undelete field from FDT
                I        Online invert
                S        Define/add SDT
                ?        Help
                .        Exit
                ----      -

                Code ..... _
                File No. ....
                Field Name ... __
                Database ID .. 1955  (WIS1955)

Command ==>
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help      Def. File Exit                               Menu

```

This section covers the following topics:

- [Adding One or More Fields](#)
- [Changing Field Parameters](#)

- Defining a New Field Definition Table (FDT)
- Deleting a Field from the FDT
- Undeleting a Field from the FDT
- Inverting a File Online
- Defining a Special Descriptor Table (SDT)

Adding One or More Fields

Selecting **Add New Field(s)** (option **A**) on the **FDT/SDT Definition / Modification** allows you to add one or more fields to an existing Adabas file.

The **Add New Field(s)** function corresponds to the Adabas ADADBS NEWFIELD utility function. The equivalent direct command is:

```
ADD FIELD
```

▶ To add a new field definition to the field definition table (FDT) of an existing file:

- 1 In the `Code` field, select option **A** (add new fields) on the **FDT/SDT Definition / Modification** menu.
- 2 Specify the number of the existing file in the `File No` field.
- 3 Specify a unique two-character field name that is not currently being used by the specified file in the `Field Name` field.
- 4 Press `Enter`.



Note: You can view the FDT of the existing file by selecting option **R**, *Database Report* from the Adabas Online System **Main Menu**.

An Add New Field(s) screen similar to the following is displayed providing input fields for defining a new field:

▶ **To change the parameters of an existing field in an existing file:**

- 1 In the `Code` field, select option **C** (change field parameters) on the **FDT/SDT Definition / Modification** menu.
- 2 Specify the number of the existing file in the `File No` field.
- 3 Specify the two-character field name of the field to be changed in the `Field Name` field.



Note: You can view the FDT of the existing file by selecting option **R**, *Database Report* from the Adabas Online System **Main Menu**.

- 4 Press Enter.

The Change Field Parameters screen appears.

```

03:21:30          ***** A D A B A S  BASIC  SERVICES *****          2009-08-14
DBID 1955          - Change Field Parameters -          PFLCC22

Enter New Field Length:

File ..... 29
File Name ..... TEST-29
Field Name ..... SF

Field Format ... A
Field Length ... 8
Field Option ... ___

File Password ..

PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help           Exit           Rel UQ           Menu
    
```

If the field is a binary, packed or unpacked date and time field, fields appear on this screen allowing you to change the edit mask:

```

18:37:43          ***** A D A B A S  BASIC  SERVICES *****          2009-09-09
DBID 1955          -  Change Field Parameters  -                          PFLCC32

Enter New Field Length:

File ..... 30
File Name ..... DATETIME
Field Name ..... AC

Field Format ... P
Field Length ... 11

DT= editmask ... TIMESTAMP__

File Password ..

PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help                Exit       Rel UQ                               Menu

```

5 On the Change Field Parameters screen, you can change:

- the standard length of an Adabas field. To do this, enter the new value in the `Field Length` field.
- a normal alphanumeric (A) field to a long-alpha (LA) field. To do this, enter "LA" in the `Field Option` field (if it appears on the screen).
- the default field format from unpacked (U) to packed (P). To do this, overwrite the "U" in the `Field Format` field with "P".

An elementary field defined as format "U" can only be changed to "P" if the field:

- has not been defined with the field option "FI" (fixed storage length);
- is not the parent of a sub-/super-/hyperdescriptor; and
- is not within an expanded file chain.
- the edit mask for a date-time field. To do this, change the value in the `DT= editmask` field (if it appears on the screen). Valid edit masks are: `DATE`, `TIME`, `DATETIME`, `TIMESTAMP`, `NATDATE`, `NATTIME`, `UNIXTIME`, and `XTIMESTAMP`. For complete information about these edit masks, refer to your Adabas documentation.

Only one of these parameters may be changed at a time.

If the field you selected has been defined with the UQ (unique descriptor) option, you can press PF4 (Rel UQ) to remove it.

No modifications to records in Data Storage are made by this function. You are, therefore, responsible for preventing references to the field that would cause invalid results because of an inconsistency between the new parameter value as defined to Adabas and the actual value contained in the record.

- 6 If the file is protected, enter the password in the File Password field before you press Enter.

Defining a New Field Definition Table (FDT)

Selecting **Define New FDT** (option D) on the **FDT/SDT Definition / Modification** allows you to define a new FDT for an Adabas file.

This function corresponds to the Adabas utility function ADACMP COMPRESS. The equivalent direct command is:

```
DEFINE FDT
```

▶ To define a new FDT:

- In the Code field, select option **D** (define new FDT) on the **FDT/SDT Definition / Modification** menu.

The Define FDT screen appears, which can be used to define a new FDT for a new file:

```
21:09:04          ***** A D A B A S  BASIC  SERVICES *****          2009-08-21
DBID 1955          - Define FDT -          PFLCD12

File Number .... 55                      New FDT ... Y

Enter Field Description(s) ::

I Lev1 I Name I Length I Format I Options          I Date/time stamp
I-----I-----I-----I-----I-----I-----I-----
I  ___  I  ___  I  ___  I  ___  I  ___  ___  ___  ___  I  _____
I  ___  I  ___  I  ___  I  ___  I  ___  ___  ___  ___  I  _____
I  ___  I  ___  I  ___  I  ___  I  ___  ___  ___  ___  I  _____
I  ___  I  ___  I  ___  I  ___  I  ___  ___  ___  ___  I  _____
I  ___  I  ___  I  ___  I  ___  I  ___  ___  ___  ___  I  _____
I  ___  I  ___  I  ___  I  ___  I  ___  ___  ___  ___  I  _____
I  ___  I  ___  I  ___  I  ___  I  ___  ___  ___  ___  I  _____
I  ___  I  ___  I  ___  I  ___  I  ___  ___  ___  ___  I  _____
I  ___  I  ___  I  ___  I  ___  I  ___  ___  ___  ___  I  _____
I  ___  I  ___  I  ___  I  ___  I  ___  ___  ___  ___  I  _____

PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help      Def SDT   Exit      Def File  Disp FDT          Menu
```

FDTs for existing files cannot be redefined with this option.

Deleting a Field from the FDT

Selecting **Delete field from FDT** (option **F**) on the **FDT/SDT Definition / Modification** allows you to logically delete a field from the FDT for a file.

This function corresponds to the Adabas ADADBS DELFN utility function.

The **Delete Field** screen appears.

```

04:02:23          ***** A D A B A S  BASIC  SERVICES *****          2009-08-14
DBID 1955          -  Delete Field  -          PFLCF02

Field Name ..... SB
File Number ..... 29
File Name ..... TEST-29

Enter 'DELETE' to confirm ... _____

PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit          Confirm          Menu

```

▶ To delete the field:

- Press PF6 to delete the field.

Or:

Type "DELETE" in the space provided and press Enter.

The field is deleted from the FDT.



Note: Fields marked for deletion are identified in the **Field Definition Table (FDT)** section of the **Database Report**.

Undeleting a Field from the FDT

Selecting **Undelete field from FDT** (option **G**) on the **FDT/SDT Definition / Modification** allows you to logically undelete a field you had previously deleted from the FDT for a file.

This function corresponds to the Adabas ADADBS UNDELFN utility function.

The Undelete Field screen appears.

```
04:09:43          ***** A D A B A S  BASIC  SERVICES *****          2009-08-14
DBID 1955          - Undelete Field -          PFLCG02

Field Name ..... SB
File Number ..... 29
File Name ..... TEST-29

Enter 'UNDELETE' to confirm .. _____

PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help                Exit                Confirm                Menu
```

▶ To undelete the field:

- Press PF6 to undelete the field.

Or:

Type "UNDELETE" in the space provided and press Enter.

The field is undeleted from the FDT.

Inverting a File Online

Selecting **Online Invert** (option I) on the **FDT/SDT Definition / Modification** displays the Online Invert screen.

The equivalent direct command is:

```
ONLINE INVERT
```

```
03:39:23          ***** A D A B A S  BASIC  SERVICES *****          2009-08-14
DBID 1955                -  Online Invert  -                               PFLCI02
```

```
File Number .... 29      TEST-29
Password .....
```

Enter the definition, using the syntax of the ADADBS ONLINVERT utility:

Note: Only one Invert Process can be active for a file at any time.

Examples:

```
FIELD='AA'                HYPDE='01,HD,20,A,NU,MU=AA,AB'
SUBDE='SB=AA(1,5)'        PHONDE='PH(AA) '
SUPDE='SP=AA(1,5),BB(1,2),CC(3,5)' COLDE='1,CD=AA'
```

Enter Descriptor information and press 'enter'

```
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help                Exit                Menu
```

The specified file must be currently loaded.

Specify the definition in the space provided, using the ADADBS ONLINVERT syntax. PF1 provides help information for this syntax; see the *Adabas Utilities* documentation for additional information.

Only one descriptor can be specified per process.

Only one invert process can be active for a file at any time. If an attempt is made to start a second invert process before the first one has completed, a response code 64 is returned.

Defining a Special Descriptor Table (SDT)

Selecting **Define/add SDT** (option **S**) on the **FDT/SDT Definition / Modification** allows you to define special descriptors in an existing FDT for a new file. This option is available only if an FDT exists but no file control block (FCB) exists for the file (for example, if the FDT has been created but no records loaded, or if the file was deleted with the option to retain the FDT).

This function corresponds to the Adabas utility function ADACMP COMPRESS. The equivalent direct command is

```
DEFINE STD
```

The Define SDT screen appears.

```
03:44:37          ***** A D A B A S  BASIC SERVICES *****          2009-08-14
DBID 1955          - Define SDT -                                     PFLCH02

File Number .... 29
Password .....

Enter SDT-Definition, using the syntax of the ADACMP Utility:

_____
_____
_____
_____
_____
_____
_____
_____
_____
_____

Enter SDT information and press 'enter'
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help      Def File  Exit      Refresh                                     Menu
```

Use ADACMP syntax (see the *Adabas Utilities* documentation) on this screen.

Releasing a Descriptor

Selection option **D**, **Release Descriptor**, on the **File Maintenance** menu allows you to remove a descriptor by freeing the specified field's inverted list in the Associator. Field names listed in the field definition table (FDT) with an option of "DE" are descriptors.



Note: You can view the FDT of the existing file by selecting option **R**, *Database Report*, from the AOS main menu.

This function corresponds to the Adabas utility function ADADBS RELEASE. The equivalent direct command is

```
RELEASE DESCRIPTOR file-number descriptor
```

▶ To release a descriptor:

- 1 Select option **D** (Release Descriptor) on the **File Maintenance** menu.
- 2 Specify the number of the existing file.
- 3 Specify the name of the existing descriptor to be released.
- 4 Press ENTER.
- 5 Confirm the release on the Release Descriptor screen:

```
20:04:10          ***** A D A B A S  BASIC  SERVICES *****          2009-08-19
DBID 1955          - Release Descriptor -          PFLD022

Descriptor Name .. SG
File Number ..... 29
File Name ..... TEST-29
Password .....
In Parallel ..... NO_

Enter 'RELEASE' to confirm .. _____

PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit          Confirm          Menu
```

Press PF6 to release the descriptor.

Or:

Type "RELEASE" in the space provided and press Enter.

The descriptor is released.

Deleting an Adabas File

Selecting option E (Delete existing file) on the **File Maintenance** menu allows you to free extents used by an existing file for use by other existing files or newly added files.

You have the option to save the field definition table (FDT) so that the field description of the deleted file remains in the database and can be used for a subsequent new file definition.

If the file to be deleted is a coupled file, it must first be uncoupled using option U on the **Database Maintenance** menu or the UNCOUPLE direct command.

This function corresponds to the utility function ADADBS DELETE.

The equivalent direct command is

```
DELETE FILE file-number
```

▶ To delete an Adabas file:

- 1 Select option E (Delete existing file) on the **File Maintenance** menu.
- 2 Specify the number of the existing file.
- 3 Press ENTER.

The Delete File screen appears.

```

20:12:33          ***** A D A B A S  BASIC  SERVICES *****          2009-08-19
DBID 1955          - Delete File -          PDMD002

File Number ..... 29
File Name ..... TEST-29

Enter File Name to confirm delete ...

Save Field Description Table ..... N

File Password .....

PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help                Exit                Menu

```

- 4 Tab to the Enter File Name to confirm delete field and type in the name of the file.
- 5 Tab to the Save Field Description Table field and type "Y" to save the FDT for the file or "N" to delete the FDT.
- 6 Tab to the File Password field and specify the file password, if any.
- 7 Press Enter to delete the file.

The file is deleted.

Defining a New File

Before option F (Define new file) on the **File Maintenance** menu can be used to add a new file to the specified database, an FDT must be defined for the file. Alternatively, you may choose to use an already existing FDT (retained from a Delete File function run with the "SAVE FDT" option).

This function corresponds to the utility function ADALOD LOAD.

The equivalent direct command is

```
DEFINE FILE file-number
```

To define a new FDT for a file, read [Defining a New Field Definition Table \(FDT\)](#), elsewhere in this guide.

► **To add a new file for which an FDT has been defined:**

- 1 Select option **F** (Define new file) on the **File Maintenance** menu.
- 2 Specify the number of the file to be added.
- 3 Specify the database to which it will be added.
- 4 Press **Enter**.

If the file already exists in that database, a message is displayed at the top of the menu. Otherwise, the Define File screen appears.

```

01:36:13          ***** A D A B A S BASIC SERVICES *****          2009-12-19
DBID 1955          - Define File -          PFLF012

File Name ..... TEST-66_____
MAXISN ..... _____          ACRABN .....
Datastorage Size .. _____ B (BLKs/CYLs)          DSRABN .....
Normalindex Size .. _____ B (BLKs/CYLs)          NIRABN .....
Upperindex Size ... _____ B (BLKs/CYLs)          UIRABN .....

MINISN .....* 1          ISN Size ..... 3 Byte Anchor Fnr .....
ISN Reuse ....* N          MIXDSDEV ..... N          Ciphering ..... N
DS Reuse .....* Y          Spanned Records ... N          Alpha Code .....
DATA device ..* 3390          MU / PE > 191 ..... N          Wide Code .....
ASSO padding .* 10 %          LOB file ..... N          User Wide Code .
DATA padding .* 10 %          Rel. LOB file # ...          Reptor upd only. N
SYFMAXUV ..... 0

Max Blks:          Max comp. rec.len . 5060
  DS extents ..          Index Compression . N          Multi Client
  NI extents ..          No AC Extension ... N          Support ..... N
  UI extents ..          Program Refresh ... N          Owner-ID Len ... 8
EFLF01 : Create FDT before defining the file
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit          ADAM          Menu
    
```

- 5 Supply values for the **MAXISN**, **Datastorage Size**, **Normalindex Size**, and **Upperindex Size**, at a minimum. Alter any other fields as appropriate for the file.
- 6 When all field values have been specified, press **Enter** to define the file.

► **To specify parameters for an ADAM file:**

- 1 Press **PF7** (ADAM).

The following ADAM File Information window appears:


```
ADAM File Information:
```

```
ADAMDE (field/ISN).
ADAMPARM .....
ADAM Overflow .....
ADAM Dataform ..... Y
```

- 2 Supply values for all fields and press Enter.

Logically Deleting or Undeleting a Descriptor

You can use AOS to delete and undelete a descriptor.

Selecting **Logically delete/undel descriptor** (option L) on the **File Menu** allows you to logically delete a descriptor from a file.

This function corresponds to the Adabas ADADBS ????? utility function.

The Logically Delete Undelete Descriptor screen appears.

```
19:32:17          ***** A D A B A S  BASIC  SERVICES *****          2009-08-19
DBID 1955          -  Logically Delete Undelete Descriptor  -          PFLL002
```

```
Descriptor Name ..... SB
File Number ..... 29
File Name ..... TEST-29
Password .....
Delete (yes) or Undelete (no) ... NO
```

```
Enter 'LDELETE' to confirm .. _____
```

```
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit          Confirm          Menu
```

- [Deleting a Descriptor](#)
- [Undeleting a Descriptor](#)

Deleting a Descriptor

▶ To delete the descriptor:

Be sure that a valid descriptor is correctly identified on the **File Maintenance** menu.

- 1 Tab to the Delete (yes) or Undelete (no) field and type "YES".
- 2 Press PF6 to confirm the descriptor deletion.

Or:

Type "LDELETE." in the space provided and press Enter.

The descriptor is logically deleted.

Undeleting a Descriptor

▶ To undelete a descriptor:

Be sure that a valid descriptor is correctly identified on the **File Maintenance** menu.

- 1 Tab to the Delete (yes) or Undelete (no) field and type "NO".
- 2 Press PF6 to confirm the descriptor undeleting.

Or:

Type "LDELETE." in the space provided and press Enter.

The descriptor is logically undeleted.

Modifying File Parameters



Note: AOS is not able to modify file parameters for Adabas files incorporated in Predict. This is because AOS cannot modify the FCB of these files. Error messages are produced when such an attempt is made. We recommend that you use Predict 4.5.1 to make file parameter updates for Adabas files incorporated in Predict.

You can use AOS to modify file parameters unless they are incorporated in Predict.

This function corresponds to the utility function ADADBS MODFCB. The equivalent direct command is

```
MODIFY FILE file-number
```

▶ **To modify parameters for a file**

- 1 Select option **M** (Modify file parameters) on the **File Maintenance** menu.
- 2 Specify the number of the file to be modified.
- 3 If the file is protected, supply the password.
- 4 Press Enter.

The Modify File Parameters screen appears:

```
01:48:29          ***** A D A B A S  BASIC  SERVICES *****          2009-12-19
DBID 1955          -  Modify File Parameters  -          PFLM022

File No. ... 39
File Name .. BIGFDT
-----
ASSO PFAC ..... 10          Max. UI Blks per extent .. 0
DATA PFAC ..... 10          Max. UI Blks per extent .. 0
Max. RECL ..... 5060        Max. DS Blks per extent .. 0
                               ISN Reuse ..... ON_
New File Name ..... BIGFDT_____ with RESET ..... ____
New File No. .... 39          in Parallel ..... NO_
User ISN ..... OFF          DS Reuse ..... ON_
File Password .....          with RESET ..... ____
Filereadonly ..... OFF      in Parallel ..... NO_
Spanned Records ... OFF      Mixed DS Device ..... OFF
MU/PE indices ..... 1        Program Refresh ..... OFF
Reptor update only. OFF      Max occur system fields .. 0
AlphaNum Encoding . 0        Replication ..... OFF
WideChar Encoding . 0        in Parallel ..... NO_

PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit          Menu
```

If large object (LOB) flags are set (if the file is a LOB file), the following screen is displayed:

```

01:47:51          ***** A D A B A S  BASIC  SERVICES *****          2009-12-19
DBID 1955          -  Modify File Parameters  -          PFLM022

File No. ... 29
File Name .. TEST-29
-----
ASSO PFAC ..... 10                      Max. UI Blks per extent .. 0
DATA PFAC ..... 10                      Max. UI Blks per extent .. 0
Max. RECL ..... 5060                    Max. DS Blks per extent .. 0
                                           ISN Reuse ..... OFF
New File Name ..... TEST-29_____      with RESET ..... ____
New File No. .... 29                      in Parallel ..... NO_
User ISN ..... OFF                       DS Reuse ..... ON_
File Password .....                      with RESET ..... ____
Filereadonly ..... OFF                   in Parallel ..... NO_
Spanned Records ... OFF                   Mixed DS Device ..... OFF
MU/PE indices .... 1                     Program Refresh ..... OFF
Reptor update only. OFF                   Max occur system fields .. 0
AlphaNum Encoding . 0                     Replication ..... OFF
WideChar Encoding . 0                     in Parallel ..... NO_

PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit          LOB Info          Menu
  
```

If you press PF4 on the screen when it displays a LOB file, a pop-up window appears showing detailed information about the file:

```

- LOB File Information -

*****

* File  16  *

*****

File Info: LOB file
Related LOB File Number ..... 15____

PF3---
Cancel
  
```

5 Update file parameters as described in the rest of this section

- [Change Padding Factors](#)
- [Changing Maximum Allocation](#)
- [Changing Record Length](#)
- [Renaming or Renumbering the File](#)
- [Supplying a Password for the File](#)
- [Setting ISN and Data Storage Block Reuse](#)
- [Making the File Read-Only](#)

- [Activating Spanned Record Support](#)
- [Selecting File Options](#)
- [Changing Code Pages](#)
- [Changing Replication Parameters](#)

Change Padding Factors

Using the ASSO PFAC and the DATA PFAC fields on the Modify File Parameters screen, you can change the Associator and Data Storage padding factors for the file.

The "padding factor" is the percentage (%) of each Associator or Data Storage block that is reserved; that is, not loaded. This area is used to create new records later. The range is from 3 to 90 percent. The factor size allocated should depend on the amount of updating that is expected. The number of bytes left in the Associator after padding must exceed the largest descriptor value by at least 10.

Changing Maximum Allocation

Using the Max Allocation fields on the Modify File Parameters screen, you can change the maximum number of blocks that can be allocated for Data Storage (field DS Blks per extent), the normal index (field NI Blks per extent), or the upper index extent (field UI Blks per extent).

The value specified must be specified in blocks and cannot be more than 65535. If one of the parameters is either not specified or specifies "0", the maximum secondary extent allocation for that component has no limit.

In all cases, however, Adabas enforces minimum secondary allocations for these parameters:

```
DS Blks per extent=6  
NI Blks per extent=6  
UI Blks per extent=15
```

If you specify a value lower than these minimum allocations, the Adabas-enforced minimum value is used.

Changing Record Length

Using the Max. RECL field on the Modify File Parameters screen, you can change the maximum compressed record length allowed.

Renaming or Renumbering the File

Using the `New File Name` and `New File No.` fields on the `Modify File Parameters` screen, you can change the name or number of the file.

The equivalent direct commands are

```
RENAME FILE file-number
```

```
RENUMBER FILE file-number
```

Supplying a Password for the File

Use the `File Password` field to specify a password for the file.

Setting ISN and Data Storage Block Reuse

`ISN Reuse` and `DS Reuse` determine whether ISNs and Data Storage blocks for deleted records are reused as new records are added to the file. The equivalent direct commands are

```
REUSE ISNS file-number
```

```
REUSE DS file-number
```

When setting either of these two options to "ON", you can also set the `RESET` option "ON" to start the search for an unused ISN or Data Storage block at the beginning of the file.

Making the File Read-Only

If you want this file to be accessed only in read-only mode, set the `Filereadonly` field to ON. This is useful if you need to maintain them while the rest of the database is up.

Activating Spanned Record Support

To activate spanned record support for a file, set the `Spanned Records` field to ON. Once spanned record support is turned on, you can create spanned records in that file; if spanned record support is *not* turned on, you cannot create spanned records in a file.

Selecting File Options

You can also turn off or on several file options on this screen:

```
User ISN
ISN Reuse ...with RESET
DS Reuse ...with RESET
Mixed DS Device
MU PE Indices
Program Refresh
```

Changing Code Pages

If the file was loaded using universal encoding support (UES), the code values may be changed on this screen using the `AlphaNum Encoding` and `WideChar Encoding` fields.

Changing Replication Parameters

You can change the settings of several replication parameters:

Parameter	Description
Reptor update only	Indicates whether the file may be updated only by the Event Replicator Server as part of Adabas-to-Adabas replication or by other means as well.
Replication	Indicates whether replication has been turned on for the Adabas file.

Reordering a File Online



Note: This function is not available in the Adabas Cluster Services or Adabas Parallel Services environments. It cannot be started for the checkpoint or security files.

Selecting Reorder File Online (option **O**) on the **File Maintenance** menu displays the Online Reorder File screen, which can be used to start an online reorder process for the specified file.

The equivalent direct command is

```
ONLINE REORDER
```

```

20:55:36          ***** A D A B A S  BASIC  SERVICES *****          2009-08-19
DBID 1955          -   Online Reorder File   -                          PFL0002

Reorder for file... 29          TEST-29
Password....

-----

Type of Reorder..... _

Options:  Asso Padding Factor.. __
          Data Padding Factor.. __
          Sort Sequence..... ____

Command ==>
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit                          Menu
    
```

▶ **To select the type of reorder to be performed:**

- 1 Enter one of the following reorder type codes in the **Type of Reorder** field:

Reorder type	Corresponds to ADADBS function...	Reorders ...
B (both)	ONLREORFILE	the entire file
A (Associator)	ONLREORFASSO	the Associator for the file only
D (Data Storage)	ONLREORFDATA	Data Storage for the file only

The only file level parameters that can be changed using this function are the padding factors. If these fields are left blank, the current parameter settings are used during the reorder.

When reordering Data Storage for a file, you can specify a sort sequence. The default is physical sequence or "PHY". Other possible options include "ISN" if the file is to be sorted in ISN order, or the two character descriptor name to sort the file according to the value of the specified descriptor.

- 2 Press Enter.

Refreshing a File to Empty Status

Option **R**, (Refresh file to empty status) on the **File Maintenance** menu deletes all file records and assigns a single extent to each file component.

This function corresponds to the utility function ADADBS REFRESH. The equivalent direct command is

```
REFRESH FILE file-number
```

▶ To refresh a file to empty status:

- 1 Select option **R** (Refresh file to empty status) on the **File Maintenance** menu.
- 2 Specify the number of the existing file in the specified database.
- 3 Press Enter.

The Refresh File screen appears.

```

20:59:03          ***** A D A B A S  BASIC  SERVICES *****          2009-08-19
DBID 1955          - Refresh File -          PFLR002

File Number ... 29
File Name ..... TEST-29
Password .....

Enter File Name to confirm ...

PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit          Menu

```

- 4 Tab to the Password field and enter a password for the file, if necessary.
- 5 Tab to the Enter File Name to confirm field and enter the name of the file.
- 6 Press Enter to confirm the refresh on the Refresh File screen.

Allocating or Deallocating File Space

Option **S**, (Allocate/deallocate file space) on the **File Maintenance** menu allows you to allocate or deallocate extents for the address converter, normal index, upper index, and Data Storage of a file. You can specify the allocation in blocks or in cylinders, a starting relative Adabas block number, and the device where the allocated space should be located.

This function corresponds to the utility functions ADADBS ALLOCATE and ADADBS DEALLOCATE.



Note: If an attempt is made to allocate AC beyond MAXISN, Adabas will detect this and only allocate up to MAXISN.

The equivalent direct commands are

```
ALLOCATE SPACE file-number
```

```
DEALLOCATE SPACE file-number
```

▶ To allocate or deallocate space for a file:

- 1 Select option **S** (allocate/deallocate file space).
- 2 Specify the file to be modified.
- 3 Press **Enter**.

The Allocate/Deallocate File Space screen appears.

```

11:58:58          ***** A D A B A S  BASIC  SERVICES *****          2009-08-21
DBID 1955          -  Allocate/Deallocate File Space  -          PFLS002

File Number ..... 29
File Name ..... TEST-29

Enter Parameters :          Possible values:

  Allocate/Deallocate ... _          (A/D)
  Table Type ..... _          (AC/A2/DS/NI/UI)
  Size .....
  Blocks or Cylinders ... B          (B/C)
  Start RABN ..... _____
  Device Type ..... _____

File Password .....

PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit          Menu

```

- 4 Indicate whether you are allocating or deallocating space in the `Allocate/Deallocate` field. Specify "A" to allocate space and "D" to deallocate space.
- 5 Tab to the `Table Type` field and specify the type of space you are allocating or deallocating (address converter, Data Storage, normal index, or upper index)>
- 6 Specify the amount of space that should be allocated or deallocated using the `Size` field.
- 7 Specify whether the space should be allocated or deallocated in blocks (B) or cylinders (C) using the `Blocks or Cylinders` field.
- 8 Optionally specify a starting RABN in the `Start RABN` field.
- 9 If the file is protected, supply the password in the `File Password` field.
- 10 Press `Enter` to perform the allocation or deallocation.

Maintaining Expanded Files

Selecting option **X** and a file number (`File No` field) on the **File Maintenance** menu displays the **Expanded File Maintenance** menu:

```

10:51:56          ***** A D A B A S  BASIC SERVICES *****          2006-07-20
                  - Expanded File Maintenance -                      PFLX002

                  Code      Service
                  -----
                  I        Insert file into chain
                  R        Remove file from chain
                  ?        Help
                  .        Exit
                  -----

Code .....
File No. .... 75
Master Fnr ...
Password .....
Database ID .. 105      (RD-105)
    
```

The functions available on this menu correspond to the utility functions ADALOD LOAD and ADALOD UPDATE.

▶ **To insert an existing file into an expanded file chain:**

- 1 Select option **I** on the **Expanded File Maintenance** menu.
- 2 Specify the number of the file to be inserted (**File No** field).
- 3 Specify the number of the master file of the expanded file chain into which the file is being inserted (**Master Fnr** field).
- 4 If the file is protected, supply the password in the **File Password** field.
- 5 Press **Enter**.



Note: If the file to be inserted is to be the first (master) file of the chain, both **File No** and **Master Fnr** fields must be set to the same value.

▶ **To remove a component file from an expanded file chain:**

- 1 Select option "R" on the **Expanded File Maintenance** menu.
- 2 Specify just the number of the file to be removed (**File No** field) from the chain.

If the file to be removed is the master file, the next file in the chain will become the new master file.
- 3 If the file is protected, supply the password in the **File Password** field.
- 4 Press **Enter**.

7 Maintaining Databases

- Adding a New Associator or Data Storage Extent 107
- Increasing or Decreasing Associator or Data Storage Data Set Size 108
- Displaying and Resetting DIB Block Entries 109
- Recovering Unused Space 109
- Uncoupling Adabas Files 109

The AOS Database Maintenance function controls Adabas database (ASSO/DATA) file and space allocation. You can:

- add data sets, increase or decrease the size of the last data set;
- uncouple Adabas files;
- display or reset entries in the data integrity block (DIB); and
- recover space previously allocated but not used by Adabas utilities that ended abnormally.

Database maintenance tasks can be performed from the **Database Maintenance** menu:

```

14:14:09          ***** A D A B A S BASIC SERVICES *****          2009-08-21
                   - Database Maintenance -                          PDM0002

                Code      Service
                ----      -
                A          Add new dataset to ASSO/DATA
                I          Increase/decrease ASSO/DATA
                R          List/reset DIB block entries
                S          Recover unused space
                U          Uncouple two ADABAS files
                ?          Help
                .          Exit
                ----      -

Code ..... _
File No. .... 29
Coupled File .. 0
Database ID ... 1955 (WIS1955)

Command ==>
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit          Menu
    
```

Database maintenance includes the following functions:

Option	Function
A	<i>Adding a New Associator or Data Storage Extent</i> allows you to add a preformatted data set to the Associator or Data Storage.
I	<i>Increasing or Decreasing Associator or Data Storage Data Set Size</i> allows you to change the size of an existing Associator or Data Storage data set.
R	<i>Displaying and Resetting DIB Block Entries</i> allows you to display and reset the data integrity block (DIB) entries for each Adabas utility currently operating.
S	<i>Recovering Unused Space</i> allows you to recover unused space from utility operations that ended abnormally.
U	<i>Uncoupling Adabas Files</i> allows you to remove the physical coupling between files.

Adding a New Associator or Data Storage Extent

Option **A (Add new dataset to ASSO/DATA)** on the **Database Maintenance** menu is used to add a preformatted data set to the Associator or Data Storage. Before using this option, the data set to be added must be formatted using the ADAFRM utility.

Option **A** should be used only if the new data set is located on a different physical device.

This function corresponds to the utility function ADADBS ADD.

The equivalent direct commands are:

```
ADD ASSO
```

```
ADD DATA
```

The Add Dataset screen appears.

```

12:51:53          ***** A D A B A S  BASIC  SERVICES *****          2009-08-24
DBID 1955          -  Add Dataset  -          PDMA002

Enter Parameters to Add either a DATA OR ASSO dataset:

      ASSO Device ..... ____
      ASSO Size ..... _____

      DATA Device ..... ____
      DATA Size ..... _____

      Blocks/Cylinders .. B

PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit          Menu

```

Increasing or Decreasing Associator or Data Storage Data Set Size

Option **I (Increase/decrease ASSO/DATA)** on the **Database Maintenance** menu is used to change the size of an existing data set for the specified component. If the component has more than one data set, option **I** changes the size of the last data set.

Since this option only changes the Adabas general control block entry, you must also ensure that the needed space is physically allocated and formatted when the data set is being increased.

When the Data Storage component has been increased four times, an ADAORD REORASSO utility function must be executed to reorder the DSST extents in the Associator component.

This function corresponds to the utility functions ADADBS INCREASE and ADADBS DECREASE.

The equivalent direct commands are:

```
INCREASE ASSO
```

```
INCREASE DATA
```

```
DECREASE ASSO
```

```
DECREASE DATA
```

The Increase/Decrease screen appears.

```

12:58:53          ***** A D A B A S BASIC SERVICES *****          2009-08-24
DBID 1955          - Increase/Decrease -                               PDMI002

Enter Parameters :                               Possible values:

          Increase/Decrease .. _                (I/D)
          ASSO/DATA .. _                        (A/D)
          Size .. _____
          Blocks or Cylinders .. B              (B/C)

Note: After an INCREASE operation is completed, the nucleus session will
      be automatically ended to allow for the necessary Associator or Data
      Storage formatting.

PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit          Menu
    
```

Displaying and Resetting DIB Block Entries

The data integrity block (DIB) comprises entries for each Adabas utility currently operating, describing the resources each utility is using.

Option **R (List/reset DIB block entries)** on the **Database Maintenance** menu allows you to list and remove any unwanted entries from the DIB.

This function corresponds to the utility function ADADBS RESETDIB. It can also be accomplished using the operator command DDIB.

The equivalent direct commands are:

```
DISPLAY DIB
```

```
RESET DIB
```

Recovering Unused Space

Space allocated for utility operations that ended abnormally remains unavailable unless it is intentionally recovered.

Option **S (Recover unused space)** on the **Database Maintenance** menu is used to purposely reclaim such space for use. A message is returned indicating that the space has been successfully recovered.

This function corresponds to the utility function ADADBS RECOVER.

The equivalent direct command is:

```
RECOVER SPACE
```

Uncoupling Adabas Files

Option **U (Uncouple two ADABAS files)** on the **Database Maintenance** menu is used to remove the physical coupling between the specified files by erasing the coupling inverted lists from each file's Associator. No change is made to the field definition tables (FDTs) or descriptors for the specified files.

This option must be executed before either of the specified files is deleted.

To determine if a file is physically coupled, check the **C (coupling)** indicator in the Database Report option's **Display File** screen. Using the same function for those selected files, you can see the

specific coupling information; that is, the specific fields in one file and their coupling to fields in other files.

This function corresponds to the utility function ADADBS UNCOUPLE.

The equivalent direct command is

```
UNCOUPLE FILES file1 file2
```

8

Performing System Operator Command Functions

▪ Allocating/Deallocating CLOG and PLOG Data Sets	113
▪ Reactivating Command Logging	116
▪ Extended Error Recovery Functions	116
▪ Forcing Dual/Multiple CLOG/PLOG Switch	123
▪ Locking / Unlocking Files	124
▪ Resetting Online Dump Status	126
▪ Stopping Users	126
▪ Termination Commands	129
▪ Managing Online Utilities	129
▪ Maintaining the User Table	131

Selecting **Session Opercoms** (option **O**) from the **Main Menu** displays the **Session Opercoms** menu:


```

13:14:33          ***** A D A B A S BASIC SERVICES *****          2009-08-24
                  - Session Opercoms -                               PACI002

Code  Service                                          Code  Service
-----
A    Allocate/Deallocate CLOG/PLOG                  S    Stop user(s)
C    Issue reactivate CLOG command                  T    Termination Commands
E    Extended Error Recovery                        U    Manage Online Utilities
F    Force CLOG or PLOG switch                      V    User Table Maintenance
L    Lock or unlock files                            X    Replicator Management
R    Reset ONLINE-DUMP-Status                       ?    Help
.    Exit

-----
Code ..... _
Userid(ETID) .. _____
CLOG/PLOG Ind .. _      Global.. _
Database ID .... 1955   (WIS1955)          NucID .. 1021

Command ==>
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help           Exit           Menu
    
```

 **Note:** A zero value in the NucID field indicates that the command applies to all nuclei in the cluster (global). A non-zero value for NucID indicates that the command applies only to the cluster nucleus specified.

System operator command functions you can perform are accessed from the Session Opercoms menu by entering the appropriate code, as follows:

Option	Function
A	<i>Allocating/Deallocating CLOG and PLOG Data Sets</i>
C	<i>Reactivating Command Logging</i>
E	<i>Extended Error Recovery Functions</i>
F	<i>Forcing Dual/Multiple CLOG/PLOG Switch</i>
L	<i>Locking / Unlocking files</i>
R	<i>Resetting Online Dump Status</i>
S	<i>Stopping Users</i>
T	<i>Termination Commands</i>
U	<i>Managing Online Utilities</i>
V	<i>Maintaining the User Table (nucleus cluster environments only)</i>

Option	Function
X	<p>Displays the Replication Management menu, which allows you to access the Adabas Event Replicator Subsystem (SYSRPTR) as well as to activate and deactivate subsystem definitions, run the RPLCHECK, RPLCLEANUP, or RPLREFRESH utilities, and display subsystem parameters and definitions.</p> <p>Note: This option is only available if the database you have selected is an Event Replicator Server database.</p> <p>For more information about the Adabas Event Replicator Subsystem or any of the functions you can perform from the Replication Management menu, refer to your Event Replicator for Adabas documentation.</p>

Allocating/Deallocating CLOG and PLOG Data Sets

Option **A (Allocate/Deallocate CLOG/PLOG)** on the **Session Opercoms** menu is used to dynamically add and delete CLOG and PLOG data sets without terminating your current nucleus session. Using function, you can specify up to eight CLOG or PLOG data sets. This will reduce the chances of a wait condition in the nucleus, when the nucleus waits for an available CLOG or PLOG. You might find this particularly useful during busier times of the month or year.

This function corresponds to the utility functions ADADBS ADDCLOG, ADDPLOG, DELCLOG, and DELPLOG.

When you select option **A**, the **Allocate/Deallocate CLOG/PLOG** menu appears.

To add a CLOG or PLOG data set dynamically, the nucleus must know about its JCL at startup time. To use this functionality in AOS, you must set up your Adabas nucleus startup jobs to include definition statements for the maximum number of CLOG and PLOG data sets as you plan to use, but limit the actual usage of the PLOGs using the ADARUN NCLOG and NPLOG parameters. For example, you might start a nucleus with eight PLOG definitions in the Adabas startup JCL, but limit the number of PLOGs actually used during nucleus processing to three PLOGs by setting the NPLOG parameter to "3". When the nucleus starts up, only three PLOGs will be opened and logged in the PPT, even though eight are defined in the JCL. The additional PLOG data sets can then be dynamically added using this ADADBS ADDPLOG utility or the functions provided on the AOS **Allocate/Deallocate CLOG/PLOG** menu.



Note: Any CLOG or PLOG data sets you add dynamically will not be retained once you recycle your Adabas nucleus. To retain these new data sets when Adabas is stopped and restarted, alter the Adabas startup JCL as well, ensuring that the number of PLOG definition statements in the JCL matches the increased number of PLOG data sets and that the NPLOG ADARUN parameter setting includes the new PLOG data sets.

```

14:26:24          ***** A D A B A S  BASIC  SERVICES *****          2009-08-24
                  - Allocate/Deallocate CLOG/PLOG -                   PACIA02

                  Code      Service
                  ----      -
                  A        Allocate CLOG
                  D        Deallocate CLOG
                  P        Allocate PLOG
                  S        Deallocate PLOG
                  ?        Help
                  .        Exit
                  ----      -

Code ..... _
Dataset number . _
Dataset Name ... _____

Database ID .... 1955 (WIS1955)          NucID .. 1021

Command ==>
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----

```

This section covers the following topics:

- [Allocating CLOG Data Sets](#)
- [Deallocating CLOG Data Sets](#)
- [Allocating PLOG Data Sets](#)
- [Deallocating PLOG Data Sets](#)

Allocating CLOG Data Sets

Option **A (Allocate CLOG)** on the **Allocate/Deallocate CLOG/PLOG** menu is used to dynamically add CLOG data sets without terminating your current nucleus session.

This function corresponds to the utility function ADADBS ADDCLOG.

► **To allocate a CLOG data set:**

- 1 Select option **A** on the **Allocate/Deallocate CLOG/PLOG** menu.
- 2 In the **Dataset number** field, specify the number of the CLOG data set, as defined in your Adabas startup JCL.
- 3 In the **Dataset Name** field, specify the data set name of the CLOG data set, as defined in your Adabas startup JCL.
- 4 Press **Enter**.

The CLOG data set is allocated and can immediately be used.

When you select option **A**, the **Allocate/Deallocate CLOG/PLOG** menu appears.

Deallocating CLOG Data Sets

Option **D** (**Deallocate CLOG**) on the **Allocate/Deallocate CLOG/PLOG** menu is used to dynamically delete CLOG data sets without terminating your current nucleus session.

This function corresponds to the utility function ADADBS DELCLOG.

▶ To deallocate a CLOG data set:

- 1 Select option **D** on the **Allocate/Deallocate CLOG/PLOG** menu.
- 2 In the `Dataset number` field, specify the number of the CLOG data set, as defined in your Adabas startup JCL.
- 3 In the `Dataset Name` field, specify the data set name of the CLOG data set, as defined in your Adabas startup JCL.
- 4 Press Enter.

The CLOG data set is deallocated and can no longer be used.

Allocating PLOG Data Sets

Option **P** (**Allocate PLOG**) on the **Allocate/Deallocate CLOG/PLOG** menu is used to dynamically add PLOG data sets without terminating your current nucleus session.

This function corresponds to the utility function ADADBS ADDPLOG.

▶ To allocate a PLOG data set:

- 1 Select option **P** on the **Allocate/Deallocate CLOG/PLOG** menu.
- 2 In the `Dataset number` field, specify the number of the PLOG data set, as defined in your Adabas startup JCL.
- 3 In the `Dataset Name` field, specify the data set name of the PLOG data set, as defined in your Adabas startup JCL.
- 4 Press Enter.

The PLOG data set is allocated and can immediately be used.

Deallocating PLOG Data Sets

Option **S** (**Deallocate PLOG**) on the **Allocate/Deallocate CLOG/PLOG** menu is used to dynamically delete PLOG data sets without terminating your current nucleus session.

This function corresponds to the utility function ADADBS DELPLOG.

▶ To deallocate a PLOG data set:

- 1 Select option **S** on the **Allocate/Deallocate CLOG/PLOG** menu.
- 2 In the `Dataset number` field, specify the number of the PLOG data set, as defined in your Adabas startup JCL.
- 3 In the `Dataset Name` field, specify the data set name of the PLOG data set, as defined in your Adabas startup JCL.
- 4 Press `Enter`.

The PLOG data set is deallocated and can no longer be used.

Reactivating Command Logging

Option **C** (**Issue reactivate CLOG command**) on the **Session Opercoms** menu is used to reactivate command logging in an active nucleus where it had been disabled previously as a result of an I/O error. The cause of the I/O error needs to be corrected before running this function or command logging will simply fail again and will not be reactivated.

This function corresponds to the utility function ADADBS REACTLOG.

When you select option **C**, a request to reactivate command logging is issued.

Extended Error Recovery Functions

Selecting option **E** (Extended Error Recovery) on the **Session Opercoms** menu displays the **Extended Error Recovery** menu:


```

15:41:51          ***** A D A B A S  BASIC  SERVICES *****          2009-08-24
                  - Extended Error Recovery -                          PACIE02

                Code      Service
                -----
                B      Display message buffer
                D      Display/modify environment
                E      Display/modify Exit routines
                M      Add/Delete PIN modules
                P      Display/modify PIN routines
                R      Refresh threshold and alert exits
                S      SNAP a nucleus dump
                ?      Help
                .      Exit
                -----

Code ..... _
Start Address .. _____ End Address ... _____
Database ID .... 1955      (WIS1955)          NUCID .. 1021

Command ==>
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit                               Menu

```

From this menu you can:

- display the message buffer
- display or modify the parameters controlling the extended error handling environment;
- display or modify parameters for invoking the error handling exits;
- add or delete PIN modules;
- display, activate, or deactivate specific PIN routines;
- SNAP a dump image of nucleus memory.



Note: Option **R** (Refresh threshold and alert exits) is no longer a functional option.

This section covers the following topics:

- [Display Message Buffer](#)
- [Display/Modify Environment](#)
- [Display/Modify Exits](#)
- [Add/Delete PIN Modules](#)
- [Display/Modify PIN Routines](#)
- [Refresh Threshold and Alert Exits](#)

▪ SNAP a Nucleus Dump

Display Message Buffer

Selecting option **B (Display Message Buffer)** on the **Extended Error Recovery** menu displays the contents of the message buffer on the Display Message Buffer screen.

These functions are the same as the error handling operator commands:

```
SMGT,DISPLAY=MSGBUF

15:42:46          ***** A D A B A S  BASIC  SERVICES *****          2009-08-24
DBID 1955          -  Display Message Buffer  -          PACIEB2
NUCID .. 1021
Select starting message _____
  Msg Num      Time      Msg ID          Message
-----
   65 07:23:57 ADAM93  User gone Job USAWISRT User ID C4AF1BCC45580904
   66 07:24:21 ADAF1C  Connected to local Reptor 1954
   67 07:24:21 ADAF9W  Cluster connected to Reptor 1954
   68 07:24:21 ADAF9V  Starting a cluster connection to Reptor 1954
   69 07:24:21 ADAF1D  Reconnected to local Reptor 1954
   70 07:24:21 ADAF9W  Cluster connected to Reptor 1954
   71 10:19:51 ADAL13          REACTLOG not allowed
   72 10:44:28 ADAL13          REACTLOG not allowed
   73 10:44:49 ADAL13          REACTLOG not allowed
   74 10:44:54 ADAL13          REACTLOG not allowed
   75 10:44:58 ADAL13          REACTLOG not allowed
   76 10:45:01 ADAL13          REACTLOG not allowed

Command ==>
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit          Latest          -          -          +          Menu
```

Press PF4 to refresh the screen and show the latest messages added to the buffer.

The Msg Num column contains the sequential record number for each item in the message buffer. Enter a record number in the field `Select starting message` to position the display to a particular record.

Display/Modify Environment

Selecting option **D (Display/modify environment)** on the **Extended Error Recovery** menu displays the current setting of several extended error handling parameters on the Display/Modify Environment screen.

The functions on this screen mirror the error handling operator commands:

```

SMGT,{ON | OFF}
SMGT,ABNORMALTERM={ON | OFF}
SMGT,DUMP={ON | OFF}
SMGT,MSGBUF={ON | OFF}
SMGT,DISPLAY=LAST

15:59:16          ***** A D A B A S  BASIC  SERVICES *****          2009-08-24
DBID 1955          -  Display/Modify Environment  -                    PACIED2
NUCID .. 1021

          ----- Parameters ----- Status - Executions -
Extended Error Recovery (SMGT)  ON          0
Message Buffering ..... ON
Abnormal Term. Handler ..... ON          0
Response Code Handler ..... ON          0
Full System Dump (DUMP) ..... OFF

          ----- Most Recent Recovery Action -----
          No error conditions handled

PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help      MsgBuf   Exit                               Menu
    
```

The parameters with "ON"/"OFF" values in the Status column can be activated and deactivated by changing the value.

Code	Description
A	Activates the exit
D	Deactivates the exit
L	Reloads the exit program in memory or to loads a new exit
C	Makes the exit critical
N	Makes the exit noncritical

After changes have been made, use PF4 to refresh this screen.

Add/Delete PIN Modules

Selecting option **M** (**Add/Delete PIN modules**) on the **Extended Error Recovery** menu displays a list of currently available PIN modules on the Add/Delete PIN Modules screen.

These functions are the same as the error handling operator commands

```
SMGT,{ADDPIN | DELPIN}=module-name
```

```
16:09:48          ***** A D A B A S  BASIC  SERVICES *****          2009-08-24
DBID 1955          -  Add/Delete PIN Modules  -                      PACIEM2
NUCID .. 1021
```

Mark entries with 'A' to Add or 'D' to Delete:

M	Module	Description	Message
-	-----	-----	-----
-	ADAMXY	Standard Nucleus PIN Routines	
	PINAAF	SAF Security	
	PINAFP	Adabas Fastpath	
	PINATM	Adabas Transaction Manager	
	PINAVI	Adabas Vista	
-	PINRSP	Adabas Response Code Handler	
-	PINUES	Universal Encoding Support	

```
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit          Menu
```

▶ **To load a PIN module into memory:**

- Enter "A" in the M column next to the module name.

This command is successful only if the exit module exists in a library accessible to the Adabas nucleus.

► **To remove a PIN module from memory:**

- Enter a "D" in the M column next to the module name.

When deleting a PIN module from memory, all related PIN routines are also removed.

Display/Modify PIN Routines

Selecting option **P (Display/modify PIN routines)** on the **Extended Error Recovery** menu displays a list of PINs currently loaded in memory on the List/Modify PIN Routines screen.

These functions are the same as the error handling operator commands

```
SMGT,DISPLAY=PINS
SMGT,{ACTPIN | DEACTPIN}=pin-number
```

```
16:10:12          ***** A D A B A S BASIC SERVICES *****          2009-08-24
DBID 1955          - List/Modify PIN Routines -          PACIEP2
NUCID .. 1021
Mark entries with 'A' Activate, or 'D' Deactivate:          Total Pins: 012
```

M	Condition	Error Location	Status	Uses	Module	Message
-	-----	-----	-----	-----	-----	-----
-	000C1000	All Locations	Active	0	ADAMXY	
-	000C2000	All Locations	Active	0	ADAMXY	
-	000C3000	All Locations	Active	0	ADAMXY	
-	000C4000	All Locations	Active	0	ADAMXY	
-	000C5000	All Locations	Active	0	ADAMXY	
-	000C6000	All Locations	Active	0	ADAMXY	
-	000C7000	All Locations	Active	0	ADAMXY	
-	000C8000	All Locations	Active	0	ADAMXY	
-	000C9000	All Locations	Active	0	ADAMXY	
-	000CB000	All Locations	Active	0	ADAMXY	
-	000CF000	All Locations	Active	0	ADAMXY	
-	00047000	All Locations	Active	0	ADAMXY	

```
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit          Refr          -          -          +          Menu
```

For all PIN routines on the list, the screen indicates the conditions that cause them to be executed, the current status, the number of times they have been used, and the module in which they are located.

To change the status of the PINs from this screen, enter one of the following codes in the M column next to the PIN number:

Code	Description
A	Activates a PIN
D	Deactivates a PIN

After changes have been made, use PF4 to refresh the screen.

Refresh Threshold and Alert Exits

Selecting option "R" (Refresh Threshold and Alert Exits) from the Extended Error Recovery menu is no longer a functional option.

SNAP a Nucleus Dump

Selecting option S (**SNAP a nucleus dump**) on the **Extended Error Recovery** menu generates a formatted dump of the nucleus without error diagnostics.

This function is the same as the error handling operator command

```
SMGT,SNAP[=(start,end)]
```

► To generate a dump of the whole nucleus:

- 1 Leave the `Start Address` and `End Address` fields on the menu blank.

Or:

To generate a SNAP dump of only a range of addresses, enter hexadecimal addresses in the `Start Address` and `End Address` fields on the menu.

- 2 Press Enter.

The formatted dump is written to the DDPRINT data set specified in the nucleus.

Forcing Dual/Multiple CLOG/PLOG Switch

Option F (**Force CLOG or PLOG switch**) on the **Session Opercoms** menu allows you to immediately switch (by forcing an end-of-file) between dual or multiple command log (CLOG) or protection log (PLOG) files. Switching (that is, "toggling") changes from one CLOG or PLOG file to another.

Equivalent direct commands are:

```
FORCE CLOGSWITCH
```

```
FORCE PLOGSWITCH
```

Locking / Unlocking Files

Option **L (Lock or unlock files)** on the **Session Opercoms** menu is used to lock, unlock, or display locked files. Files can be locked or unlocked for all users or for all but utility or EXF users. Once locked for all users, a file cannot be unlocked for utility users only.

- Locking is immediate; a transaction in process whose file becomes locked will be backed out.
- Unlocking makes the file available again for normal use.

Equivalent direct commands are:

LOCK FILE

UNLOCK FILE

Selecting option **L** displays the **Lock/Unlock Files** menu.

```

10:12:10      ***** A D A B A S  BASIC  SERVICES  *****      2008-07-14
                - Lock / Unlock Files -                PACIL02

                Code      Service
                ----      -
                D      Display locked files
                F      Lock file for all users
                K      Advance lock file
                L      Lock file except for UTI/EXF users
                N      Unlock file from general lock
                R      Release an advance lock
                U      Unlock file from UTI/EXF lock
                ?      Help
                .      Exit
                ----      -

Code ..... _
File Number .. 30
UTI/EXF Ind .. U
Database ID .. 105      (RD-105)

Command ==>
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help                Exit                                Menu
    
```

For the most part, the options on this menu perform locking or unlocking functions without the use of additional AOS screens.

Resetting Online Dump Status

Option **R (Reset ONLINE-DUMP-Status)** on the **Session Opercoms** menu is used to reset the online dump status for use when an ADASAV online dump operation has abended.

An equivalent direct command is:

```
RESET ONLINESTATUS
```

Stopping Users

Selecting option **S (Stop user(s))** on the **Session Opercoms** menu displays the **Stop Users** menu.

```

16:45:58          ***** A D A S B A S  BASIC  SERVICES *****          2009-08-24
                   - Stop Users -                                     PACIS02

                Code  Service
                ----  -
                F     Stop users using file
                I     Stop inactive users
                J     Stop users by jobname
                U     Stop a selected user
                ?     Help
                .     Exit
                ----  -

Code ..... _
File Number ..... 66___
Last Activity .... _____ (elapsed time in seconds)
Job Name ..... _____
Purge UQE(s) ..... N
Selected Userid ..
Database ID ..... 1955      (WIS1955)          NUCID .. 1021

Command ==>
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help      Disp UQ  Exit      Clear UID          Menu
    
```

You can stop a specific user, all users from a specific job, all users using a specific file, or all inactive users. Any open transactions of the stopped users are backed out. When the Purge UQE(s) field is set to "Y", the stopped users are also deleted. Note that EXF and UTI users are not stopped or deleted.

The following table describes what each of the screen options allows you to do and how to use them effectively:

Option	Description
F	<p>Stops all users who are using a specific file. When you use this option, specify the file number in the File Number field.</p> <p>The nucleus backs out all open transactions of any users of the file. If the Purge UQE(s) field is set to "Y", the stopped users are also deleted. If the Purge UQE(s) field is set to "N" or Adabas is running with ADARUN OPENRQ=YES, a stopped user who returns (by sending a command) will receive response code 9.</p> <p>Caution: If Adabas is running with ADARUN OPENRQ=NO (specifying that users are not required to issue an OP as the first command of the session), select this option with the Purge UQE(s) field set to "Y" only if you are certain that the users to be deleted are no longer active. If a user with an open transaction is deleted, but then returns (by sending a command), no indication is given about the transaction backout. If the user continues the transaction, logical inconsistencies in the database could occur.</p>
I	<p>Stops all users who have not executed a command during a specific time interval. When you use this option, specify the inactivity time (in seconds) in the Last Activity field.</p> <p>The nucleus backs out all open transactions of the affected users. If the Purge UQE(s) field is set to "Y", the stopped users are also deleted. If the Purge UQE(s) field is set to "N" or Adabas is running with ADARUN OPENRQ=YES, a stopped user who returns (by sending a command) will receive response code 9.</p> <p>Caution: If Adabas is running with ADARUN OPENRQ=NO (specifying that users are not required to issue an OP as the first command of the session), select this option with the Purge UQE(s) field set to "Y" only if you are certain that the users to be deleted are no longer active. If a user with an open transaction is deleted, but then returns (by sending a command), no indication is given about the transaction backout. If the user continues the transaction, logical inconsistencies in the database could occur.</p>
J	<p>Stops and deletes all users from a specific job. When you use this option, specify the job name in the Job Name field.</p> <p>The nucleus backs out any open transactions from the job and deletes the users (purges their user queue elements), regardless of the setting of the Purge UQE(s) field.</p> <p>Caution: If Adabas is running with ADARUN OPENRQ=NO (specifying that users are not required to issue an OP as the first command of the session), select this option only if you are certain that the users to be deleted are no longer active. If a user with an open transaction is deleted, but then returns (by sending a command), no indication is given about the transaction backout. If the user continues the transaction, logical inconsistencies in the database could occur.</p>
U	<p>Stops and deletes a specific user. When you use this option, specify the user ID of the user you want to stop in the Selected Userid field. You can do this by selecting a user from the current user queue (select PF2 on this screen).</p> <p>The nucleus backs out any open transaction of the user and deletes the user (purges the user queue element), regardless of the setting of the Purge UQE(s) field.</p> <p>Caution: If Adabas is running with ADARUN OPENRQ=NO (specifying that users are not required to issue an OP as the first command of the session), select this option only if you are certain that the</p>

Option	Description
	user to be deleted is no longer active. If a user with an open transaction is deleted, but then returns (by sending a command), no indication is given about the transaction backout. If the user continues the transaction, logical inconsistencies in the database could occur.
?	access online help for this screen.
.	exit this screen.

The following table describes the use of the fields on this screen:

Field	Description
Code	Specify the code of the function you wish to perform, as described in the table above.
File Number	When selecting the F option (stop users of a specific file), specify the file number; all users of the file will be stopped.
Last Activity	When selecting the I option (stop inactive users), specify the inactivity time of the users (in seconds); users who have not executed a command during the specified time interval will be stopped.
Job Name	When selecting the J option (stop and delete users from a specific job), specify the job name; all users from that job will be stopped and deleted.
Purge UQE(s)	When selecting the F or I options specify (with "Y" or "N") whether the user queue elements (UQEs) of the stopped users should be purged. Users stopped via the J or U options are always purged. Caution: If Adabas is running with ADARUN OPENRQ=NO (specifying that users are not required to issue an OP as the first command of the session), select this option only if you are certain that the users to be deleted are no longer active. If a user with an open transaction is deleted, but then returns (by sending a command), no indication is given about the transaction backout. If the user continues the transaction, logical inconsistencies in the database could occur.
Selected Userid	Lists the selected user ID. To change the user ID, press the PF2 key and select a new user ID from the current user queue. To clear a user ID from this field, press the PF4 key. If no specific user is listed in this field, all users are assumed. This field is used only when the U Code (stop a specific user) is selected.
Database ID	Specify the database ID of the database for which the users are stopped.

The following special function keys are also available for use on this screen:

- Press PF2 (Disp UQ) to display the current user queue. You can select a user from the current user queue list.
- Press PF4 (Clear UID) to clear the Selected Userid field.

An equivalent direct command is:

STOP USERS

Termination Commands

Selecting option **T (Termination Commands)** on the **Session Opercoms** menu invokes the **Session Termination** menu from which you can choose to terminate a session normally (ADAEND), cancel a session immediately (CANCEL), or stop a session (HALT).

```

16:50:00          ***** A D A B A S  BASIC  SERVICES *****          2009-08-24
                   -  Session Termination  -                          PACT002

                Code      Service
                ----      -
                A          Normal session termination (ADAEND)
                C          Cancel session immediately (CANCEL)
                H          Stop session (HALT)
                ?          Help
                .          Exit
                ----      -

Code ..... _
Database ID .. 1955 (WIS1955)          NUCID .. 1021
                                   Global.. _

Current nr. of users in User Queue ... 9
Nr. of users with open transactions .. 0
Nr. of active nucs in Plex cluster ... 9

Command ==>
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit          Menu

```

In all cases, you are prompted to confirm your termination request before the action is taken.

An equivalent direct command is:

```
TERMINATE SESSION
```

Managing Online Utilities

Selecting option **U (Manage Online Utilities)** on the **Session Opercoms** menu displays the Manage Online Processes screen:

```

10:28:33          ***** A D A B A S  BASIC SERVICES  *****          2009-08-24
DBID 1955          - Manage Online Processes -          PACIP02

Total Processes...
Mark entries with 'S' (Suspend), 'R' (Resume), or 'X' (Stop):
  I          I Process I Sort I Current I Throw- I Process I
M I  FNR I    Type I Seq I RABN/ISN I Backs I  ID I  Status I
-----
_ I    50 I Reor Data I Phy I    3345 I    6 I 000003FC I Active I
_ I    61 I Invert DE I AA I    286 I    1 I 000003FF I Suspended I
_ I   101 I Reor Asso I BJ I          I    1 I 000000C2 I Active I
_ I          I          I I          I    I          I          I
_ I          I          I I          I    I          I          I
_ I          I          I I          I    I          I          I
_ I          I          I I          I    I          I          I
_ I          I          I I          I    I          I          I
_ I          I          I I          I    I          I          I
_ I          I          I I          I    I          I          I
_ I          I          I I          I    I          I          I
_ I          I          I I          I    I          I          I

PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit      Refresh  --      -      +      Menu
    
```

From this screen, you can manage (that is, monitor, suspend, resume, and stop) online utility processes.

All online processes currently in the database nucleus are listed, up to a maximum of 40. You can use PF6 (back to the start of the list), PF7 (back one screen), and PF8 (forward one screen) to scroll among the processes.

The equivalent direct command is:

```

DISPLAY PROCESS
    
```

To maintain the processes, enter one of the following maintenance codes in the M column to the left of the process named in the Process Type column:

Code	Description
S	Suspends an active process
R	Resumes a suspended process
P	Stops a process

You can maintain multiple processes at the same time.

The equivalent direct command is

```

MANAGE PROCESS
    
```

The sort sequence used by a process is indicated in the Sort Seq column:

For process type . . .	Sort Seq. contains the descriptor currently being . . .
reorder Data Storage	reordered*
invert descriptor	inverted
reorder Associator	reordered

* When reordering Data Storage for a file, the default sort sequence is physical sequence or "PHY". Other possible options include "ISN" if the file is to be sorted in ISN order, or the two character descriptor name to sort the file according to the value of the specified descriptor.

The Current RABN/ISN column shows the progress of work:

For process type . . .	Current RABN/ISN displays the current . . .
reorder Data Storage	RABN being processed
invert descriptor	ISN, as this function works in ISN sequence
reorder Associator	(left blank)

Maintaining the User Table



Note: This option is available in Adabas nucleus cluster environments only.

When option **V (User Table Maintenance)** is selected on the **Session Opercoms** menu, the **User Table Maintenance** menu appears:

```

17:04:44          ***** A D A B A S  BASIC  SERVICES *****          2009-08-24
                  - User Table Maintenance -                          PACIV02

                Code      Service
                ----      -
                C          Begin CLUFREEUSER process
                ?          Help
                .          Exit
                ----      -

Code ..... _
TNA ..... 0 _____
UID ..... _____
Force ..... _
Global ..... _

Database ID .. 1955 (WIS1955)          NucID .. 1021

Command ==>
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit          Menu
    
```

The CLUFREEUSER command is only valid in cluster environments. It can be issued against the local nucleus only or, with the Global option, against all active and inactive nuclei in the cluster.

The command is used to delete leftover user table elements (UTES) in common storage that are no longer associated with user queue elements (UQEs) in a nucleus where:

Screen Field	Description
TNA	A decimal number specifying the timeout value in seconds. UTEs that are not used during the time specified may be deleted if other conditions are fulfilled. If TNA is not specified, UTEs may be deleted without regard to their recent use.
UID	<p>A character string or hexadecimal byte string as follows:</p> <p>ccccccc where the argument is 1-8 letters, digits, or embedded '-' signs without surrounding apostrophes.</p> <p>'ccccccc' where the argument is 1-8 characters with surrounding apostrophes.</p> <p>X'xxxxxxxxxxxxxxxx' where the argument is an even number of 2-16 hexadecimal digits enclosed by apostrophes and preceded by an X.</p> <p>A character string must be enclosed in apostrophes if it contains characters other than letter, digits, or embedded '-' signs. If a specified character string is less than 8 characters long, it is implicitly padded with blanks. If a specified hexadecimal string is shorter than 16 hexadecimal digits, it is implicitly padded with binary zeros. If the last 8 bytes of a user's 28-byte communication ID match a specific user ID or user ID prefix, that user's UTE may be deleted</p>

Screen Field	Description
	if other conditions are fulfilled. If UID not specified, UTEs may be deleted regardless of their user IDs.
FORCE	Indicates whether leftover UTEs should be deleted even if the users are due a response code 9, subcode 20. If FORCE is not specified, such UTEs are not deleted. Before using the FORCE parameter, ensure that the users owning the UTEs to be deleted will not expect any of their transactions to remain open. Specify FORCE on this screen by marking the Force field with any character.
GLOBAL	Indicates whether leftover UTEs should be deleted throughout the Adabas cluster if they are no longer associated with UQEs and are eligible according to the other specified parameters. Additionally and subject to the other rules, delete leftover UTEs if their assigned nuclei have terminated since their last use. If GLOBAL is not specified, only UTEs assigned to the local nucleus and used since the nucleus start are eligible for deletion. Specify GLOBAL on this screen by marking the Global field with any character.

9 Reviewing the Database Report

- Displaying Files with Critical Number of Extents 137
- Displaying Field Definition Table (FDT) 137
- Displaying Files 140
- Displaying General Database Layout 145
- Displaying Volume Serial Numbers for Database 147
- Displaying RABNs 148
- Displaying Unused Storage 150

Selecting **Database report** (option **R**) from the **Main Menu** displays the **Database Report** menu:

Options on the **Database Report** menu provide information only; none of the displayed information can be changed. However, direct commands can be entered on this menu to invoke other Adabas Online System (AOS) functions for making changes.

Database Report functions provide both general and specific information in either table or report format. They correspond to selected functions of the Adabas ADAREP utility.

```

17:10:08          ***** A D A B A S  BASIC  SERVICES *****          2009-08-24
                   - Database Report -                               PDR0002

Code      Service
-----
C         List files with crit. no. of extents
D         Display field description table (FDT)
F         Display file(s)
G         General database layout
L         List VOLSER distribution of database
R         Display ASSO/DATA block (RABN)
U         Display unused storage
?         Help
.         Exit
-----

Code ..... _
File No ..... 66_____ Password ..
Database ID .. 1955 (WIS1955)
VOLSER ..... _____

Command ==>
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit          Menu
    
```

Options allow you to view database-level general information and tables of database files, files whose extents are at or near the allowable maximum, file-specific information for any file, physical database distribution by volume/serial number (VOLSER), and available space that is not currently being used. Additional displays are available using direct commands.

The **Database Report** provided in AOS includes the following information, selected using the appropriate option code, as follows:

Option	Function
C	<i>Displaying Files with Critical Number of Extents</i> shows a list of the files that have a critical number of extents.
D	<i>Displaying Field Definition Table (FDT)</i> shows the field definition table (FDT) and special descriptor table (SDT) for the specified file.
F	<i>Displaying Files</i> shows file(s), either a list of all files in the specified database or detailed information about a specific file.

Option	Function
G	<i>Displaying General Database Layout</i> shows the general layout of the specified database.
L	<i>Displaying Volume/Serial Numbers for Database</i> shows the volume/serial number layout of the specified database.
R	<i>Displaying RABNs</i> shows Associator / Data Storage blocks (RABNs).
U	<i>Displaying Unused Storage</i> shows unused storage.

Displaying Files with Critical Number of Extents

Option C (**List files with crit. no. of extents**) on the **Database Report** menu provides a list of the files in the database that are at the critical number of extents. If no such files exist in the database, a message is displayed.



Note: The exact extent count is provided in the general **Display File(s) (F) option** by table type (AC, NI, UI, or DS).

Displaying Field Definition Table (FDT)

Option D (**Display field description table (FDT)**) on the **Database Report** menu provides a list of the field definitions in the FDT. The Display FDT screen appears.



Note: For more detailed information about field definitions, read your Adabas ADACMP utility documentation; for more information about interpreting FDTs, read your Adabas ADAREP utility documentation. Both are available in the *Adabas Utilities* documentation.

```

02:12:53          ***** A D A B A S  BASIC  SERVICES *****          2009-12-19
DBID 1955          - Display FDT -                                     PDRD032

Field Description Table: File 29      (TEST-29)
=====
Total Fields without SDT ... 16
***** T o p   o f   F D T *****
Lev  I Name I Leng I Form I Options          I Predict Fld Name or DT / SY
-----I-----I-----I-----I-----I-----I-----
  1  I  AA  I  004  I   A  I
  1  I  BB  I  004  I   A  I
  1  I  BC  I  004  I   A  I
  1  I  AE  I  004  I   A  I  DE
  1  I  AF  I  004  I   A  I  XD UQ
  1  I  SF  I  008  I   A  I
  1  I  SB  I  008  I   B  I  *Deleted Field*
  1  I  SH  I  016  I   A  I
  1  I  SS  I  016  I   B  I  TZ
  1  I  SG  I  003  I   B  I
  1  I  SP  I  008  I   B  I  *Deleted Field*
  1  I  SQ  I  008  I   B  I  DE

PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help                Exit                --                -                +                Menu
    
```

For a specified file, option **D** displays the field definition table (FDT), which includes:

- the total number of fields in the file;
- the level number of each field;
- the two-character name of each field;
- the length of each field in bytes;
- the data type (format) of each field: Alphanumeric, Binary, Fixed point, floatinG point, Packed decimal, Unpacked decimal, or Wide-character;
- data definition options for each field: CK for untranslatable characters, Descriptor, Fixed storage, Long Alphanumeric, Multiple-value field, Null/not Counted (that is, SQL null representation), Null/Not allowed, NULL value suppression, NV no conversion, Periodic group (the fields that compose the periodic group are those that follow and have a higher level number), UniQue descriptor value;



Note: If an online inversion of a field is in process, this information is noted in the Options column. In addition, if the field has been deleted online, this information is noted in the Options column.

- equivalent Predict names, if any, for each field or, if the field is a date or time, the edit mask used for the field. A complete description of edit masks can be found in your Adabas documentation.

On the Display FDT screen, press PF2 to access the special descriptor table (SDT) for the file on the Display SDT screen:

```

17:34:32          ***** A D A B A S BASIC SERVICES *****          2009-08-24
DBID 1955          - Display SDT -          PDRD012

SUB-/SUPER Table: File 1      (EMPLOYEES)
=====

Type  I Name I Length I Format I Options          I Structure          I
-----I-----I-----I-----I-----I-----I-----I
SUPER I  H1  I   4   I   B   I DE NU          I AU ( 1 - 2 )I
      I   I   I   I   I   I   I AV ( 1 - 2 )I
PHON  I  PH  I   I   I   I   I PHON( AE )      I
SUB   I  S1  I   4   I   A   I DE          I AO ( 1 - 4 )I
SUPER I  S2  I  26   I   A   I DE          I AO ( 1 - 6 )I
      I   I   I   I   I   I   I AE ( 1 - 20 )I
SUPER I  S3  I  12   I   A   I DE NU PE      I AR ( 1 - 3 )I
      I   I   I   I   I   I   I AS ( 1 - 9 )I

PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help      Disp FDT  Exit          --          -          +          MENU
    
```

The SDT provides field information about all sub-/super-/hyperdescriptors, collation descriptors, phonetic descriptors, and sub-/superfields for the file.

In addition to the field's special descriptor type, two-character name, length, format (data type), and data definition options, the SDT identifies the structure of the special descriptor; that is, the component fields and field bytes of sub-/super-/hyperdescriptors and sub-/superfields; the equivalent alphanumeric elementary fields of phonetic descriptors; and the associated user exit of collation descriptors.

The equivalent direct commands are:

```

DISPLAY FDT file-number
    
```

Displaying Files

If no particular file is specified, option **F (Display file(s))** on the **Database Report** menu lists all files in the specified database. If a file is specified, option **F** provides detailed layout information for the file. Physical device and file layout information is available only for a specific file.

This section covers the following topics:

- [Display a List of Files in the Specified Database](#)
- [Display Information for a Specific File](#)

Display a List of Files in the Specified Database

When no file number or "0" (zero) is specified in the **File No** field on the **Database Report** menu, a list of the files in the specified database is displayed on the **Display Files** screen:

```

18:31:39          ***** A D A B A S  BASIC  SERVICES  *****          2009-08-24
DBID 1955          - Display Files -          PDRF032
-----
Fnr   File Name           Loaded   Top-ISN   Max-ISN   Extents   Ind.   %Used
      YY-MM-DD
-----
  1  EMPLOYEES           09-02-17   1107     1695     2  1  1  1  NNISNNN  77  92
  2  VEHICLES           09-02-17    773     1695     1  1  1  1  NNISNNN  86  12
  3  MISCELLANEOUS     09-02-17   1779     2543     2  1  2  1  NNISNNN  86  53
  6  EXPANDED           09-02-17   1107     1600     1  1  1  1  NNISNXN  74  46
  7  EXPANDED           09-02-17   3107     3600     1  1  1  1  NNISNXN  74  46
 10  TRIGGER-FILE       09-02-17    0        1695     1  1  1  1  NNISNNN   8  0
 11  NAT-SYSTEM         09-02-17  62118    80559     1  1  1  1  NNISNNU  96  97
 12  NAT-USER           09-02-17   366     30527     1  1  1  1  NNISNNN  45  50
 13  NAT-FDIC           09-02-17    6        5087     1  1  1  1  NNISNNN  33  1
 19  CHECKPOINT         09-02-17   1821     2543     1  1  2  1  NNNSNNN   2  9
 20  FILE-1955-20      09-03-04    16        1695     1  1  1  1  NNNSNNN   5  20
 21  FILE-1955-21      09-03-04    7         1695     1  1  1  1  NNNSNNN   0  10
 22  22-SPAN            09-08-03    35     57663     1  2  2  2  NNNSNNN   0  19
 23  REPL BRO           09-07-22   1000     20351     1  1  1  1  NNNSNNN   0  1
-----
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help      Repos      Exit      Extents   --      -      +      Menu
    
```

The **PF2 (Reposition)** key displays a window in which you can enter a new starting value for the file list. When you enter a file number, the **Display Files** list begins with that file.

If the extents (**NI**, **UI**, **AC**, and **DA**) listed on this screen exceed 99 and you want to see their actual values or if you would like to see the value of any secondary **AC** extent, press the **PF4 (Extents)**

key. The window changes slightly to show the expanded values of the extents, although, due to screen space, the indicators are removed.

The Display Files screen provides the following information for each file:

- file number and file name;
- date the file was loaded into the database;
- highest ISN currently in use in the file and the highest ISN allowed in the file;
- number of logical extents currently assigned: by Associator (*N* ormal index; *U* pper index; *A* ddress converter) and *D* ata Storage. A maximum of five logical extents may be allocated to a file.
- block padding factor percentage defined for the Associator and for Data Storage;
- indicators as follows:

Indicator	Description
A	ADAM option: A = ADAM ISN- or descriptor-selected file; N = non-ADAM file.
C	coupled (C) or non-coupled (N) file.
I	ISNs are reusable (I) or not (N).
S	Data Storage blocks are reusable (S) or not (N).
E	data files are ciphered/encrypted (E) or not (N).
X	files are expanded (X) or normal (N).
U	USERISN option: U = option is in effect for the file; N = option is not in effect.

- percentage of allocated space currently used by the file in the Associator and in Data Storage.

The equivalent direct command is

`DISPLAY FILE`

Display Information for a Specific File

When a valid file number is specified on the **Database Report** menu, the following Display File Layout screen appears for that file (some of the items shown on the following sample screen only appear if those features are activated or used):

Reviewing the Database Report

```
02:21:28          ***** A D A B A S  BASIC  SERVICES *****          2009-12-19
DBID 1955          - Display File Layout -                               PDRF043
*****
* File 29          * TEST-29
*****

Records loaded ..... 0          Date loaded ..... 2009-07-29 10:40:22
TOP ISN ..... 0          Date of last update .. 2009-07-29 10:40:22
Max ISN expected ... 847          Max Compr Rec Lngth .. 5060
Minimum ISN ..... 1          Asso/Data Padding .... 10%/10%
Size of ISN ..... 3 Bytes          Highest Index Level .. 3
Number of Updates .. 0          RPLUPDATEONLY. No
ISN Reusage ..... No          USERISN ..... No          PGMREFRESH ..... No
Space Reusage ..... Yes          MIXDSDEV ..... No          NOACEXTENSION .. No
ADAM File ..... No          Spanned rec .. No          MU/PE indices .. 1
CIPHERED File ..... No          Replication .. No          Privileged Use . No
Coupled Files ..... None
Blk per DS Extent .. 0
Blk per UI Extent .. 0
Blk per NI Extent .. 0          Multi Client File .... 0
                                Press Enter to display more information
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit          Refresh          Menu
```

```
02:22:19          ***** A D A B A S  BASIC  SERVICES *****          2009-12-19
DBID 1955          - Display File Layout -                               PDRF043
*****
* File 29          * TEST-29
*****
                                Page 2

Last format AC ISN .. 847          Date FCB modified .... 2009-08-21 12:12:04
File readonly mode .. No          Date FDT modified .... 2009-09-25 20:30:27
FDT deleted field ... Yes
File has l/c fields . No
FDT has F,8 field ... No
FDT w/datetime mask . No
FDT w/system fields . No          SYFMAXUV value ..... 0

Free space available for file extents: At least 133 Extents

PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit          Refresh          Menu
```

The information for the file can be refreshed by pressing PF4. You can display additional information about UES codes, coupling, LOB file/fields and space allocations by pressing Enter.

The equivalent direct command is:

```
DISPLAY FILE file-number
```

The Display File Layout screen displays the following kinds of information for the file:

- the file number and name;
- the number of records currently contained in the file;
- ISN information: the highest ISN currently used in the file; the highest ISN planned for the file (see the ADALOD utility's MAXISN parameter); the lowest ISN that can be assigned to a record in the file (see the ADALOD utility's MINISN parameter); whether 3- or 4-byte ISNs are used for the file; and whether ISNs can be reused.
- the total number of updates since the file was last loaded;
- other file option settings: whether Data Storage space can be reused; whether the file was loaded with the ADAM option, the cipher option, the USERISN option; whether the file is physically coupled to another file; whether Data Storage extents can be on different device types; whether the file can be refreshed using the E1 command; whether the file permits the MAXISN setting to be increased.
- the number of blocks allowed per Data Storage, upper index, and normal index extent;
- the date and time the file was last loaded;
- the date and time of the last update to the file;
- the maximum compressed record length permitted for the file (see the ADALOD utility's MAXRECL parameter);
- the padding factor for the Associator and for Data Storage;
- the highest index level currently active for the file;
- whether the file may be updated only by the Event Replicator Server as part of Adabas-to-Adabas replication or by other means as well (RPLUPDATEONLY);
- whether or not index compression is turned on for the file;
- whether universal encoding support (UES) is being used;
- whether the file contains spanned records;
- the number of MU/PE indices in the file;
- whether replication has been activated for the file;
- the DSF changes being logged for the file;
- the total number of blocks in the file that have been changed by updates since the file was last loaded;
- the length of the owner ID for multiclient files.
- the maximum number of occurrences of MU system fields that can be stored in the file.

When universal encoding support (UES) is being used, pressing `Enter` from the initial Display File Layout screen lists the current code values:

Reviewing the Database Report

```

15:33:00          ***** A D A B A S  BASIC  SERVICES  *****          2009-08-25
DBID 1955          - Display File Layout -          PDRF012

Universal Encoding Support enabled for this file

Encoding Keys:
File Alpha Code ..... 37
File Wide Code ..... 4095
User Wide Code ..... 4095
    
```

In any case, pressing ENTER from the initial Display File Layout screen displays the following space allocation and usage information:

```

01:58:25          ***** A D A B A S  BASIC  SERVICES  *****          2009-08-25
DBID 1955          - Display File Layout -          PDRF052
File 11

      I Dev  LiI   Space allocated   I      From      To      I Unused
      I Type TyI   Blocks    / Cyls. I      RABN      RABN   I BLOCKS / Cyls.
-----I-----I-----I-----I-----I-----I-----I-----I-----
      I      I
ASSOI 3390 ACI      95      0 I      5526 -      5620 I      0      0
ASSOI 3390 UII      50      0 I      6621 -      6670 I      32     0
ASSOI 3390 NII     1000     3 I      5621 -      6620 I      15     0
      I      I
DATAI 3390 DSI     30000    200 I      751 -      30750 I     1048    6

PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit      Refresh          Menu
    
```

If LOB flags are set, the following information will be displayed:

```

16:52:35          ***** A D A B A S  BASIC  SERVICES  *****          2009-08-25
DBID 1955          - Display File Layout -          PDRF042

LOB File, Related file number 29
    
```

or

```

02:07:30          ***** A D A B A S  BASIC  SERVICES *****      2009-08-25
DBID 1955          - Display File Layout -                          PDRF043

File has LOB Fields, Related file number 29

```

Displaying General Database Layout

Option **G (General database layout)** on the **Database Report** menu displays general database information on the Display General DB-Layout screen.

The equivalent direct command is

```
DISPLAY DBLAYOUT
```

```

02:11:11          ***** A D A B A S  BASIC  SERVICES *****      2009-08-25
DBID 1955          - Display General DB-Layout -                    PDRG012

Database Name ..... WIS1955
Database Number ..... 1955
Database Version ..... 8.2
Database Load Date ..... 2009-02-17 19:07:58

System Files ..... 19 , 0 , 10 , 0 , 0 , 0 , 0
Maximum Number of Files .. 1000
Number of Files Loaded ... 18
Highest File Loaded ..... 66
Trigger File Number ..... 10

Size of RABN ..... 3 Bytes
Current Log Tape Number .. 77
Delta Save Facility ..... Inactive      Replication Facility ..... Yes
Recovery Aid Facility ... Inactive
Universal Encoding Sup. .. Inactive

PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help                Exit                Menu

```

You can display additional information about UES codes, coupling, and space allocations by pressing **Enter**.

The Display General DB-Layout screen displays the following information for the file:

- the name and number of the database;
- the version level of the Adabas database software;
- the date and time the database was loaded;
- the numbers of Adabas system files allocated to the database;

- the maximum number of files permitted for the database; the total number of files currently loaded; and the highest file number currently in use;
- whether 3- or 4-byte RABNs are being used for the file;
- the number of the most recent data protection log tape for the database;
- whether the Adabas Delta Save Facility and/or the Adabas Recovery Aid (ADARAI) are active or inactive for the database.
- whether universal encoding support (UES) is being used.

When universal encoding support (UES) is being used, pressing ENTER from the initial Display General DB-Layout screen lists the current code values:

```

15:51:22          ***** A D A B A S  BASIC  SERVICES  *****          2006-07-20
DBID 105          - Display General DB-Layout -          PDRG002

Universal Encoding Support Enabled

UES Encoding Keys:
Alpha File Encoding ..... 37
Wide File Encoding ..... 4095
Alpha ASCII Encoding ..... 437
Wide User Encoding ..... 4095
    
```

In any case, pressing Enter from the initial Display General DB-Layoutt screen displays the following space allocation and usage information:

```

02:15:32          ***** A D A B A S  BASIC  SERVICES  *****          2009-08-25
DBID 1955          - Display General DB-Layout -          PDRG012

      IDeviceI      Total Number of      I      Extents  in Block      I DD-Names I
      I Type I      Blocks / Cyls. I      From      To      I      I
-----I-----I-----I-----I-----I-----I-----I-----I
      I      I      I      I      I      I      I      I      I
ASSO I 3390 I      16182      60 I      1      16182 I DDASSOR1 I
      I      I      I      I      I      I      I      I      I
DATA I 3390 I      59990      400 I      1      59990 I DDDATAR1 I
      I      I      I      I      I      I      I      I      I
WORK I 3390 I      8091      60 I      1      8091 I DDWORKR1 I

PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit          Menu
    
```

Displaying Volume Serial Numbers for Database

Option L (**List VOLSER distribution of database**) on the **Database Report** menu displays the physical volumes on which the database Associator and Data Storage files are located, sorted by VOLSER number for ASSO or DATA and including the highest RABN for each extent.

The equivalent direct command is

```
DISPLAY VOLSSERTAB
```

The Display Volser-Tab screen appears.

```
02:18:49          ***** A D A B A S  BASIC  SERVICES *****           2009-08-25
DBID 1955          -  Display Volser-Tab  -                               PDRL002

Mark entries with 'D' to display file extents on volume :

      I          I ASSO/ I Highest RABN I
      M I VOLSER  I DATA I in extent  I
      -----
      _ I SMS125  I ASSO I      16182 I
      _ I SMS125  I DATA I      59990 I
      _ I          I      I           I
      _ I          I      I           I
      _ I          I      I           I
      _ I          I      I           I
      _ I          I      I           I
      _ I          I      I           I
      _ I          I      I           I
      _ I          I      I           I
      _ I          I      I           I
      _ I          I      I           I
      _ I          I      I           I
      _ I          I      I           I
      _ I          I      I           I

PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit          Menu
```

If you mark one of the entries on this screen with "D" (or you entered the VOLSER number directly on the **Database Report** menu), the file extents of the volume are displayed indicating the RABN range and device type of each extent (table type) in each file on the List File Extents on VOLSER screen:

Reviewing the Database Report

```
02:19:54          ***** A D A B A S  BASIC  SERVICES *****          2009-08-25
DBID 1955          - List File Extents on VOLSER -                      PDRLO22

VOLSER = SMS125

I ASSO/ I   From   I   To     I Device I File  I Table I
I DATA I   Rabn     I   Rabn   I Type  I Nr.   I Type  I
I-----I-----I-----I-----I-----I-----I
I ASSO  I         5063 I         5086 I 3390  I    0  I  DSST  I
I       I         5087 I         5088 I 3390  I   19  I   AC   I
I       I         5089 I         5098 I 3390  I   19  I   UI   I
I       I         5099 I         5148 I 3390  I   19  I   NI   I
I       I         5149 I         5150 I 3390  I    1  I   AC   I
I       I         5151 I         5206 I 3390  I    1  I   NI   I
I       I         5207 I         5219 I 3390  I    1  I   UI   I
I       I         5220 I         5248 I 3390  I    1  I   NI   I
I       I         5249 I         5250 I 3390  I    2  I   AC   I
I       I         5251 I         5271 I 3390  I    2  I   NI   I
I       I         5272 I         5278 I 3390  I    2  I   UI   I
I       I         5279 I         5280 I 3390  I    3  I   AC   I

PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help                Exit                               Menu
```

Displaying RABNs

Option **R (Display ASSO/DATA block (RABN))** on the **Database Report** menu invokes the Read ASSO/DATA Block screen.

The equivalent direct command is

```
DISPLAY RABN
```



```

02:22:43          ***** A D A B A S BASIC SERVICES *****          2009-08-25
DBID 1955          - Read ASSO/DATA Block -                          PDRR002

Type .. _          RABN No .... _____ Offset .. 0000
                   Hex RABN ... 00000000
0000 00000000 00000000 00000000 00000000
0000 00000000 00000000 00000000 00000000
0000 00000000 00000000 00000000 00000000
0000 00000000 00000000 00000000 00000000
0000 00000000 00000000 00000000 00000000
0000 00000000 00000000 00000000 00000000
0000 00000000 00000000 00000000 00000000
0000 00000000 00000000 00000000 00000000
0000 00000000 00000000 00000000 00000000
0000 00000000 00000000 00000000 00000000
0000 00000000 00000000 00000000 00000000
0000 00000000 00000000 00000000 00000000
0000 00000000 00000000 00000000 00000000
0000 00000000 00000000 00000000 00000000
0000 00000000 00000000 00000000 00000000
0000 00000000 00000000 00000000 00000000
Enter RABN details and press 'Enter' to display
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit          Menu
    
```

On this screen, enter a RABN type ("A" for Associator or "D" for Data Storage) and a RABN number (in either decimal or hexadecimal format) to display a screen similar to the following:

```

02:24:29          ***** A D A B A S BASIC SERVICES *****          2009-08-25
DBID 1955          - Read ASSO/DATA Block -                          PDRR002

Type .. A (ASSO)   RABN No .... 5150_____ Offset .. 0000
                   Hex RABN ... 0000141E
0000 00014F00 01500001 50000150 00015000 * ?! ?& ?& ?& ?& *
0010 01500001 50000150 00015000 01500001 * ?& ?& ?& ?& ?& ? *
0020 50000150 00015000 01500001 50000150 * & ?& ?& ?& ?& ?& *
0030 00015000 01500001 50000150 00015000 * ?& ?& ?& ?& ?& *
0040 01500001 50000150 00015100 01510001 * ?& ?& ?& ?? ?? ? *
0050 51000151 00015100 01510001 51000151 * ? ?? ?? ?? ?? ?? *
0060 00015100 01510001 51000151 00015100 * ?? ?? ?? ?? ?? *
0070 01510001 51000151 00015100 01510001 * ?? ?? ?? ?? ?? ? *
0080 51000151 00015100 01510001 51000152 * ? ?? ?? ?? ?? ?? *
0090 00015200 01520001 52000152 00015200 * ?? ?? ?? ?? ?? *
00A0 01520001 52000152 00015200 01520001 * ?? ?? ?? ?? ?? ? *
00B0 52000152 00015200 01520001 52000152 * ? ?? ?? ?? ?? ?? *
00C0 00015200 01520001 52000152 00015200 * ?? ?? ?? ?? ?? *
00D0 01520001 52000153 00015300 01530001 * ?? ?? ?? ?? ?? ? *
00E0 53000153 00015300 01530001 53000153 * ? ?? ?? ?? ?? ?? *

PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit          RABN+1          -          +          Menu
    
```

Option **R** displays two-doubleword-per-screen rows of the specified RABN block from the Associator or Data Storage in hexadecimal format. Both the hexadecimal data and its alphanumeric equivalent are displayed. If the block is not assigned, zeros are displayed.

The blocks are displayed in the length of the Associator or Data Storage block length.

You can display information for the next highest RABN (that is, the current RABN number plus one) by pressing PF4.

Displaying Unused Storage

Option **U (Display unused storage)** on the **Database Report** menu displays a table of unused storage within the database. The Display Unused Storage screen appears.

The equivalent direct command is

```

DISPLAY UNUSED
02:27:40          ***** A D A B A S  BASIC  SERVICES *****          2009-08-25
DBID 1955          - Display Unused Storage -          PDRU012

      I Device I      Total Number of      I Extent      I
      I Type  I      Blocks      / Cyls.  I from      -      until  I
-----I-----I-----I-----I-----I-----I-----I-----I
DATA  I  3390 I      26245      174  I      33746 -      59990 I
-----I-----I-----I-----I-----I-----I-----I-----I
ASS0  I  3390 I           1           0  I      16182 -      16182 I

PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help                Exit                Menu
    
```

Separately for the Associator and Data Storage extents, the table shows the device type where the unused blocks are located, the number of unused storage blocks and cylinders, and the range of unused block numbers.

10

Calculating Space Requirements

▪ Estimating Associator Space	153
▪ Estimating Sizes for Directory and Data Structures in a Cluster Environment	155
▪ Estimating Data Storage Space	159
▪ Estimating Space for the DD/FILEA Sequential Data Set	160
▪ Estimating Sort Data Set Space	161
▪ Estimating Temp Data Set Space	165
▪ Estimating Work Data Set Space	169

Option **S (Space calculation)** on the **Main Menu** displays the **Space Calculation** menu:

```

02:33:21          ***** A D A B A S BASIC SERVICES *****          2009-08-25
                  - Space Calculation -                               PSP0002

                  Code      Service
                  ----      -
                  A        ASSO
                  C        Cluster-Cache/Lock
                  D        DATA
                  F        DDFILEA
                  S        SORT
                  T        TEMP
                  W        WORK
                  ?        Help
                  .        Exit
                  ----      -

Code ..... _
Database ID ... 1955 (WIS1955)

Command ==>
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help           Exit           Menu
    
```

The space calculation function is a planning tool for adding new components or recalculating existing space requirements. Each calculation provides a block or cylinder estimate according to information you provide. In general, you must provide the:

- maximum estimated record count;
- average number of MU or PE occurrences, when used as descriptors;
- average descriptor, compressed record, or normal record length;
- estimated padding factor;
- device type where the Adabas component being estimated resides.

In many cases, the results are "best guess" estimates; other than a device type, no defaults are assumed. Because no values are actually changed by the Space Calculation function, unrealistic estimates cause no harm.

Calculations are provided in both cylinders and blocks. In some cases, the block values are required by other Adabas Online System/Basic Services functions such as **Define New File** or **Modify File Parameters**. All values are lost when you exit from the estimating function, regardless of the cause of the exit. You may want to write down any values you wish to use later.

By changing individual estimated values one at a time, you can see the effect on the calculated result. For example, you can change the device type without re-entering the other values; the revised estimate for that device appears when you press `Enter`.

There are equivalent direct commands for each space calculation function.

Space calculations are selectable by code and include:

Code	Function
A	<i>Estimating Associator Space</i>
C	<i>Estimating Sizes for Directory and Data Structures in a Cluster Environment</i>
D	<i>Estimating Data Storage Space</i>
F	<i>Estimating Space for the DD/FILEA Sequential Data Set</i>
S	<i>Estimating Sort Data Set Space</i>
T	<i>Estimating Temp Data Set Space</i>
W	<i>Estimating Work Data Set Space</i>

Estimating Associator Space

Option **A (ASSO)** on the **Space Calculation** menu calculates one of two Associator component values: the address converter (AC) space, or the normal (NI) and upper (UI) index space.

The equivalent direct command is

```
CALCULATE ASSO
```

The **ASSO Space Calculation** menu appears.

Calculating Space Requirements

```
02:33:52          ***** A D A B A S  BASIC  SERVICES *****          2009-08-25
                  - ASSO Space Calculation -                          PSPA002
```

```

                Code   Service
                ----   -
                A      Address Converter
                I      Normal/Upper Index
                ?      Help
                .      Exit
                ----   -
Code .....
Database ID ...      (WIS1955)
```

Command ==>

```
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help                Exit                               Menu
```

AC space is based on the device type and the estimated number of records in the related Data Storage file.

```
02:35:35          ***** A D A B A S  BASIC  SERVICES *****          2009-08-25
DBID 1955          - Address Converter -                          PSPAA02
```

```
Maximum number of records ... 0
ASSO Device-Type ..... 3390
Block Size ..... 2544

Required number of blocks ... 0
Required number of cyls. .... 0
```

```
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help                Exit                               Menu
```

NI/UI calculates index values for a *single* descriptor, requiring you to estimate such things as the average descriptor length, the number of multiple descriptors you expect to have, the total number of unique descriptor values for that field, an Associator padding factor, and a device type if other than the default.

```

02:36:02          ***** A D A B A S  BASIC  SERVICES *****          2009-08-25
DBID 1955          -   Normal/Upper Index  -                               PSPAI02

Computation for one Descriptor  -

Maximum number of records for the file ..... 0
Average number of DE-values per record ..... 1.0
Average length of DE-value in bytes ..... 0
Number of different DE-values in the file ..... 0

Padding factor for ASSO ..... 10 %
ASSO Device Type ..... 3390
ASSO Block Size ..... 2544

                                I Normal Index I Upper Index I
I-----
I Required number of blocks I           0 I           0 I
I Required number of cyls. I           0 I           0 I
I-----

Use ? for Help

PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help                Exit                Menu

```

Estimating Sizes for Directory and Data Structures in a Cluster Environment

Option C (**Cluster-Cache/Lock**) on the **Space Calculation** menu calculates the estimated sizes for directory and data structures in a cluster environment. The cache structure should be made large enough to provide sufficient space:

- for tracking all blocks kept in the buffer pools of all connected cluster nuclei (directory elements) and
- for keeping all changed blocks until they are written to the database (data elements).

The assignment of total cache space into directory and data elements is done via the `DIRRATIO` and `ELEMENTRATIO` ADARUN parameters.

Calculating Space Requirements

```
02:38:45          ***** A D A B A S  BASIC  SERVICES *****          2009-08-25
DBID 1955          -  Cache Structure Calculator  -                      PSPC002
```

```
Smallest block size in DB ..... 2544
Largest block size in DB ..... 5724
Buffer pool size (LBP) ..... 107520_____
Size proper for caching blocks .. 100000_____
Max nuclei in cluster ..... 3
Directory element size ..... 400
Cache structure size (in KB) .... _____
```

For minimum calculation, leave cache structure size field empty.
Modify values, press Enter to provide estimates below.

```
Cache CFM SIZE/INITSIZE ..... 2662          ( 2.5          MB)
ADARUN DIRRATIO ..... 41
ADARUN ELEMENTRATIO ..... 24
Cache directory elements ..... 165
Cache data elements ..... 97
Cache data element size ..... 1024
```

```
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help                Exit       Lock                Menu
```

Input fields:

Field	Description
Smallest block size	Value between 1024 and 32768. Default taken from current AOS DBid.
Largest block size	Value between 1024 and 32768. Default taken from current AOS DBid. If Smallest block size exceeds this value, then Smallest block size is swapped in.
Buffer pool size	Value between 80,000 and 999,999,999,999. Default taken from LBP parameter of current AOS Dbid.
Size proper for caching blocks	Value between 100000 - 999,999,999,999. Default taken from LBP parameter of current AOS Dbid, rounded down to nearest 100000. "Size proper" means that this does not include the overhead in the cache structure required for administering these blocks. Thus this value specifies how much space should be available in the cache structure for keeping changed blocks between buffer flushes and for buffering blocks so that the cluster nuclei do not have to read them from the database.
Max Nuclei in cluster	Value between 2 and 32. Defaults to 3.
Directory element size	Value between 100 and 999. Specifies how much space (including the overhead for the access paths) each directory element will take in the cache structure. Defaults to 400.
Cache Structure size	Blank for minimum calculation, or a value between 100 and 999,999,999 (KB). Although this value is given as an output field, you may want to propose a cache structure size, to see how to allocate the cache space (dir & data elements).

Output fields:

Field	Description
Cache CFRM SIZE/INITSIZE	The recommended cache structure SIZE or INITSIZE specification in the coupling facility resource management policy.
ADARUN DIRRATIO/ELEMENTRATIO	The recommended ADARUN parameter settings for the cluster nuclei.
Cache directory/data elements	The estimated directory and data element counts resulting from the SIZE/INITSIZE, DIRRATIO, and ELEMENTRATIO settings.
Cache data element size	This (accurate) value depends only on the largest Asso/Data/Work block size in the database.

By pressing PF4, you can use the Lock Structure Calculator.

Lock Structure Calculator

The Lock Structure Calculator screen calculates an estimated size for the Cache CFRM SIZE or INITSIZE specification in the coupling facility resource management policy.

The lock structure must be made large enough to provide sufficient space

- for keeping the lock record elements for all locks held at the same time, and
- for avoiding too much false contention on lock structure size as an input field.

The Number of lock table entries and record elements are shown for comparison with the related cluster nucleus message (ADAX70) and to aid users' own calculations.

Calculating Space Requirements

```
02:40:14          ***** A D A B A S  BASIC  SERVICES *****          2009-08-25
DBID 1955          -   Lock Structure Calculator   -                   PSPL002
```

```
Max files in database (MAXFILES) ..... 1000
Max number of parallel users (NU) ..... 200_____
Number of hold queue elements (NH) .... 400
Unique descriptor pool size (LDEUQP) .. 50000
Lock record element size ..... 260
Lock structure size (in KB) .....
```

For minimum calculation, leave lock structure size field empty.
Modify values, press Enter to provide estimates below.

```
Lock CFRM SIZE/INITSIZE ..... 2738          ( 2.6          MB)
Number of lock table entries ..... 32768
Number of lock record elements ..... 7852          Required min .. 7975
```

```
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help                Exit          Cache                Menu
```

Input fields:

Field	Description
Max files in database	Value between 3 and 5000. The same as MAXFILES parameter of ADADEF and ADAORD. Taken from the current AOS DBid.
Max number of parallel users	Value between 20 and 16,777,215. Default taken from NU parameter of current AOS DBid.
Number of hold queue elements	Value between 20 and 16,777.215. Default taken from NH parameter of current AOS Dbid.
Unique descriptor pool size	Value between 1 and 999,999,999. Default taken from LDEUQP parameter of current AOS Dbid.
Lock record element size	Value between 100 and 999. Specifies how much space (including the overhead for the access paths) each lock record element will take in the lock structure. Defaults to 260.
Lock structure size	Blank for minimum calculation, or a value between 100 and 9,999,999 (KB). Although this value is given as an output field, you may want to propose a lock structure size, to see the estimated number of lock table entries and lock table elements.

Output fields:

Field	Description
Lock CFRM SIZE/INITSIZE	The recommended lock structure SIZE or INITSIZE specification in the coupling facility resource management policy.
Number of lock table entries	The calculated count of lock table entries resulting from the SIZE/INITSIZE setting.
Number of lock record elements	The estimated count of lock record elements resulting from the SIZE/INITSIZE setting. One has to actually start a cluster nucleus with the specified parameters to see how many lock record elements it gets from the lock structure. The number on the right side is the minimum number of lock record elements that the starting cluster nuclei require to be available.

Estimating Data Storage Space

Option **D (DATA)** on the **Space Calculation** menu calculates Data Storage based on values you provide for estimated maximum record count, the average length of a compressed record, a Data Storage padding factor, and device type. Results are specified in both blocks and cylinders.

The equivalent direct command is

```
CALCULATE DATA
```

The Data Storage screen appears.

```
11:21:46          ***** A D A B A S  BASIC  SERVICES *****          2009-08-25
DBID 1955          - Data Storage -          PSPD002
```

```
Maximum number of records for the file .. 0_____
Average compressed record length ..... 0
Padding factor for DATA ..... 10 %
DATA device-type / blk. size ..... 3390 / 5064
```

```
Required number of blocks ..... 0
Required number of cyls. .... 0
```

```
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help                Exit                Menu
```

Estimating Space for the DD/FILEA Sequential Data Set

Option **F (DDFILEA)** on the **Space Calculation** menu calculates the space required for the DD/FILEA sequential data set when it is used with the ADAORD utility. (The data set is also used with the ADALOD utility.)

The equivalent direct command is

```
CALCULATE DDFILEA
```

The DDFILEA Storage screen appears.

```

11:26:04          ***** A D A B A S  BASIC  SERVICES *****          2009-08-25
                   - DDFILEA Storage -                               PSPF012
                   Code Reorder                                     Maximum Space Required
                   -----
DB -Function   :   A   Asso
                   B   Data                                     Bytes .....
                   C   DB                                       Blocks ....
                   D   Restruct DB                               Cylinder ..
FILE -Function :   E   FAsso                                     Blocksize ..
                   F   FData
                   G   File
                   H   Restruct File
                   .   Exit
                   -----
Code ..... _
File .....
Device ... 3390
DB-ID .... 1955 (WIS1955)

PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit          Menu

```

Estimating Sort Data Set Space

Option **S (SORT)** on the **Space Calculation** menu displays the **SORT Storage** menu:

```
11:27:55          ***** A D A B A S BASIC SERVICES *****          2009-08-25
                  - SORT Storage -                               PSPS002

                  Code      Service
                  ----      -
                  I        ADAINV
                  L        ADALOD load
                  U        ADALOD update
                  ?        Help
                  .        Exit
                  ----      -

Code ..... _
File Number ..
Database ID .. 1955 (WIS1955)

Command ==>
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help                Exit                               Menu
```

The functions on this menu are used to estimate the storage needed on the sort data set for the utility function chosen.

This section covers the following topics:

- [ADAINV Sort Size](#)
- [ADALOD LOAD Sort Size](#)
- [ADALOD UPDATE Sort Size](#)

ADAINV Sort Size

Option **I (ADAINV)** on the **SORT Storage** menu displays the **Sort Storage - ADAINV** screen. The storage needed on SORT for the ADAINV utility function is estimated using this screen.

```

11:30:04          ***** A D A B A S BASIC SERVICES *****          2009-08-25
                   - SORT Storage - ADAINV - -                      PSPSS12

File Number ..... 29
Number of records ( Default: TOPISN ) ..... (reduce number
Name of the field to be processed ..... if field is NU)
Average compressed descr. length (in Bytes)
of the biggest descriptor .....
Occurences of periodic groups ..... 1
Occurences of multiple fields ..... 1
SORT device-type ..... 3390
LWP-parameter ..... 1000000
Database-ID ..... 1955
Password (if required) .....

-----
Required number of blocks (minimum) .....
Required number of cyls. (minimum) .....

PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit       Dis Field          Menu
    
```

PF4 (**Dis Field**) invokes a field selection window:

```

11:30:04          ***** A D A B A +-----+ 05-03
                   - Sort Storage |                      | 02
                                | Please mark with 'X': |
                                |                      |
                                | Field              |
                                | Selection Name    Length  |
                                |-----|-----|
                                | -      AA         4__  |
                                | -      BB         4__  |
                                | -      BC         4__  |
                                | -      SF         8__  |
                                | -      ?B         8__  |
                                | -      SH        16__  |
                                | -      SS         8__  |
                                | -      SG         3__  |
                                | -      ?P         8__  |
                                | -      XX         __  |
                                | -      __         __  |
                                | -      __         __  |
                                | -      __         __  |
                                |                      |
                                | Enter-----PF3-----PF7-----PF8- |
                                | Back      <      >      |
                                |                      |
PF1----- PF2----- PF3----- PF4--- +-----+
Help          Exit       Dis Fi
    
```

ADALOD LOAD Sort Size

Option L (**ADALOD load**) on the **SORT Storage** menu displays the **Sort Storage - ADALOD LOAD** screen. .

For the ADALOD LOAD calculation, the default number of records is MAXISN rather than TOPISN as it is for the ADAINV function.

```

11:36:39          ***** A D A B A S  BASIC  SERVICES *****          2009-08-25
                   -  SORT Storage  - ADALOD LOAD  -  -          PSPSS12

File Number ..... 29
Number of records ( Default:  MAXISN ) ..... 847          (reduce number
                                                                if field is NU)

Average compressed descr. length (in Bytes)
of the biggest descriptor .....
Occurences of periodic groups ..... 1
Occurences of multiple fields ..... 1
SORT device-type ..... 3390
LWP-parameter ..... 1000000
Database-ID ..... 1955
Password (if required) .....

-----
Required number of blocks (minimum) .....
Required number of cyls. (minimum) .....

PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit          Menu
    
```

ADALOD UPDATE Sort Size

Option U (**ADALOD update**) on the **SORT Storage** menu displays the **Sort Storage - ADALOD UPDATE** screen. .

For the ADALOD UPDATE calculation, the default number of records is 0:


```

11:37:59          ***** A D A B A S  BASIC  SERVICES *****          2009-08-25
                   -  SORT Storage - ADALOD UPDATE - -              PSPSS12

File Number ..... 29
Number of records ( Default: 0      ) ..... (reduce number
                                              if field is NU)

Average compressed descr. length (in Bytes)
of the biggest descriptor .....
Occurences of periodic groups ..... 1
Occurences of multiple fields ..... 1
SORT device-type ..... 3390
LWP-parameter ..... 1000000
Database-ID ..... 1955
Password (if required) .....
-----
Required number of blocks (minimum) .....
Required number of cyls. (minimum) .....

PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help                Exit                Menu

```

Estimating Temp Data Set Space

Option **T (TEMP)** on the **Space Calculation** menu displays the **TEMP Storage** menu:

```
11:40:58          ***** A D A B A S  BASIC  SERVICES *****          2009-08-25
                                     - TEMP Storage -                               PSPT002

                                Code   Service
                                ----   -
                                I      ADAINV
                                L      ADALOD load/update
                                U      ADALOD delete
                                ?      Help
                                .      Exit
                                ----   -

Code ..... _
File No. ....: 29
Database ID .. 1955 (WIS1955)

Command ==>
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help                Exit                               Menu
```

The functions on this menu are used to estimate the storage needed on TEMP for the utility function chosen.

This section covers the following topics:

- [ADAINV Temp Size](#)
- [ADALOD LOAD/UPDATE Temp Size](#)
- [ADALOD DELETE Temp Size](#)

ADAINV Temp Size

Option I (ADAINV) on the **TEMP Storage** menu displays the TEMP Storage - ADAINV screen:

```

11:47:55          ***** A D A B A S  BASIC  SERVICES *****          2009-08-25
                   - TEMP Storage - ADAINV -                          -          PSPTI12

File Number ..... 29
Field-Name to be inverted ..
Average descriptor-length ..          ( Default = Field-Length )
Max. Number of records .....          ( Default = TOPISN          )

Device Type ..... 3390
No. of records to delete ...          ( ADALOD Delete only          )
DBID ..... 1955          (WIS1955)
Password (if required) .....

-----

Required TEMP-Blocks .....
          Cylinder ....

PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit          Dis Field          Menu

```

PF4 (**Dis Field**) invokes a field selection window

ADALOD LOAD/UPDATE Temp Size

Option L (**ADALOD load/update**) on the **TEMP Storage** menu displays the **TEMP Storage - ADALOD LOAD** screen.

The **TEMP Storage - ADALOD LOAD** screen differs from the **TEMP Storage - ADAINV** screen in that a message is added reminding the user to multiply TOPISN by *all* occurrences of periodic groups and multiple value fields:

```
11:50:15          ***** A D A B A S  BASIC  SERVICES *****          2009-08-25
                   - TEMP Storage - ADALOD LOAD -                -          PSPTI12

File Number ..... 29
Field-Name to be inverted ..
Average descriptor-length ..          ( Default = Field-Length )
Max. Number of records .....          ( Default = TOPISN      )
  Make sure to multiply TOPISN by ALL occurrences of PE and/or MU
Device Type ..... 3390
No. of records to delete ...          ( ADALOD Delete only   )
DBID ..... 1955          (WIS1955)
Password (if required) .....

-----

Required TEMP-Blocks .....
      Cylinder ....

PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit          Menu
```

ADALOD DELETE Temp Size

Option **U (ADALOD delete)** on the **TEMP Storage** menu displays the **TEMP Storage - ADALOD DELETE** screen.

```

11:51:01          ***** A D A B A S  BASIC  SERVICES *****          2009-08-25
                   - TEMP Storage - ADALOD DELETE -          -          PSPT112

File Number ..... 29
Field-Name to be inverted ..
Average descriptor-length ..          ( Default = Field-Length )
Max. Number of records .....          ( Default = TOPISN          )

Device Type ..... 3390
No. of records to delete ...          ( ADALOD Delete only          )
DBID ..... 1955          (WIS1955)
Password (if required) .....

-----

Required TEMP-Blocks .....
          Cylinder ....

PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit          Menu

```

The TEMP Storage - ADALOD DELETE screen is identical to the TEMP Storage - ADAINV.

Estimating Work Data Set Space

Option **W (WORK)** on the **Space Calculation** menu displays the **Work Storage** screen.

The Work data set requires the most estimating. Although many initial values may be arbitrary, keep a record of them to ensure that subsequent tuning of the Work parameters has a realistic basis. Results comprise block estimates for the three parts of the Work area. A total of these values in blocks and cylinders is also provided.

Calculating Space Requirements

```
11:55:33          ***** A D A B A S  BASIC  SERVICES *****          2009-08-25
DBID 1955          -  Work Storage  -                               PSPW002

Average compr. record length of an updated record ... 0
Average number of descr. updated per update cmd. .... 0
Average length of an updated descriptor value ..... 0

Average number of update cmds. per second ..... 0
Average duration of a transactions in seconds ..... 0

TOPISN of the biggest file in the database ..... 0

WORK device type / WORK blk. size ..... 3390 / 5724

Required space (blocks) :   Protection Area (LP) ....      0
-----
                          Intermediate ISN lists          0
                          Resulting ISN lists ....>      0
                          ? -----
                          Total (Blocks / Cyls.)....      0 / 0
                              + LTPET + LREPL

PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help          Exit          Menu
```

11 Troubleshooting Options

▪ Displaying Database Status Information	172
▪ Displaying Active Targets	173
▪ Forcing a Database Abend	174
▪ Stopping a Utility	174

Displaying Active Targets

From the main menu, the following direct command displays active targets for a specified database.

```
DISPLAY IDT
```

The Display Active Targets screen appears.

```
12:04:42          ***** A D A B A S  BASIC  SERVICES *****          2009-08-25
                    -  Display Active Targets  -

CPU ..... 0009A10E20980000          Entries for SVC No. .. 249
Default-DB .. 1955  (WIS1955)          Max. No. Of Entries .. 10
                                          Max. Active Entries .. 3

 M I Tgt-ID I Target Flag      I Target Mode      I CQH Flag I
-----
 I 1954 I Isolated-DB      I                      I    10  I
 I 1021 I Isolated-DB      I Local service      I    11  I
 I 1958 I Isolated-DB      I                      I    10  I
 I      I                      I                      I      I
 I      I                      I                      I      I
 I      I                      I                      I      I
 I      I                      I                      I      I
 I      I                      I                      I      I
 I      I                      I                      I      I
 I      I                      I                      I      I
 I      I                      I                      I      I
 I      I                      I                      I      I

Mark a DB-entry with 'X' to Select for processing

PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help                Exit                                Menu
```

The Target Flag column may have the following values:

Target Flag Value	Description
Communicator	Entire Net-Work node
Non-DB target	Entire System Server, XDCOM, or Entire Net-Work node
Isolated-DB	ADARUN parameter ISO=YES is used for the database

The Target Mode column may have the following values:

Target Mode Value	Description
AB required	attached buffers are required
IDTE forced	ADARUN parameter FORCE=YES is used during initialization
Anchor service	no command queue; anchor target only; e.g., buffer pool manager
Local service	ADARUN parameter LOCAL=YES; no remote calls

Forcing a Database Abend

The direct command, `CATCH RSP-CODE` forces an abend of the specified database. The syntax of the command is:

```
CATCH RSP-CODE
```

Stopping a Utility

Option **Q** on the **Main Menu** displays a window for stopping a batch utility job and resetting the DIB.

The equivalent direct command is:

```
RESET UTILITY-ABEND
```

12:10:07 ***** A D A B A S BASIC SERVICES ***** 2009-08-25
 Cluster - Main Menu - PMAIN02

Code	Basic Services	Code	Other Services
A	Session monitoring	1	Adabas Cache Facility
C	Checkpoint maintenance	2	Delta Save Facility
F	File maintenance		
M	Database maintenance	+-----+-----+-----+	
0	Session opercoms	Enter JOBNAME of Utility to	
R	Database report	reset DIB and to Stop the user.	
S	Space calculation		
?	Help	Jobname ... _____	
.	Exit	Confirm ... _ (Y or N)	
		-PF1-----PF3-----PF12-----	
		Exit Menu	
		+-----+-----+-----+	

Code q
 Database ... 1955 (WIS1955)

Command ==>

PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
 Help Exit

Index

A

- abends
 - forcing, 174
- Adabas
 - event log, 37
- Adabas Online System (AOS)
 - accessing, 6
 - Demo version, 11
 - Main Menu, 7
- Adabas sessions
 - monitoring, 22
- ADAINV utility sort data set storage requirements, 162
- ADALOD LOAD utility sort data set storage requirements, 164
- ADALOD UPDATE utility sort data set storage requirements, 164
- ADAM file
 - specifying parameters, 92
- ADARUN parameters
 - displaying or modifying, 29
- Add Dataset screen, 107
- Add New Field(s) screen, 80
- Add/Delete PIN Modules screen, 121
- adding
 - ASSO or DATA storage extents, 107
 - fields, 80
 - PIN modules, 121
- Allocate/Deallocate CLOG/PLOG menu, 113
- Allocate/Deallocate File Space screen, 102
- allocating CLOG data sets, 113
- allocating PLOG data sets, 113
- AOS
 - see Adabas Online System (AOS), 6
- ASSO Space Calculation menu, 153
- Associator
 - space calculation, 153

B

- Basic Services
 - entering direct commands, 10
 - error messages, 10
 - invoking functions, 9
 - logging on, 6
 - obtaining help information, 10
 - overview of functions, 7
 - specifying a database, 8

C

- Change Field Parameters screen, 82
- Checkpoint Maintenance menu, 72
- checkpoints
 - deleting, 74
 - listing, 72
 - maintaining, 72
 - types of, 73
- CLOG
 - dynamically allocating or deallocating data sets, 113
- cluster
 - maintaining user table, 131
- cluster environments
 - estimating directory and data structure size, 155
- Cluster Usage screen, 61
- clusters
 - displaying members, 23
 - monitoring usage, 61
- command log
 - force a switch, 123
- command queue
 - displaying, 41
- Command Usage screen, 49
- commands
 - display usage per user, 45
 - monitoring overall usage, 49

D

- Data Integrity Block (DIB)
 - displaying entries, 109
 - resetting entries, 109
- data sets
 - resizing, 108
- Data Storage
 - space calculation, 159
- Data Storage screen, 159
- data structure size, 155
- database
 - displaying status information, 172
 - general layout, 145
 - maintenance, 105
 - physical location (volume serial number), 147
- Database Report
 - reviewing, 135
- Database Report menu, 136
- Database Status Info drop-down report, 172
- databases

- forcing an abend with response codes, 174
- DD/FILEA sequential data set
 - space calculation, 160
- DDFILEA Storage screen, 160
- deallocating CLOG data sets, 113
- deallocating PLOG data sets, 113
- Define FDT screen, 84
- Define File screen, 92
- Define SDT screen, 88
- defining
 - a new FDT, 84
 - files, 91
 - Special Descriptor Table (SDT), 88
- Delete Checkpoints screen, 74
- Delete Field screen, 85
- Delete File screen, 90
- deleting
 - a descriptor, 94
 - a field, 85
 - checkpoints, 74
 - file data, 101
 - files, 90
 - PIN modules, 121
- descriptors
 - deleting, 94
 - releasing, 89
 - undeleting, 94
- DIB
 - see Data Integrity Block (DIB), 109
- directory structure size, 155
- Display Active Targets screen, 173
- Display Cluster Members screen, 23
- Display Command Queue screen, 41
- Display Event Log Buffer screen, 37
- Display FDT screen, 137
- Display File Layout screen, 141
- Display Files screen, 140
- Display General DB-Layout screen, 145
- Display Locked Files screen, 125
- Display Maintenance Levels screen, 68
- Display Message Buffer screen, 118
- Display Parameters screen, 29
- Display PPT Table screen, 24
- Display SDT screen, 139
- Display Unused Storage screen, 150
- Display User Queue screen, 40
- Display Volser-Tab screen, 147
- Display/Modify Environment screen, 119
- displaying, 145
 - active targets, 173
 - ADARUN parameters, 29
 - command queue, 41
 - Database Report, 135
 - database status information, 172
 - database volume serial numbers, 147
 - DIB entries, 109
 - exit status, 120
 - Field Definition Table (FDT), 137
 - files with critical number of extents, 137
 - hold queue, 42
 - installed products, 36
 - message buffer, 118
 - PIN routines, 122
 - queues, 38

- RABNs, 148
- resource statistics, 43
- Special Descriptor Table (SDT), 139
- unused storage, 150
- user queue elements, 40
- dumps
 - resetting status, 126

E

- estimating
 - Associator space, 153
 - cluster directory and data structure size, 155
 - Data Storage space, 159
 - DD/FILEA sequential data set size, 160
 - sort data set size, 161
 - Temp data set size, 165
- estimating Work data set space, 169
- event log
 - displaying, 37
- Event Replicator for Adabas
 - management, 68
- exits
 - displaying status, 120
 - modifying status, 120
- expanded files
 - maintaining, 103
- extended error handling parameters
 - setting, 119
- extents
 - add, 107
 - displaying critical, 137

F

- FDT
 - see Field Definition Table (FDT), 84
- FDT/SDT Definition/Modification menu, 79
- Field Definition Table (FDT)
 - defining new, 84
 - defining or modifying, 79
 - deleting a field, 85
 - displaying, 137
 - undeleting a field, 86
- fields
 - adding, 80
 - changing parameters, 81
 - deleting, 85
 - undeleting, 86
- file maintenance
 - deleting a descriptor, 94
 - undeleting a descriptor, 94
- File maintenance menu, 78
- File Usage screen, 50
- files
 - allocating or deallocating space, 102
 - defining, 91
 - deleting, 90
 - display, 140
 - display usage by user, 46
 - displaying status, 54
 - displaying those with critical number of extents, 137
 - inverting online, 87
 - locking or unlocking, 124

- maintaining, 78
- maintaining expanded, 103
- modifying parameters, 95
- monitoring overall usage, 50
- refreshing to empty status, 101
- reordering, 99
- specifying ADAM file parameters, 92
- uncoupling, 109

forcing

- database abend, 174

G

general database layout, 145

H

high water marks

- reviewing current settings for selected pools and queues, 52

High Water Marks screens, 52

Hold ISN Lock screen, 67

hold queue

- displaying, 42

I

Increase/Decrease screen, 108

inverting files online, 87

L

List Checkpoints screen, 73

List File Extents on VOLSER screen, 147

List/Modify Exit Routines screen, 120

List/Modify PIN Routines screen, 122

listing

- checkpoints, 72

Lock Structure Calculator screen, 157

Lock/Unlock Files menu, 124

locking files, 124

Logically Delete Undelete Descriptor screen, 93

LWP

- monitoring usage, 53

M

Main Menu, 7

maintaining

- checkpoints, 72
- user profiles, 25
- user table, 131

maintenance

- display levels
 - using Adabas Basic Services, 68

Manage Online Processes screen, 129

managing

- Event Replicator for Adabas, 68
- online utilities, 129

message buffer

- displaying, 118

Modify File Parameters screen, 95

modifying

- ADARUN parameters, 32
- exit status, 120
- field parameters, 81
- PIN routines, 122

monitoring

- Adabas sessions, 22
- resource usage, 48

multiprocessing

- monitoring sessions, 22

N

nucleus

- displaying file status, 54
- refreshing statistics, 42

Nucleus File Status screen, 54

O

online dumps

- resetting status, 126

Online Invert screen, 87

Online Reorder File screen, 99

online utilities

- managing, 129

P

physically uncoupling, 109

PIN modules

- adding, 121
- deleting, 121

PIN routines

- displaying, 122
- modifying, 122

PLOG

- dynamically allocating or deallocating data sets, 113
- reviewing status, 55

PLOG Status screen, 55

protection log

- force a switch, 123
- reviewing status, 55

Q

Queue Displays menu, 38

queues

- displaying, 38

R

RABNs

- displaying, 148

Read ASSO/DATA Block screen, 148

recovering space, 109

Refresh File screen, 101

Refresh Statistics screen, 42

refreshing

- nucleus statistics, 42

refreshing files, 101

Release Descriptor screen, 89

reordering files, 99

resetting

- online dump status, 126
- resetting DIB entries, 109
- resizing ASSO or DATA data sets, 108
- Resource Statistics menu, 43
- Resource Utilization menu, 48
- resources
 - monitoring overall usage, 48
 - obtaining current statistics, 43
- reviewing
 - event log, 37

S

- SDT
 - see Special Descriptor Table (SDT), 88
- Session
 - terminate
 - using Basic Services, 129
- session
 - reviewing status, 56
- session monitoring
 - in a multiprocessing environment, 22
- Session Monitoring menu, 22
- Session Opercoms menu, 112
- Session Termination menu, 129
- sort data set
 - ADAINV storage requirements, 162
 - ADALOD LOAD storage requirements, 164
 - ADALOD UPDATE storage requirements, 164
 - space calculation, 161
- Sort Storage - ADAINV screen, 162
- Sort Storage - ADALOD LOAD screen, 164
- Sort Storage - ADALOD UPDATE screen, 164
- Sort Storage menu, 161
- space
 - allocate or deallocate file, 102
 - calculate, 151
 - displaying unused, 150
 - recovering, 109
- Space Calculation menu, 152
- Special Descriptor Table (SDT)
 - defining, 88
 - displaying, 139
- statistics
 - displaying, 44
- Stop Users menu, 126
- stopping
 - users, 126
- system
 - reviewing status, 56
- System Status screen, 56

T

- targets
 - displaying active, 173
- TCP/IP
 - maintain URLs online, 47
- Temp data set
 - space calculation, 165
- TEMP Storage - ADAINV screen, 166
- TEMP Storage - ADALOD DELETE screen, 168
- TEMP Storage - ADALOD LOAD screen, 167
- Temp Storage menu, 165

- Thread Usage screen, 58
- threads
 - monitoring usage, 58
- troubleshooting options, 171

U

- uncoupling files, 109
- Undelete Field screen, 86
- undeleting
 - a descriptor, 94
 - a field, 86
- unlocking files, 124
- unused storage, displaying, 150
- URLs
 - maintaining TCP/IP online, 47
- user profiles
 - maintaining, 25
- user queue elements
 - displaying, 40
- user table
 - maintaining, 131
- User Table Maintenance menu, 131
- users
 - display command usage, 45
 - display file usage, 46
 - display resource usage, 44
 - stopping operation for, 126
- utilities
 - managing online, 129
- Utility
 - stop user and reset DIB
 - using Basic Services, 174

V

- V* commands, 50
- volume serial numbers, displaying, 147

W

- work
 - reviewing status, 59
- Work data set
 - space calculation, 169
- work pool
 - monitoring usage, 53
- WORK Status screen, 59
- Work Storage screen, 169
- Workpool Usage screen, 53

Y

- Y* commands, 50