

ADAULD Error Messages

The following message groups are described:

- ADAULD Errors (ERROR-121 - ERROR-145)
- ADAULD Information Messages

ADAULD Errors (ERROR-121 - ERROR-145)

Overview of Messages

ERROR-121	ERROR-122	ERROR-123	ERROR-124	ERROR-125	ERROR-126
ERROR-127	ERROR-128	ERROR-129	ERROR-130	ERROR-131	ERROR-132
ERROR-133	ERROR-134	ERROR-135	ERROR-136	ERROR-137	ERROR-138
ERROR-139	ERROR-140	ERROR-141	ERROR-142	ERROR-143	ERROR-144
ERROR-145					

ERROR-121 CIPHER-CODE MISSING

Explanation: The file is ciphered but no cipher code is supplied.

Action: Supply the correct cipher code and rerun the ADAULD job.

ERROR-122 CIPHER CODE SUPPLIED, BUT FILE IS NOT CIPHERED

Action: Remove the cipher code and rerun the ADAULD job.

ERROR-123 NO RECORDS SELECTED

Explanation: No records found according to the given search criterion. The resulting unloaded file contains only the field definition table (FDT).

ERROR-124 ERROR LIMIT REACHED

Explanation: "error-count" errors have occurred (the displayed message contains an actual count). ADAULD execution is terminated.

ERROR-125 INVALID VALUE FOR PARAMETER 'NUMOUT'

Explanation: NUMOUT must be 1 or 2. If NUMOUT=2, user exit 9 must be loaded.

Action: Supply a correct parameter or a user exit, and rerun the job.

ERROR-126 'SELVAL' PARAMETER MISSING

Action: Supply a valid selection criterion and rerun the job.

ERROR-127 INVALID VALUE FOR THE PARAMETER 'LRECL' OR 'LPB'

Explanation: The LRECL and LPB parameters must be less than 32,768.

Action: Supply the correct parameter value and rerun the ADAULD job.

ERROR-128 DIFFERENT RECORD LENGTHS FOR DDOUT1 AND DDOUT2

Explanation: The maximum record lengths of the output datasets must be equal.

Action: Supply the correct output datasets and rerun the ADAULD job.

ERROR-129 INVALID 'SORTSEQ' PARAMETER parameter

Explanation: The field cannot be used to determine the unload sequence because it

- is undefined;
- is not a descriptor;
- is a phonetic descriptor; or
- (or part of the field) is within a periodic (PE) group.

Action: Choose another sequence, and rerun the ADAULD job.

ERROR-130 DESCRIPTOR desc-name HAS option OPTION

Explanation: Unloading the file in descriptor "desc-name" sequence may lead to variations in the normal sequence (anomalies).

Action: If you nevertheless want to perform that unload sequence, supply the "option" parameter. Otherwise, choose another unload sequence. Then rerun the ADAULD job.

ERROR-131 INVALID ETID PARAMETER

Explanation: The file to be unloaded is not defined with the multiclient option.

Action: Remove the ETID parameter and rerun the ADAULD job.

ERROR-132 MISSING ETID PARAMETER

Explanation: The file to be unloaded is defined with the multiclient option. Selecting records according to a search criterion requires that a single ETID be specified.

Action: Specify the ETID parameter, and rerun the ADAULD job.

ERROR-133 THE FILE NUMBER SUPPLIED IS A CHECKPOINT OR SECURITY FILE

Explanation: Checkpoint and security files may not be unloaded.

Action: Supply a correct input file and rerun the job.

ERROR-134 INVALID SAVE TAPE SUPPLIED

Explanation: The dataset supplied as the DD/SAVE input dataset is not a save tape.

Action: Supply a valid save tape and rerun the job.

ERROR-135 INVALID PROTECTION LOG SUPPLIED

Explanation: Once of the following occurred:

- The requested protection log has DBID dbid1, session number plognum1, but the supplied protection log has DBID dbid2, session number plognum2.
- The SYN1/SYN4 checkpoint is not contained in the protection log block blocknumber.
- The SYN2/SYN5 checkpoint is not contained anywhere on the protection log.
- Another SYN1/SYN4 checkpoint was encountered before the expected SYN2/SYN5 checkpoint.
- The supplied input tape is not a protection log.

Action: Supply the correct protection log and parameters, and rerun the job.

ERROR-136 TEMP DATASET TOO SMALL

Explanation: The temp dataset is not large enough to buffer all Data Storage blocks found for file *file-number* on the protection log.

Action: Supply a larger temp dataset and rerun the job.

ERROR-137 THE INPUT TAPES OF A MULTIVOLUME SAVE DATASET ARE MOUNTED IN THE WRONG ORDER

Explanation: The tapes of a multivolume dataset are mounted in the wrong order. ADAULD terminates.

Action: Supply the tapes in the correct order and rerun the job.

ERROR-138 ERROR DURING DSF PROCESSING

Explanation: An error occurred while the Adabas Delta Save Facility was processing the requested function for the delta save dataset. The Delta Save Facility returned the response code provided in the message.

Action: Refer to the information for the specified response code. Correct the error and rerun the job.

ERROR-139 UNLOAD WITHOUT FULL SAVE NOT POSSIBLE

Explanation: The full save tape required to unload from a delta save dataset is not supplied.

Action: Supply the fullsave dataset and rerun the job.

ERROR-140 INVALID VALUE FOR THE PARAMETER CODE

Explanation: A valid value has at most eight (8) digits or blanks.

Action: Supply a valid parameter value and rerun the job.

ERROR-141 NO PROTECTION LOG SUPPLIED

Explanation: The unloaded file was changed during an online save operation but no protection log is supplied. The unloaded data is probably inconsistent.

ERROR-142 INVALID DDISN PARAMETER

Explanation: The DDISN parameter must not be specified if SORTSEQ=descriptor,MU is also specified, or if the descriptor specified with SORTSEQ is a hyperdescriptor.

Action: Supply the correct parameter value and rerun the job.

ERROR-143 THE INPUT DATASET/FILE DDEBAND OR DDISN DOES NOT HAVE THE RECORD FORMAT VARIABLE OR VARIABLE BLOCKED (V OR VB)

Explanation: The record format of DD/EBAND and DD/ISN must be V or VB.

Action: Supply the correct input and rerun the job.

ERROR-144 INVALID ET-ID

Explanation: When running DECOMPRESS on a multiclient file, Adabas processes either

- the entire file if ET-ID is not specified; or
- the selection of records allowed for the client identified by ET-ID.

The user ID referred to by the 'ETID' parameter is either not defined or has not been assigned an owner ID.

Action: Investigate the cause of the error; correct it; and rerun the job.

ERROR-145 FDT PLUS IT PREFIX DO NOT FIT INOT THE OUTPUT RECORD

Explanation: The maximum record length of the output data set is too small.

Action: Specify the correct output data set or a data set with the correct maximum record length and rerun the job.

ADAULD Information Messages

MODE=SHORT WILL BE FORCED FOUND FIELD(S) DEFINED WITH COLDE OPTION

Explanation: At least one field was found with the collation descriptor option defined. In this case, MODE=SHORT is required. Adabas has forced this parameter setting.

Action: None required. This message is for information only.