

Display Active Targets

From the main menu, the direct command

```
DISPLAY IDT
```

displays active targets for a specified database:

```
13:15:10          ***** A D A B A S  BASIC  SERVICES  *****          2005-11-25
                   -  Display Active Targets  -

CPU ..... 5203405496720000          Entries for SVC No. .. 107
Default-DB .. 105                    Max. No. Of Entries .. 30
                                       Max. Active Entries .. 8

  M I Tgt-ID I Target Flag      I Target Mode      I CQH Flag I
-----
  I  2010 I Communicator      I AB required    I   68  I
  I   98  I Isolated-DB       I                I   10  I
  I  155  I Non-DB target      I Local service  I   21  I
  I  2048 I Non-DB target      I Local service  I   25  I
  I  105  I Isolated-DB       I                I   10  I
  I   99  I Non-DB target      I Anchor service I   22  I
  I  206  I Isolated-DB       I                I   10  I
  I   51  I Isolated-DB       I                I   10  I
  I      I                  I                I      I

Mark a DB-entry with 'X' to Select for processing

PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help                Exit                Menu
```

where the Target Flag column may have the following values:

Communicator	Entire Net-Work node
Non-DB target	Entire System Server, XDCOM, or Entire Net-Work node
Isolated-DB	ADARUN parameter ISO=YES is used for the database

and the Target Mode column may have the following values:

AB required	attached buffers are required
IDTE forced	ADARUN parameter FORCE=YES is used during initialization
Anchor service	no command queue; anchor target only; e.g., buffer pool manager
Local service	ADARUN parameter LOCAL=YES; no remote calls