

Adabas Online System

Getting Started

Version 7.4.4

September 2009

Adabas Online System

This document applies to Adabas Online System Version 7.4.4 and to all subsequent releases.

Specifications contained herein are subject to change and these changes will be reported in subsequent release notes or new editions.

Copyright © Software AG 2009. All rights reserved.

The name Software AG, webMethods and all Software AG product names are either trademarks or registered trademarks of Software AG and/or Software AG USA, Inc. Other company and product names mentioned herein may be trademarks of their respective owners.

Table of Contents

1 Getting Started	1
2 Main Menu Functions	3
Specifying the Basic Services Database	5
Using Program Function (PF) Keys	5
Invoking Basic Services Functions	6
Getting Help	6
Basic Services Messages	6
AOS Demo	7
Index	17

1 Getting Started

The Getting Started part of the Adabas Online System documentation introduces the AOS screen system and usage conventions.

The Adabas Online System Getting Started documentation is organized in the following topic:

 Main Menu Functions
 AOS Demo

2 Main Menu Functions

▪ Specifying the Basic Services Database	5
▪ Using Program Function (PF) Keys	5
▪ Invoking Basic Services Functions	6
▪ Getting Help	6
▪ Basic Services Messages	6
▪ AOS Demo	7

► To enter Adabas Online System

- 1 Log on to the Natural application SYSAOS and enter MENU at the NEXT prompt, if one appears.

```

08:10:40          ***** A D A B A S ONLINE SYSTEM *****          2005-11-23
                      - Main Menu -                               PMAIN02

      Code  Basic Services          Code  Other Services
      ----  - - - - -             ----  - - - - -
      A     Session monitoring      1     Cache Services
      C     Checkpoint maintenance  2     Delta Save Facility
      F     File maintenance        3     Trigger Maintenance
      M     Database maintenance    4     AOS Security
      O     Session opercoms        5     Transaction Manager
      R     Database report          6     Adabas Statistics
      S     Space calculation        7     Vista
      ?     Help                    8     Fastpath
      .     Exit                    9     SAF Security
      ----  - - - - -             ----  - - - - -

Code ..... _
Database ... 105      (RD-105)

Command ==>
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help                Exit
    
```

- 2 From the main menu, you can access Basic Services or any Other Service that is installed on your system. Such services are highlighted on the menu.

The Adabas Online System Main Menu indicates the main DBA tasks within Basic Services:

Code	Function	Section
A	Session monitoring functions display nucleus parameters, session statistics, buffer sizes for queues and areas, and maintenance levels	<i>Session Monitoring</i>
C	Checkpoint maintenance lists and deletes checkpoint information.	<i>Checkpoint Maintenance</i>
F	File maintenance controls Adabas fields (increase or add a field, release a descriptor) and files (define a new file; delete a file; refresh, rename, or renumber a file; allocate file space; change file parameters). It also controls ISN / storage block reuse.	<i>File Maintenance</i>
M	Database maintenance controls Adabas database (ASSO/DATA) file and space allocation, DIB blocks, and lets you recover space unused by ABENDED utilities.	<i>Database Maintenance</i>

Code	Function	Section
O	Session opercoms control extended error recovery, lock/unlock of files, stop user(s), session termination, and management of online utilities	<i>System Operator Command Functions</i>
R	Database report displays tables of "critical" extents, a file's FDT, general and specific file information, VOLSER, and general database information.	<i>Database Report</i>
S	Space calculation provides an aid to calculating database ASSO, DATA, sort, temp, and WORK space.	<i>Space Calculation</i>

Subsequent sections in this chapter describe the major Basic Services functions and menu/screen structures in the order that they appear on the Main Menu.

Specifying the Basic Services Database

The database on which Basic Services is installed becomes the default database for Basic Services functions. However, you can specify the database of any active Adabas nucleus session. Subsequent Basic Services functions refer to that database until you specify another database or exit Basic Services.

Using Program Function (PF) Keys

Available PF keys and their functions are listed at the bottom of each Basic Services screen. The following program function (PF) keys appear on all Basic Services screens; other navigation keys appear on some screens:

PF1	Help
PF3	Exit to previous screen
PF12	Return to the Adabas Online System main menu

Invoking Basic Services Functions

Selecting a Menu Option

▶ **To select a function or option**

- Enter the option code in the `Code` field.

Selecting a Main Menu function displays a menu of choices for that function.

Entering Commands Directly

Most Basic Services functions can be invoked using direct commands from the command line. The only exceptions are Adabas Online System Security functions.

Each direct command corresponds to a function on a Basic Services menu. You can issue a direct command for a function on a different menu from the one currently displayed. You do not have to leave the current menu to perform a function that is not displayed.

More information about the direct commands is included in the *Basic Services Direct Commands*, where the direct command equivalent to each menu function is described.

Getting Help

Two direct commands that can be issued from any Basic Services menu are `?` and `help`.

- The `"?"` option (you can also use PF1; see the section *Program Functions Keys*) displays a brief comment about the current menu.
- `help` provides concise information about the individual Basic Services functions.

Basic Services Messages

Basic Services issues a message confirming each completed function. If an error occurs, a message appears containing a reference number and describing the error.

Before analyzing an error

- Try reviewing the Help information (`"?"` or PF1) for the last step you performed to see if any requirements were overlooked.

- Then retry the operation.

Response code 22 is returned if the Adabas session is terminated and restarted while Basic Services is active. In this case, the application should be stopped and restarted.

AOS Demo

In this section a demonstration is shown how AOS is used.

This screen displays the Main Menu. Space calculation as well as Trigger maintenance are not available.

```

12:53:58          ***** A D A B A S  BASIC  SERVICES *****          2006-03-13
Replicator              - Main Menu -                               PMAIN02

Code  Basic Services              Code  Other Services
-----
A    Session monitoring           1    Adabas Cache Facility
C    Checkpoint maintenance      2    Delta Save Facility
F    File maintenance            *    Trigger Maintenance
M    Database maintenance        4    AOS Security
O    Session opercoms            5    Transaction Manager
R    Database report             6    Adabas Statistics
?    Help                        8    Fastpath
.    Exit                        9    SAF Security
-----

Code ..... _
Database ... 1954    (WIS1954)
Command ==>

PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help              Exit

```

Main Menu Functions

This screen displays Session monitoring. You can only select "display parameters", "display installed products" and "display queues".

```
12:56:58          ***** A D A B A S  BASIC  SERVICES *****          2006-03-13
                                     -  Session Monitoring  -          PAC0002

Code   Service                                     Code   Service
-----
*     Display cluster members                    *     Refresh nucleus statistics
*     Maintain user profiles                     *     Current resource statistics
D     Display parameters                         *     Maintain TCP/IP URL
I     Display installed products                 U     Display resource utilization
*     Modify parameters                          *     Replicator Management
Q     Display queues                             Z     Display maintenance levels
?     Help
.     Exit
-----

Code ..... _
Database ID .. 1954      (WIS1954)
Command ==>

PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help                Exit                Menu
```

This screen shows Queue Displays. You can only select "Display Hold Queue".

```
12:59:14          ***** A D A B A S  BASIC  SERVICES *****          2006-03-13
                                     -  Queue Displays  -          PACQ002

Code   Service
-----
*     Display User Queue Elements
*     Display Command Queue
H     Display Hold Queue
?     Help
.     Exit
-----

Code ..... _
Max No. Elements ... 100
Last Activity ..... 0      (elapsed time in seconds)
Selection Criteria
ET-ID (User-ID) .. _____ User Type ... ____
```

```

Job Name ..... _____
Terminal ID ..... _____
Database ID ..... 1954      (WIS1954)      0
Command ==>

PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help                Exit      Clear UID                                Menu

```

This screen shows Resource Utilization. You can only select "System status" and "Thread usage".

```

13:05:39          ***** A D A B A S  BASIC  SERVICES *****          2006-03-13
                                - Resource Utilization -                                PACU002

Code  Service                                Code  Service
-----
*    Command usage                          S    System status
*    File usage                             T    Thread usage
*    High water marks (pools/queues)        *    WORK status
*    Workpool (LWP) usage                   *    Cluster usage
*    Nucleus File Status                    *    Display PPT table
*    PLOG status
?    Help
.    Exit
-----

Code ..... _
File Number .. 0
Database ID .. 1954      (WIS1954)
Command ==>

PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help                Exit                Menu

```

This screen shows Checkpoint maintenance. You can only select "List checkpoints".

```

13:10:23          ***** A D A B A S  BASIC  SERVICES *****          2006-03-13
                                - Checkpoint Maintenance -                                PCP0002

Code  Service
-----
C    List checkpoints
*    Delete checkpoints
?    Help
.    Exit

```

Main Menu Functions

```
-----  
Code ..... _  
Date(YYYY-MM-DD) . 0000-00-00  
Ext. CP-list ..... N  
Checkpoint Name .. ALL  
Database ID ..... 1954   (WIS1954)  
Command ==>  
  
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----  
Help           Exit           Menu
```

This screen shows File Maintenance. You can only select "Define/modify FDT".

```
13:16:44          ***** A D A B A S  BASIC  SERVICES *****          2006-03-13  
  
- File Maintenance -          PFL0002  
  
Code   Service  
-----  
C      Define/modify FDT  
*      Release descriptor  
*      Delete existing file  
*      Define new file  
*      Modify file parameters  
*      Reorder file online  
*      Refresh file to empty status  
*      Allocate/deallocate file space  
*      Maintain expanded files  
?      Help  
.      Exit  
-----  
  
Code ..... _  
File No ..... 0      Descriptor Name .. __  
Database ID .. 1954   (WIS1954)  
Command ==>  
  
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----  
Help           Exit           Menu
```

This screen shows FDT/SDT Definition / Modification. You can only select "Define new FDT".

```

13:25:44          ***** A D A B A S  BASIC  SERVICES *****          2006-03-13
                                     -  FDT/SDT Definition / Modification  -          PFLC002

Code      Service
-----
*        Add new field(s)
*        Change field parameters
D        Define new FDT
*        Online invert
*        Define/add SDT
?        Help
.        Exit
-----

Code ..... _
File No. .... 1
Field Name ... _
Database ID .. 1954   (WIS1954)
Command ==>

PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help                Exit                                Menu

```

This screen shows Database Maintenance, and only shows a list of items available when there is a licensed product installed, no items available in Demo mode.

```

13:36:07          ***** A D A B A S  BASIC  SERVICES *****          2006-03-13
                                     -  Database Maintenance  -          PDM0002

Code      Service
-----
*        Add new dataset to ASS0/DATA
*        Increase/decrease ASS0/DATA
*        List/reset DIB block entries
*        Recover unused space
*        Uncouple two ADABAS files
?        Help
.        Exit
-----

Code ..... _
File No. .... 1

```

Main Menu Functions

```
Coupled File .. 0
Database ID ... 1954 (WIS1954)
Command ==>
```

```
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help                Exit                Menu
```

This screen shows Session Opercoms. You can only select "Extended Error Recovery".

```
13:43:29          ***** A D A B A S BASIC SERVICES *****          2006-03-13
                    - Session Opercoms -                               PACI002
```

Code	Service	Code	Service
E	Extended Error Recovery	S	Stop user(s)
*	Force CLOG or PLOG switch	T	Termination Commands
L	Lock or unlock files	*	Manage Online Utilities
*	Reset ONLINE-DUMP-Status	*	User Table Maintenance
?	Help		
.	Exit		

```
Code ..... _
Userid(ETID) ... _____
CLOG/PLOG Ind .. _
Database ID .... 1954 (WIS1954)
Command ==>
```

```
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help                Exit                Menu
```


This screen shows Extended Error Recovery. You can only select "Add/Delete PIN modules" and "Display/modify PIN routines".

```

13:50:56          ***** A D A B A S  BASIC  SERVICES *****          2006-03-13

          -  Extended Error Recovery  -          PACIE02

Code   Service
-----
*     Display message buffer
*     Display/modify environment
*     Display/modify Exit routines
M     Add/Delete PIN modules
P     Display/modify PIN routines
*     Refresh threshold and alert exits
*     SNAP a nucleus dump
?     Help
.     Exit
-----

Code ..... _
Start Address .. _____ End Address ... _____
Database ID .... 1954   (WIS1954)
Command ==>

PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help                Exit                                Menu

```

This screen shows Lock / Unlock Files. You can only select "Display locked files".

```

13:50:56          ***** A D A B A S  BASIC  SERVICES *****          2006-03-13

          -  Lock / Unlock Files  -          PACIL02

Code   Service
-----
D     Display locked files
*     Lock file for all users
*     Advance lock file
*     Lock file except for UTI/EXF users
*     Unlock file from general lock
*     Release an advance lock
*     Unlock file from UTI/EXF lock
?     Help
.     Exit
-----

Code ..... _
File Number .. 1
UTI/EXF Ind .. U

```

Main Menu Functions

```
Database ID .. 1954 (WIS1954)
Command ==>
```

```
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help                Exit                Menu
```

This screen shows Stop Users. Nothing selectable, just shows what is available with a licensed product.

```
13:58:03          ***** A D A B A S  BASIC  SERVICES *****          2006-03-13
```

```
- Stop Users -          PACIS02
```

```
Code  Service
-----
*    Stop users using file
*    Stop inactive users
*    Stop users by jobname
*    Stop a selected user
?    Help
.    Exit
-----
```

```
Code ..... _
File Number ..... 1____
Last Activity .... _____ (elapsed time in seconds)
Job Name ..... _____
Purge UQE(s) ..... N
Selected Userid ..
```

```
Database ID ..... 1954 (WIS1954)
```

```
Command ==>
```

```
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help                Exit                Menu
```

This screen shows Session Termination. Only Normal session termination available.

```
14:06:27          ***** A D A B A S  BASIC  SERVICES *****          2006-03-13
```

```
- Session Termination -          PACT002
```

```
Code  Service
-----
A    Normal session termination (ADAEND)
*    Cancel session immediately (CANCEL)
*    Stop session (HALT)
?    Help
.    Exit
-----
```

```
Code ..... _
Database ID .. 1954   (WIS1954)
Current nr. of users in User Queue ... 1
Nr. of users with open transactions .. 0
```

This screen shows Database Report. You can only select "Display files" {only will show "system" files, i.e., Checkpoint }, and "General database layout".

```
14:06:27          ***** A D A B A S  BASIC  SERVICES *****          2006-03-13
                                     - Database Report -                      PDR0002

Code      Service
-----
*        List files with crit. no. of extents
*        Display field description table (FDT)
F        Display file(s)
G        General database layout
*        List VOLSER distribution of database
*        Display ASSO/DATA block (RABN)
*        Display unused storage
?        Help
.        Exit
-----

Code ..... _
File No ..... 1_____ Password ..
Database ID .. 1954   (WIS1954)
VOLSER ..... _____
Command ==>
PF1----- PF2----- PF3----- PF4----- PF6----- PF7----- PF8----- PF12-----
Help           Exit                      Menu
```



Note: Option F will display system files only.

Index

B

Basic Services

- entering direct commands, 6
- error messages, 6
- obtaining help information, 6
- overview of functions, 4
- specifying a database, 5
