

Adabas Transaction Manager Error Codes

Although many of the following error codes are handled internally, some may appear in console messages or in the Additions 2 field of Adabas control blocks. If the required action is not clear from the explanations of the console messages or error codes, contact your Software AG technical support representative for advice.

Overview of Messages

error 012	error 016	error 020	error 024	error 028	error 032
error 036	error 040	error 044	error 048	error 052	error 056
error 060	error 064	error 068	error 072	error 076	error 080
error 084	error 086	error 088	error 092	error 096	error 100
error 104	error 108	error 112	error 116	error 120	error 124
error 128	error 132	error 136	error 140	error 144	error 148
error 152	error 156	error 160	error 164	error 168	error 172
error 176	error 180	error 184	error 188	error 192	error 196
error 200	error 204	error 208	error 212	error 216	error 220
error 224	error 228	error 232	error 236	error 240	error 244
error 248	error 252	error 256	error 260	error 264	error 268
error 272	error 276	error 280	error 284	error 288	error 292
error 296	error 300	error 304	error 308	error 312	error 316
error 320	error 324	error 328	error 332	error 336	error 340
error 344	error 348	error 352	error 356	error 360	error 364
error 368	error 372	error 376	error 380	error 384	error 388
error 392	error 396	error 400	error 404	error 408	error 412
error 416	error 420	error 424	error 428	error 432	error 436
error 440	error 444	error 448	error 452	error 456	error 460
error 464	error 468	error 484			

error 012

Explanation Status conflict - transaction is in prepare phase

error 016

Explanation Status conflict - transaction is in backout phase

error 020

Explanation Queue management error - item not found

error 024

Explanation Invalid service call

error 028

Explanation Insufficient memory for a new global user queue entry

error 032

Explanation Insufficient memory for a new entry in the target database list

error 036

Explanation Attempt to add a duplicate global user queue element

error 040

Explanation Insufficient memory for a new global user queue index entry

error 044

Explanation Invalid global user queue element address

error 048

Explanation Syncpoint request did not come from CICS RMI

error 052

Explanation Status conflict - target is in prepare phase

error 056

Explanation Status conflict - target is in backout phase

error 060

Explanation Queue management error

error 064

Explanation Unexpected Adabas response code

error 068

Explanation No target was updated

error 072

Explanation No transaction is open

error 076

Explanation Transaction (branch) backed out

error 080

Explanation Transaction (branch) partially backed out

error 084

Explanation Local or remote ATM daemon not available

error 086

Explanation Backout was attempted because the global transaction time limit was exceeded.

error 088

Explanation The ATM daemon did not receive the request

error 092

Explanation Target not prepared

error 096

Explanation Incorrect positioning data in service call

error 100

Explanation ETID already in use — new OP command required

error 104

Explanation Invalid service call type

error 108

Explanation ETID conflict

error 112

Explanation Function not implemented

error 116

Explanation More than one target DB record found

error 120

Explanation Transactions on the target database are being quiesced

error 124

Explanation Transactions on the target database were not fully quiesced

error 128

Explanation Heuristic completion (commit or back out) by either ATM or a DTP=RM database may have caused inconsistent ET data

error 132

Explanation Transaction status conflict

error 136

Explanation Unable to complete existing transaction

error 140

Explanation ATM session number mismatch during RMI synchronization

error 144

Explanation Handshake information buffer overflow

error 148

Explanation ATM restart processing aborted by operator

error 152

Explanation Error reading ET data

error 156

Explanation User is already active

error 160

Explanation Insufficient memory for a new Adabas buffer area

error 164

Explanation All required target databases and ATMs are unavailable

error 168

Explanation Duplicate transaction coordinator record in PRR file

error 172

Explanation Transaction (branch) not prepared

error 176

Explanation Invalid status for NONDTP override

error 180

Explanation Committed, outcome pending

error 184

Explanation Transaction is in commit phase

error 188

Explanation A target database is not signed on for distributed transaction processing

error 192

Explanation A target is in commit phase

error 196

Explanation Proxy parameter error in V1 call forwarding

error 200

Explanation Syncpoint request did not come from RRS

error 204

Explanation Non-zero response set in ACB

error 208

Explanation Handshake collision between two ATM daemons

error 212

Explanation Partner ATM failed to prepare

error 216

Explanation Partner ATM failed to commit

error 220

Explanation Partner ATM failed to back out

error 224

Explanation Mixed transaction completion

error 228

Explanation An RRMS error occurred

error 232

Explanation RRMS gave an invalid exit number

error 236

Explanation A CICS/RMI syncpoint operation failed

error 240

Explanation The RMI is not enabled

error 244

Explanation Command type invalid for wrapping

error 248

Explanation Client ID already exists in the global user queue

error 252

Explanation No free DRQ slots - TMDRQ parameter is too small

error 256

Explanation Command not handled - send to local ATM daemon

error 260

Explanation A CICS command issued by the synchronization manager failed

error 264

Explanation TRUE work area is not valid

error 268

Explanation TRUE has not fully initialized

error 272

Explanation A local database returned response 148

error 276

Explanation Mode override not valid in user's current status

error 280

Explanation A user attempted to use more than 191 databases at once

error 284

Explanation Incomplete handshake information element

error 288

Explanation The ATM daemon is running in “local only “ mode (TMNODES=0)

error 292

Explanation Database ID already in the target list

error 296

Explanation The target DB list index is full - TMTARGETSG parameter is too small

error 300

Explanation The partner ATM node table is full - inadequate TMNODES parameter

error 304

Explanation Insufficient memory

error 308

Explanation No dynamic Client IDs available - TMDYNTCIDS parameter is too small

error 312

Explanation Adabas buffer area too small

error 316

Explanation Invalid dynamic Client ID detected

error 320

Explanation Command not valid - transaction branch open

error 324

Explanation User not known to local ATM daemon

error 328

Explanation User not known to partner ATM daemon

error 332

Explanation Conflicting activity for transaction

error 336

Explanation Request should be sent to root ATM daemon

error 340

Explanation A user attempted to use more than 191 ATM daemons in the same transaction

error 344

Explanation ‘Forget branch’ failed

error 348

Explanation Transaction ID conflict

error 352

Explanation Record buffer too small

error 356

Explanation Maximum number of open databases exceeded. Increase the appropriate job parameter.

error 360

Explanation Transaction has been committed

error 364

Explanation Transaction has been prepared

error 368

Explanation Unsolicited syncpoint not allowed

error 372

Explanation Bad return code from ADASVC

error 376

Explanation Invalid Database ID

error 380

Explanation A CICS command failed during an RMI syncpoint operation

error 384

Explanation XID mismatch was detected during an RMI syncpoint operation

error 388

Explanation RMI reported “should not be in doubt”

error 392

Explanation RMI reported the transaction “lost to cold start”

error 396

Explanation Attempt to change two DTP=ET databases in a single transaction

error 400

Explanation Transaction's status on a DTP=ET database is not known

error 404

Explanation A DTP=ET database failed to commit

error 408

Explanation A DTP=ET database cannot be changed by a transaction that is controlled by an external coordinator

error 412

Explanation Version mismatch; use ATM components of same version everywhere

error 416

Explanation RQE overflow; DB list truncated

error 420

Explanation An IMS/TM ROLLBACK function failed; reason code in Additions-2

error 424

Explanation Invalid request for Unsolicited Syncpoint Participant status

error 428

Explanation DB has conflicting local/remote information

error 432

Explanation Null Communications ID detected

error 436

Explanation Multiple ET data records detected

error 440

Explanation Multiple migrated transaction records were found

error 444

Explanation The RRMS stubs have not been linked to ATMKRN in the application environment

error 448

Explanation The parameter setting LCLSYNC=YES was specified, but the CICS RMI components have not been configured correctly

error 452

Explanation An unexpected return code was given by a SYSCO daemon

error 456

Explanation An unexpected and unnecessary call was received from a SYSCO daemon

error 460

Explanation Response 9 occurred during the client proxy's check for DTP=RM

error 464

Explanation An invalid ISN was given for a Persistent Error record.

error 468

Explanation There is a non-zero response code pending for the session.

error 484

Explanation An ATM transaction manager detected an invalid service call to its own database.