

Listing Started Reports

The List Started Reports (LS) function lists reports that have been started. It provides commands to close, suspend, reactivate, and refresh started reports and view, download to a PC, print, and purge the report output. In addition, you may edit the report definition or its corresponding display program.

 **To access the List Started Reports function**

1. Enter LS on the command line.

The Started Reports screen is displayed.

```

11:27:30           A D A B A S  -  R E V I E W           2003-07-07
                   Started Reports                       HUB=00221

                        Sum/      Log   Start
Display
Sel      Report Name          DBID Stat Det Hist File  Time
Program
+-----+-----+-----+-----+-----+-----+-----+-----+
|  ___  COMMANDS BY HOUR          _235  A   S   N   02   00:39  SR-00004 |
|  ___  EXCEPTIONAL RESPONSE CODES  _235  A   S   N           05:36  SR-00002 |
|  ___  LAST 500 ADABAS CALLS       _231  I   S   N           00:39  SR-00038 |
|  ___  LAST 500 ONLINE TRANSACTIONS _231  A   S   N           11:18  RD-00001 |
|  ___  NATURAL APPLICATION SUMMARY  _235  A   S   N           00:39  RD-00004 |
|  ___  NATURAL SUMMARY             _235  I   S   N           00:39  SR-00005 |
|  ___  SUMMARY REPORT BY FILE       _235  A   S   N           00:39  SR-00001 |
|  ___  SUMMARY REPORT BY FILE NUMBER _235  A   S   N           00:39  RD-00002 |
|  ___  TRANSACTION COUNT BY JOB-USER _232  A   S   N           00:39  SR-00011 |
|  ___  TRANSACTION COUNT BY NATURAL  _235  I   S   N           00:39  SR-00012 |
+-----+-----+-----+-----+-----+-----+-----+
Command: _____
Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---
      Help         Exit              -       +                           Menu

```

An explanation of the Started Reports screen is provided in the table below:

Heading	Explanation
Sel	Selection line. Commands are entered on the selection line preceding the report name. For a list of available commands, enter a ? on the selection line.
Report Name	Name of the report.
DBID	Database for which the report collects data.
Stat	Report Status. Possible values are as follows: <ul style="list-style-type: none"> ● "A": Active. The report has been started and is accumulating data. ● "I": Inactive. The report has been suspended because it exceeded the storage amount specified in the MAX K report option parameter. ● "S": Suspended. The report has been suspended because a SUSPEND command has been issued for the report.
Sum/Detail	<ul style="list-style-type: none"> ● "S": indicates a summary report; ● "D": indicates a detail report.
Hist	Indicates whether the report writes history data.
Log File	Indicates the number of the current log file for the report.
Start	Indicates the time at which the report started accumulating data. A time of "0" indicates that no data has been accumulated for the report.
Display Program	Lists the name of the program generated to display report output online.

PF7 and PF8 have been provided as scroll keys. If more than one screen of report names exists, PF8 or (+) scrolls the list forward and PF7 or (-) scrolls the list backward.

 **To issue a command from the Started Reports screen**

1. Enter the command on the selection line preceding the report name.

Cmd	Action
CL	Close the report
DD	Display report information
DL	Download report output
EP	Edit display program
ER	Edit report definition
HC	Print report output (hard copy)
IN	Display active report information
PS	Purge report output
RA	Reactivate report
RF	Refresh report
SU	Suspend report
SW	Switch CLOG dataset
VW	View report output