9 software

Adabas Review

Managing Report Output

Version 4.3.2

September 2009

Adabas Review

This document applies to Adabas Review Version 4.3.2 and to all subsequent releases.

Specifications contained herein are subject to change and these changes will be reported in subsequent release notes or new editions.

Copyright $\ensuremath{\mathbb O}$ Software AG 2009. All rights reserved.

The name Software AG, webMethods and all Software AG product names are either trademarks or registered trademarks of Software AG and/or Software AG USA, Inc. Other company and product names mentioned herein may be trademarks of their respective owners.

Table of Contents

1
3
5
7
8
9
15
17
19
21

1 Managing Report Output

This document discusses the commands that enable you to process the results of started reports.

The Adabas Review Managing Report Output documentation is organized in the following topics:

٩	Viewing Report Results
٢	Sorting Report Results
٩	Printing Report Results
٩	Downloading Report Outpu
٩	Purging Accumulated Data

2 Viewing Report Results

_	Viewing	Mide Denerte	
	viewing v	MOE REDOUS	
	i loning i		 • •

The VW command enables you to view the data accumulated by a history report or a report that has been started. The command may be issued from any of the list function screens (LR, LS, and LH).

When you issue the VW command, the display program associated with the report is executed, and the collected data is displayed online.

To view report results

Enter the command VW on the selection line preceding the name of a history report or a report that has been started.

An example of report results available using the VW command is shown in the Thread Activity screen below:

14:46:	43	10 04 07 07 1	HREAD ACTI	2003-07-07	
	01	:49:04 07-27-1	.996 Inru 14	1:46:43 07-27-19	96 LUCL=00009
	Total	Total	Avg	Avg	
Thd	Commands	IOs	IOs	Total-Dur	
1	206054	72128	0	0.009776	
2	7652	3467	0	0.023517	
3	207	151	0	0.043532	
4	8	1	0	0.015584	
***	213921	75747	0	0.010301	
****	END (OF REPO	RT ****	*	
Comman	nd:				
Enter	-PF1PF2 Help Sort	PF3PF4PF Exit	5PF6P	F7PF8PF9	-PF10PF11PF12 Menu

Note: Restrictions apply to the commands that may be issued while viewing reports. For more information, refer to chapter *Command Reference*.

Viewing Wide Reports

When reports have more columns than will fit on a screen, PF10 and PF11 may be used to scroll the display to the left or right. When available, these keys are marked with left and right arrows. PF10 scrolls the display to the left, and PF11 scrolls the display to the right. The first column is repeated on each screen.

Sorting Report Results

Using the SORT Command	8
Examples of Sort Options	9

The VIEW command has within it a SORT command that enables you to dynamically change the setting of the "Display By" report option.

Setting	Sorts the data in	Display Option
Account (Ascend)	ascending order by control break	SORTED
Number of Commands	descending order by the "Number of Commands"	USAGE
First Summary Field	descending order by the first field designated as a summary field in the report definition	SUMFIELD
Account (Descend)	descending order by control break	SORTEDDE
Date and Time	ascending order by the start date and time of the control break interval	DATETIME
Physical Sequence	the physical sequence in which it was collected	LINEAR
	Note. This setting is not available in batch mode.	

The following settings are available within the SORT command:

This chapter covers the following topics:

Using the SORT Command

To issue the SORT command

- 1 Enter the VW command on the selection line preceding the name of a started report.
- 2 From the display of the report results, press PF2 or enter SORT on the command line.

A window is displayed, listing the sort options. The option preceded by an arrow (>) is the current sorting sequence report option.

3 Change the sort option by placing the cursor on your selection and pressing ENTER.

The order of the data in the display is changed according to the sort option you selected.

Examples of Sort Options

The "Sample Sort Displays" report example illustrates the differences in data presentation that occur when the SORT command is used with the VIEW command. This example collects and calculates the following statistics on Adabas commands:

Field	Statistic	Designated as the
15M	15 minute interval in which the command was issued	first control break
CMD	command code	second control break
CMDRESP	total response time for the command	first summary field
IOS	total number of I/Os issued by the command	second summary field
COMMANDS	total number of commands	third summary field
CMDRESP	average response time used per command	-
IOS	average number of I/Os issued per command	-

16:40:01		А	DAB	AS- Edit	R E Repor	V I E rt	W		2003-07-07 HUB=00221
Report Name:	SAMPLE	SORT D	ISPLAY	′S		DBID) to Mo	nitor:	
+ Field	Order	Sum	Min	Max	Avg	Pct	Rate	Round	+
15M CMD CMDRESP_ IOS COMMANDS 		- X X X This r	- - - Page report	- - - - 2 1 contai	_ X X _ ns pro	_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _	 ng rule	 s	-
Command: Enter-PF1 Help	PF2PF Optns Ex	3PF it	PF Sa	PF ave St	6PF			9PF10 Rules	PF11PF12 Flds Menu

The Account (Ascend) Option

Using the "Account (Ascend)" sort option (equivalent to setting the Display By parameter to "SORTED"), the results of the "Sample Sort Displays" report are displayed as follows:

16:42:47 16:28:44			SAMPLE SORT 04-22-1996 Thr	DISPLAYS nu 16:31:06 04	-22-1996	2003-07-07 LOCL=00009
Time	Cmd	Total Response	Total IOs	Total Commands	Avg Response	
16:15	ET	0.008320	6 261	3	0.002773	
****	N1 S1	0.232544 0.026304	540 7	97 3	0.002397 0.008768	
16:30	ET L6	0.028688	22 533	112 11 24	0.002713	
*****	N⊥ *** ***	0.121344 0.425472	1302 2116	203 315	0.000512 0.000597 0.001350	
****	ΕN	D O F R	EPORT **	***		
Comman Enter	nd: -PF1 Help	PF2PF3PF Sort Exit		PF7PF8 +	- PF9 PF10 P	F11PF12 ==> Menu

Data is grouped in ascending order by the first control break, the 15M field. Within the hour group, the data is grouped in ascending order by the second control break, the CMD field.

The Number of Commands Option

Using the "Number of Commands" sort option (equivalent to setting the Display By parameter to "USAGE"), the results of the "Sample Sort Displays" report are displayed as follows:

16:43:10	16:28:44	SAMPLE SORT 04-22-1996 Th	- 22 - 1996	2003-07-07 LOCL=00009	
Time Cmd	Total Response	Total IOs	Total Commands	Avg Response	
16:30 N1	0.086016	747	168	0.000512	
16:15 N1	0.232544	540	97	0.002397	
16:30 L6	0.006640	533	24	0.000276	
16:30 ET	0.028688	22	11	0.002608	

16:15 L6	0.036960	261	9	0.004106
16:15 S1	0.026304	7	3	0.008768
16:15 ET	0.008320	6	3	0.002773
**** ***	0.425472	2116	315	0.001350
**** E N D	OF REPOR	T ****		
Command:		· · · · · · · · · · · · · · · · · · ·		
Enter-PF1PF2	PF3PF4PF5	PF6PF7	- PF8 PF9	PF10PF11PF12
Help Sor	t Exit		+	===> Menu

Data is grouped in descending order by the "Number of Commands".

Note: In Adabas Review, COMMANDS is now a selectable field. The "Number of Commands" sort option may be used to sort the display, even if the COMMANDS field is not displayed in the report.

The First Summary Field Option

Using the "First Summary Field" sort option (equivalent to setting the "Display By" parameter to "SUMFIELD"), the results of the "Sample Sort Displays" report are displayed as follows:

16:43:21 16:28:44			SAMPLE SORT 04-22-1996 Thr	-22-1996	2003-07-07 LOCL=00009	
		Total	Total	Total	Avg	
Time 	Cmd 	Response	IOs	Commands	Response	
16:15	N1	0.232544	540	97	0.002397	
16:30	N1	0.086016	747	168	0.000512	
16:15	L6	0.036960	261	9	0.004106	
16:30	ΕT	0.028688	22	11	0.002608	
16:15	S1	0.026304	7	3	0.008768	
16:15	ΕT	0.008320	6	3	0.002773	
16:30	L6	0.006640	533	24	0.000276	
*****	***	0.425472	2116	315	0.001350	
*****	ΕN	D O F R	EPORT **	***		
Comma	nd:					
Enter	- PF1	PF2PF3PF		PF7PF8	-PF9PF10	PF11PF12
	Help	Sort Exit		+	=	===> Menu

Data is grouped in descending order by the Total Response column, because the CMDRESP field was designated as the first summary field.

The Account (Descend) Option

Using the "Account (Descend)" sort option (equivalent to setting the Display By parameter to "SORTEDDE"), the results of the "Sample Sort Displays" report are displayed as follows:

16:43:33			SAMPLE SORT	2003-07-07				
		16:28:44 ()4-22-1996 Thru	16:31:06 04-	22-1996	LOCL=00009		
		Total	Total	Total	Avg			
Time	Cmd	Response	IOs	Commands	Response			
16:30	N1	0.086016	747	168	0.000512			
	L6	0.006640	533	24	0.000276			
	ΕT	0.028688	22	11	0.002608			
*****	***	0.121344	1302	203	0.000597			
16:15	S1	0.026304	7	3	0.008768			
	N1	0.232544	540	97	0.002397			
	L6	0.036960	261	9	0.004106			
	ΕT	0.008320	6	3	0.002773			
*****	***	0.304128	814	112	0.002715			
*****	***	0.425472	2116	315	0.001350			
				-ladada				
****	ΕN	D OF R	EPORI **	* * *				
Commai	nd:							
Enter-PF1PF2PF3PF4PF5PF6PF7PF8PF9PF10PF11PF12								
	Help	Sort Exit		+		===> Menu		

Data is grouped in descending order by the first control break, the 15M field. Within the 15 minute interval, the data is grouped in descending order by the second control break, the CMD field.

The Date and Time Option

16:43:4	42	16:28:44	SAMPLE SORT 04-22-1996 Thru	DISPLAYS 16:31:06 04	- 22 - 1996	2003-07-07 LOCL=00009
Time	Cmd	Total Response	Total IOs	Total Commands	Avg Response	
16:15 16:15 16:15 16:30 16:30 16:30 *****	N1 S1 L6 ET L6 N1 ET ***	0.232544 0.026304 0.036960 0.008320 0.006640 0.086016 0.028688 0.425472	540 7 261 6 533 747 22 2116	97 3 9 3 24 168 11 315	0.002397 0.008768 0.004106 0.002773 0.000276 0.000512 0.002608 0.001350	
****	ΕN	D OF F	REPORT **	****		
Comman Enter	nd: -PF1 Help	PF2PF3F Sort Exit	PF4PF5PF6-	PF7PF8- +	PF9PF10F =	 PF11PF12 > Menu

Using the "Date and Time" sort option, the results of the "Sample Sort Displays" report are displayed as follows:

Data is grouped in ascending order by the start date and time of the control break interval.

The Physical Sequence Option

Using the "physical sequence" sort option, the results of the "Sample Sort Displays" report are displayed as follows:

16:01:50		15:46:24	SAMPLE SORT DISPLAYS 15:46:24 06-14-1996 Thru 16:01:46 06-14-1996					
Time	Cmd	Total Response	Total IOs	Total Commands	Avg Response			
15:45	L6	0.008064	123	63	0.000128			
	E4	0.001344	7	6	0.000224			
	E1	0.002880	54	12	0.000240			
	RI	0.000800	0	25	0.000032			
	CL	0.026160	7	3	0.008720			
*****	***	0.583040	4188	7553	0.000077			

16:00 S4	ŧ 0.	023760	12	135	0.000176			
Al	L 0.	033968	125	193	0.000176			
ET	Γ Ο.	003040	85	95	0.000032			
L3	30.	038560	156	482	0.000080			
R	0.	011296	0	706	0.000016			
LS) 0.	006912	22	108	0.000064			
SI	U. 0.	008832	47	69	0.000128			
Command:								
Enter-PF1PF2PF3PF4PF5PF6PF7PF8PF9PF10PF11PF12								
He	elp Sort	Exit		+	===> M	enu		

Data is grouped in the order of the physical sequence in which it was collected.

4 Printing Report Results

The HC command enables you to send report results to a printer, if the hard copy feature of Natural is available. The HC command may be issued from the list of history reports or the list of started reports (LH or LS functions).

To print report results

■ Enter the command HC on the selection line preceding the report name.

5 Downloading Report Output

Notes:

- 1. This command requires that you have Entire Connection installed.
- 2. The DL command is not available from the View Report Results (VW) screen.

The DL command enables you to download report output to a personal computer. This command may be issued from the Started Reports screen (LS function) or the History Reports screen (LH function).

To download report results

1 Enter the DL command on the selection line preceding the report name.

Entire Connection prompts you for a file name. A default directory name is displayed; you may specify a different directory name, if desired.

2 Press ENTER to begin the download procedure.

You are notified when the download procedure is completed.

The data downloaded to your personal computer contains only the contents of the fields in the report. The headings and edit masks supplied by the display program do not appear in the downloaded data.

6 Purging Accumulated Data

The data accumulated by a report that has been started may be purged by issuing the PS command from the Started Reports screen (LS function). The PS command also deactivates the started report so that no further data is accumulated.

To purge accumulated data

1 Enter the PS command on the selection line preceding the report name from the Started Reports screen.

Depending on your profile setting, you may be prompted to confirm the purge request.

2 Confirm the purge request, if required.

Index

R

Reports downloading report results, 17 printing report results, 15 purging accumulated data, 19 sorting report results examples, 9 options, 8 viewing results, 4 viewing wide reports, 5

S

SORT command account (ascend) option example screen, 10 account (descend) option example screen, 12 date and time (datetime) option example screen, 13 first summary field option example screen, 11 number of commands option example screen, 10 physical sequence option example screen, 13