

Adabas Online System

Checkpoint Maintenance

Version 8.1.3

June 2008

Adabas Online System

This document applies to Adabas Online System Version 8.1.3 and to all subsequent releases.
Specifications contained herein are subject to change and these changes will be reported in subsequent release notes or new editions.
Copyright © Software AG 2008. All rights reserved.
The name Software AG, webMethods and all Software AG product names are either trademarks or registered trademarks of Software AG
and/or Software AG USA, Inc. Other company and product names mentioned herein may be trademarks of their respective owners.

Table of Contents

1 Checkpoint Maintenance	
2 List Checkpoints	
3 Delete Checkpoints	. !
Index	

1 Checkpoint Maintenance

Selecting Checkpoint Maintenance (option "C") from the Adabas Online System main menu invokes Checkpoint Maintenance menu:

```
08:11:42
                     A D A B A S BASIC SERVICES *****
                                                           2006-07-21
                        - Checkpoint Maintenance -
                                                             PCP0002
                      Code
                             Service
                      ____
                           List checkpoints
                       C
                            Delete checkpoints
                             Help
                             Exit
       Code ....._
       Date(YYYY-MM-DD) . _
       Ext. CP-list ..... N
       Checkpoint Type .. ALL
       Database ID ..... 105 (RD-MPM105)
 Command ==>
 PF1---- PF2---- PF3---- PF4---- PF6---- PF7---- PF8---- PF12----
 Help
                  Exit
                                                            Menu
```

The Adabas Online System Checkpoint Maintenance documentation is organized in the following topics:

List Checkpoints

Delete Checkpoints

2 List Checkpoints

Option "C" lists checkpoints currently in the checkpoint file.

The result can be either a basic or an extended list, depending on the setting of the External CP-list field, which can be used to override the CPEXLIST operating control parameter.

You can start the list of checkpoints on a particular day by entering the date in the Date field in exactly the format shown.

You can specify the database for which the checkpoint list is to be written.

You can restrict the list to a particular type of checkpoint by changing the ALL designation in the Checkpoint Type field to one of the following:

SYNC	nucleus initialization				
SYNF	user open EXF				
SYNP	utility, without nucleus				
SYNS	ADARES				
SYNV	volume ID change				
SYNX	utility				
SYN1	ADASAV DB begin				
SYN2	ADASAV DB begin				
SYN4	ADASAV file begin				
SYN5	ADASAV file begin				

For more information about checkpoint types, see the chapter *ADAREP* in the *Adabas Utilities* documentation.

The following screen displays a normal checkpoint list:

15:12:22 DBID	=	****	ADABA	S Basic List Check	Services points -	****	2006-07-21 PCPC002
CP	CP	Date	Time	PLOG	Block	Vol/Ser	User Job Name
Name	Type			Number	Number	Number	Туре
SYNC	01	2006-07-21	00:29:41				MPM105
SYNS	60	2006-07-21	02:00:37				ADABAS
SYNP	06	2006-07-21	02:43:55				PMS105SS
SYNV	0A	2006-07-21	02:59:51				PMS105SS
SYNV	0A	2006-07-21	02:59:51				PMS105SS
SYNV	0A	2006-07-21	02:59:51				PMS105SS
SYNV	0A	2006-07-21	02:59:51				PMS105SS
SYNC	01	2006-07-21	03:12:30				MPM105
SYNS	60	2006-07-21	04:34:43				ADABAS

This screen illustrates an extended checkpoint list providing additional information about each checkpoint:

12:58:49	9	****	A D A B A S	Basic	Services	****	2006-07-21
DBID	105		- I	ist Check	points -		PCPC002
CP	CP	Date	Time	PLOG	Block	Vol/Ser	User Job Name
Name	Type			Number	Number	Number	Type
SYNC	01	2006-07-21	00:29:41				MPM235
	SESS	ION OPEN	IGNDIB	= N , FOR	CE = N		
SYNS	60	2006-07-21	02:00:37				ADABAS
	STAT	ISTIC RECORI)				
SYNP	06	2006-07-21	02:43:55				PMS235SS
	SAVE	DB					
SYNV	0A	2006-07-21	02:59:51				PMS235SS
	SAVE	DB	VOL-SER	2 = 502461	SESSION	= 933	
SYNV	0A	2006-07-21	02:59:51				PMS235SS
	SAVE	DB	VOL-SER	2 =	SESSION	= 933	
SYNV	0A	2006-07-21	02:59:51				PMS235SS
	SAVE	DB	VOL-SER	2 = 502215	SESSION	= 933	

4 Checkpoint Maintenance

3 Delete Checkpoints

You can remove all Checkpoint file entries up to the date you specify in the Date field by selecting the Delete ("D") option.

```
15:12:49 ***** A D A B A S BASIC SERVICES ***** 2006-07-21
DBID 105 - Delete Checkpoints - PCPD002

All checkpoint entries up to .. 2006-07-21 (YYYY-MM-DD)
will be deleted.

Confirm by pressing the 'ENTER' key or
modify the date and then press 'ENTER'.
```

Index

C

Checkpoints
Basic Services maintenance function, 1
types of, 3