

Listing Started Reports

The List Started Reports (LS) function lists reports that have been started. It provides commands to close, suspend, reactivate, and refresh started reports and view, download to a PC, print, and purge the report output. In addition, you may edit the report definition or its corresponding display program.

To access the List Started Reports function

1. Enter LS on the command line.

The Started Reports screen is displayed.

11:27:30		A D A B A S - R E V I E W						2003-07-07	
		Started Reports						HUB=00221	
				Sum/		Log		Start	
Display									
Sel	Report Name	DBID	Stat	Det	Hist	File	Time		
Program									
+-----+									
_	COMMANDS BY HOUR	_235	A	S	N	02	00:39	SR-00004	
_	EXCEPTIONAL RESPONSE CODES	_235	A	S	N		05:36	SR-00002	
_	LAST 500 ADABAS CALLS	_231	I	S	N		00:39	SR-00038	
_	LAST 500 ONLINE TRANSACTIONS	_231	A	S	N		11:18	RD-00001	
_	NATURAL APPLICATION SUMMARY	_235	A	S	N		00:39	RD-00004	
_	NATURAL SUMMARY	_235	I	S	N		00:39	SR-00005	
_	SUMMARY REPORT BY FILE	_235	A	S	N		00:39	SR-00001	
_	SUMMARY REPORT BY FILE NUMBER	_235	A	S	N		00:39	RD-00002	
_	TRANSACTION COUNT BY JOB-USER	_232	A	S	N		00:39	SR-00011	
_	TRANSACTION COUNT BY NATURAL	_235	I	S	N		00:39	SR-00012	
+-----+									
Command: _____									
Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10---PF11---PF12---									
Help		Exit		-		+		Menu	

An explanation of the Started Reports screen is provided in the table below:

Heading	Explanation
Sel	Selection line. Commands are entered on the selection line preceding the report name. For a list of available commands, enter a ? on the selection line.
Report Name	Name of the report.
DBID	Database for which the report collects data.
Stat	Report Status. Possible values are as follows: ● "A": Active. The report has been started and is accumulating data. ● "I": Inactive. The report has been suspended because it exceeded the storage amount specified in the MAX K report option parameter. ● "S": Suspended. The report has been suspended because a SUSPEND command has been issued for the report.
Sum/Detail	● "S": indicates a summary report; ● "D": indicates a detail report.
Hist	Indicates whether the report writes history data.
Log File	Indicates the number of the current log file for the report.
Start	Indicates the time at which the report started accumulating data. A time of "0" indicates that no data has been accumulated for the report.
Display Program	Lists the name of the program generated to display report output online.

PF7 and PF8 have been provided as scroll keys. If more than one screen of report names exists, PF8 or (+) scrolls the list forward and PF7 or (-) scrolls the list backward.

 To issue a command from the Started Reports screen

1. Enter the command on the selection line preceding the report name.

Cmd	Action
CL	Close the report
DD	Display report information
DL	Download report output
EP	Edit display program
ER	Edit report definition
HC	Print report output (hard copy)
IN	Display active report information
PS	Purge report output
RA	Reactivate report
RF	Refresh report
SU	Suspend report
SW	Switch CLOG data set
VW	View report output