

Descriptor Usage Report

The "Descriptor Usage Report" shows processing done for Adabas fields used as descriptors. Commands are shown with the descriptor name for the field on which the command was performed. Processing statistics are given for each command, whether or not the command was performed on a descriptor.

This chapter covers the following topics:

- Fields Selected
 - Report Options Selected
 - Report Processing Rules
-

Fields Selected

Field	Order	Sum	Min	Max	Avg	Pct	Rate	Round
FILE	1							
CMD	2							
SBFIELDS	3							
IOS		Y						
COMMANDS		Y						
ADADURA		Y						
ISNQ		Y						

Report Options Selected

Defaults.

Report Processing Rules

None.

11:26:13		DESCRIPTOR USAGE REPORT				2003-07-07
		11:25:54 1999-06-23 Thru 11:26:12 1999-06-23				LOCL=00009
File	Cmd	Desc-Name	Total IOs	Total Commands	Total ADA-Dur	Total ISN-Qty

0	ET		5	5	0.000480	0
	RC		0	21	0.001872	0
	RC	ET	0	1	0.000080	0
****	***	*****	5	27	0.002432	0
15	A1		6	22	0.138000	0
	E4		0	2	0.000784	0
	L3	LJ	5	2	0.042208	0
	L3	LL	7	9	0.219536	0
	L3	LP	4	1	0.014784	0
	L6	LJ	5	8	0.111536	0
	L6	LL	6	18	0.145152	0
	N1		1	2	0.018048	0
	S1	LL	0	1	0.000304	0
Command: _____						
Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10---PF11---PF12---						
Help Sort Exit			+			Menu