

ADAINV Error Messages

Overview of Messages

| | | | | | |
|-----------|-----------|-----------|-----------|-----------|-----------|
| ERROR-121 | ERROR-122 | ERROR-123 | ERROR-124 | ERROR-125 | ERROR-126 |
| ERROR-127 | ERROR-128 | ERROR-129 | ERROR-130 | ERROR-131 | ERROR-132 |
| ERROR-133 | ERROR-134 | | | | |

ERROR-121 Invalid descriptor field list for invert

Explanation

The field name "xx" is either

- not found in the FDT; or
- already a descriptor.

Action

Supply the correct parameter value and rerun the job.

ERROR-122 TEMP dataset too small; input record count = *count*

Action

Supply a larger TEMP data set/file. See the Adabas Utilities documentation for information about calculating TEMP space.

ERROR-123 Invalid or missing couple descriptor

Explanation

One of the supplied descriptor names

- is not supplied;
- is not found in the FDT;
- is not a descriptor;
- is a descriptor contained in a periodic group; or
- has a format/length that is incompatible with the other descriptor.

Action

Supply the correct parameter value and rerun the job.

ERROR-124 Couple index overflow for file *file-number*

Explanation

This file is already coupled to 18 others; this is the maximum.

ERROR-125 Files already coupled

Explanation

Utility function cannot be processed.

| | |
|--------------------|--|
| ERROR-126 | Coupling not possible |
| Explanation | This error occurred because <ul style="list-style-type: none">● a file cannot be coupled to itself;● expanded files cannot be coupled;● multicient files cannot be coupled; and● only file numbers less than 255 can be coupled. The ADAINV function cannot be processed. |
| ERROR-127 | Missing utility function |
| Explanation | INVERT or COUPLE must be entered, then rerun ADAINV. |
| ERROR-128 | Invalid value for the parameter 'CODE' |
| Explanation | The value specified for the CODE parameter is either incorrect, or the CODE parameter is not valid in this case. |
| Action | Either remove the CODE parameter, or specify at most eight digits, or blanks. Rerun the job. Refer to the Adabas Security documentation for more information. |
| ERROR-129 | An attempt was made to create a 16TH index level |
| Explanation | No more than 15 index levels are possible. |
| Action | Try this function again with a smaller value for ASSOPFAC. |
| ERROR-130 | Error initializing collating user exit - return code=<i>return-code</i> |
| Explanation | An error occurred while the collation descriptor user exit was being initialized. |
| Action | Investigate the cause of the error; correct it; and rerun the job. |
| ERROR-131 | Collating user exit not loaded |
| Explanation | The collation descriptor user exit requested is not loaded. |
| Action | Load the exit and rerun the job. |

ERROR-132 Couple index not allocated for file *file***The FCB does not have available space for a couple index.**

Explanation ADAINV detected that there is not enough room in the FCB to allocate couple information.

Action Correct the error and rerun the job.

ERROR-133 Invalid file requested (file number = *nnn*)

Explanation The ADAINV INVERT and ADAINV COUPLE functions cannot be performed on a LOB file; it is not allowed.

Action Supply correct file numbers for the FILES parameter and rerun the job.

ERROR-134 The database is active but the utility communications block (DIB) is missing the nucleus entry

Explanation The ADAINV utility determined the nucleus was active without a DIB entry.

Action Check the job to ensure the correct ASSO, DATA, and WORK data sets are specified for the given DBID.