ADARPE Error Messages

Overview of Messages

ERROR-121	ERROR-122	ERROR-123	ERROR-124	ERROR-125	ERROR-126
ERROR-127	ERROR-128	ERROR-129	ERROR-130	ERROR-131	ERROR-132
ERROR-133	ERROR-134	ERROR-135	ERROR-136	ERROR-137	ERROR-138
ERROR-139					

ERROR-121 EXTRACT=name: Value must be set to YES or NO for parameter parmname

Explanation The setting of parameter *parmname* in extract *name* is not valid. Valid settings are YES

or NO.

Action Correct the parameter and try again.

ERROR-122 EXTRACT=name: Parameter IMAGE must be set to BI, AI or BOTH.

Explanation The value of the IMAGE parameter has been incorrectly specified in extract *name*.

Action Correct the parameter and try again.

ERROR-123 EXTRACT=name: Parameter TRANSACTIONLEVEL must be set to NONE,

RECORD, or TRANSACTION.

Explanation The value of the TRANSACTIONLEVEL parameter has been incorrectly specified in

extract name.

Action Correct the parameter and try again.

ERROR-124 EXTRACT=*name*: Parameter MODIFICATIONTYPE must be a selection of

INSERT/UPDATE/DELETE/ISTATE/ALL.

Explanation The value of the MODIFICATIONTYPE parameter has been incorrectly specified in

extract name.

Action Correct the parameter and try again.

ERROR-125 OUTPUTFILE=file has been specified in EXTRACT=name1, and

EXTRACT=name2.

Explanation The OUTPUTFILE parameter for two different extracts refers to the same output file.

They must be unique.

Action Correct the OUTPUTFILE parameter and try again.

 $ERROR-126 \quad \textit{type} \ failure \ on \ \{\textit{outputfile} | \textit{outputexit}\} = \{\textit{filename} | \textit{exitname}\} \ for \ EXTRACT = \textit{name},$

RC=rc

Explanation A close, open, write, delete, or load (*type*) failure occurred for the output or exit file

listed in the message. The name of the extract and the return code from processing are

also given in the message.

Action Correct the JCL or parameters and try again.

ERROR-127 type failure by User Exit=exitname for EXTRACT=name, RC=rc User Exit error

code=errorcode

Explanation An initialize, terminate, or processing (*type*) error occurred for the user exit named in

the message. The name of the extract and the return and error codes from processing

are also given in the message.

Action Correct the JCL or parameters and try again.

ERROR-128 When TRANSACTIONLEVEL=TRAN or RECORD is specified, both MERGIN1

and MERGIN2 must be present, and must be the same type of file with the same

or a larger record size as the CLOG input file

Explanation When TRANSACTIONLEVEL parameter is set to "TRAN" or "RECORD", the

MERGIN1 and MERGIN2 data sets are required. They must be the same file type and

their record sizes must be at least as large (or larger) as the CLOG input file.

Action Correct the JCL or parameters and try again.

ERROR-129 The combination of PAYLOADDATA=YES, PAYLOADPREFIX=NO, and

RECORDPREFIX=YES is invalid.

Explanation An invalid combination of parameters was specified.

Action Correct the parameters and try again.

ERROR-130 Failure on writing to PRINT file. Consult Software Support.

Explanation A failure occurred writing to the PRINT file. Additional messages should be present.

Action Examine the additional messages and see if you can resolve the problem. If the

problem persists, contact your Software AG technical support representative.

ERROR-131 Open failed for file DDCLOG with returned code of rc

Explanation An attempt to open the DDCLOG file failed. The return code of the attempt is given in

the message.

Action Correct the JCL or parameters and try again.

ERROR-132 Invalid parameters supplied

Explanation The specified parameters are not valid.

Action Examine the additional message to fully identify the problem. Then correct the JCL or

parameters and try again.

ERROR-133 A record that was not a V52 or V8 CLOG record was encountered

Explanation The input file for the CLOG appears corrupted or incorrect.

Action Correct the JCL or parameters and try again. If the problem persists, contact your

Software AG technical support representative.

ERROR-134 NAME parameter is required for EXTRACT

Explanation No value was supplied for the NAME parameter (the extract name). A value for this

parameter is required in an ADARPE run.

Action Supply a NAME parameter setting and try again.

ERROR-135 NAME=name is not unique across EXTRACTs.

Explanation The name specified for an extract is not unique; the same name was specified for

different extracts. Extract names must be unique.

Action Specify a unique name for the extract and try again.

ERROR-136 Specified destinations are not unique.

Explanation The same destination was specified more than once. Destinations listed in an individual

DESTINATIONS parameter must be unique.

Action Correct the destination list and try again.

ERROR-137 Specified subscriptions are not unique.

Explanation The same subscription was specified more than once. Subscriptions listed in an

individual SUBSCRIPTIONS parameter must be unique.

Action Correct the subscription list and try again.

ERROR-138 OUTPUTFILE parameter is required for EXTRACT.

Explanation No value was supplied for the OUTPUTFILE parameter. A value for this parameter is

required in an ADARPE run.

Action Supply an OUTPUTFILE parameter setting and try again.

ERROR-139 At least one EXTRACT must be specified.

Explanation No EXTRACT parameter was specified. At least one EXTRACT parameter is required

in an ADARPE run.

Action Supply an EXTRACT parameter and try again.