

# Example of ADAVAL Output

ADAVAL output provides a SYSOUT (DD/DRUCK) table listing, by file and descriptor, of all data storage and Associator entries and their status. The following is an example of ADAVAL VALIDATE output:

FILE	DE	F	ISN	DE-VALUE	
1	AA	***	NO	INCONSISTENCIES	***
1	BA	-	35	07C6D935 C5D4C1D5	*.FREEMAN*
1	BA	-	173	07C6D935 C5D4C1D5	*.FREEMAN*
1	BA	-	471	07C6D935 C5D4C1D5	*.FREEMAN*
1	BA	-	534	07C6D935 C5D4C1D5	*.FREEMAN*
1	BA	-	597	07C6D935 C5D4C1D5	*.FREEMAN*
1	BA	-	622	07C6D935 C5D4C1D5	*.FREEMAN*
1	BA	-	658	07C6D935 C5D4C1D5	*.FREEMAN*
1	BA	-	717	07C6D935 C5D4C1D5	*.FREEMAN*
1	BA	-	152	05D4C5E8 C5D9	*.MEYER*
1	BA	+	153	05D4C5E8 C5D9	*.MEYER*
1	BB	***	NO	INCONSISTENCIES	***
1	CA	***	NO	INCONSISTENCIES	***
1	CB	***	NO	INCONSISTENCIES	***
1	CC	***	NO	INCONSISTENCIES	***
1	CD	***	NO	INCONSISTENCIES	***
1	PA	***	NO	INCONSISTENCIES	***

where

- In the F (flag) column, a dash (-- ) indicates that an inverted list entry is missing for the specified Data Storage descriptor; and a plus symbol (+) indicates that the inverted list entry in the Associator is incorrect.
- The DE-VALUE column provides the compressed descriptor value, first in hexadecimal and then in alphanumeric.

**Note:**

The "\*\*\* NO INCONSISTENCIES \*\*\*" entry occurs for every successful descriptor validation.