Client Runtime Controls Client Runtime Controls

# **Client Runtime Controls**

This service is used to define/maintain client runtime controls for jobs that are to use Adabas Transaction Manager.

### **Note:**

See section Parameters for a complete description of all client runtime controls.

#### Note:

Client runtime controls are shared between all installed optional products, and can be defined by any Online Services application (SYSCOR, SYSAVI, SYSAFP, SYSATM).

- List Client Runtime Controls
- Add Client Runtime Controls

# **List Client Runtime Controls**

- To display a list of jobs with runtime control definitions
  - 1. Select service 1 from the Maintenance menu or enter the command 1.1 on the command line.

08:29:12	**** A D A B A S - Cli	TRANSACTION	_	R 8.1.2 ***** 2006-04-13 - U11300M1
				eposition to Type:
				Name:
Client Controls				
C Type	Name AFP	AVI ATM	COR	Comments
_ Batch	UKAQBDUS	Y	Y	Overrides,Info
_	UKAQBMM0	Y	Y	
_	UKAQB85A	Y	Y	Overrides,Info
_	UKPDNAT	Y	Y	Overrides,Info
_	UKPDSER	Y	Y	Overrides,Info
_	UKPDV75	Y	Y	
_	UKPDV75A	Y	Y	
_	UKPDV75B	Y	Y	
_	UKPDWLS		Y	Overrides,Info
_ CICS	*DEFAULT	Y	Y	Overrides,Info
_ IMS (DTR)	*DEFAULT	Y	Y	
_ TSO	*DEFAULT	Off	Y	Overrides,Info
Mark with Display, Expand, Modify, Purge, Rename, Copy, Overrides, Information				
Command ==>				
Enter-PF1PF2PF3PF5PF6PF7PF8PF9PF10PF11PF12				
Help	Exit Refr	Top B	ack Fwo	d Bot Add Prods Menu

Press PF11 to view the Adabas add-on products for which runtime controls are currently defined, and then press PF11 again in order to modify the controls related to that product.

Press PF8 to move to the next page, or use the Reposition field to position anywhere within the list.

# **Add Client Runtime Controls**

A set of runtime controls includes the name of the Adabas System Coordinator group in which the job will execute. You must define the group before you create any runtime controls that include the name of the group. Refer to the *Adabas System Coordinator* documentation for details of groups, and how to define them.



## To add a new set of runtime controls

1. Once you have defined your System Coordinator group, or groups, navigate to ATM's Runtime Controls screen, and press PF10.

The following menu will appear:

```
08:33:18
            ***** A D A B A S TRANSACTION MANAGER 8.1.2 *****
                                                                   2006-04-13
                     - Add Client Runtime Control -
                                                                    TJ11310M1
Select (mark one) :
                         x Batch
                         _ COM-PLETE
                         _ CICS (DTR - Dynamic transaction routing)
                         _ CICS (Standard)
                         _ IMS (DTR)
                         _ UTM (DTR)
                         _ TSO
                         _ CMS
                         _ TIAM
                         _ more choices for type or
                          _ API controlled
Command ==>
Enter-PF1---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---
                 Exit
```

- 2. Select the required job type and press Enter. A new screen will prompt you to enter the name of the job for which you want to define runtime controls. You can use wild-card notation to represent a collection of jobs, and you can define a default set of runtime controls for the chosen type of job. For further details, refer to the documentation for the Adabas System Coordinator.
- 3. When you have entered the job name, press PF5. You will be prompted to enter some information for the Adabas System Coordinator. Refer to the *Adabas System Coordinator* documentation for details. When you have done this, press PF5. You will see the following screen, which allows you to specify the ATM runtime controls for the current job.

```
08:58:52
                           TRANSACTION MANAGER 8.1.2 *****
                                                             2009-05-13
          **** A D A B A S
            - Adabas Transaction Manager Runtime Controls -
                                                             U1133TM1
Job Type: Batch
                           Last modified 2006-04-13 at 08:58:52 by UKPD
    Name: TESTJOB2
                                  Added 2006-04-13 at 08:58:52 by UKPD
      ATM ON/OFF ... ON_
      System coordinator group name ......
      Maximum number of open databases ..... 4
      Number of log record entries ..... 0_
      Transaction control ...... LOCAL_ (Local/Global)
      Emergency serial ET commands ..... FORCE
                                                   (Yes/No/Force)
      Coordinate Adabas DBs outside the group . YES
                                                   (Yes/RM/No)
      Application controls ET data ..... NO_
                                                   (Yes/No)
      Generate OP commands ..... NO_
      Transaction model ...... MESSAGE (Message/Dynamic)
      External syncpoint on BT command ..... YES (Yes/No)
      External syncpoint on CL command ..... YES
                                                   (Yes/No)
      External syncpoint on ET command ...... YES
                                                   (Yes/No)
      Use client-side transaction manager ..... NO_
                                                   (Yes/No)
      Use host system transaction manager ..... NO_
                                                   (Yes/No)
      Use extended hold processing ..... NO_
                                                   (Yes/No)
Command ==>
Enter-PF1---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---
```

For specific information on each of these controls, see section ATM Client Runtime Controls.

#### Note:

The initial controls for the new job are copied from those specified in the \*DEFAULT entry for the selected job type. If no default entry exists for the job type, then product default values are displayed.

### **Note:**

Each job or TP system that uses Adabas Transaction Manager must be associated with an Adabas System Coordinator group, the name of which must be specified in the above screen. If you have not yet defined the group in which your job will execute, quit this operation, and use the Adabas System Coordinator Online Services application to define the group. Refer to the *Adabas System Coordinator* documentation for details.

4. Change any of the displayed values as required, then use PF5 to save the updated parameter settings.