

# Session Monitoring

The Session Monitoring function can be used to obtain information and statistics on all applications being managed by the Adabas System Coordinator.

- Session Monitoring Menu
- Change Perspective
- Display Adabas Client Job Information
- Display Session Information
- Network Discovery
- Display Daemon Group Members
- Display Cache Statistics

## Session Monitoring Menu

### ▶ To display the Session Monitoring menu

- Select service 2 from the main menu.

```

10:57:19 ***** A D A B A S   SYSTEM COORDINATOR 8.1.2 (I003) ***** 2008-05-22
                - Session Monitoring -                               C12000M1
Run-mode: Local (node 0)                               Perspective: Daemon (node 650)

                Code      Service
                ----      -
                0         Change Perspective
                1         Adabas Client Job Information
                2         Memory Pool Statistics
                3         Network Discovery
                4         Daemon Group Members
                5         Daemon Cache Statistics
                .         Exit
                ----      -
Code..: _

Command ==>
Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---
      Help      Exit                               Menu

```

From this menu, you can	Service	Cmd
change perspective	0	
display active Adabas client jobs	1	2.1
display memory pool statistics	2	
network discovery	3	2.3
display daemon group members	4	2.4
display cache statistics	5	2.5

All session monitoring requests will be directed to the current information source as displayed in the Perspective field at the top of the screen. By default this will be either your local client session when you are running in Local (non-daemon) mode or if you are running in daemon mode, monitoring requests will be directed to your coordinator daemon. Options 4 and 5 are only available if you are currently using daemon perspective, as in the example screen above.

## Change Perspective

This option can be used to route monitoring requests to any active coordinator daemon or to your local client session (see screen below).

**▶ To access the Change Perspective screen from the Session Monitoring menu**

- Select service 0.

```

+-----+
| 11:12:59      Change Perspective      2008-05-22 |
| Current perspective: Daemon (node 650)  C12PSPM1 |
|
| Local: Shows session monitoring information for this |
|        job and active targets of the Adabas router |
|        in use by this job                          |
| Daemon: Shows session monitoring information for jobs |
|        managed by the System Coordinator daemon and |
|        active targets known to the daemon          |
|
| Revert to local (node 0).....: _ |
| Change to daemon node.....: _____ |
|
| PF3 Exit      PF5 Set perspective |
+-----+
    
```

Change perspective by marking “Revert to local” or entering a daemon node and pressing PF5. For jobs defined to run in daemon mode other options are available:

```

+-----+
| 11:17:04      Change Perspective      2008-05-22 |
| Current perspective: Daemon (node 660)  C12PSPM1 |
|
| Local: Shows session monitoring information for this |
|         job and active targets of the Adabas router |
|         in use by this job                          |
|
| Daemon: Shows session monitoring information for jobs |
|         managed by the System Coordinator daemon and |
|         active targets known to the daemon          |
|
| Revert to daemon (node 650)...: _ |
| Change to daemon node.....: _____ |
| Change to local (node 0).....: _ |
|
|
|           PF3 Exit      PF5 Set perspective |
+-----+
    
```

Mark “Revert to daemon...” and press PF5 to revert to the job’s default daemon (after changing perspective to another daemon) or mark “Change to local...” and press PF5 to switch to local perspective.

## Display Adabas Client Job Information

▶ To display the Adabas Client Jobs screen from the Session Monitoring menu

- Select service 1 or enter the command 2.1 on a command line.

```

11:35:09 ***** A D A B A S  SYSTEM COORDINATOR 8.1.2 (I003) ***** 2008-05-22
- Adabas Client Job Information - C12100M1
Run-mode: Local (node 0) Perspective: Local (node 0)
Start Time Maximum
C Service Job Name Job Num. Appl.ID (HH:MM.SS) Sessions Concurrent
_ None DAEFCI18 C24243 DAEFCI18 16:30.46 14 1

Mark with D(etail),S(essions),M(emory Pools),R(efresh Job Debug Parms),(sna)P
End of List
Command ==>
Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---
Help Exit Refr Menu
    
```

This screen shows the TP monitors and other tasks that are currently active and managed by Adabas System Coordinator. Local perspective shows the job that you are executing in, daemon perspective shows all jobs managed by that daemon. The following fields are displayed:

Field	Description
C	This field can be used to display additional information: <ul style="list-style-type: none"> <li>● D: display internal information</li> <li>● S: display session information</li> <li>● M: display memory pool information</li> <li>● R: refresh client debug controls</li> <li>● P: snap internal information to CORDUMP</li> </ul>
Service	The clustered application service name (if any) used by this job.
Job ... Appl. ID	The job name, job number, and Application ID
Start Time	The start time of the job.
Sessions	The number of user sessions active in the job.
Maximum Concurrent	The number of concurrent threads active. This is a measure of the highest level of concurrent Adabas command throughput.

### Display Memory Pools

Selecting Memory Pool Statistics results in the following screen being displayed:

```

11:41:34 ***** A D A B A S   SYSTEM COORDINATOR 8.1.2 (I003) ***** 2008-05-22
- Display Memory Pool Statistics - C12200M1
Run-mode: Local (node 0)           Perspective: Local (node 0)
      Pool      Free      Free
      Size(k)  Memory(k)  Elements  Type
C   Node   Job Name  Pool Name  Extents  Size(k)   Memory(k) Elements  Type
-   LOCAL  DAEFCI18  F8108320   0         256       243.8     30       O
-   LOCAL  DAEFCI18  F8132896   0         256       192.8     6        O
-   LOCAL  DAEFCI18  F8116512   0         256       225.8    14       O
-   LOCAL  DAEFCI18  F8104224   0         256       247.5    60       O
-   LOCAL  DAEFCI18  F8107296   0         256       235.1    33       O
-   LOCAL  DAEFCI18  F8124704   0         256       168.9     7        O
-   LOCAL  DAEFCI18  F8100256   0         256       253.0   1012     O
-   LOCAL  DAEFCI18  F8100128   0         256       254.9   2039     O
-   LOCAL  DAEFCI18  PRIVUSER   0        7695     7315.2    24       O
-   LOCAL  DAEFCI18  PRIVATE    0         256       251.7     2        O

Mark with D(etail),S(nap)
End of List
Command ==>
Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---
      Help      Exit  Refr                               Menu
    
```

This screen shows the memory pools that are used by jobs. The following information is provided:

Field	Description
Pool Name	<p>The PRIVATE pool is allocated in the job's private memory.</p> <p>The PRIVUSER pool is used for client session context information, and is located in the job's private memory. When the job is running in DTR (daemon) mode, this pool is located in system shared memory, and takes the same name as the DTR runtime control for the job.</p> <p>Shared memory pools are always managed by a coordinator daemon.</p> <p>Fixed pools are named Fvrnnnnn where vr is the product version and revision level and nnnnn is the pool element size. These pools are created automatically by System Coordinator on demand from add-on products. They require no customer tuning, other than possibly increasing the initial pool size, if required (See Extents below).</p>
Extents	<p>The number of extents.</p> <p>There may be a very slight performance improvement when runtime control parameters are tuned to eliminate extents. However, COR memory management is efficient, and pool extensions do not necessarily indicate any problem.</p> <p>The initial size of the session context pool (PRIVUSER or DTR service name) can be increased by specifying a larger value for "Estimated client sessions" in the job's runtime control.</p> <p>The initial size of all fixed pools is 256K by default. This can be increased to a maximum of 2560K in the job's runtime control.</p>
Free Memory	The amount of free memory available in all extents in the pool.
Free Elements	The number of free elements in the pool.
Type	<p>Pool type.</p> <p>O: The job created and owns the pool</p> <p>P: The job has joined a pool that was created by a previous job</p>

Memory pool display can also be selected from the Session Monitoring menu (option 2).

**Display Session Information**

See next section Display Session Information.

## Display Session Information

Selecting Display Session Information results in the following screen being displayed:

```

11:43:46 ***** A D A B A S   SYSTEM COORDINATOR 8.1.2 (I003) *****   2008-05-22
Job Name: DAEFCI18   -   Display Session Information   -   C12130M1
Run-mode: Local (node 0)   Perspective: Local (node 0)
Select Sessions: _____ Dormant   Memory(k)   Adabas   Quick
C Service   Session ID   Txn   (HHH:MM.SS)   Allocated   Ccmds   Locates   Typ
_ None      CICSTCCN   DEMO   0:00.08   40.4   34   33   P
_           -Y%ETCCN   DEMO   0:00.09   38.6   1   0   P
_           CICSTCB1   *timeout   1:09.20   0.2   13419   13417   P
_           -Y%ETCB1   *timeout   19:38.23   0.2   2   0   P
_           CICSTCO3   *timeout   1:09.20   0.2   692   691   P
_           -Y%ETCO3   *timeout   1:09.20   0.2   1   0   P
_           CICSTA29   *timeout   24:28.27   0.2   379   378   P
_           -Y%ETA29   *timeout   24:28.27   0.2   1   0   P
_           CICSTCBK   DEMO   0:00.04   42.7   1262   1260   P
_           -Y%ETCBK   DEMO   1:21.24   38.6   1   0   P
_           CICSTC18   *timeout   21:08.56   0.2   270   266   P
_           -Y%ETC18   *timeout   21:08.56   0.2   1   0   P
_           CICSTCLA   *timeout   19:38.23   0.2   3474   3444   P
_           -Y%ETCLA   *timeout   19:38.23   0.2   37   11   P
Mark with D(etail),S(nap),P(urge),(swi)T(ch debug on/off),C(ontrols)

Command ==>
Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10---PF11---PF12---
      Help      Exit   Refr   SortN Top   Back   Fwd   SortT SortU SortO Menu
    
```

This screen shows the client sessions that are active in a job managed by the Adabas System Coordinator. The following information is provided:

Field	Description
Session ID	The Session ID (last 8 characters only). IDs comprised of special characters are normally generated by the system.
Txn	The current or last Transaction ID executed (TP systems only). The value ‘*timeout’ indicates that the inactivity threshold has been reached for this client session.
Dormant	The amount of time since the last user activity.
Memory	The amount of memory allocated by the user.
Adabas Ccmds	The number of Adabas commands executed for this user.
Quick Locate	The number of times the coordinator optimized command processing because two or more commands for the same user were executed consecutively.
Type	Indicates whether or not the user is managed by an Adabas System Coordinator daemon. A value of ‘S’ indicates that the user is managed by a Adabas System Coordinator daemon.

PF keys can be used to sort the user list in various sequences:

Key	Description
PF5 (SortN)	The list is sorted by User ID.
PF9 (SortT)	The list is sorted in descending time since the user was last active.
PF10 (SortU)	The list is sorted in descending order of the number of Adabas calls issued.
PF11 (SortO)	The list is sorted in descending order of user search optimization. This shows the number of times for each user that an index search was avoided.

Mark a session with one of the commands shown:

- D: display internal information
- S: snap internal information to CORDUMP
- P: purge this session. Be careful not to purge a session that is still in use as this may have unpredictable results. You must confirm the purge request with PF5:

```

+-----+
| 16:01:32      Purge Session      2006-10-09      |
|                                           C12233M1      |
|                                           |
|           Session ID: UKSJU  4      |
|                                           |
|           PF5 to Confirm Purge      |
|                                           |
| WARNING:                                     |
| Purging a session can cause catastrophic    |
| unpredictable results including failure of  |
| the whole service. You must be absolutely  |
| sure the session is gone completely and is  |
| not going to reactivate.                   |
|                                           |
| Command ==>                                  |
|           PF1 Help      PF3 Exit      PF5 Purge |
+-----+
    
```

- T: activate or deactivate client debug monitoring for a session
- C: display or modify client runtime controls for a session. Select which product's controls you want to see:

```

+-----+
! 14:59:11          U1PRODM1 !
!
! Select which product's runtime !
! controls you want to maintain: !
!
!   _   System Coord.          !
!   _   Adabas Fastpath        !
!   _   Adabas Vista           !
!   x   Transaction Manager     !
!
!           PF3 Exit           !
!
+-----+
    
```

and press Enter

```

15:00:10          ***** CURRENT SESSION CONTROLS *****          2006-07-21
          - Adabas Transaction Manager Session Controls -          SETATMM1

                          Last modified 2006-05-10 at 18:49:13 by UKLT
                          Added 2006-05-10 at 18:49:09 by UKLT

ATM ON/OFF ... ON_
SVC number ..... 252
System coordinator group name ..... ICFDEMO
Maximum number of open databases ..... 10
Number of log record entries ..... 256__
Transaction control ..... GLOBAL (Local/Global)
Emergency serial ET commands ..... FORCE (Yes/No/Force)
Generate OP commands ..... NO_ (Yes/No)
Transaction model ..... MESSAGE (Message/Dynamic)
External syncpoint on BT command ..... YES (Yes/No)
External syncpoint on CL command ..... YES (Yes/No)
External syncpoint on ET command ..... YES (Yes/No)
Use client-side transaction manager .. NO_ (Yes/No)
Use host system transaction manager .. NO_ (Yes/No)
Use extended hold processing ..... NO_ (Yes/No)

Command ==>
Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---
      Help           Exit           Upd     Reset
    
```

You can then modify the controls (those which are modifiable on runtime control overrides – see Maintain Client Runtime Control Overrides) for this client session only and press PF5 to update them. Press PF6 to revert to the pre-defined runtime controls for all products.

## Network Discovery

 to use the Network Discovery function from the Session Monitoring menu

1. Select service 3 or enter the command 2.3 on a command line.



```

11:51:39 ***** A D A B A S   SYSTEM COORDINATOR 8.1.2 (I003) ***** 2008-05-22
- Network Discovery - C12300M1
Run-mode: Local (node 0) Perspective: Daemon (node 650)

Coord L Last Update Status
Node R (HH:MM.SS) DBID Nuc ID Type A S P F Resp Subc
650 L 00:17.32 656 656 Unidentified - - - F 245 2
655 6551 Ada Cluster(S) A S P -
651 651 ATM A S P -
650 650 System Coord A S - -
652 652 Adabas A S P -
640 640 Adabas A S P -
660 R 11:51.37 660 660 System Coord A S - -
661 661 ATM A S P -
653 653 Adabas A S P -
655 6552 Ada Cluster(S) A S P -

End of List
Command ==>
Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---
Help Peek Exit Refr Persp Prods Menu
    
```

Each Adabas System Coordinator daemon maintains a list of targets that are or were at one time active. This information is communicated to all daemons in the cluster.

When the perspective is daemon, this screen displays the network from that daemon’s perspective.

2. You can change the perspective to another daemon or local by pressing PF5:

```

+-----+
| 11:56:09          Change Perspective          2008-05-22 |
| Current perspective: Daemon (node 650)      C12PSPM1 |
|
| Local: Shows session monitoring information for this |
|         job and active targets of the Adabas router |
|         in use by this job                          |
| Daemon: Shows session monitoring information for jobs |
|         managed by the System Coordinator daemon and |
|         active targets known to the daemon           |
|
| Revert to local (node 0).....: x              |
| Change to daemon node.....: _____         |
|
| PF3 Exit      PF5 Set perspective              |
+-----+
    
```

Select the required perspective and press PF5.

3. Local perspective shows the targets active on the Adabas router that your client session is connected to:

```

11:58:10 ***** A D A B A S   SYSTEM COORDINATOR 8.1.2 (I003) ***** 2008-05-22
- Network Discovery - C12300M1
Run-mode: Local (node 0) Perspective: Local (node 0)

Coord L Last Update      Status
Node R (HH:MM.SS)  DBID Nuc ID      Type      A S P F  Resp Subc
        61001  61001  Entire Network  A - - -
        60099  60099  Adabas         A - P -
           180   180   Unidentified   A - - F
           640   640   Adabas         A S P -
           652   652   Adabas         A S P -
           650   650   System Coord   A S - -
           651   651   ATM            A S P -
           655   6551  Ada Cluster(S) A S P -
        12000  12000  System Coord   A S - -
        12002  12002  ATM            A S P -
        12004  12004  Adabas         A S P -
        12006  12601  Ada Cluster(S) A S P -

End of List
Command ==>
Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---
      Help Peek Exit Refr Persp Prods Menu
    
```

- On systems where the Adabas router uses an SVC, you can use PF2 to “peek” at targets active on another SVC:

```

+-----+
| 12:01:21          Change Router          2008-05-22 |
| Current perspective: Local (node 0)      C12300M3 |
|                                             |
| You can peek into another Adabas router in the local |
| computer by entering the SVC number BUT... |
| WARNING: If you specify an incorrect SVC, there will |
| be unpredictable results such as outage of the whole |
| TP service and or transaction failures, loops etc. |
|                               SVC: 254 |
|                                             |
|                               PF3 Exit   PF5 Set peek |
|                                             |
+-----+
    
```

Enter the required SVC number and press PF5. Take note of the warning and be careful to specify a valid Adabas SVC number.

```

12:02:05 ***** A D A B A S  SYSTEM COORDINATOR 8.1.2 (I003) ***** 2008-05-22
- Network Discovery - C12300M1
Run-mode: Local (node 0) Perspective: Peeking at SVC 254

Coord L Last Update Status
Node R (HH:MM.SS) DBID Nuc ID Type A S P F Resp Subc
50932 50932 Entire Network A - - -
180 180 Unidentified A - - F
135 135 Unidentified A - - F 245 2
11 11 Adabas A S P -
110 110 Adabas A S P -
17030 17030 Adabas A - P -
17003 17003 Adabas A S P -
17001 17001 Adabas A S P -
8001 8001 Unidentified A - - F 101 8
17035 17035 Adabas A S P -
17005 17005 System Coord A S - -
17002 17002 System Coord A S - -

End of List
Command ==>
Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---
Help Peek Exit Refr Persp Prods Menu
    
```

## Display Daemon Group Members

▶ To display the daemon group members screen from the Session Monitoring menu

1. Select service 4 or enter the command 2.4 on a command line.

```

12:07:12 ***** A D A B A S  SYSTEM COORDINATOR 8.1.2 (I003) ***** 2008-05-22
- Display Daemon Group Members - C12400M1
Run-mode: Local (node 0) Perspective: Daemon (node 650)

Coordinator Name Node System Start Time Sessions Total Ave. Size
ICFDCOR1 650 DAEF 08:43.25 0 0 0
ICFDCOR2 660 DA2F 08:43.30 0 0 0
<----Cluster Moves---->

End of List
Command ==>
Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---
Help Exit Refr Menu
    
```

The screen shows the daemons that are active in the coordinator group. This option is only available when using daemon perspective, because node information is kept in the daemon, not in the local client.

The following information is provided:

Field	Description
Coordinator Name	The name and job number of the coordinator daemon task.
Node	The Adabas Node ID of the coordinator daemon.
System	The operating system ID.
Start Time	The start time of the coordinator daemon.
Sessions	The number of client sessions currently managed by this coordinator daemon.
Cluster Moves	The number of client sessions that have been routed dynamically to this system, and the average session message size per move. This field is only relevant for clustered applications in a multisystem environment.

## Display Cache Statistics

▶ To display the Cache Statistics screen from the Session Monitoring menu

1. Select service 5 or enter the command 2.5 on a command line.

```

12:09:29 ***** A D A B A S   SYSTEM COORDINATOR 8.1.2 (I003) ***** 2008-05-22
                - Display Cache Statistics - Summary -                      C12500M1
Run-mode: Local (node 0)                               Perspective: Daemon (node 650)
Detail                                                 Detail
Page                                                  Page
 1 CSCSREADHITC.....: 0                               4 CSCSXINMINVALC....: 0
 . CSCSRMDIRHITC.....: 0                               . CSCSXICMINVALC....: 0
 . CSCSCASTOUTCC.....: 0                               5 CSCSCASTOUTC.....: 0
 . CSCSREFSIGMISSC...: 0                               . CSCSREFSIGMISSC...: 0
 2 CSCSTMCFULLCLC....: 0                               . CSCSTMCFULLC.....: 0
 . CSCSDIRENTRYC.....: 0                               . CSCSDIRENTRYC.....: 0
 . CSCSWHITCB1C.....: 0                               6 CSCSDATAAREAELEC...: 0
 . CSCSWMNOTREGC.....: 0                               . CSCSTOTCHNGDC.....: 0
 3 CSCSWMINVSTATEC...: 0                               . CSCSDATAAREAC.....: 0
 . CSCSWMTSCFULLC....: 0                               . CSCSCMPLREFLSTC...: 0
 . CSCSDIRENTRYRCLC...: 0                               7 CSCSPRTCREFLSTC...: 0
 . CSCSDAENTRCLC.....: 0                               . CSCSXILCVIREPL....: 0
 4 CSCSXIDIRCLC.....: 0                               . CSCSWUXIC.....: 0
 . CSCSXIWRITEC.....: 0

```

Command ==>

```

Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---
      Help           Exit Refr                               DetL DetF Menu

```

This screen displays the IBM sysplex coupling facility cache memory statistics. The definition of each statistical value is provided on a series of detailed screens, together with a repetition of the value.

Use PF11 to display a series of detail screens. Use PF10 to return to the last screen. You can then use the same PF keys to proceed forward or backward to the desired screen.

Cache statistics are valid only if the coordinator group is defined as type “Sysplex”.