Other Exits Supported by Adabas

Other user exits supported by Adabas include the following:

| Entry Name | Use |
|---------------|---|
| ADACDCUX | Allows you to obtain control at strategic points during ADACDC utility processing. See the <i>Adabas Utilities</i> documentation. |
| ADACICTn | These CICS link routine task-related user exits (TRUEs) allow your site to tailor different Adabas CICS execution options in the same CICS region. using a centralized installation procedure and software. For more information, see the <i>Adabas Installation</i> documentation. |
| ADACSHUX | Allows you to obtain control at strategic points during Adabas Caching Facility processing. See the <i>Adabas Caching Facility</i> documentation. |
| ADASMXIT | Allows you to supply parameters to a PIN routine or examine a condition when it is encountered before the PIN routine is invoked so that recovery actions other than those provided by Adabas can be implemented. See <i>Adabas Online System Demo Version</i> in the DBA Tasks documentation |
| DSFEX1 | Automatically submits the necessary job to prevent overflow of the DLOG area. See the <i>Adabas Delta Save Facility Facility</i> documentation. |
| LUEXIT1 | Linked with Adalink for Adabas 8 in z/OS and z/VSE environments: receives control before a command is passed to a target with the router 04 call. See the <i>Adabas Installation</i> documentation . |
| LUEXIT2 | Linked with Adalink for Adabas 8 in z/OS and z/VSE environments: receives control after a command is processed by a target, the router, or Adalink itself. See the <i>Adabas Installation</i> documentation . |
| UEXASAP | A SAP exit to Adalink for Adabas 8. |
| UEXITA | Linked to or loaded with Adalink for Adabas 8 in BS2000 environments. UEXITA receives control after a command is processed by a target, the router, or Adalink itself. See the <i>Adabas Installation</i> documentation . |
| UEXITB | Linked to or loaded with Adalink for Adabas in BS2000 environments. UEXITB receives control before a command is passed to a target with the router 04 call. See the <i>Adabas Installation</i> documentation. |
| UEXRAI | Allows you to change automatically generated ADARAI RECOVER JCL before it is written to DDJCLOUT. See the <i>Adabas Utilities</i> documentation. |