ADAL* - Command Log (CLOG) System Messages

Note:

Each of the messages in this section starts with the relevant database ID.

Overview of Messages

ADAL01	ADAL02	ADAL03	ADAL04	ADAL05	ADAL06	ADAL07	ADAL10
ADAL11	ADAL12	ADAL13	ADAL14	ADAL15	ADAL16		

ADAL01 CLOG not active

Explanation The command log is sequential, and the DDLOG data set was either set to "dummy" or

could not be opened. Command logging is switched off.

ADAL02 CLOGR*n* is active

Explanation The specified command log for dual or multiple command logging is now active.

ADAL03 Command log DDCLOGRn has started

Explanation Command logging has switched to data set DD/CLOGRn.

ADAL04 Warning: now it is too late to copy **DDCLOGR***n*

FROMBLK=blk1, FROMTIME=timestamp1

TOBLK =blk2, TOTIME=timestamp2 00199 IOR function = fx, response = X'nn'

00199 ERROR obtaining timestamp information

Explanation The specified dual or multiple command logging data set is being overwritten with new

log data, and is no longer valid. Normally, the from and to blocks and the from and to timestamps being overwritten are given in the message. However if there was a problem obtaining this block and timeout information, the 00199 messages listed above

may be issued.

ADAL05 I/O error on DDCLOGRn. Command logging terminated

Explanation Command logging to data set DDCLOGRn was terminated by an I/O error.

ADAL06 Command log is not available

Explanation None of the dual or multiple command logging data sets was available (presently being

copied by ADARES). Command logging is switched off.

ADAL07 Command long could not be opened

Explanation An invalid command logging device or size was specified, or an I/O error on either the

first or last block was detected. Command logging is switched off.

ADAL10 PPT error nn processing CLOG

Explanation An error occurred while processing the parallel participant table (PPT). The nucleus

stays up, but command logging is disabled.

Action Collect diagnostic information such as that provided by the ADAICK PPTPRINT

function. Provide the error number "nn" and the PPTPRINT to your Software AG technical support representative. It may be necessary to format the PPT and restart the

nuclei in order to rebuild the PPT.

ADAL11 Warning - CLOG datasets have changed. PPT overwritten.

Use ADARES MERGE CLOG to copy previous CLOG datasets.

Explanation Either the CLOG data sets are different from what was specified in the last session or

no CLOGs are specified but the previous CLOGs were not copied. The PPT

information about these data sets is being overwritten.

Action If the contents of the CLOGs are still needed, they must be copied with the CLCOPY

function and then merged manually. If the contents are not needed, no action is

required.

ADAL12 date time CLOGMRG=YES not valid. CLOGMRG not in effect.

Explanation This message is generated if an attempt is made to initialize a non-plex/ASM nucleus

(NUCID=0) with CLOGMRG=YES specified. This is an informational message only and the nucleus will come up. CLOGMRG=YES should only be specified if NUCID is

greater than 0.

Action No action is required for this informational message.

ADAL13 dbid yyyy-mm-tt ss:mm:ss REACTLOG not allowed

Explanation An ADADBS REACTLOG request is not allowed. If there are no outstanding I/Os for

the command logs, then the request to reactive the log is not allowed. The database ID associated with the command log (*dbid*) and the date and time stamp are given in the

message.

Action Try again when there are outstanding I/Os for the command logs.

ADAL14 dbid yyyy-mm-tt ss:mm:ss REACTLOG successful!

Explanation A request to reactivate command logging was successful. The database ID associated

with the command log (*dbid*) and the date and time stamp are given in the message.

Action No action is required for this informational message.

ADAL15 *dbid yyyy-mm-tt ss:mm:ss* REACTLOG failed!

Explanation A request to reactivate command logging failed. This message should be preceded by

another error message describing the reason for the failure. The database ID associated

with the command log (dbid) and the date and time stamp are given in the message.

Action Review the other messages to resolve the problem and try again. If the problem persists,

contact your Software AG technical support representative for assistance.

ADAL16 dbid yyyy-mm-tt ss:mm:ss Getmain failure

Explanation A request for storage failed. Command logging is halted. The database ID associated

with the command log (*dbid*) and the date and time stamp are given in the message.

Action Contact your Software AG technical support representative for assistance.