# Adabas Review 00xxx Messages

# **Overview of Messages**

REV00MNF	REV00001	REV00002	REV00003	REV00004	REV00005	
REV00006	REV00008	REV00011	REV00012	REV00013	REV00014	
REV00015	REV0001	REV00020	REV00021	REV00025	REV00026	
REV0002	REV00028	REV00029	REV00030	REV00032	REV00033	
REV00035	REV00036	REV00037	REV00038	REV00040	REV00043	
REV00044	REV00045	REV00046	REV00047	REV00050	REV00054	
REV00055	REV00057	REV00058	REV00059	REV00062	REV00064	
REV00065	REV00066	REV00068	REV00072	REV00073	REV00074	
REV00078	REV00079	REV00080	REV00081	REV00082	REV00083	
REV00084	REV00085	REV00086	REV00087	REV00091	REV00092	
REV00093	REV00094	REV00095	REV00096	REV00097	REV00098	
REV00099	REV00100	REV00101	REV00102	REV00104	REV00105	
REV00106	REV00108	REV00111	REV00116	REV00120	REV00121	
REV00123	REV00124	REV00125	REV00129	REV00132	REV00133	
REV00134	REV00135	REV00137	REV00138	REV00139	REV00141	
REV00144	REV00145	REV00146	REV00147	REV00148	REV00149	
REV00150	REV00151	REV00152	REV00153	REV00155	REV00156	
REV00157	REV00158	REV00159	REV00160	REV00161	REV00162	
REV00163	REV00169	REV00170	REV00171	REV00175	REV00176	
REV0017	REV00179	REV00180	REV00181	REV00182	REV00183	
REV00184	REV00185	REV00187	REV00188	REV00190	REV00193	
REV00195	REV00196	REV00197	REV00198	REV00199	REV00200	
REV00202	REV00203	REV00205	REV00206	REV00207	REV00209	
REV00210	REV00211	REV00212	REV00214	REV00217	REV00218	
REV00219	REV00220	REV00221	REV00222	REV00223	REV00224	
REV00225	REV00226	REV00227	REV00228	REV00229	REV00230	
REV00231	REV00234	REV00235	REV00236	REV00237	REV00238	
REV00239	REV00240	REV00241	REV00242	REV00243	REV00244	
REV00245	REV00246	REV00247	REV00248	REV00249	REV00250	
REV00252	REV00253	REV00254	REV00255	REV00256	REV00257	
REV00258	REV00259	REV00260	REV00261	REV00262	REV00263	
REV00264	REV00265	REV00266	REV00267	REV00268	REV00269	
REV00270	REV00271	REV00272	REV00273	REV00274	REV00275	
REV00276	REV00277	REV00278	REV00279	REV00280	REV00281	
REV00282	REV00283	REV00284	REV00285	REV00286	REV00288	
REV00289	REV00290	REV00291	REV00292	REV00293	REV00294	
REV00295	REV00296	REV00297	REV00299	REV00300	REV00301	
REV00306	REV00307	REV00308	REV00309	REV00310	REV00311	
REV00312	REV00313	REV00314	REV00315	REV00316	REV00317	
REV00318	REV00319	REV00320	REV00321	REV00322	REV00323	
REV00325	REV00326	REV00327	REV00328	REV00329	REV00330	
REV00331	REV00332	REV00333	REV00334	REV00335	REV00336	
REV00337	REV00338	REV00339	REV00340	REV00341	REV00342	
REV00343	REV00344	REV00345	REV00346	REV00347	REV00348	
REV00349	REV00350	REV00351	REV00352	REV00353	REV00354	
REV00355	REV00356	REV00357	REV00359	REV00360	REV00361	

REV00362	REV00363	REV00364	REV00365	REV00366	REV00367
REV00368	REV00369	REV00370	REV00371	REV00372	REV00373
REV00374	REV00375	REV00385	REV00386	REV00390	REV00391
REV00392	REV00393	REV00394	REV00395	REV00396	REV00397
REV00398	REV00399	REV00400	REV00401	REV00402	REV00403
REV00404	REV00405	REV00406	REV00407	REV00408	REV00409
REV00410	REV00411	REV00412	REV00413	REV00414	REV00415
REV00416	REV00417	REV00418	REV00419	REV00420	REV00421
REV00422	REV00423	REV00424	REV00425	REV00426	REV00427
REV00428	REV00429	REV00430	REV00431	REV00432	REV00433
REV00434	REV00435	REV00436	REV00437	REV00438	REV00439

#### REV00MNF Message msg-id not found in logon-id

**Explanation** A message inquiry was made for a message number that is not known to Adabas

Review. This will happen if an invalid message number is entered.

**Action** If the message number is for an Adabas Review message, contact your Software AG

technical support representative.

# REV00001 Welcome to Adabas Review V v.r.s running under tp-monitor

**Explanation** This message welcomes users to Adabas Review and indicates the environment under

which they are running.

v.r.s	the version, revision, and SM level.
tp-monitor	the active TP monitor.

**Action** This message is for information only.

## REV00002 Review command must begin with subsystem code

**Explanation** An invalid command was entered from the Adabas Review main menu. All commands

from the main menu must begin with a subsystem code as shown on the screen.

**Action** Enter a valid command.

## REV00003 REVTAB not found

**Explanation** The Adabas Review program *REVTAB* is not available to CICS or is not permanently

resident.

**Action** Make sure *REVTAB* is available and permanently resident.

**REV00004** Enter Review command

**Explanation** Adabas Review is waiting for terminal input.

**Action** Press a valid PF key or enter an Adabas Review command.

REV00005 Invalid command

**Explanation** An invalid command was entered into the Adabas Review command line.

**Action** Press a valid PF key or enter a valid Adabas Review command.

**REV00006** Press 'Enter' to continue initialization process

Explanation During Adabas Review initialization a series of messages are displayed. Adabas

Review will pause whenever a page is full or on the last page.

**Action** Press ENTER.

**REV00008** No online system of Review is available

**Explanation** Adabas Review has determined that there are no online systems available to the user.

There are two possible causes:

1. the installation of Adabas Review has not been fully completed.

2. Adabas Review is installed, but your profile prohibits you from accessing the

available systems.

**Action** Contact your Adabas Review administrator.

**REV00011** Interval statistics profile has been created

**Explanation** During Adabas Review initialization, the interval statistics profile record was created.

**Action** This message is for information only.

**REV00012** Report has been saved

**Explanation** The request to save a report definition to the Adabas Review repository has completed

successfully.

**REV00013** Now viewing current data

**Explanation** You are now viewing current data as opposed to historical data.

**Action** This message is for information only.

REV00014 user-id is not authorized to use Review

**Explanation** Either you have not been defined to Adabas Review, or you are not authorized to use

Adabas Review.

**Action** Contact your Adabas Review administrator.

**REV00015** Report name is required

**Explanation** An attempt was made to edit/copy a report without a name.

**Action** Enter a name in the report name field.

**REV0001** At least one item must be selected

**Explanation** An attempt was made to add a report without selecting any items to be used as report

criteria.

**Action** Select one or more fields to be used as criteria by entering a number in its ORDER

field.

**REV00020** Order number must not exceed 20 (max number of items)

**Explanation** A number greater that 20 was entered into one of the ORDER fields.

**Action** Enter a number between 1 and 20.

**REV00021** Order number must be unique

**Explanation** Duplicate ORDER numbers have been detected.

**Action** Enter a unique number in each ACCT ORDER to be included in the report.

REV00025 Now viewing historical data

**Explanation** You are now viewing historical data as opposed to current data.

**REV00026** Report was not saved

**Explanation** The request to save a report was not successful. This is usually caused by responding

NO when asked if you want to replace the report that was previously saved under the

same name.

**Action** This message is for information only.

**REV0002** There are no detailed records for this report

**Explanation** A detailed response time report was requested but there are no detail records for the

selected report.

**Action** This message is for information only.

REV00028 Report was not refreshed

**Explanation** This indicates that a request to restart a report was not successful.

**Action** This message is for information only.

REV00029 Invalid reply

**Explanation** An invalid reply was given to an Adabas Review prompt.

**Action** Enter a valid reply.

REV00030 Report has been purged

**Explanation** This confirms that the purge report request was successful.

**Action** This message is for information only.

**REV00032** Report not found

**Explanation** An attempt to access a report has failed because the report is not active.

REV00033 Unknown return code from purge - RC= ret-code

**Explanation** An unknown return code was returned from the purge reports program due to an

internal error.

**Action** If the problem reoccurs, contact your Software AG technical support representative.

**REV00035** This is the oldest historical snapshot

**Explanation** This is the oldest historical snapshot; the NEXT command cannot be entered.

**Action** This message is for information only.

**REV00036** Do not enter x and a direct command

**Explanation** A reply was entered into an Adabas Review prompt field and a direct command was

entered simultaneously.

**Action** Either answer the Adabas Review prompt or enter a direct command, but not both.

**REV00037** Invalid response - only valid response is *xxx* 

**Explanation** An invalid response was detected and Adabas Review is prompting the user with the

correct response.

**Action** Enter a valid response.

REV00038 Report status has been changed

**Explanation** This confirms that a request to activate or deactivate a report was successful.

**Action** This message is for information only.

REV00040 Redisplay buffer full - Rediplay unavailable

**Explanation** The redisplay is unavailable because more than 5000 lines were displayed.

Action As a workaround, the report data can be printed via the HC command and other tools

can be used to scroll through this output.

REV00043 You must reply 'Y' or 'N'

**Explanation** An invalid reply was given in response to an Adabas Review prompt that requires a

reply of either yes ("Y") or no ("N").

**Action** Reply "Y" or "N".

REV00044 Value must be between 0 and 100

**Explanation** The value entered was not within the range 0 and 100.

**Action** Enter a value between 0 and 100.

**REV00045** Do not mark blank lines

**Explanation** A selection was marked on a line that does not have a value or any data to select.

**Action** Mark a valid selection or enter an Adabas Review command.

**REV00046** Do not mark deleted reports

**Explanation** A character was placed in the select field of a report that was just deleted.

**Action** Do not place a character in this field.

REV00047 Invalid character

**Explanation** An invalid character was entered into an Adabas Review field.

**Action** Enter a valid character.

**REV00050** Non-zero return code from FREEMAIN

**Explanation** An unexpected return code has occurred while trying to free storage. The return code is

also displayed.

**Action** If the problem recurs, contact your Software AG technical support representative.

**REV00054** Now creating sample report *report-name* 

**Explanation** When Adabas Review is invoked online for the first time, it adds sample Adabas

reports to its system file.

REV00055 Select a historical snapshot

**Explanation** Select a historical snapshot.

**Action** This message is for information only.

**REV00057** Use of function is prohibited

**Explanation** An attempt was made to perform an Adabas Review function that is not permitted for

the user.

**Action** Contact your Adabas Review administrator.

**REV00058** There are no saved reports to list

**Explanation** A request to list report definitions was made but there are no definitions to list.

**Action** This message is for information only.

REV00059 Operator command issued

**Explanation** The operator command was issued to Com-plete.

**Action** This message is for information only.

**REV00062** No data has been accumulated for this report

**Explanation** A request to display a report cannot be satisfied because the report has not yet

accumulated any data.

**Action** Determine if the report criteria is correct and if so, try again later or else add a new

report.

REV00064 Invalid function

**Explanation** An invalid function was entered.

**Action** Enter a valid function.

**REV00065 DBID** missing

**Explanation** DBID= was entered on the Adabas Review command line of the Adabas

Communication Statistics display, but no corresponding DBID number was given.

**Action** Enter DBID=*nnn* where *nnn* is a valid DBID number.

**REV00066** Invalid cursor position

**Explanation** The cursor was placed at an invalid location on a screen that senses the cursor position

to perform a function.

**Action** Place the cursor at a valid position or enter an Adabas Review command.

**REV00068** Invalid logical operator

**Explanation** An invalid logical operator was entered. Valid operators are:

=,:,<,>,EQ,NE,LT,GT,LE,GE

**Action** Enter a valid logical operator.

**REV00072** Mark one line only

**Explanation** More than one line was marked to perform a report function. This is not allowed.

**Action** Mark only one line at a time.

**REV00073** Invalid character in select column

**Explanation** A line has been marked with a character that has no assigned function.

**Action** Mark lines using valid characters.

**REV00074** Invalid Transaction Summary option

**Explanation** An invalid option was entered into the Transaction Summary Option field in the Edit

Report screen.

Valid options are NONE, SUM, and DET.

**Action** Enter a valid option.

REV00078 Report was not purged

**Explanation** The request to purge a started report was not performed.

**Action** This message is for information only.

**REV00079** Invalid message prefix

**Explanation** An inquiry was made for a message number that has an invalid prefix. Message

numbers must start with REV.

**Action** Enter the MSG command using a valid message number.

**REV00080** Com-plete functions are not valid under CICS

**Explanation** A Com-plete performance monitor function was attempted. This is not valid under

CICS.

**Action** This message is for information only.

REV00081 Review is not compatible with this version of Com-plete

**Explanation** A Com-plete performance monitor function was attempted on a version of Com-plete

earlier than version 4.4.

**Action** Install the current version of Com-plete.

**REV00082** Select a buffer pool or enter a Review command

**Explanation** The Adabas Review buffer pool function is waiting for terminal input.

**Action** Select a buffer pool by name or enter an Adabas Review command.

**REV00083** Syntax error in scan command

**Explanation** A syntax error was detected while processing a scan command on the ET display.

**Action** This message is for information only.

REV00084 Invalid buffer pool name

**Explanation** The buffer pool selection entered cannot be identified.

**Action** Enter a valid buffer pool name or enter an Adabas Review command.

REV00085 Command not allowed in history mode

**Explanation** The command entered is not allowed in history mode.

**Action** Do not enter command.

REV00086 No ADAB control block found

**Explanation** The Adabas Communication Statistics function was invoked, but there has not been any

database access since Com-plete was started. Therefore, there is no database

information to display.

**Action** Try again later.

REV00087 nn Reports removed from AUTOSTART status

**Explanation** This confirms that the indicated report definitions have been changed from

AUTOSTART to NON-AUTOSTART status.

**Action** This message is for information only.

REV00091 Invalid command code

**Explanation** An invalid code was entered for a command.

**Action** Enter a valid command code.

**REV00092** Report has been started

**Explanation** This confirms that the request to start a report was successful.

**Action** This message is for information only.

**REV00093** Syntax error(s) in report definition

**Explanation** The request to start an online report has failed because of syntax errors in the report

definition.

**Action** Correct the report definition and start the report again.

REV00094 Adabas response code rsp

**Explanation** Adabas has responded with a non-zero response code.

**Action** Use the *Adabas Messages and Codes* documentation to determine the problem.

REV00095 Report was not started

**Explanation** The request to start a report was not successful.

**Action** This message is for information only.

REV00096 User profile is being held by another user

**Explanation** An attempt was made to access a user profile that is being updated by another user.

**Action** Edit the user profile again. Ensure that the changes made to profile do not affect the

changes that you are making.

**REV00097** User profile not specified

**Explanation** The purge user (PU) command was given without specifying a user profile.

**Action** When using the purge user (PU) command, specify the user profile you wish to purge.

The format for the command is PU uuuuuu where uuuuuu is the user profile.

REV00098 User profile was not purged

**Explanation** A request was made to purge a user profile. When Adabas Review asked for a

confirmation, the user decided not to purge the user profile.

**Action** This message is for information only.

**REV00099** User profile was not found

**Explanation** An attempt was made to delete a user profile that was not found in the Adabas Review

repository.

**Action** Check to make sure the user ID you specified is correct.

**REV00100** User profile has been purged

**Explanation** This confirms that a request to purge a user profile was successful.

**Action** This message is for information only.

**REV00101** New user profile

**Explanation** The profile that you are editing is new.

**Action** You may now customize the new user profile. To save this new profile, press PF5or

issue the SAVE command.

**REV00102** User profile was not saved

**Explanation** A request was made to save the changes made to a user profile. When Adabas Review

asked for a confirmation, the user decided not to save the changes.

**Action** This message is for information only.

REV00104 Return code ret-code received from program-name

**Explanation** An unexpected return code was received from one of Adabas Review's programs.

**Action** Record the error message and contact your Software AG technical support

representative.

REV00105 User profile has been saved

**Explanation** The changes made to the user profile have been saved.

**Action** This message is for information only.

**REV00106** No Review control block found

**Explanation** (CICS Only) This message appears when *REVTAB* has not been defined as a resident

program.

**Action** Contact your Software AG technical support representative.

**REV00108** Default user profile has been added

**Explanation** This message appears the first time Adabas Review is invoked after installation. A

DEFAULT user profile is added to the Adabas Review repository, which allows all users to perform all functions of Adabas Review including the ability to maintain user

profiles.

**Action** A logical procedure at this point would be to invoke the user profile system and add

yourself as able to maintain user profiles. Then update the DEFAULT profile so that

general users cannot maintain user profiles.

**REV00111** No storage available to start report

**Explanation** A request to start a report has failed due to insufficient storage. This is probably

because of other reports that are using most or all of the storage allocated to Adabas

Review.

**Action** Purge one of the already existing reports or try again later.

REV00116 Statistics profile was not saved

**Explanation** The statistics profile was not saved.

**Action** This message is for information only.

**REV00120** Users attached for test simulation

**Explanation** This confirms that users have been attached to simulate a load on Com-plete.

**Action** This message is for information only.

REV00121 Error error-number attaching users

**Explanation** An error has occurred while trying to attach users for load simulation.

**Action** If the problem reoccurs, contact your Software AG technical support representative.

REV00123 Statistics profile has been saved

**Explanation** The statistics profile has been saved.

**REV00124** TID number must be numeric

**Explanation** A TID number was entered into the SA screen via the T= or TID= command but is was

not numeric.

**Action** Enter a numeric TID number.

**REV00125** Report definition has been saved successfully

**Explanation** This confirms that the request to save a report definition was successful.

**Action** This message is for information only.

**REV00129** Report definition not found

**Explanation** An attempt was made to retrieve a report definition but no report definition by that

name was found.

**Action** Determine the correct name or create a new definition.

**REV00132** Interval may not be greater than 1440 minutes

**Explanation** The interval may not be greater than 1440 minutes.

**Action** This message is for information only.

**REV00133** Review is terminating

**Explanation** A request was made to start, view, or list a report, but Adabas Review is in the process

of terminating.

**Action** This message is for information only.

**REV00134** Duplicate report name - report not started

**Explanation** An attempt to start an Adabas report has failed because a report with the same name is

already active.

**Action** Purge the currently active report and retry or start a report with a different name.

**REV00135** Review command not provided

**Explanation** An attempt was made to communicate with the Adabas Review exit but no Adabas

Review command was provided.

**Action** Provide an Adabas Review command.

**REV00137** Insufficient storage to issue Review command

**Explanation** The Adabas Review exit routine is not accepting communications due to insufficient

storage.

**Action** Purge at least one of the started reports.

**REV00138** Insufficient storage to start report

**Explanation** An attempt to start an Adabas Review report has failed due to insufficient storage.

**Action** Purge an active report and retry.

REV00139 Invalid SUMMARY, MAX or MIN field

**Explanation** An attempt to start an Adabas Review report has failed because fields were marked as

Sum, Min, Max, or Avg, but these fields are only allowed to be Order fields.

**Action** Make the fields Order fields only.

**REV00141** Format buffer error

**Explanation** A format buffer error has occurred while trying to communicate with the Adabas

Review exit routine.

**Action** Contact your Software AG technical support representative.

REV00144 Display program not found

**Explanation** An attempt to view an active report has failed because the display program for this

report cannot be found.

**Action** Generate a display program by resaving the report definition, if it is available, or

change the display program name on the LS screen to a program name that is known to

be acceptable for this report.

**REV00145** Natural error: *error-number* 

**Explanation** A Natural error condition occurred. The Natural error message number is displayed.

**Action** Reference the Natural online message utility for an explanation of the error.

REV00146 Report definition was not saved

**Explanation** The request to save a report definition was canceled by the user in response to an

overlay warning.

**Action** This message is for information only.

REV00147 Too many fields - exceeds max linesize - save canceled

**Explanation** The request to save a report definition was canceled because the resulting generated

display program would have exceeded the maximum allowable line size.

**Action** Reduce the number of fields and try again.

REV00148 DBID has been changed

**Explanation** This confirms that the request to change the target DBID was successful.

**Action** This message is for information only.

**REV00149** There are no started reports

**Explanation** A request to list started reports was made but there are no started reports to list.

**Action** This message is for information only.

**REV00150** Detailed reports cannot be viewed online

**Explanation** Only summary reports can be viewed online. Detailed reports are printed at Adabas

termination time.

**REV00151** Insufficient storage to reactivate report

**Explanation** An attempt was made to reactivate a report that was deactivated by Adabas Review due

to insufficient storage. The report cannot be reactivated.

**Action** Use the refresh (RF) command to purge the existing data and start accumulating new

information.

**REV00152** Report has been refreshed

**Explanation** This confirms that a refresh (RF) command was successful.

**Action** This message is for information only.

**REV00153** There are no history reports

**Explanation** A request to List History Reports was canceled because there are no history reports to

list.

**Action** This message is for information only.

REV00155 DBID must be between 0 and 255.

**Explanation** An attempt was made to change the DBID number to less than 0 or greater than 255.

**Action** Enter a DBID number in the range of 0 to 255.

REV00156 Invalid AND/OR field

**Explanation** A value other than AND or OR was entered into the AND/OR field of the selection

criteria on the Processing Rules screen.

**Action** Enter AND or OR.

**REV00157** No field specified

**Explanation** No field name was specified for the entered criteria on the Edit Report screen.

**Action** Enter a field name.

REV00158 AND/OR field not followed by another condition

**Explanation** AND or OR was entered into the AND/OR field of the Processing Rules screen but no

condition followed.

**Action** Either remove the AND/OR or enter another condition.

REV00159 AND/OR field missing

**Explanation** More than one condition was coded on the Processing Rules screen, but no AND/OR

was coded for the previous condition.

**Action** Enter AND/OR on the previous condition

REV00160 OPERATOR field missing

**Explanation** The OPERATOR field has been left blank on a condition.

**Action** Fill in the OPERATOR field.

REV00161 VALUE field missing

**Explanation** The VALUE field has been left blank on a condition.

**Action** Fill in the VALUE field.

**REV00162** Invalid OPERATOR field

**Explanation** An invalid operator was entered into the OPERATOR field of the Processing Rules

screen.

**Action** Enter a valid operator.

REV00163 Invalid field name

**Explanation** An invalid field name was entered on the Edit Report screen.

**Action** Press PF11 for a list of valid field names.

**REV00169** ORDER number too high

**Explanation** A number greater than 20 was entered into the ORDER field of the Edit Report screen.

20 is the highest number that can be entered.

**Action** Enter a number between 1 and 20.

REV00170 field-name is not a valid field for SUM, AVG, PCT or ROUND

**Explanation** A field was marked for SUM, AVG, PCT, or ROUND on the Edit Report screen, but

the field marked is not a numeric field. Fields must have a numeric output to be eligible

for SUM, AVG, PCT, or ROUND.

**Action** Place a number in the ORDER column, and remove any marks for SUM, AVG, PCT, or

ROUND.

REV00171 SAVE/START canceled by operator

**Explanation** The request to save a report definition was canceled by the user in response to an

overlay warning.

**Action** This message is for information only.

**REV00175** Invalid value

**Explanation** An invalid value was entered as part of a logical condition on the Edit Report screen.

**Action** Enter a valid value.

**REV00176** Internal storage error

**Explanation** An internal storage management error has occurred within the Adabas Review nucleus.

**Action** If the problem recurs, contact your Software AG technical support representative.

REV0017 ROUND is only valid on fields with an ORDER number

**Explanation** A rounding factor was specified for a field that does not also have an order number

specified.

**Action** Enter a number in the ORDER field, or remove the rounding factor.

REV00179 You must enter ORDER, SUM, MIN, MAX, PCT or AVG

**Explanation** A field was entered on the Edit Report screen but no action was specified; i.e. ORDER,

SUM, MIN, MAX, PCT, or AVG.

**Action** Enter a number in the ORDER field and/or an X in one or more of the SUM, MIN,

MAX, PCT, or AVG fields

REV00180 Invalid data in ROUND column

**Explanation** The data entered into the round column of the Edit Report screen was not numeric.

**Action** Enter a number with or without a decimal into the round field.

REV00181 ADACALL must be an integer between 0 and 32,767

**Explanation** ADACALL specifies the maximum number of Adabas calls an application can make

before the Com-plete / Adabas interface forces the application to be rolled out. This

parameter is ignored if ADAROLL=NO is specified.

**Action** Enter a number between 0 and 32,767.

REV00182 ADALIMIT must be an integer between 0 and 32,767

**Explanation** ADALIMIT specifies the number of Adabas calls that many be made by an online

transaction without any intervening terminal I/O. Programs that exceed this limit are

canceled.

**Action** Enter a number between 0 and 32,767.

REV00183 ADAROLL must be 'ALWAYS', 'NEVER', or less than 30.99

**Explanation** ADAROLL specifies the amount of time Com-plete will wait for Adabas calls before

rolling out the program making the call.

**Action** Enter ALWAYS, NEVER, or a number less than 30.99.

REV00184 ADACALL for DBID dbid has been changed to yyyyy by user-id

**Explanation** The ADACALL parameter for the specified database was changed to yyyyy through the

facilities provided by the Adabas Communication Statistics function (Adabas Calls

from Com-plete) in Adabas Review DC.

REV00185 ADALIMIT for DBID dbid has been changed to yyyyy by user-id

**Explanation** The ADALIMIT parameter for the specified database was changed to yyyyy through the

facilities provided by the Adabas Communication Statistics function (Adabas Calls

from Com-plete) in Adabas Review DC.

**Action** This message is for information only.

REV00187 Only 'Y' and 'N' are valid values

**Explanation** The letter "Y" (yes) and the letter "N" (no) are the only two valid values for this field.

**Action** Enter "Y" if you wish the APPLYMOD to be active; or enter "N" if you wish to

deactivate the applymod.

**REV00188** The ADABAS/COM-PLETE parameters have been updated

**Explanation** This message confirms that the Adabas / Com-plete parameters have been successfully

updated.

**Action** This message is for information only.

REV00190 Invalid cursor placement for requested function

**Explanation** The cursor must be placed on a line that contains valid data.

**Action** Place cursor on a line with valid data.

**REV00193** Too many xxx fields

**Explanation** xxx is ORDER, SUM, MIN, MAX, AVG, or ROUND. There were too many of the

indicated fields to process. When all field names are combined, they will not fit into an 80-byte statement. The 80-byte statements are used internally by Adabas Review for

report definition storage.

**Action** Reduce the number of fields by one until the message disappears.

**REV00195** Invalid page number entered

**Explanation** A number was entered on the Adabas Review command line that was greater than the

actual number of pages available.

**Action** Enter a valid page number.

REV00196 Roll buffer not allocated

**Explanation** The roll buffer is not allocated.

**Action** This message is for information only.

REV00197 Roll data sets not allocated

**Explanation** The roll data sets are not allocated.

**Action** This message is for information only.

REV00198 User not logged on

**Explanation** The user is not logged on.

**Action** This message is for information only.

**REV00199** Invalid wrap option

**Explanation** An invalid wrap option was specified in the report definition. The option must be

NONE, STD, or HIGH.

**Action** This message is for information only.

REV00200 Low water mark must be less than high water mark

**Explanation** The low water mark specified was higher than or equal to the high water mark.

**Action** Enter a number less than the high water mark.

REV00202 Review is not installed in database dbid

**Explanation** An attempt was made to either start a report or to list started reports against a database

that either does not have Adabas Review installed as a user exit 4 or does not currently

have LOGGING turned on.

**Action** Verify that Adabas Review is installed on the target DBID. If it is, ensure that

ADARUN LOGGING=YES has been specified and that LOGGING has not been

subsequently disabled from the operator console.

REV00203 Report hard copy has been queued

**Explanation** This confirms that a request to send report output to a hardcopy device completed

successfully, and that the report is either now printing or has been placed on the queue

to be printed.

**Action** This message is for information only.

REV00205 Invalid display program name

**Explanation** An attempt was made to change the display program name using the CP command of

the List Reports screen, but the new name is blank or invalid.

**Action** Enter a valid program name.

REV00206 Display program name has been changed

**Explanation** This confirms that the request to change the display program name using the CP

command of the List Report Definitions screen was successful.

**Action** This message is for information only.

REV00207 Report definition was purged by another user

**Explanation** The report definition selected is being purged by another user.

**Action** This message is for information only.

REV00209 Invalid character in report name

**Explanation** An invalid character such as a quotation mark or a period was used as part of the report

name.

**Action** Remove the invalid character from the report name.

REV00210 Invalid start/stop date

**Explanation** A date range was entered for viewing a history report but the date(s) are not valid. This

may mean that the starting date is greater than the ending date, or that invalid numeric

data or an invalid date format has been entered.

**Action** Enter a valid date range in the form of yyyy-mm-dd or press ENTER to default to the

maximum date range.

**REV00211** History reports must be purged from the expanded list

**Explanation** An attempt was made to purge a history report from the LH screen. This is not a valid

LH function. The list must be expanded using the EX command before history reports

can be purged.

**Action** Enter EX in the SEL column next to the report to be purged. An expanded list will

appear from which the Purge History Report (PH) function can be executed.

**REV00212** Enter date range

**Explanation** This prompts you to enter a date range before viewing a history report. The maximum

date range (all dates) is the default.

**Action** Enter a date range in the form of yyyy-mm-dd, or press ENTER to default to the

maximum date range.

**REV00214** Display program regeneration complete

**Explanation** The request to regenerate display programs has completed successfully.

**Action** This message is for information only.

**REV00217** Review system file not available

**Explanation** Adabas Review attempted to read information from its system file but received an

Adabas response code of 148 (ADARSP148).

**Action** Bring up the database that has the Adabas Review repository and make sure that the

LFILE parameter has been specified correctly.

REV00218 Default system must be 'DB', 'DC', 'MM', or 'NM'

**Explanation** An invalid value was entered for default system. The valid system codes are:

DB	Database (Adabas Review)
DC	Data Communication
MM	Main Menu
NM	Natural Monitor

**Action** Enter a valid system code.

**REV00219** Input not numeric

**Explanation** A value was entered into a field that is intended to accept numeric data only.

**Action** Enter a valid numeric value.

**REV00220** Auto regenerate started

**Explanation** The subtask to generate auto-report definitions was successfully started.

**Action** This message is for information only.

**REV00221** Auto regenerate already active

**Explanation** The subtask to generate auto-report definitions is still active from a previous execution.

**Action** Wait a few seconds and try the command again.

**REV00222** Auto regenerate failed

**Explanation** The subtask to regenerate auto-report definitions was not attached and did not run.

Action Check your Adabas STEPLIB and make certain that the module RAOSAUTO is

present.

**REV00223 UEX4 version error** 

**Explanation** The Adabas UEX4 module RAOSEXIT is not the correct version.

**Action** Verify that Adabas Review has been correctly installed.

**REV00224** MSG function not available from this screen

**Explanation** The Adabas Review message help subsystem is not available from this screen.

**Action** Perform the MSG function from another screen.

REV00225 DBID must be between 1 and 65535

**Explanation** The target database ID must be in the range between 1 and 65535.

**Action** Enter a database ID in the specified range.

REV00226 SVC cannot be 0

**Explanation** The SVC specified cannot be 0.

**Action** Enter a correct SVC number.

REV00227 Target type must be 'ADA', 'NET', 'NPR', or 'TPF'

**Explanation** The target type must be one of the specified values.

**Action** Enter the correct target type.

**REV00228 DBID** for Adabas target type must be less than 255

**Explanation** If the target type is ADA, then the target database ID must be in the range of 1 to 255.

**Action** Enter a database ID in the specified range.

REV00229 Field value must be 'Y' or 'N'

**Explanation** An invalid value was entered for the field.

**Action** Enter a valid field value: either yes ("Y") or no ("N").

REV00230 No target definition found for target target-id

**Explanation** The target definition did not exist for the requested target.

**Action** Define the target.

REV00231 Target definition for DBID dbid saved

**Explanation** The target definition was successfully saved.

**Action** This message is for information only.

REV00234 Default definition cannot be purged

**Explanation** The default definition for target 00000 cannot be purged.

**REV00235** Target definition(s) purged successfully

**Explanation** The target definitions marked for purge were successfully deleted.

**Action** This message is for information only.

REV00236 No target definition exists for DBID dbid and default is not present

**Explanation** The target definition for the database specified did not exist, and there was also no

default definition.

**Action** Add the target definition for the specified target.

**REV00237** Generate started

**Explanation** The subtask to generate report definitions was successfully started.

**Action** This message is for information only.

**REV00238** Generate already active

**Explanation** The subtask to generate report definitions is still active from a previous execution.

**Action** Wait a few seconds and try the command again.

**REV00239** Generate failed

**Explanation** The subtask to generate report definitions was not attached and did not run.

Action Check your Adabas STEPLIB and make certain that the module RAOSAUTO is

present.

**REV00240** Function canceled

**Explanation** The requested function was terminated by user request and was not performed.

**Action** This message is for information only.

**REV00241** Review file set successfully

**Explanation** The Adabas Review data file's database ID and file number were set successfully.

REV00242 Unable to open command log file for output

**Explanation** A report was started with the logging option set to "Y" (yes), but the file specified for

output cannot be opened. The report is started without logging.

**Action** If this is an online report, make sure the DSN field of the Report Options screen is set to

a valid command log output file. If this is a batch report, make sure the DSN= parameter of the LOG statement is set to a valid command log output file.

**REV00243** Adabas Online Services is not installed

**Explanation** The request to invoke Adabas Online System (AOS) from Adabas Review has failed

because AOS is not installed in the current Natural system file.

**Action** This message is for information only.

**REV00244** Components not installed properly

**Explanation** The installation process did not complete successfully.

**Action** Make sure that all INPL and IUPD tapes are properly installed.

REV00245 PFnn not defined

**Explanation** The PF key that was pressed is not defined to perform a function.

**Action** Press a valid PF key.

REV00246 Press 'PF3' to exit or 'PF5' to save the profile

**Explanation** To exit without saving the changes made to a user profile, press PF3. To save the

changes made to a user profile, press PF5.

**Action** See explanation.

REV00247 Userid must be specified

**Explanation** A user ID must be specified.

**Action** Enter a user ID.

REV00248 Natural error error-number has occurred on line line-number of program

program-name

**Explanation** A Natural error has occurred in one of Adabas Review's programs.

**Action** Record the information given in the message and contact your Software AG technical

support representative.

REV00249 Command log data set already in use

**Explanation** A report was started with the logging option set to "Y" (yes), but the specified output

data set is already in use by another report. The report is started without logging.

**Action** Either use another data set, or purge the report that is using the command log data set.

**REV00250** Logging is not valid for summary reports

**Explanation** LOGGING was specified on the Report Options screen for a summary report. Only

detail reports can perform the LOGGING function.

**Action** Either set LOGGING to "N" or set SUM/DETAIL to "D".

**REV00252** At least one field is required

**Explanation** An attempt was made to save a report definition with no fields to be displayed. At least

one field is required to save a report.

**Action** Correct the report definition and press PF5to save the report definition.

**REV00253** There are no report definitions on file

**Explanation** A request to list report definitions cannot be satisfied because there are no definitions to

list.

**Action** This message is for information only.

**REV00254** At least one order field is required

**Explanation** An attempt to save a summary report failed because there are no ORDER fields. At

least one ORDER field is required for summary reports.

**Action** Make at least one field an ORDER field and save the report.

**REV00255** Report definition conversion complete

**Explanation** The process of converting Adabas Review report definitions has completed.

**Action** This message is for information only.

**REV00256** History file conversion complete

**Explanation** The process of converting Adabas Review history reports completed.

**Action** This message is for information only.

**REV00257** User profile conversion complete

**Explanation** The process of converting Adabas Review user profiles has completed.

**Action** This message is for information only.

**REV00258** Report definition conversion was canceled

**Explanation** The process of converting Adabas Review report definitions was canceled at the request

of the user. Any reply other than "yes" or "change" on the LFILE confirmation screen

will cause this message.

**Action** This message is for information only.

REV00259 History file conversion was canceled

**Explanation** The process of converting Adabas Review history reports was canceled at the request of

the user. Any reply other than "yes" or "change" on the LFILE confirmation screen will

cause this message.

**Action** This message is for information only.

**REV00260** User profile conversion was canceled

**Explanation** The process of converting Adabas Review user profiles was canceled at the request of

the user. Any reply other than "yes" or "change" on the LFILE confirmation screen will

cause this message.

**REV00261** There are no report definitions to convert

**Explanation** An attempt was made to convert report definitions, but there are none to convert.

Adabas Review only converts report definitions that do not already exist in the target

Adabas Review repository.

**Action** This message is for information only.

**REV00262** There are no history reports to convert

**Explanation** An attempt was made to convert Adabas Review history reports, but there are none to

convert.

**Action** This message is for information only.

**REV00263** There are no user profiles to convert

**Explanation** An attempt was made to convert Adabas Review user profiles, but there are none to

convert. Adabas Review only converts user profiles that do not already exist in the

target Adabas Review repository.

**Action** This message is for information only.

**REV00264** Error *error-number* while trying to convert report definitions

**Explanation** Either an Adabas or a Natural error has occurred while trying to convert report

definitions.

**Action** Follow the Adabas or Natural procedures for error correction.

REV00265 Error *error-number* while trying to convert history reports

**Explanation** Either an Adabas or a Natural error has occurred while trying to convert history reports.

**Action** Follow the Adabas or Natural procedures for error correction.

REV00266 Error *error-number* while trying to convert user profiles

**Explanation** Either an Adabas or a Natural error occurred while trying to convert user profiles.

**Action** Follow the Adabas or Natural procedures for error correction.

**REV00267** Do not try to convert to and from the same file

**Explanation** An attempt was made to run an Adabas Review conversion program with identical TO

and FROM files.

**Action** Correct the LFILE for the TO or FROM file.

**REV00268** Invalid file number

**Explanation** The user attempted to change the database ID and file number of the Adabas Review

repository. The file number specified was not an Adabas Review file.

**Action** Specify a correct Adabas Review DBID/file number.

REV00269 No active targets found on SVC svc

**Explanation** No active database targets were found on the SVC number specified in the message.

**Action** Verify that the target definitions are defined to the correct SVC number.

**REV00270** Database *dbid* is a Natural Process target

**Explanation** The target selected is a Entire System Server (formerly Natural Process) target type.

**Action** This message is for information only.

REV00271 Database *dbid* is not active

**Explanation** The database selected is not active.

**Action** This message is for information only.

REV00272 Database *dbid* is a non-Adabas target

**Explanation** The database selected is a non-Adabas type target.

**Action** This message is for information only.

**REV00273** Report is already suspended

**Explanation** An attempt was made to suspend a report that was is already suspended.

**REV00274** Invalid OP summary option

**Explanation** An invalid option was entered on the Edit Report screen for the OP summary

parameter.

**Action** Enter a valid option.

**REV00275** New report definition

**Explanation** A new report definition is being created.

**Action** Enter the parameters for the new report definition or exit.

**REV00276** Report is already active

**Explanation** An attempt was made to reactivate a report that was already active.

**Action** This message is for information only.

REV00277 History data has been purged

**Explanation** Historical data was purged.

**Action** This message is for information only.

REV00278 History data was not purged

**Explanation** Historical data was not purged.

**Action** This message is for information only.

REV00279 History data not found

**Explanation** Historical data was not found.

**Action** This message is for information only.

REV00280 Available storage in thread insufficient

**Explanation** The available storage in the thread is insufficient.

**Action** Contact your Software AG technical support representative.

REV00281 An invalid request or an invalid FQE was found

**Explanation** An invalid request or an invalid free queue element (FQE) was found.

**Action** Contact your Software AG technical support representative.

REV00282 No response time report definition was specified

**Explanation** No response time report definition was specified.

**Action** Contact your Software AG technical support representative.

REV00283 Report definition has been purged

**Explanation** Report definition has been purged.

**Action** This message is for information only.

REV00284 Report definition was not purged

**Explanation** Report definition was not purged.

**Action** This message is for information only.

REV00285 Invalid device type for download

**Explanation** An attempt was made to download a report but the Natural session is not in PC mode.

**Action** If the device is a PC using Entire Connection, set your Natural session to PC mode by

entering %+ on the command line, and reenter the DL command.

**REV00286 Duplicate order numbers** 

**Explanation** More than one field has the same order number on the Edit Report screen.

**Action** Make each order number unique.

**REV00288** Report is not active

**Explanation** An attempt was made to perform a function on a started report, but no started report

with the specified report name was found.

REV00289 LOG command not allowed while viewing data

**Explanation** An attempt was made to issue the LOG command while viewing a report.

**Action** Stop viewing the report and reissue the LOG command.

REV00290 Adabas Review logging status changed

**Explanation** The Adabas Review dynamic logging options have been updated.

**Action** This message is for information only.

**REV00291** Error returned during LOG request - *nnnn* 

**Explanation** The LOG command was issued and an error occurred during processing. nnnn = the

response code associated with the error.

**Action** Follow the Adabas or Natural procedures for error correction.

**REV00292** Review not installed on database

**Explanation** While attempting to view the buffer pool display, Adabas determined that Adabas

Review was not installed on that database and issued a response code.

**Action** This message is for information only.

REV00293 Function restarted due to Adabas rsp code 9

**Explanation** A Adabas Review function was restarted from the beginning because an Adabas

response code 9 (ADARSP009) was received.

**Action** This message is for information only.

**REV00294** NM component not installed

**Explanation** An attempt was made to enter Adabas Review NM, but the NM component was not on

the installation tape.

**Action** Determine whether the NM component was actually purchased. If it was purchased,

then you may have inadvertently received the wrong Adabas Review installation tape.

Contact your Software AG representative.

**REV00295** Select a history report

**Explanation** An attempt was made to view a list of dates and times of history records for a response

time report without specifying the name of the report.

**Action** Specify the response time name.

REV00296 TID must be between 1 and 65,535

**Explanation** The terminal ID (TID) must be between 1 and 65,535.

**Action** Enter a valid TID number.

REV00297 Invalid TID specified

**Explanation** An invalid terminal ID (TID) was specified.

**Action** Enter a valid TID number.

**REV00299** Function has been discontinued

**Explanation** The current version of Adabas Review no longer supports the requested function.

**Action** Refer to the *Adabas Review User* documentation for a list of available features and

functions.

**REV00300** Report not on file

**Explanation** The requested report definition could not be found in the Adabas Review data file.

**Action** This message is for information only.

**REV00301** No OP summary information available

**Explanation** No OP summary information was available for the report specified.

**Action** This message is for information only.

**REV00306** First field cannot be a buffer segment

**Explanation** A DB report was defined with the first field as a buffer segment (FBSEG01, RBSEG01

ETC). The first field cannot be a buffer segment.

**Action** Make another field the first field.

**REV00307** No resident PGMLIB defined

**Explanation** A request was made to view a list of programs in the resident program library buffer,

but none were defined to Com-plete.

**Action** This message is for information only.

**REV00308** No resident programs defined

**Explanation** A request was made to view a list of programs in the resident programs, but none where

defined to Com-plete.

**Action** This message is for information only.

**REV00309** Unable to locate Adabas IDTH

**Explanation** Adabas Review was unable to locate the Adabas IDT header.

**Action** Contact your Software AG technical support representative.

**REV00310** Unable to load ADALDI

**Explanation** Adabas Review was unable to load the ADALDI text module from the Adabas

TXTLIB.

**Action** Verify that the Adabas TXTLIB is accessible from your z/VM machine.

REV00311 Database dbid has been ignored

**Explanation** The specified database has been ignored because an entry for the DBID was found in

the IGNORE table in program N-IGNORE. No STATUS information is returned for

this database.

**Action** If STATUS information for the database should be returned, edit and STOW the

program N-IGNORE.

**REV00312** Insufficient storage to reset stopwatch

**Explanation** An attempt to reset the stopwatch was unsuccessful due to insufficient storage.

**Action** Try again later.

REV00313 Only 'ON' and 'OFF' are valid values

**Explanation** A value other than ON or OFF was entered.

**Action** Enter ON or OFF.

REV00314 Command log data set switched

**Explanation** The command log data set was switched successfully.

**Action** This message is for information only.

**REV00315** Command logging is not active for report

**Explanation** Adabas Review command logging is not active for the specified report.

**Action** Choose a report that has command logging.

REV00316 Invalid subpool ID

**Explanation** The subpool ID specified was invalid.

**Action** Select a valid subpool.

**REV00317** There are no transaction summary records

**Explanation** A Response Time Report was requested but no transaction summary records exist for

the selected report.

**Action** This message is for information only.

**REV00318** There are no OP summary records

**Explanation** A Response Time Report was requested but no OP summary records exist for the

selected report.

**Action** This message is for information only.

REV00319 Too many "AND" fields in selection criteria

**Explanation** The AND fields in the selection criteria have resulted in a data string that is too long for

Adabas Review to process.

**Action** Reduce the number of AND statements and resave the report.

REV00320 Too many "OR" fields in selection criteria

**Explanation** The OR fields in the selection criteria have resulted in a data string that is too long for

Adabas Review to process.

**Action** Reduce the number of OR statements and resave the report.

REV00321 Target SVC cannot be greater than 255

**Explanation** A value larger than allowed was entered in the SVC field of the target definition. The

maximum value for this field is 255.

**Action** Enter the correct SVC number.

REV00322 User has already been canceled

**Explanation** The user specified in the cancel function has already been canceled.

**Action** This message is for information only.

REV00323 TID terminal-id canceled

**Explanation** The specified terminal ID has been canceled.

**Action** This message is for information only.

REV00325 TERMINAL terminal-name canceled

**Explanation** The specified terminal has been canceled.

**Action** This message is for information only.

REV00326 TID terminal-id not found

**Explanation** The terminal ID specified in the cancel, pick, or force function could not be found.

**Action** This message is for information only.

REV00327 User user-id not found

**Explanation** The user specified in the cancel, pick, or force function could not be found.

**REV00328** Terminal terminal-name not found

**Explanation** The terminal name specified in the cancel, pick, or force function could not be found.

**Action** This message is for information only.

REV00329 Invalid TID specified

**Explanation** The terminal ID number specified in the cancel, pick, or force function was not a valid

numeric value.

**Action** This message is for information only.

**REV00330** Response time report - report-name STARTED

**Explanation** The specified Adabas Review response time report was successfully autostarted.

**Action** This message is for information only.

**REV00331** No autostarted reports found to start

**Explanation** No Adabas Review Response Time reports were found to autostart.

**Action** This message is for information only.

**REV00332** One report has been autostarted

**Explanation** Adabas Review has started one autostarted response time report.

**Action** This message is for information only.

**REV00333** *count* reports have been autostarted

**Explanation** Adabas Review started the specified number of autostarted response time reports.

**Action** This message is for information only.

REV00334 History task recovery from Adabas time-out

**Explanation** The Adabas Review history interval task successfully recovered from an Adabas

timeout (response code 9, ADARSP009).

REV00335 RNMH history task initializing in Natural

**Explanation** The Adabas Review history interval task successfully invoked Natural and is

initializing.

**Action** This message is for information only.

**REV00336** History task terminating. Unable to locate RNMTAB

**Explanation** The Adabas Review history interval task terminated because it was unable to locate

RNMTAB.

Action Check that RNMTAB has been defined to CICS as a resident PPT entry, and that

RNMTAB is available to CICS.

REV00337 History task terminating. Unable to load module-id

**Explanation** The Adabas Review history interval task terminated because it was unable to locate the

RNMCICS.

**Action** Check that RNMCICS has been defined to CICS as a PPT entry and that RNMCICS is

available to CICS.

REV00338 History task terminating. Natural error error-number detected during

initialization

**Explanation** The Adabas Review history interval task terminated because it encountered a Natural

error during initialization.

**Action** Investigate the Natural error indicated, correct the problem, and restart the history

subsystem.

REV00339 History task terminating. NM data file has not been initialized

**Explanation** The Adabas Review history interval task terminated because it detected that the Adabas

Review Natural Monitor data file was not initialized.

**Action** Verify that the INSTALL program has been executed to initialize the Adabas Review

Natural Monitor data file.

REV00340 History task terminating. Non-recoverable Natural error detected

**Explanation** The Adabas Review history interval task terminated because it encountered an error in

Natural from which it could not recover.

**Action** Investigate the Natural error indicated, correct the problem, and restart the history

subsystem.

REV00341 History task terminating normally

**Explanation** The Adabas Review history interval task terminated normally.

**Action** This message is for information only.

REV00342 History task terminating. Maximum reinitialization counter exceeded

**Explanation** The Adabas Review history interval task terminated because the counter for maximum

reinitializations was exceeded.

**Action** Check messages sent to Adabas Review prior to this message to determine why the

history task has reinitialized so many times.

REV00343 History task terminating

**Explanation** The Adabas Review history interval task terminated.

**Action** Check other Adabas Review messages issued prior to this message to determine if an

error condition was encountered.

REV00344 TID terminal-id canceled by user-id at terminal terminal-name

**Explanation** The user with the specified terminal ID was canceled by another user at another

terminal.

**Action** This message is for information only.

REV00345 User user-id canceled by user-id at terminal terminal-name

**Explanation** The user with the specified user ID was canceled by another user at another terminal.

REV00346 Terminal terminal-name canceled by user-id at terminal terminal-name

**Explanation** The terminal with the specified name was canceled by another user at another terminal.

**Action** This message is for information only.

REV00347 TID terminal-id forced

**Explanation** The user with the specified terminal ID was forced.

**Action** This message is for information only.

REV00348 User user-id forced

**Explanation** The user with the specified user ID was forced.

**Action** This message is for information only.

REV00349 Terminal terminal-name forced

**Explanation** The terminal with the specified name was forced.

**Action** This message is for information only.

REV00350 TID terminal-id forced by user-id at terminal terminal-name

**Explanation** The user with the specified terminal ID was forced by another user at another terminal.

**Action** This message is for information only.

REV00351 User user-id forced by user-id at terminal terminal-name

**Explanation** The user with the specified user ID was forced by another user at another terminal.

**Action** This message is for information only.

REV00352 Terminal terminal-name forced by user-id at terminal terminal-name

**Explanation** The terminal with the specified name was forced by another user at another terminal.

**REV00353** User must be canceled before force

**Explanation** A CANCEL command must be issued for a user before a FORCE command can be

issued.

**Action** This message is for information only.

**REV00354** Invalid autostart option

**Explanation** An invalid response time report autostart option was specified. The value must be "Y"

or "N".

**Action** Specify valid value.

REV00355 Invalid history refresh option

**Explanation** An invalid response time report history refresh option was specified. The value must be

"Y" or "N".

**Action** Specify a valid value.

REV00356 Value must be in range range-start through range-end

**Explanation** The value specified is invalid for the field. Valid values are denoted by <range-start>

through <range-end> in the message.

**Action** Specify a valid value in the range specified.

REV00357 History task terminating. Review NM incorrectly installed

**Explanation** The Adabas Review history interval task terminated because it was unable to verify that

the Adabas Review Natural Monitor code was correctly linked with the Natural

nucleus.

**Action** Verify that the Adabas Review NM code is correctly linked with the Natural nucleus.

REV00359 Report definition has been copied

**Explanation** The request to copy a report definition was successful.

**REV00360** Review repository not available

**Explanation** An Adabas response code 148 (ADARSP148) was received while trying to store

information in an Adabas Review repository.

**Action** Insure that the database ID and file number are correct and that the database is

available.

REV00361 Database dbid inactive or invalid. Type 'TECH' for reason

**Explanation** The user attempted to perform an Adabas Review function against a database that was

inactive, did not have Adabas Review installed, or was not running a compatible

version of Adabas Review.

Action From the Database System menu, type TECH to determine why the current Adabas

Review database is invalid and correct the error.

REV00362 Review is not installed in database dbid

**Explanation** Using the DBID= command, the user attempted to change the Adabas Review database

being accessed. The database selected did not have Adabas Review installed.

**Action** Verify that the database specified in the DBID= command is a valid Adabas Review

database.

**REV00363** Database *dbid* is not active

**Explanation** Using the DBID= command, the user attempted to change the Adabas Review database

being accessed. The database selected was not active (Adabas response code 148,

ADARSP148).

**Action** Verify that the database specified in the DBID= command is a valid Adabas Review

database and that it is active.

REV00364 Database dbid is below Review V3.4

**Explanation** Using the DBID= command, the user attempted to change the Adabas Review database

being accessed. The database selected has an invalid version of Adabas Review

installed.

**Action** Verify that the database specified in the DBID= command is a valid Adabas Review

database.

REV00365 Response code rsp received accessing DBID dbid

**Explanation** Using the DBID= command, the user attempted to change the Adabas Review database

being accessed. The user received the indicated response code.

**Action** Verify that the database specified in the DBID= command is a valid Adabas Review

database.

REV00366 TECH command only available from the DB system main menu

**Explanation** The user attempted to executed the TECH command from an Adabas Review panel

other than the Database System menu. The Adabas Review TECH command is only

executable from the Database System menu.

**Action** Execute the TECH command from the Database System menu.

**REV00367** Display program does not match report

**Explanation** A VIEW or VW command terminated because the display program invoked was

generated for a different report.

**Action** Regenerate the display program for the report that failed using the RG function of the

List Reports screen.

**REV00368** Parentheses are required for a list or range

**Explanation** A list or range of values was entered without parentheses into a processing rule.

**Action** Include the values within parentheses.

**REV00369** Unpaired parentheses

**Explanation** The number of opening and closing parentheses are unequal.

**Action** Include a closing parentheses for each opening parentheses.

**REV00370** Invalid HELP command

**Explanation** An invalid command was entered into the command line of a help screen.

**Action** Enter a valid command or press a valid PF key.

**REV00371 GENAUTO** is not available in CMS

**Explanation** A GENAUTO (or GA) command was entered but is not implemented in z/VM.

**Action** This message is for information only.

REV00372 Download is invalid from this screen

Explanation DOWNLOAD (or DL) was entered from a screen where the DOWNLOAD command

is invalid.

**Action** Enter DL into the SEL column of the List Started Reports screen.

REV00373 MAX K must be at least n K

**Explanation** The MAX K value specified in the report options must be at least 4K for z/OS and

z/VSE and at least 8K for BS2000.

**Action** Specify a value for MAX K that is at least the minimum.

**REV00374** WRAPPING=Y only allowed on sequence reports

**Explanation** The WRAPPING value can only be set to "Y" for a SUMMARY report with

SEQUENCE as the first display field.

**Action** Only specify WRAPPING=Y for SUMMARY reports with SEQUENCE as the first

field.

**REV00375** Invalid page size - must be 1-255

**Explanation** The page size entered on the Report Options screen is invalid. The value must be

between 1 and 255.

**Action** Enter a valid page size.

REV00385 Value must be greater than 0.

**Explanation** The value must be greater than 0.

REV00386 FNR must be between 1 and 254

**Explanation** An attempt was made to change the FNR number to less than 1 or greater than 254.

**Action** Enter a FNR number in the range of 1 to 254.

REV00390 List not sorted due to excessive report data

**Explanation** The expanded list of history report occurrences could not be sorted because the

resulting ISN list was too large. The list is displayed unsorted.

**Action** Increase the value in the LS ADARUN parameter.

**REV00391** History report compression complete

**Explanation** The request to compress a history report completed successfully.

**Action** This message is for information only.

**REV00392** File is in use by another compression process

**Explanation** An attempt was made to compress a history report but another report was being

compressed at the time. This message can also occur if a CH function did not complete

successfully.

**Action** If another report is being compressed, wait until it completes and try again. If a CH

function failed, you must run the RESET function.

To run the RESET function:

1. Enter RESET HISTORY FILE on the command line of the DB System menu.

2. Follow the instructions on the screen.

**REV00393** Compression will not be performed

**Explanation** A reply of "N" was given in response to the confirmation prompt prior to compressing a

history report.

**Action** This message is for information only.

**REV00394** History file does not need resetting

**Explanation** A request to reset the history file was made but the file does not need resetting.

**REV00395** History file has been reset

**Explanation** This confirms that the history file has been reset. This essentially unlocks the lock that

was placed on the file during a CH function.

**Action** None if the message says HISTORY FILE HAS BEEN RESET.

If the message also says DATA WAS LOST, restore the history file to a state prior to

when the failing CH function was performed.

REV00396 Duplicate field in "AND" expression

**Explanation** A logical "AND" expression contains a duplicate field name in a processing rule. When

using "AND" to connect fields, each field name can be used only once per expression.

**Action** Remove the duplicate field name from the expression.

**REV00397** Target DBID has been changed

**Explanation** The target DBID has been successfully changed for the report definition.

**Action** This message is for information only.

**REV00398** Bufferpool reports cannot be printed or downloaded

**Explanation** The graphical bufferpool reports cannot be downloaded or printed: they may only be

viewed.

**Action** Use the VW command to view the report.

REV00399 AA is not available in VM/CMS

**Explanation** The AA function is not available in z/VM.

**Action** This message is for information only.

**REV00400** Non zero response from target = nnn

**Explanation** A non-zero response code was returned from the specified target.

**Action** Determine why the non-zero response code occurred.

**REV00401** Report defaults were saved

**Explanation** The report defaults were saved successfully.

**Action** No action is required for this informational message.

**REV00402** No matching reports to generate

**Explanation** GENAUTO was started in local mode, but there are no autostarted reports with

DBID-TO-MONITOR set to the local DBID. No autostarted reports will be generated.

**Action** No action is required for this informational message.

REV00403 Update completed

**Explanation** The report options were updated successfully.

**Action** No action is required for this informational message.

**REV00404** No changes to update

**Explanation** A request to update reports was unnecessary because no changes were made.

**Action** No action is required for this informational message.

**REV00405** Cannot start a rpt that monitors a hub

**Explanation** A request to start a report was unsuccessful because the DBID-TO-MONITOR was set

to the Adabas Review hub ID. Adabas Review reports can only monitor Adabas targets.

**Action** Correct the report and retry.

REV00406 Only one buffer segment allowed per report

**Explanation** More than one buffer segment was defined in a report. Only one buffer segment per

report is allowed.

**Action** Correct the report and retry.

**REV00407** There are no history records to convert

**Explanation** An attempt was made to convert history records, but there are no history records to

convert.

**Action** No action is required for this informational message.

REV00408 Only 1 order field allowed with sum exit

**Explanation** A summary exit was specified, but more than one order field was chosen for the report.

Summary exit reports are limited to one (1) order field.

**Action** Reduce the number of order fields to 1.

**REV00409** Heartbeat report cannot be purged

**Explanation** A request to purge the Heartbeat report was made. The Heartbeat report cannot be

purged.

**Action** No action is required for this informational message.

**REV00410** Report defaults not saved

**Explanation** A user canceled a prompt to confirm the saving of report defaults.

**Action** No action is required for this informational message.

REV00411 xxxxxxxx cannot be edited

**Explanation** The EP command was used to edit a display program, but the display program is for a

fixed format report. Since these programs are specific, not dynamic, no source code is

available to the user.

**Action** No action is required for this informational message.

**REV00412 NUCID** *nnnnn* is not available

**Explanation** An attempt was made to change the nucleus ID with which Adabas Review

communicates, but the requested nucleus ID was not available.

**Action** Enter the NUC LIST command to obtain a list of available nucleus IDs and try again.

**REV00413** NUCID only valid for cluster databases

**Explanation** A user executed the NUCID or NUC LIST command for a non-cluster database.

**Action** No action is required for this informational message.

REV00414 Duplicate field names not allowed

**Explanation** Two or more fields with the same name were entered on the ER screen. This is not

allowed.

**Action** Remove the duplicate fields.

**REV00415** Detail printer not available

**Explanation** A request to start a detail report failed because there was no detail printer available.

**Action** Delete another detail report first or provide more printers in the startup JCL. Then try

again.

**REV00416** Invalid data in rules value

**Explanation** An invalid character was entered into a processing rules value.

**Action** Remove the invalid character from the rules value and try again.

**REV00417** Pulse interval must not be greater than 1440

**Explanation** The pulse interval was incorrectly specified for a Pulse report.

**Action** Specify a value between 1 and 1440 and try again.

**REV00418** BUFFPOOL is not delivered in source form

**Explanation** An attempt to edit the display program BUFFPOOL failed because it is not delivered as

source.

**Action** No action is required for this informational message.

**REV00419** List size exceeded

**Explanation** The maximum list size of 10 has been exceeded in a processing rule.

**Action** Limit the list size to 10 and try again.

**REV00420** Unable to obtain SVC list

**Explanation** An AA command was issued, but the list of SVCs cannot be accessed.

**Action** Make certain that ADATMZ exists and is accessible from the current Adabas Review

hub or database. Then try again.

**REV00421** There are no targets for this SVC

**Explanation** After an AA command, an SVC was selected, but there are not targets available for that

SVC.

**Action** No action is required for this informational message.

REV00422 Only order fields are allowed for detailed reports

Explanation SUM, MIN, MAX, AVG, or ROUND were selected on the Edit Reports screen, but the

report is a detailed report. ORDER is the only valid entry for a detailed report.

**Action** Remove the invalid entries and try again.

**REV00423** Report type changed -- defaults were reset

**Explanation** While editing a report, the detail/summary report type was changed. Each report type

requires its own set of default report options. The default report options for the new

report type have now been loaded.

**Action** No action is required for this informational message. Press PF2 to make any necessary

changes to the report options.

**REV00424** Unable to retrieve data from target *nnnnn* 

**Explanation** For reasons unknown to Adabas Review, the requested target was unable to supply AA

information.

**Action** No action is required for this informational message.

**REV00425** Parameter input is missing or invalid

**Explanation** The expected parameter input was either missing or has invalid data.

**Action** Correct the input data and try again.

REV00426 Value for *keyword* is missing or invalid.

**Explanation** The parameter input for a keyword was either missing or has invalid data.

**Action** Correct the keyword input and try again.

**REV00427** {TARGET|DBID|FILE} is not available

**Explanation** The parameter input for a SET command keyword refers to an unavailable destination.

**Action** Correct the keyword data or make sure the destination is available.

REV00428 {TARGET ID|DBID|FILE} has been set to nnnnn

**Explanation** A SET command changed the target ID, database ID, or file successfully.

**Action** No action is required for this informational message.

**REV00429 SET program has terminated with errors** 

**Explanation** The SET program encountered errors. The error will have been more clearly identified

in a previous message.

**Action** Correct the error and try again.

**REV00430** More than 256 target definitions on file

**Explanation** The maximum number of target definitions has been exceeded.

**Action** Limit the number of targets to 256.

**REV00431** Cannot save report due to error

**Explanation** An attempt to save a report was unsuccessful because there was an error in the report

definition.

**Action** Correct the report definition and try again.

**REV00432** There are no **REVIEW** hubs running on SVC *nnn* 

**Explanation** The AH (Available Review Hubs) command was entered but there are no hubs running

in the current SVC to display.

**Action** No action is required for this informational message.

**REV00433** ADATMZ cannot be loaded

**Explanation** Upon initialization, SYSREVDB calls a program named ADATMZ. This program was

not available.

Action Make certain ADATMZ is installed and available to SYSREVDB. If the problem

continues, contact your Software AG technical support representative.

**REV00434** ADATMZ version is too low

**Explanation** Upon initialization, SYSREVDB calls a program named ADATMZ. The version of

ADATMZ that was loaded is too low.

Action Install the current version of ADATMZ. Contact your Software AG technical support

representative for assistance.

**REV00435** Buffer Pool reports cannot have DBID=ALL

**Explanation** A value of "ALL" was specified as the DBID to monitor while attempting to start a

report. Buffer Pool reports must only collect data from a single database, specifying

"ALL" for them is not allowed. The report will not be started.

**Action** Specify a numeric DBID for the Buffer Pool report.

**REV00436** Invalid field for client report

**Explanation** A reporting field was referenced in a client report that was not valid for client reports.

Client reports have a restricted set of available fields. A complete list of these fields is

provided in ????

**Action** Specify a valid field name.

REV00437 The maximum number of fields has been selected

**Explanation** While selecting fields for a report using the online field selection screens, the maximum

allowable number of fields you can select has been reached. All fields selected beyond

the maximum are ignored.

**Action** Specify fewer fields, ensuring that only the most important fields are selected.

REV00438 Invalid field for a database report

**Explanation** A client reporting field was referenced in a database report. This field is only permitted

in a client report.

**Action** Specify a valid field name.

**REV00439** Warning: A client report has been started.

If client monitoring is not turned on, no client monitoring will be collected.

Press ENTER to exit

**Explanation** This message appears in a pop-up box whenever a client report is started. It warns you

that if client reporting has not been started, no client reporting data will be collected.

**Action** No action is required for this informational message. Press the ENTER key to remove

the pop-up box containing the message.