

Errors Common to All Utilities

Overview of Messages

ERROR-001	ERROR-002	ERROR-003	ERROR-004	ERROR-005	ERROR-006
ERROR-007	ERROR-008	ERROR-009	ERROR-010	ERROR-011	ERROR-012
ERROR-013	ERROR-014	ERROR-015	ERROR-016	ERROR-017	ERROR-018
ERROR-019	ERROR-020	ERROR-021	ERROR-022	ERROR-023	ERROR-024
ERROR-025	ERROR-026	ERROR-027	ERROR-028	ERROR-029	ERROR-030
ERROR-031	ERROR-032	ERROR-033	ERROR-034	ERROR-035	ERROR-036
ERROR-037	ERROR-038	ERROR-039	ERROR-040	ERROR-041	ERROR-042
ERROR-043	ERROR-044	ERROR-045	ERROR-046	ERROR-047	ERROR-048
ERROR-049	ERROR-051	ERROR-052	ERROR-053	ERROR-054	ERROR-055
ERROR-058	ERROR-059	ERROR-060	ERROR-062	ERROR-064	ERROR-065
ERROR-066	ERROR-067	ERROR-068	ERROR-069	ERROR-070	ERROR-071
ERROR-072	ERROR-073	ERROR-074	ERROR-075	ERROR-076	ERROR-077
ERROR-078	ERROR-079	ERROR-080	ERROR-081	ERROR-084	ERROR-086
ERROR-087	ERROR-088	ERROR-089	ERROR-090	ERROR-091	ERROR-092
ERROR-093	ERROR-094	ERROR-098	ERROR-099	ERROR-101	ERROR-102
ERROR-103	ERROR-104	ERROR-105	ERROR-106	ERROR-107	ERROR-108
ERROR-109	ERROR-110	ERROR-111	ERROR-112	ERROR-113	ERROR-114
ERROR-115	ERROR-116	ERROR-117	ERROR-120		

ERROR-001 **Error occurred during opening input file DDKARTE : *reason***

Explanation The cause is probably a misspelled keyword.

Action Check the JCL; correct the error and rerun the job.

ERROR-002 **I/O error occurred during read on file DDKARTE : *reason***

Explanation The cause is probably a misspelled keyword.

Action Check the JCL; correct the error and rerun the job.

ERROR-003 **Parameter error, invalid utility name**

Explanation The cause is probably a misspelled keyword.

Action Check the parameter input; correct the error and rerun the job.

ERROR-004 **Parameter error, missing separator**

Action Correct the parameter error or supply the missing separator. Rerun the job.

ERROR-005 Parameter error, invalid syntax

Action Supply the correct parameter value and rerun the job.

ERROR-006 Parameter error, keyword not unique

Action Check the parameter input; supply the correct keyword in full length and rerun the job.

ERROR-007 Parameter error, unknown parameter

Explanation The cause is probably a misspelled keyword.

Action Check the parameter input; correct the error and rerun the job.

ERROR-008 Parameter error, unknown function

Explanation The cause is probably a misspelled keyword.

Action Check the parameter input; correct the error and rerun the job.

ERROR-009 Parameter error, too many values in a list

Action Check the parameter input. Supply no more than the maximum number of parameter values permitted, and rerun the job.

ERROR-010 Invalid or missing level number

Action See the Adabas Utilities documentation for more information about field definition syntax. Correct the error and rerun the job.

ERROR-011 Invalid or missing field length

Action See the Adabas Utilities documentation for more information about field definition syntax. Correct the error and rerun the job.

ERROR-012 Missing '=' (equal sign)

Action See the Adabas Utilities documentation for more information about field definition syntax. Correct the error and rerun the job.

ERROR-013 Invalid or missing field option

Action See the Adabas Utilities documentation for more information about field definition syntax. Correct the error and rerun the job.

ERROR-014 Missing '(' (left parenthesis)

Action See the Adabas Utilities documentation for more information about field definition syntax. Correct the error and rerun the job.

ERROR-015 Missing ')' (right parenthesis)

Action See the Adabas Utilities documentation for more information about field definition syntax. Correct the error and rerun the job.

ERROR-016 Invalid or missing start position

Action See the Adabas Utilities documentation for more information about field definition syntax. Correct the error and rerun the job.

ERROR-017 Invalid or missing end position

Action See the Adabas Utilities documentation for more information about field definition syntax. Correct the error and rerun the job.

ERROR-018 More than one parent for sub-field/descriptor

Action See the Adabas Utilities documentation for more information about field definition syntax. Correct the error and rerun the job.

ERROR-019 More than 20 parents for super-field/descriptor

Action See the Adabas Utilities documentation for more information about field definition syntax. Correct the error and rerun the job.

ERROR-020 Only one parent for super-field/descriptor

Action See the Adabas Utilities documentation for more information about field definition syntax. Correct the error and rerun the job.

ERROR-021 Syntax error, invalid character found

Action See the Adabas Utilities documentation for more information about field definition syntax. Correct the error and rerun the job.

ERROR-022 Invalid or missing hyperdescriptor exit number or collating exit number

Action See the Adabas Utilities documentation for more information about field definition syntax. Correct the error and rerun the job.

ERROR-023 No or more than 20 parents for a hyperdescriptor

Action See the ADACMP discussion in the Adabas Utilities documentation for more information about field definition syntax. Correct the error and rerun the job.

ERROR-024 Invalid field name

Action See the Adabas Utilities documentation for more information about field definition syntax. Correct the error and rerun the job.

ERROR-025 Reserved field name used

Action See the Adabas Utilities documentation for more information about field definition syntax. Correct the error and rerun the job.

ERROR-026 Invalid field format specification

Action See the Adabas Utilities documentation for more information about field definition syntax. Correct the error and rerun the job.

ERROR-027 Invalid or conflicting field options used

Action See the Adabas Utilities documentation for more information about field definition syntax. Correct the error and rerun the job.

ERROR-028 Invalid MU/PE repeat factor

Action See the Adabas Utilities documentation for more information about field definition syntax. Correct the error and rerun the job.

ERROR-029 Multiple function keywords detected

Explanation This utility performs only one function per execution.

Action Check the parameter input; correct the error and rerun the job.

ERROR-030 Error occurred during execution of open ASSO : *reason*

Explanation The cause is probably incorrect JCL (DDASSOR1, ..., DDASSOR5) or an inconsistent database.

Action Investigate the cause of the error; correct it and rerun the job.

ERROR-031 Error occurred during execution of read ASSO : *reason* RABN : *nnnn* (xxxxxxxx)

Action Investigate the cause of the error; correct it and rerun the job.

ERROR-032 Error occurred during execution of write ASSO : *reason* RABN : *nnnn* (xxxxxxxx)

Action Investigate the cause of the error; correct it and rerun the job.

ERROR-033 Error occurred during execution of close ASSO : *reason*

Action Investigate the cause of the error; correct it and rerun the job.

ERROR-034 Error occurred during execution of open DATA : *reason*

Explanation The cause is probably incorrect JCL (DDDATAR1, ..., DDDATAR5) or an inconsistent database.

Action Investigate the cause of the error; correct it and rerun the job.

ERROR-035 Error occurred during execution of read DATA : *reason* RABN : *nnnn* (xxxxxxxx)

Action Investigate the cause of the error; correct it and rerun the job.

ERROR-036 Error occurred during execution of write DATA : *reason* RABN : *nnnn* (xxxxxxxx)

Action Investigate the cause of the error; correct it and rerun the job.

- ERROR-037** **Error occurred during execution of close DATA : *reason***
- Action** Investigate the cause of the error; correct it and rerun the job.
-
- ERROR-038** **Error occurred during execution of open WORK : *reason***
- Explanation** The cause is probably incorrect JCL (DDWORKR1) or an inconsistent database.
- Action** Investigate the cause of the error; correct it and rerun the job.
-
- ERROR-039** **Error occurred during execution of read WORK : *reason* RABN : *nnnn*
(*xxxxxxxx*)**
- Action** Investigate the cause of the error; correct it and rerun the job.
-
- ERROR-040** **Error occurred during execution of write WORK : *reason* RABN : *nnnn*
(*xxxxxxxx*)**
- Action** Investigate the cause of the error; correct it and rerun the job.
-
- ERROR-041** **Error occurred during execution of close WORK : *reason***
- Action** Investigate the cause of the error; correct it and rerun the job.
-
- ERROR-042** **Error occurred during execution of open TEMP : *reason***
- Explanation** The cause is probably incorrect job control (DD/TEMPR1).
- Action** Investigate the cause of the error; correct it and rerun the job.
-
- ERROR-043** **Error occurred during execution of read TEMP : *reason* RABN : *nnnn*
(*xxxxxxxx*)**
- Action** Investigate the cause of the error; correct it and rerun the job.
-
- ERROR-044** **Error occurred during execution of write TEMP : *reason* RABN : *nnnn*
(*xxxxxxxx*)**
- Action** Investigate the cause of the error; correct it and rerun the job.

- ERROR-045** **Error occurred during execution of close TEMP : *reason***
- Action** Investigate the cause of the error; correct it and rerun the job.
-
- ERROR-046** **Error occurred during execution of open SORT : *reason***
- Explanation** The cause is probably incorrect job control (DD/SORTR1 or DD/SORTR2).
- Action** Investigate the cause of the error; correct it and rerun the job.
-
- ERROR-047** **Error occurred during execution of read SORT : *reason* RABN : *nnnn* (xxxxxxxx)**
- Action** Investigate the cause of the error; correct it and rerun the job.
-
- ERROR-048** **Error occurred during execution of write SORT : *reason* RABN : *nnnn* (xxxxxxxx)**
- Action** Investigate the cause of the error; correct it and rerun the job.
-
- ERROR-049** **Error occurred during execution of close SORT : *reason***
- Action** Investigate the cause of the error; correct it and rerun the job.
-
- ERROR-051** **Error occurred during execution of open *dataset/file* : *reason***
- Explanation** The cause is probably incorrect JCL.
- Action** The correct JCL must be supplied to the PLCOPY or CLCOPY function. If the PLOGs to be copied are from a cluster database, the NOPPT parameter should be specified.
- If no JCL is supplied or the open fails, the following will be displayed: "The Associator data set(s) could not be opened *nn* - *return code explanation*". Processing continues.
-
- ERROR-052** **Error occurred during execution of read *dataset/file* : *reason* RABN : *nnnn* (xxxxxxxx)**
- Action** Investigate the cause of the error; correct it and rerun the job.
-
- ERROR-053** **Error occurred during execution of write *dataset/file* : *reason* RABN : *nnnn* (xxxxxxxx)**
- Action** Investigate the cause of the error; correct it and rerun the job.

ERROR-054 **Error occurred during execution of close *dataset/file* : *reason***

Action Investigate the cause of the error; correct it and rerun the job.

ERROR-055 **Encoding key value exceeds maximum of 4095**

Explanation Valid encoding keys are in the range 1-4095.

Action See the Adabas Utilities documentation for a list of valid encoding keys.

ERROR-058 **Recover log not available**

Explanation The Adabas Recovery Aid is active, but an error occurred when the utility attempted to initialize RLOG data set processing.

Action ADARAC returns reason code *rr*: reason text . See also the accompanying ADARxx message.

ERROR-059 **Error during recovery logging**

Explanation The utility was not able to record its operation in the recovery log. The utility continues and will terminate with return code 4.

Action ADARAC returns reason code *rr*: reason text . See also the accompanying ADARxx message.

ERROR-060 ***blocks*-Extent space allocation failed for file *file-number(s)***

Explanation An attempt to allocate an AC extent of size *blocks* for the file or files specified failed. Probable causes of the failure include

- not enough free space available.
- conflicting XXRABN parameter.
- enough free space available, but not on devices that can satisfy the MAXRECL value for this file.
- only one AC extent permitted.
- If ISNSIZE=3, more than 16,777,215 (X'FF FF FF) ISNs; if ISNSIZE=4, more than 4,294,967,294 (X'FF FF FF FE) ISNs.
- more than 5 extents.

Action Correct the error and rerun the job.

ERROR-062 For file *filename* the sum of numbers of DATA extents, AC extents, UI extents, and NI extents is too big or DATA extent or AC extent is zero. Check ASSO RABN *rabn*

Explanation A database problem exists. The sum of Data Storage, address converter (AC), and inverted list (UI and NI) extents is too large or the Data Storage or address converter extents are zero.

Action Contact you Software AG technical support representative for assistance.

ERROR-064 Error writing DSST : *response-code*

Explanation The nucleus returned response code "nn" while writing the DSST to the database. The file(s) being accessed remain(s) in an inaccessible state.

Action Investigate the cause of the problem; correct the error and rerun the job.

ERROR-065 Database ID mismatch: the ADARUN DBID is *dbid-a* but the GCB contains DBID *dbid-b*

Explanation One of the following occurred:

- the wrong database was accessed; or
- an input parameter specified an incorrect database ID.

Action Correct the error and rerun the job.

ERROR-066 File *file-number* is password protected

Explanation A password-protected file "file-number" cannot be processed without the nucleus. The nucleus is required to access the Adabas security file and to validate the supplied password.

Action Start the Adabas nucleus and rerun the job.

ERROR-067 Invalid or missing password for file *file-number*

Explanation The requested file "file-number" is password protected.

Action Supply the correct password and rerun the job.

ERROR-068 Utility communication block overflow**Explanation** Too many utilities are running in parallel.**Action** Inform your database administrator.**ERROR-069 Checkpoint block overflow****Explanation** The Associator block containing data for checkpoints written offline is filled.**Action** Start the nucleus to pick up information currently stored in the offline checkpoint area; then rerun the job.**ERROR-070 Error writing checkpoint: *response-code*****Explanation** The nucleus returned the specified response code while writing a checkpoint.**Action** Investigate the cause of the error; correct it and rerun the job.**ERROR-071 Invalid value for parameter *parm*. Only values "YES" or "NO" are allowed.****Explanation** An invalid parameter value was specified for the parameter named in the message (*parm*). The only valid values are "YES" or "NO".**Action** Supply the correct parameter value and rerun the job.**ERROR-072 Unexpected nucleus response *nucleus-response-code*
*subcode- description*****Explanation** An unexpected nucleus response occurred. The Adabas response code, subcode, and a description of the problem are provided in the message.**Action** Note and keep any related error information or output. Inform your DBA. If necessary, contact your Software AG technical support representative.**ERROR-073 Record too long for output data set****Explanation** An attempt was made to write a record to the sequential output data set. The length of the requested record exceeded the maximum record length permitted by the I/O system.**Action** Inform your database administrator.

ERROR-074 *file-number* is an invalid file number**Explanation** The supplied file number:

- is zero;
- is greater than the MAXFILES parameter in effect for the database;
- has been duplicated in the file list specified; or
- represents a system file and is greater than 5000.

Action Supply a correct file number and rerun the job.**ERROR-075** **The parameter *parameter* is mutually exclusive to one or more other parameters supplied in the input****Explanation** The setting of the specified parameter conflicts with at least one other parameter setting in the related utility job. See the description of the utility syntax in the Adabas Utilities documentation for more information.**Action** Change or remove one of the mutually exclusive parameter settings, and rerun the job.**ERROR-076** **Mandatory parameter *parameter* missing****Action** Add this parameter and rerun the job.**ERROR-077** **I/O error during execution of a sequential read on file *ddname* : *reason*****Action** Investigate the cause of the error; correct it and rerun the job.**ERROR-078** **Error occurred during opening of file *ddname* for output: *reason*****Explanation** The cause is probably a misspelling of the DDNAME, incorrect JCL, etc.**Action** Investigate the cause of the error; correct it and rerun the job.**ERROR-079** **Error occurred during closing of output file *ddname* : *reason*****Explanation** The cause is probably a misspelling of the DDNAME, incorrect JCL, etc.**Action** Investigate the cause of the error; correct it and rerun the job.

ERROR-080 **Error occurred during execution of write command to file *ddname* : *reason***

Explanation The cause is probably a misspelling of the DD/NAME, incorrect JCL, etc.

Action Investigate the cause of the error; correct it and rerun the job.

ERROR-081 **Error occurred during opening/closing of input file *ddname* : *reason***

Explanation An error occurred attempting to open or close the input file identified in the message (*ddname*). The reason code (*reason*) for the failure is given in the message. The cause is probably a misspelling of a job control statement name or other JCL error.

Action Investigate the cause of the error; correct it and rerun the job.

ERROR-084 **GETMAIN error - not enough virtual memory requested
length = *count* (*hex-count*) bytes
memory gotten = *count* (*hex-count*) bytes**

Action Rerun the job in a larger partition/region.

ERROR-086 **Invalid { ASSO | DATA } RABN *nnnn* : *reason***

Explanation This RABN is not defined in the database.

Action Check the input parameters; correct the error and rerun the job.

ERROR-087 ***device* is an unknown disk device type**

Explanation An invalid or unknown device type was found during processing.

Action Check the input parameters; correct the error and rerun the job.

ERROR-088 **ADALNK and/or ADANUC not present**

Explanation The Adabas installation procedure was not properly executed.

Action Inform your database administrator.

ERROR-089 Utility not permitted to run

Explanation Another utility has exclusive database control. The table displayed below the message on the terminal screen shows the current contents of the utility communications block. One of the jobs displayed has exclusive database control.

Action Wait until that job has ended and retry this function.

ERROR-090 Utility not permitted to run; file number *file-number* is locked by another utility

Explanation The table displayed below the message on the terminal screen shows the current contents of the utility communications block. One of the jobs displayed has exclusive file control.

Action Wait until that job has ended, and then retry this function.

ERROR-091 Utility not permitted to run

Explanation Concurrent jobs are not allowed to run against the database. In this case,

- the nucleus or another utility is active; or
- the nucleus was started with ADARUN READONLY=YES.

Action Determine which utility/nucleus is already active. Wait until that utility/nucleus has ended and retry this function. If the nucleus was started with READONLY=YES, shut it down and restart with READONLY=NO.

ERROR-092 Utility not permitted to run

Explanation The Adabas nucleus returned response "nn -xxx nucleus response -xxx". The nucleus cannot allow access to the requested file.

Action Analyze the nucleus response code. Correct the error and rerun the job.

ERROR-093 Utility not permitted to run

Explanation Pending autorestart detected.

Action Restart the nucleus to perform the autorestart. Perform a shutdown after successful nucleus start if required. Rerun this job.

ERROR-094 Utility not permitted to run

Explanation The version of the accessed database conflicts with the version of the active utility. Either the version indicator in the GCBs or the version indicator returned by the Adabas nucleus is not correct. The version indicator found is "version" (the text of the messages supplies the actual version indicator value).

Action Correct the database or load library specification and rerun the job.

ERROR-098 File *file-number* cannot be processed

Explanation The file comes from a database with a higher version number, and uses features not supported in the current nucleus version.

Action It is not possible to process this file using the current version of the Adabas nucleus or utilities.

ERROR-099 Internal error at *xxxxxx+yyyyyy*

Explanation Register contents at time of error:

R0-R3	xxxxxxxx xxxxxxxx xxxxxxxx xxxxxxxx
R4-R7	xxxxxxxx xxxxxxxx xxxxxxxx xxxxxxxx
R8-R11	xxxxxxxx xxxxxxxx xxxxxxxx xxxxxxxx
R12-R15	xxxxxxxx xxxxxxxx xxxxxxxx xxxxxxxx

Action Inform your database administrator.

ERROR-101 Value for unique descriptor *xx* in file *yy* already present

Explanation Input data is invalid; the specified file *yy* cannot be processed. ISN=*nnnn* DE-VALUE: *llvvvvvvvv* The descriptor value (DE-VALUE) comprises the length of the descriptor value (*ll*) followed by the actual value (*vvvvvvvv*).

Action Rerun the utility with unique input data.

ERROR-102 An attempt was made to create a 16th index level for file *xxx*

Explanation No more than 15 levels are permitted.

Action Rerun this function with a smaller value for ASSOPFAC, the Associator padding factor.

ERROR-103 File number *file-number* is not accessible**Explanation** One of the following occurred:

- A previous function to LOAD, REFRESH, REORDER, or RESTORE the file was interrupted. It is inconsistent.
- A RESTONL FMOVE function or RESTONL FILE function with parameter ALLOCATION=NOFORCE was interrupted; continuing the function with RESTPLOG is not possible.

Action Delete the file or overwrite it using ADAORD STORE or ADASAV RESTORE/RESTONL.**ERROR-104 File number *file-number* is already loaded****Explanation** The file being accessed is already present in the database.**Action** Look at the database report. Delete the file or choose another file number, then rerun the job.**ERROR-105 File number *file-number* is not loaded****Explanation** The file being accessed is not present in the database.**Action** Check the file number; correct it and rerun the job.**ERROR-106 Compressed record too long****Explanation** ISN of record = nnnn Length of record = nnn bytes Maximum record length = nnn bytes

The characteristics of the data storage device do not allow such a record to be stored.

ERROR-107 The value of the 'SORTSIZE' parameter and the size of the SORT dataset do not match.**Explanation** The data set is smaller than specified.**Action** Supply the correct size and rerun the job.

ERROR-108 **The value of the ‘TEMPSIZE’ parameter and the size of the TEMP dataset do not match.**

Explanation The data set is smaller than specified.

Action Supply the correct size and rerun the job.

ERROR-109 **Workpool (LWP) too small**

Explanation At least *nnnn*K of space is required. A larger value will increase performance.

Action Increase the ADARUN LWP parameter value and rerun the job.

ERROR-110 **SORT dataset too small**

Explanation Sorting may require either a larger SORTRn/DDSORTRn data set size, or two Sort data sets with a SORTSIZE equal to the combined size of both data sets.

Action Supply a larger sort data set and increase the appropriate SORTSIZE= parameter. Decreasing the LWP parameter specified with the job might also help. The rules for the sort data set space calculation are described in the Adabas Utilities documentation. Rerun the job using the RESTART parameter.

ERROR-111 **Invalid value for the parameters MINISN and/or MAXISN**

Explanation The MINISN and MAXISN parameter values must satisfy the following expression:

- If the ISNSIZE is 3: $0 < \text{MINISN} \leq \text{MAXISN} < (\text{MINISN} + 16,777,215)$
- If the ISNSIZE is 4: $0 < \text{MINISN} \leq \text{MAXISN} < (\text{MINISN} + 4,294,967,294)$

Action Supply the correct parameter value and rerun the job.

ERROR-112 **Function not permitted**

Explanation An attempt was made to access an Adabas system file. This is not permitted.

Action Correct the error and rerun the job.

ERROR-113 **Invalid value for the parameter *parameter***

Explanation An invalid value was specified for the parameter named in the message (*parameter*). The only values allowed are YES or NO.

Action Supply the correct parameter value and rerun the job.

ERROR-114 Invalid value for the parameter ASSOPFAC or DATAPFAC

Explanation The value for a padding factor must be in the range 1 to 90%.

Action Supply the correct parameter value and rerun the job.

ERROR-115 Invalid value for the parameter MAXRECL

Explanation The value for MAXRECL must be all of the following:

- greater than 4;
- less than or equal to the Work block size minus 94;
- less than or equal to the Data Storage block size minus 4;
- equal to the MAXRECL of the anchor file (for components of expanded files).

Action Supply the correct parameter value and rerun the job.

ERROR-116 Invalid value for the parameter MAXFILES

Explanation The value for the parameter MAXFILES must meet the following requirements:

- the parameter value must be in the range 3 to "nnnn" where "nnnn" is the Associator block size minus 1.
- the first (MAXFILES*5)+30 blocks must fit into the first Associator extent.

Action Supply the correct parameter value and rerun the job.

ERROR-117 Parallel usage of *dataset-name* dataset

Explanation *data-set-name* RABN *rabn-number* (*value*) was overwritten by another utility.

Action Rerun the job, and avoid parallel usage of the "data-set-name" data set.

ERROR-120 Invalid value for parameter 'ISNSIZE'

Explanation Either 3 or 4 may be specified for this parameter.

Action Check the parameter input; correct any errors, then rerun the job.