

Example of ADAVAL Output

ADAVAL output provides a SYSOUT (DD/DRUCK) table listing, by file and descriptor, of all data storage and Associator entries and their status. The following is an example of ADAVAL VALIDATE output:

```

FILE  DE  F      ISN    DE-VALUE
-----
  1  AA    *** NO INCONSISTENCIES ***
  1  BA  -      35  07C6D935 C5D4C1D5      *.FREEMAN*
  1  BA  -     173  07C6D935 C5D4C1D5      *.FREEMAN*
  1  BA  -     471  07C6D935 C5D4C1D5      *.FREEMAN*

  1  BA  -     534  07C6D935 C5D4C1D5      *.FREEMAN*
  1  BA  -     597  07C6D935 C5D4C1D5      *.FREEMAN*
  1  BA  -     622  07C6D935 C5D4C1D5      *.FREEMAN*
  1  BA  -     658  07C6D935 C5D4C1D5      *.FREEMAN*
  1  BA  -     717  07C6D935 C5D4C1D5      *.FREEMAN*
  1  BA  -     152  05D4C5E8 C5D9        *.MEYER*
  1  BA  +     153  05D4C5E8 C5D9        *.MEYER*

  1  BB    *** NO INCONSISTENCIES ***
  1  CA    *** NO INCONSISTENCIES ***
  1  CB    *** NO INCONSISTENCIES ***
  1  CC    *** NO INCONSISTENCIES ***
  1  CD    *** NO INCONSISTENCIES ***
  1  PA    *** NO INCONSISTENCIES ***

```

where

- In the F (flag) column, a dash (--) indicates that an inverted list entry is missing for the specified Data Storage descriptor; and a plus symbol (+) indicates that the inverted list entry in the Associator is incorrect.
- The DE-VALUE column provides the compressed descriptor value, first in hexadecimal and then in alphanumeric.

Note:

The "*** NO INCONSISTENCIES ***" entry occurs for every successful descriptor validation.