

# Supplied Store Types

This section summarizes the Store Types which are supplied by Software AG as part of the ASF product.

Store Type	Name	Description
+D	Aver/Delta Day	Condensed daily modified average records (24-hour environment).
+F	Aver/Delta from/to	One condensed modified average record (24-hour environment) for the entire period.
+M	Aver/Delta Month	Condensed monthly modified average records (24-hour environment).
+W	Aver/Delta Week	Condensed weekly modified average records (24-hour environment).
&D	Difference Day	Condensed daily difference records.
&F	Difference from/to	One condensed difference record for the entire period.
&M	Difference Month	Condensed monthly difference records.
&W	Difference Week	Condensed weekly difference records.
#D	Average Day	Condensed daily average records, nucleus restarted daily.
#F	Average from/to	Condensed one average record for the entire period, nucleus restarted daily.
#M	Average Month	Condensed monthly average records, nucleus restarted daily.
#W	Average Week	Condensed weekly average records, nucleus restarted daily.
AH	Ad hoc	Store on a one-off basis (sporadically).
CY	Cyclic	Store on a cyclic basis.
DA	Daily Storage	Store on a daily basis.
EN	End Nucleus	Store immediately before ending the nucleus session.
ET	End TP-Monitor	Store immediately before the TP monitor is terminated.
RN	Refresh Nucleus	Store immediately before the nucleus statistical values are refreshed by the ADADBS "REFRESHSTATS" function.
SN	Start Nucleus	Store immediately after the Nucleus startup.
ST	Start TP-Monitor	Store immediately after the TP monitor is started.
TE	Test Storage	Store for test purpose.
WE	Weekly Storage	Store on a weekly basis.