

# PLX\* - ADACLU Messages

ADACLU messages apply only to Adabas nucleus cluster environments.

All of the following messages are both printed on the console and written to the DD/PRINT data set.

Each message begins with a timestamp in the format *hh:mm:ss* and a job name.

The *dbid* and *nucid* are shown as five numeric characters with leading zeros.

## Overview of Messages

PLX042	PLX043	PLX044	PLX045	PLX046	PLX047	PLX048	PLX049
PLX050	PLX051	PLX052	PLX053	PLX054	PLX055	PLX056	PLX057
PLX058	PLX059	PLX060	PLX061	PLX062	PLX064	PLX066	PLX067
PLX068	PLX069	PLX071	PLX073	PLX074	PLX075	PLX076	PLX078
PLX080	PLX084	PLX085	PLX086	PLX087	PLX088	PLX089	PLX090
PLX091	PLX092	PLX093	PLX097	PLX099	PLX101	PLX102	PLX103

### PLX042 *dbid* X0 failed NW RSP *rsp/node-subcode*

**Explanation** An internal command to Entire Net-Work was issued to retrieve the Entire Net-Work node name. It failed with the response code (*rsp*) and subcode (*subcode*) listed in the message. If the response code was set by Entire Net-Work, the message may contain the N-W node number (*node*).

**Action** Verify that Entire Net-Work is active. If so, issue the Entire Net-Work command `D T` to examine the target list and confirm Entire Net-Work is active and responsive. Contact your Software AG technical support representative if you are unable to resolve the error.

### PLX043 *dbid* Net-Work detected {up|down}

**Explanation** This message occurs during initialization or whenever a nucleus detects a change of status for an Entire Net-Work. Normally only one nucleus on a system will issue this and process the change of state event. If the new state is up, it will be followed by messages PLX044, PLX048 and PLX088. PLX087 will be issued on other member nuclei.

**Action** No action is required for this informational message.

**PLX044**     *dbid System image target target established*

**Explanation** During initialization or whenever an Entire Net-Work becomes active, the system target is defined to it. The system target is needed to support command routing to remote systems and to update PLXCB structures on systems with no nuclei. It is issued only by the nucleus that issued PLX043 when it detected that Entire Net-Work has started.

**Action** No action is required for this informational message.

**PLX045**     *dbid Unable to allocate PLXMAP for system-target on system-name {/svc}*

**Explanation** A PLXMAP update was received from a remote system for which there was no existing PLXMAP. A free PLXMAP slot could not be located. The update is discarded.

This may occur if systems containing cluster nuclei were removed from the sysplex and other systems containing nuclei were added. On some platforms the system name is followed by the SVC number being used on the named system.

**Action** If ADACOM is running, issue the DUMP PLXMAP command to examine the assignment of each PLXMAP. Contact your Software AG technical support representative for additional assistance.

**PLX046**     *dbid Feed{acquire|release} target target failed NW RSP rsp/node-subcode nucid*

**Explanation** A nucleus was unsuccessful when attempting to acquire or release the Entire Net-Work target. This may be either the DBID target or the system image target. The response and subcode are set by Entire Net-Work (NW). Most common is response code 145 (ADARSP145), indicating that the DBID target is already defined on another node. In that case the node in the message is where the target is currently held.

This error may occur when an Entire Net-Work becomes unavailable or when the target is not in the correct state for the action.

**Action** Issue the Entire Net-Work command D T to examine the target. Contact your Software AG technical support representative if you are unable to resolve the conflict.

**PLX047**     *dbid No suitable system found for DBID target*

**Explanation** Entire Net-Work must be active and there must be at least one active nucleus if the system is to hold the DBID target. A poll of all systems with active nuclei found no such suitable system.

**Action** Start a nucleus or Entire Net-Work on a system to which the DBID target may be assigned.

**PLX048**     *dbid* System *system-name*{*/svc*} selected for DBID target

**Explanation**   After polling systems with active nuclei, the system named in the message (*system-name*) was selected as the most suitable to hold the DBID target. It is issued only by the nucleus that issued PLX043 when it detected that Entire Net-Work has started. On some platforms the system name is followed by the SVC number being used on the named system

**Action**        No action is required for this informational message.

**PLX049**     *dbid*PLXMAP *cmd* RSP *rsp/node-subcode* from target on *system-name*{*/svc*}

**Explanation**   A PLXMAP update containing information about active nuclei and load-balancing information was attempted for the system named in the message (*system-name*). The update failed with the response and subcode given in the message. The command may be V2, implying the update was sent using Adabas messaging (XCF for Cluster Services) or X3, implying the update was sent using Entire Net-Work. If a PLXMAP exists for the named system, the load balancing counters and nucleus information may be cleared. On some platforms the system name is followed by the SVC number being used on the named system

**Action**        If you are unable to identify a cause for the error, contact your Software AG technical support representative for assistance.

PLX050     *dbid* ADACLU INIT DBID=*dbid* NUCID=*nucid*

**Explanation** The cluster nucleus listed in the message (*nucid*) for the cluster identified in the message (*dbid*) is initializing its PLXCB structures. It is followed by one or more relevant initialization messages:

Message Text	Explanation
Acquiring new PLXCB	Having determined that no Adabas cluster control block (PLXCB) currently exists, ADACLU is attempting to acquire a new one.
Cannot change number of users now. There are NUCS/ADACOMS active	Once the cluster is active; that is, once a nucleus or ADACOM starts, the PLXCB NU parameter is set and cannot be changed without bringing down the entire cluster, changing the parameter value, and restarting.  If you need to change the PLXCB NU parameter value and resize the PLXCB, terminate all cluster nuclei, ADACOMs, and users, and restart.
Cannot free PLXCB at this time. There are NUCS/ADACOMS active	Once the cluster is active; that is, once a nucleus or ADACOM starts, the PLXCB NU parameter is set and cannot be changed without bringing down the entire cluster, changing the parameter value, and restarting.  If you need to change the PLXCB NU parameter value and resize the PLXCB, terminate all cluster nuclei, ADACOMs, and users, and restart.
Freeing old PLXCB	The NU parameter value is being changed. The old environment is being freed.
GETMAIN failed for PLXCB	An attempt to acquire GETMAIN space for a new Adabas cluster control block (PLXCB) failed. The cluster nucleus terminates abnormally (abends).  Ensure that sufficient space is available to allocate the PLXCB structures and resubmit the job.
Max users for image <i>number-of-users</i>	Displays the maximum number of users (NU) allowed for the operating system image.
PLXCB is located at <i>address</i>	The location of the PLXCB, either new or existing, is provided.
PLXCB version is <i>vrs</i> Program level is <i>vrs</i>	An existing PLXCB is of a version incompatible with this nucleus. The nucleus terminates abnormally (abends).
PSW key <i>pswkey</i> not compatible with PLXCB key <i>plxcbkey</i>	A previously allocated PLXCB cannot be used because of a difference between the PSW and storage keys. Run the cluster in the PLXCB key or delete the existing PLXCB and reallocate it in the desired key.
IDTHPRFX not found	This is an internal error. The nucleus terminates abnormally (abends). Contact your Software AG technical support representative for assistance.
Obtain of IDTHPRFX failed	The IDTH prefix created when the IDT was created accommodates 15 cluster DBIDs. It was necessary to acquire storage to extend the IDTH prefix for additional DBIDs. Insufficient storage was available (in z/OS this is ECSA).  Increase the region size to resolve this problem. For additional assistance, contact your Software AG technical support representative.

**PLX051**      *dbid* IDTH prefix is not valid

**Explanation**    The IDT table header has been corrupted. The Adabas cluster terminates abnormally (abends).

**Action**            Reinstall the Adabas SVC to reconstruct the IDT.

**PLX052**      *dbid* Number of IDTE entries is zero

**Explanation**    The ID table header has been corrupted. The Adabas cluster terminates abnormally (abends).

**Action**            Reinstall the Adabas SVC to reconstruct the IDT.

**PLX053**      *dbid* GETMAIN for CLUPLXB failed

**Explanation**    GETMAIN for CLUPLXB is acquired above the 16MB line in ECSA. You have insufficient space these for CLUPLXB.

**Action**            Increase the space available to CLUPLXB in ECSA.

**PLX054**      *dbid* MPM initialization failed

**Explanation**    This is an internal error. The Adabas cluster terminates abnormally (abends).

**Actions:**         Contact your Software AG technical support representative.

**PLX055**      *dbid* GETMAIN for CQXE failed

**Explanation**    Virtual storage was insufficient to allocate the CQXE structures.

**Action**            Increase the virtual storage available and restart the nucleus.

**PLX056**      *dbid* Dataspace/S64 acquisition failed

**Explanation**    The Adabas Parallel Services nucleus was unable to connect to a storage object. Further details are available in the associated ADACOM job's messages.

**Action**            If the cause is not clear after examining the messages in the associated ADACOM, notify your Software AG technical support representative.

**PLX057**      *dbid Dataspace/S64 delete failed*

**Explanation**    The Adabas Parallel Services nucleus was unable to delete a storage object. Further details are available in the associated ADACOM job's messages.

**Action**            If the cause is not clear after examining the messages in the associated ADACOM, notify your Software AG technical support representative.

**PLX058**      *dbid ALSERV failed*

**Explanation**    An error occurred attempting to define an ALET to access shared dataspace.

**Action**            If the cause is not clear after examining the messages in the associated ADACOM, notify your Software AG technical support representative.

**PLX059**      *dbid pointer to IDTH is zero*

**Explanation**    This is an internal error. The Adabas cluster terminates abnormally (abends).

**Action**            Contact your Software AG technical support representative.

**PLX060**      *dbid Invalid function code for ADACLU*

**Explanation**    This is an internal error. The Adabas cluster terminates abnormally (abends).

**Action**            Contact your Software AG technical support representative.

**PLX061**      *dbid No useable PLXNUC found*

**Explanation**    This is an internal error. The Adabas cluster terminates abnormally (abends).

**Action**            Contact your Software AG technical support representative.

**PLX062**      *dbid Job is not authorized*

**Explanation**    Adabas Cluster Services and Adabas Parallel Services nuclei must run with z/OS APF authorization.

**Action**            APF-authorize all load libraries.

**PLX064**      *dbid* **Maximum NUCID is 65000**

**Explanation**    The range of valid NUCIDs is 1-65000. The Adabas cluster terminates abnormally (abends).

**Action**            Provide a valid NUCID for the cluster nucleus and restart.

**PLX066**      *dbid* **Duplicate NUCID in active PLXNUC**

**Explanation**    An active PLXNUC entry was found in the PLXCB structure for the same NUCID as the starting nucleus.

**Action**            Nucleus IDs must be unique. If the PLXNUC entry is the result of an earlier nucleus that failed in such a way that it could not be deactivated, the ADARUN FORCE=YES parameter will allow the PLXNUC to be overwritten. Note that incorrect or inappropriate use of FORCE=YES, such as when the NUCID is still active, may cause all nuclei in the cluster to fail and expose the database to corruption.

**PLX067**              *dbid* **Initialization of ADACLU complete**

**Explanation**      The Adabas cluster initialized successfully.

**Action**              No action is required for this informational message.

**PLX068**      *dbid* **Termination of ADACLU beginning**

**Explanation**    This message is informational only. It indicates whether shutdown processing for ADACLU has begun.

**Action**              No action is required for this informational message.

**PLX069**      *dbid* **Termination of ADACLU complete**

**Explanation**    This message is informational only. It indicates whether shutdown processing for ADACLU has been completed.

**Action**              No action is required for this informational message.

**PLX071**              *dbid* **ADACLU - Invalid CLUINTER eyecatcher**  
*dbid* **ADACLU - Invalid thread number**  
*dbid* **ADACLU - CLUINTER in use**

**Explanation**    These are internal errors. The Adabas cluster terminates abnormally (abends).

**Action**              Contact your Software AG technical support representative.

**PLX073** *dbid* NUCID in use as a cluster DBID

**Explanation** The NUCID cannot be the same as any DBID using the same IDT (ADASVC instance).

**Action** Specify a different NUCID and resubmit the job.

**PLX074** *dbid* CLUFREEUSER command accepted

**Explanation** The CLUFREEUSER command syntax and operands have been validated.

**Action** No action is required for this informational message.

**PLX075** *dbid* CLUFREEUSER invalid syntax starting *text*

**Explanation** An error was detected in the syntax or operands of a CLUFREEUSER operator command.

**Action** Reissue the CLUFREEUSER operator command with correct syntax and operands.

**PLX076** *dbid message-text*

**Explanation** Various message texts (*message-text*) are associated with this message number. Each is explained in the following table:

Message Text	Explanation
No users were deleted	The CLUFREEUSER operator command was issued, but no eligible users were found to delete.
Not deleted pending RSP 9/20 is <i>number-of users</i>	The CLUFREEUSER operator command was issued but the FORCE parameter was not specified and the number of users specified were pending a response code 9 (ADARSP009), subcode 20.
Number of users deleted is <i>number</i>	The CLUFREEUSER operator command was issued and the number of users listed in the message were deleted.

**Action** No action is required for these informational messages.

**PLX078** *dbid* A local single nucleus is already up (an IDTE is active for this DBID)

**Explanation** An Adabas Cluster Services or Adabas Parallel Services nucleus is attempting to start, but there is already an active single nucleus with the same DBID.

**Action** Stop the single nucleus and try again.



**PLX080**      **UID mismatch freeing PLXUSER/UTE *address* UID *uid1* UTE *uid2***

**Explanation**    ADACLU did not find the expected user ID string when attempting to release a PLXUSER (UTE).

**Action**            If the UTE value is all zeros, the UTE was already free. This can come about if an error recovery routine such as a z/OS ESTAE attempts to clean up by issuing CL commands. Natural has error recovery that may do this, particularly if a Natural program is canceled. If this is not the case, or the UTE is non-zero, this is an internal logic error. Contact your Software AG technical support representative.

**PLX084**      ***dbid* Net-Work DBID target not held**

**Explanation**    During initialization, termination, or when an Entire Net-Work change of state is detected, the Entire Net-Work DBID target was found not to be assigned to any system.

**Action**            No action is required for this informational message.

**PLX085**      ***dbid* Net-Work DBID target not acquired**

**Explanation**    The Entire Net-Work DBID target could not be successfully assigned or acquired. This message is accompanied by others such as PLX046, PLX047, PLX048, and PLX089.

**Action**            If you are unable to determine the cause of the error, contact your Software AG technical support representative for assistance.

**PLX086**      ***dbid* Net-Work DBID target acquired by *system-name{/svc}***

**Explanation**    This message is issued when a nucleus has detected the DBID target is either released or not assigned, a suitable system was selected to acquire the target, and a nucleus on the system identified in the message (*system-name*) has successfully acquired the Entire Net-Work DBID target. On some platforms the system name is followed by the SVC number being used on the named system.

**Action**            No action is required for this informational message.

**PLX087**      ***dbid* Net-Work DBID target held by *system-name{/svc}***

**Explanation**    During initialization, termination or when an Entire Net-Work change of state is detected, the Entire Net-Work DBID target was found to be assigned to the system named in the message. This message is issued by all member nuclei whenever the DBID target assignment changes. On some platforms the system name is followed by the SVC number being used on the named system.

**Action**            No action is required for this informational message.

**PLX088**      *dbid Net-Work DBID target acquired by this image***Explanation**      This nucleus has successfully acquired the Entire Net-Work DBID target.**Action**              No action is required for this informational message.**PLX089**      *dbid Net-Work DBID target released by this image***Explanation**      The last nucleus, on the system to which the Entire Net-Work DBID target is assigned, is terminating. The DBID target is released and may be acquired by another system, should a suitable one become available.**Action**              No action is required for this informational message.**PLX090**      *dbid Attempting to create dataspace/S64***Explanation**      The nucleus has signaled ADACOM to attempt to allocate cluster data spaces and shared 64-bit addressable memory objects.**Action**              No action is required for this informational message.**PLX091**      *dbid Attempting to delete dataspace/S64***Explanation**      This nucleus is terminating and is the last nucleus of this DBID. ADACOM has been signaled to delete cluster data spaces and shared 64-bit addressable memory objects.**Action**              No action is required for this informational message.**PLX092**      *dbid Dataspace/S64 deleted***Explanation**      The cluster data spaces and shared 64-bit addressable memory objects have been successfully deleted.**Action**              No action is required for this informational message.

**PLX093**      **PLXUSER X2/code RSP *rsp/node-subcode target***

**Explanation** An Adabas Cluster Services or Adabas Parallel Services nuclei issued an internal X2 command to release a PLXUSER representing a user either originating from or routed to another system. Such users have PLXUSERS on both systems. The command failed with the displayed response code and subcode.

The *code* listed in the message identifies the reason for the X2 command:

Code	X2 Command Reason
8014	Delete PLXUSER on remote system.
8020	Query PLXUSER status for a user originating from a remote system.
8024	Query PLXUSER status for a local user assigned to a remote system.

**Action** If the PLXUSER cannot be released at this time, attempts will be made at intervals to release it. Contact your Software AG technical support representative for assistance if the reason for the response code cannot be identified.

**PLX097**      ***dbid* Dataspaces acquired**

**Explanation** The cluster data spaces and shared 64-bit addressable memory objects have been successfully allocated.

**PLX099**      ***dbid* ADACOM not available**

**Explanation** ADACOM cannot be found.

**Action** Determine why ADACOM is not available and correct the problem. Then restart.

**PLX101**      ***dbid* NUCID *nucid* not found**

**Explanation** The nucleus entered in a TARGET operator command was not active. The nucleus ID (*nucid*) is given in the message.

**Action** Try again, specifying the nucleus ID of an active nucleus or using another form of the TARGET operator command.

**PLX102**     *dbid No active nuclei on system*

**Explanation**    No active nuclei were found on the system image entered in a TARGET operator command.

**Action**            Try again, specifying the name of a system image with one or more active nuclei or using another form of the TARGET operator command.

**PLX103**     *dbid Active nuclei under multiple SVCs on system-name*  
**Reissue TARGET command using NUCID**  
**NUCID *nucid* SVC *svc***

**Explanation**    A TARGET operator command specified the name of a system. There are multiple Entire Net-Work nodes on the named system with active Adabas Cluster Services nuclei, each node using a different SVC. There will be one instance of the detail line for every active nucleus on the named system.

**Action**            Select any nucleus ID active on the desired Entire Net-Work node. Reissue the operator command and specify the selected NUCID instead of the system name. Note that the specific nucleus may not be the one to service the request. The NUCID is used only to select a candidate nucleus from the set of active nuclei.