

Client Runtime Controls

This service is used to define/maintain client runtime controls for jobs that are to use Adabas Transaction Manager.

Note:

See section Parameters for a complete description of all client runtime controls.

Note:

Client runtime controls are shared between all installed optional products, and can be defined by any Online Services application (SYSCOR, SYSAVI, SYSAFP, SYSATM).

- List Client Runtime Controls
- Add Client Runtime Controls

List Client Runtime Controls

▶ To display a list of jobs with runtime control definitions

1. Select service 1 from the Maintenance menu or enter the command 1 . 1 on the command line.

```

08:29:12      ***** A D A B A S   TRANSACTION MANAGER 8.2.2 *****      2006-04-13
                - Client Runtime Controls (ATM) -                          U11300M1
                                                Reposition to Type: _____
                                                Name: _____

                Client Controls
C Type          Name          AFP   AVI   ATM   COR   Comments
_ Batch         UKAQBDUS                Y     Y     Overrides,Info
_              UKAQBMM0                Y     Y
_              UKAQB85A                Y     Y     Overrides,Info
_              UKPDNAT                Y     Y     Overrides,Info
_              UKPDSER                Y     Y     Overrides,Info
_              UKPDV75                Y     Y
_              UKPDV75A                Y     Y
_              UKPDV75B                Y     Y
_              UKPDWLS                Y     Overrides,Info
_ CICS          *DEFAULT                Y     Y     Overrides,Info
_ IMS (DTR)     *DEFAULT                Y     Y
_ TSO          *DEFAULT                Off   Y     Overrides,Info

Mark with Jobs,Modify,Purge,Rename,Copy,Overrides,Information,History

Command ==>
Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---
      Help      Exit  Refr      Top  Back  Fwd  Bot  Add  Prods Menu
  
```

Press PF11 to view the Adabas add-on products for which runtime controls are currently defined, and then press PF11 again in order to modify the controls related to that product.

Press PF8 to move to the next page, or use the Reposition field to position anywhere within the list.

Add Client Runtime Controls

A set of runtime controls includes the name of the Adabas System Coordinator group in which the job will execute. You must define the group before you create any runtime controls that include the name of the group. Refer to the *Adabas System Coordinator* documentation for details of groups, and how to define them.

▶ To add a new set of runtime controls

1. Once you have defined your System Coordinator group, or groups, navigate to ATM's Runtime Controls screen, and press PF10.

The following menu will appear:

```

08:33:18      ***** A D A B A S      TRANSACTION MANAGER 8.2.2 *****      2006-04-13
                - Add Client Runtime Control -                                U11310M1

Select (mark one) :

                x Batch
                _ COM-LETE
                _ CICS (DTR - Dynamic transaction routing)
                _ CICS (Standard)
                _ IMS (DTR)
                _ UTM (DTR)
                _ TSO
                _ CMS
                _ TIAM
                _ more choices for type or

                _ API controlled

Command ==>
Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---
      Help           Exit                                           Menu

```

2. Select the required job type and press Enter. A new screen will prompt you to enter the name of the job for which you want to define runtime controls. You can use wild-card notation to represent a collection of jobs, and you can define a default set of runtime controls for the chosen type of job. For further details, refer to the documentation for the Adabas System Coordinator.
3. When you have entered the job name, press PF5. You will be prompted to enter some information for the Adabas System Coordinator. Refer to the *Adabas System Coordinator* documentation for details. When you have done this, press PF5. You will see the following screen, which allows you to specify the ATM runtime controls for the current job.

```

12:25:13      ***** A D A B A S   TRANSACTION MANAGER 8.2.2 *****      2012-02-23
              - Adabas Transaction Manager Runtime Controls -              U1133TM1
Job Type: Batch
Name: TESTJOB2                      Last modified 2012-02-23 at 12:25:13 by UKGXN
ATM ON/OFF ..... ON_                Added 2012-02-23 at 12:25:13 by UKGXN
System coordinator group name ..... WORKSHOP
Maximum number of open databases ..... 4_____
Continuous operation mode ..... FORCE      (Yes/No/Force)
Coordinate Adabas outside the group ... YES      (Yes/RM/No)
ET data storage location..... NONE      (TM/Adabas/RM/NONE)
Generate OP commands ..... NO_          (Yes/No)
Use extended hold processing ..... NO_    (Yes/No)
Distributed transaction timeout(secs).. 0_____ (0 to 16777215)
Adabas transaction dynamics ..... FULLL__ (TP/Full/Forced)
Open distributed transaction support... NO_    (Yes/No)
  Transaction control by other vendors NO_    (Yes/No)
                                by ET ..... YES      (Yes/No)
                                by BT ..... YES      (Yes/No)
                                by CL ..... YES      (Yes/No)

Command ==>
Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---
      Help           Exit           Upd                               Menu

```

For specific information on each of these controls, see section Client Runtime Controls.

Note:

The initial controls for the new job are copied from those specified in the *DEFAULT entry for the selected job type. If no default entry exists for the job type, then product default values are displayed.

Note:

Each job or TP system that uses Adabas Transaction Manager must be associated with an Adabas System Coordinator group, the name of which must be specified in the above screen. If you have not yet defined the group in which your job will execute, quit this operation, and use the Adabas System Coordinator Online Services application to define the group. Refer to the *Adabas System Coordinator* documentation for details.

4. Change any of the displayed values as required, then use PF5 to save the updated control settings.