

# AAS\* - Adabas Administration Service Messages

## Overview of Messages

AAS006I	AAS007I	AAS008I	AAS018I	AAS030I	AAS035I	AAS083I
AAS084I	AAS094I	AAS095I	AAS099I	AAS102W	AAS104W	AAS105W
AAS106W	AAS111I	AAS119W	AAS120W	AAS127I	AAS128I	AAS129I
AAS130I	AAS215E	AAS216E	AAS217E	AAS237E	AAS402F	

---

**AAS006I**      **Adabas Administration Service for *platform* is initializing on *date***

**Explanation**      Adabas Administration Service is initializing. The platform on which it is initializing and the date are given in the message.

**Action**              No action is required for this informational message.

**AAS007I**      **Product Information : Version=*version* Patch Level=*number***

**Explanation**      This message displays general information about the installed Adabas Administration Service.

**Action**              No action is required for this informational message.

**AAS008I**      **Unable to access remote directory server**

**Explanation**      Adabas Administration Service is not able to access the remote Directory Server.

**Action**

**AAS018I**      **Adabas Administration Service initialization complete**

**Explanation**      Adabas Administration Service has initialized successfully.

**Action**              No action is required for this informational message.

**AAS030I**      **Information from Internal Transport Subsystem: *info***

**Explanation**      Information from the internal transport subsystem used by Adabas Administration Service is provided in this message.

**Action**              No action is required for this informational message.

**AAS035I**      **Adabas Administration Service Name=*name***

**Explanation**      The name of the Adabas Administration Service is given in the message.

**Action**              No action is required for this informational message.

**AAS083I**      **Shutdown request received from *agent***

**Explanation**      A shutdown request for Adabas Administration Service has been received.

**Action**              No action is required for this informational message.

**AAS084I**      **Signal value=*signal***

**Explanation**      The UNIX signal value is given in the message.

**Action**              No action is required for this informational message.

**AAS094I**      **Command Parameter=*num value***

**Explanation**

**Action**              No action is required for this informational message.

**AAS095I**      **Setting Partition=*name***

**Explanation**      The name of the Adabas Administration Service partition is given in the message.

**Action**              No action is required for this informational message.

**AAS099I**      **Adabas Administration Service is terminating**

**Explanation**      The Adabas Administration Service is terminating.

**Action**              No action is required for this informational message.

**AAS102W**      **No outbound connections defined for this configuration**

**Explanation**      No outbound connections have been defined for this configuration.

**Action**              No action is required for this warning message.

**AAS104W      Remote access for WCP services has been disabled****Explanation**      Remote access to Entire Net-Work open system services has been disabled.**Action**              No action is required for this warning message.**AAS105W      Remote access for WCL services has been disabled****Explanation**      Remote access for Entire Net-Work Client services has been disabled.**Action**              No action is required for this warning message.**AAS106W      Remote access for ART services has been disabled****Explanation**      Remote access for Event Replicator Target Adapter services has been disabled.**Action**              No action is required for this warning message.**AAS111I      Trace level set to *trclevel* by SMH user****Explanation**      The trace level has been reset by a System Management Hub (SMH) user. The new trace level is given in the message.**Action**              No action is required for this informational message.**AAS119W      Duplicate URL=*url* for target=*targetid* in the Directory Server****Explanation**      A duplicate URL has been found for a target definition in the Directory Server. The URL and the target ID are given in the message.**Action**              No action is required for this warning message.**AAS120W      URL=*url* for Target=*targetid* has a syntax error****Explanation**      A syntax error was discovered in the URL for a target definition in the Directory Server. The URL and the target ID are given in the message.**Action**              No action is required for this warning message.**AAS127I      WCP Listening Port=*port*****Explanation**      The Entire Net-Work open systems listening port is given in the message.**Action**              No action is required for this informational message.

**AAS128I      WCL Listening Port=*port***

**Explanation**      The Entire Net-Work Client listening port is given in the message.

**Action**              No action is required for this informational message.

**AAS129I      ADI Listening Port=*port***

**Explanation**      The Software AG Directory Server listening port is given in the message.

**Action**              No action is required for this informational message.

**AAS130I      ART Listening Port=*port***

**Explanation**      The Event Replicator Target Adapter listening port is given in the message.

**Action**              No action is required for this informational message.

**AAS215E      ART callback routine *rc=code***

**Explanation**      An error occurred in the Event Replicator Target Adapter callback routine. The response code is given in the message.

**Action**

**AAS216E      WCL callback routine *rc=code***

**Explanation**      An error occurred in the Entire Net-Work Client callback routine. The response code is given in the message.

**Action**

**AAS217E      WCP callback routine *rc=code***

**Explanation**      An error occurred in the Entire Net-Work open systems callback routine. The response code is given in the message.

**Action**

**AAS237E      Unable to spawn a new process for *xxxx***

**Explanation**      The UNIX system is overloaded and will not allow the creation of new processes.

**Action**

**AAS402F**      **Unable to continue due to a severe error at startup**

**Explanation**    A severe error occurred when the Adabas Administration Service tried to start up. The cause is shown in a previous message.

**Action**