

ADAWRK Utility Error Messages

Overview of Messages

ERROR-121	ERROR-122	ERROR-124	ERROR-125	ERROR-126	ERROR-127
ERROR-128	ERROR-129	ERROR-130	ERROR-131	ERROR-132	ERROR-133
ERROR-134	ERROR-135	ERROR-136	ERROR-137	ERROR-138	ERROR-139
ERROR-140	ERROR-141	ERROR-142	ERROR-143	ERROR-144	ERROR-145
ERROR-146	ERROR-147	ERROR-148	ERROR-149	ERROR-150	ERROR-151
ERROR-152	ERROR-153	ERROR-154	ERROR-155	ERROR-156	ERROR-157
ERROR-158	ERROR-159	ERROR-160	ERROR-165	ERROR-166	WARN-001
WARN-002	WARN-003	WARN-004	WARN-005	WARN-006	WARN-007
WARN-008					

ERROR-121 Invalid value for parameter **TIMEZONE**. **TIMEZONE** must be set to **MACHINE**, **LOCAL**, or an integer value in the range **-23** to **+23**. When entering **+** or **-**, enclose the number in single quotes. e.g. **TIMEZONE='+5'**

Explanation An invalid value was specified for the **TIMEZONE** parameter.

Action Supply the correct parameter value and rerun the ADAWRK job.

ERROR-122 Invalid value for parameter **CHECKPOINT**. Must be set to **YES** or **NO**.

Explanation An invalid value was specified for the **CHECKPOINT** parameter.

Action Supply the correct parameter value and rerun the ADAWRK job.

ERROR-124 Invalid value for parameter **FORCE**. Must set to **YES** or **NO**.

Explanation An invalid value was specified for the **FORCE** parameter.

Action Supply the correct parameter value and rerun the ADAWRK job.

ERROR-125 Invalid value for parameter **REPLICATION**. Must be set to **YES**, **NO**, **DETAIL** or **FULL**.

Explanation An invalid value was specified for the **REPLICATION** parameter.

Action Supply the correct parameter value (from those listed in the message) and rerun the ADAWRK job.

- ERROR-126** **Invalid value for parameter REPORTFILE. Must be set to YES or NO.**
- Explanation** An invalid value was specified for the REPORTFILE parameter.
- Action** Supply the correct parameter value and rerun the ADAWRK job.
-
- ERROR-127** **Invalid value for parameter SUMMARY. Must be set to YES or NO.**
- Explanation** An invalid value was specified for the SUMMARY parameter.
- Action** Supply the correct parameter value and rerun the ADAWRK job.
-
- ERROR-128** **Invalid value for parameter TRANSACTIONS. Must be set to YES, NO or FULL.**
- Explanation** An invalid value was specified for the TRANSACTIONS parameter.
- Action** Supply the correct parameter value and rerun the ADAWRK job.
-
- ERROR-129** **Invalid value for parameter FILES. File number provided must be > 0 and < 65536.**
- Explanation** An invalid value was specified for the FILES parameter.
- Action** Supply a file number in the correct range and rerun the ADAWRK job.
-
- ERROR-130** **Invalid range for parameter FILES. When file range provided, VALUE1 < VALUE2.**
- Explanation** An invalid value was specified for the FILES parameter.
- Action** Ensure that when providing a range of file numbers the first value (VALUE1) is less than the second value (VALUE2), then rerun the ADAWRK job.
-
- ERROR-131** **IOR *cccc* call failed return code *rc***
- Explanation** An internal call failed.
- Action** Contact your Software AG technical support representative with the details of this message.

ERROR-132 Cannot identify Work data sets as no Work data sets were provided in the JCL and NOPPT was specified

Explanation ADAWRK was unable to find Work data sets.

Action Either include statements for the Work data sets in the JCL or remove the NOPPT parameter.

ERROR-133 TIMESTAMP mismatch on Work data set

Explanation ADAWRK detected inconsistent timestamps in the Work data set provided.

Action Contact your Software AG technical support representative with the details of this message.

ERROR-134 Work data set *dsn* has wrapped

Explanation ADAWRK detected that the Work data set has wrapped and that old protection data has been overwritten. The Work data set name (*dsn*) is given in the message.

Action Contact your Software AG technical support representative with the details of this message.

ERROR-135 While processing a non cluster Work, a cluster nucleus Work block was found

Explanation While processing a Work data set from a non-cluster nucleus, ADAWRK detected a work block that originated from a cluster nucleus.

Action Contact your Software AG technical support representative with the details of this message.

ERROR-136 While processing a cluster Work data set, a non cluster nucleus Work block was found

Explanation While processing a Work data set from a cluster nucleus, ADAWRK detected a work block that originated from a non-cluster nucleus.

Action Contact your Software AG technical support representative with the details of this message.

ERROR-137 Work block size value longer than Work block size

Explanation While processing a Work data set, ADAWRK detected a work block with a size indicator greater than the block size of the work block.

Action Contact your Software AG technical support representative with the details of this message.

ERROR-138 Invalid version in Work block

Explanation While processing a Work data set, ADAWRK detected a work block with a version number that is not supported.

Action Contact your Software AG technical support representative with the details of this message.

ERROR-139 Invalid database ID in Work block

Explanation While processing a Work data set, ADAWRK detected a work block with a different database ID.

Action Ensure that you have not mixed the Work files you are passing to ADAWRK.

ERROR-140 Invalid timestamp in Work block

Explanation While processing a Work data set, ADAWRK detected a work block with an invalid timestamp.

Action Contact your Software AG technical support representative with the details of this message.

ERROR-141 Invalid HSI record in Work block

Explanation While processing a Work data set, ADAWRK detected a work block with an invalid HSI record.

Action Contact your Software AG technical support representative with the details of this message.

ERROR-142 Cluster nucleus Work data set time stamps did not occur in chronological order

Explanation While processing a cluster Work data set, ADAWRK detected timestamps that are not in the correct order.

Action Contact your Software AG technical support representative with the details of this message.

ERROR-143 No recovery data found on provided Work data sets

Explanation While processing the specified Work data sets, ADAWRK was unable to detect any recovery data.

Action Ensure that you have not mixed the Work files you are passing to ADAWRK.

ERROR-144 Parameter DTP is not currently supported

Explanation The DTP parameter is not yet supported.

Action Remove the parameter and resubmit the job.

ERROR-145 Parameter REPLICATION is not currently supported

Explanation The REPLICATION parameter is not yet supported.

Action Remove the parameter and resubmit the job.

ERROR-146 Invalid nucleus ID in Work block

Explanation While processing the Work data set, an invalid nucleus ID was detected.

Action Ensure that you have not mixed the Work files you are passing to ADAWRK.

ERROR-147 Userid cannot exceed 8 bytes

Explanation A user ID longer than eight bytes was specified when providing a user ID to be used for selecting transactions.

Action Correct the user ID and resubmit the job.

ERROR-148 Missing Work data set entry in PPT block

Explanation When processing the PPT block in the specified Associator data set, a missing entry was detected.

Action Contact your Software AG technical support representative for assistance.

ERROR-149 Dynamic allocation/open Work failed

Explanation When trying to dynamically allocate or open the Work data sets, a failure occurred.

Action Investigate the cause of the error. Contact your Software AG technical support representative for assistance.

ERROR-150 Insufficient workpool space for buffers

Explanation ADAWRK encountered a shortage of space in the Work pool during execution.

Action Check JCL, increase region size, and resubmit the job. If the problem persists, contact your Software AG technical support representative for assistance.

ERROR-151 I/O error reading a Work data set

Explanation ADAWRK encountered an I/O error reading a Work data set.

Action Review the additional error message accompanying this message and rectify the problem. Then resubmit the job.

ERROR-152 I/O error reading PPT

Explanation ADAWRK encountered an I/O error reading the PPT.

Action Review the additional error message accompanying this message and rectify the problem. Then resubmit the job.

ERROR-153 Inconsistent Work data sets provided

Explanation ADAWRK detected inconsistencies in the Work data sets provided.

Action Contact your Software AG technical support representative with the details of this message.

ERROR-154 Parameter LWP must be specified in, e.g LWP=512K

Explanation The value provided for the LWP parameter must be specified in kilobytes.

Action Provide a value for LWP in kilobytes and try again.

ERROR-155 Parameter LWP error : must be between 100K and 1048576K

Explanation The value provided for the LWP parameter is not in the correct range.

Action Provide a value for LWP in the correct range and try again.

ERROR-156 Parameter error(s) detected

Explanation This message appears when errors have been detected in parameter processing.

Action Messages indicating which parameters are in error will have been issued earlier. Refer to these other error messages to resolve the issue. Then try again.

**ERROR-157 No space in Work pool to satisfy request
Please review the settings of the LWP parameter.**

Explanation An internal ADAWRK storage request has failed.

Action Consider increasing the setting of the ADAWRK LWP (length of Work pool) parameter. If this does not resolve the issue, contact your Software AG technical support representative for assistance.

ERROR-158 All Work data sets for nuclei referred to in Work-part-1 data not provided.

Explanation Records have been detected in the Work part 1 data referring to clustered nuclei, but the work data sets for the other nuclei have not been provided as input to ADAWRK in JCL. Inconsistent ADAWRK output may result.

Action Ensure that all Work data sets for all component nuclei of the cluster are included as input to ADAWRK. Then try again.

ERROR-159 Invalid value for parameter FILES. File number specified more than once.

Explanation The same file number has been specified more than once in the ADAWRK FILES parameter. This is invalid.

Action Correct the parameter and try again.

ERROR-160 More than one replication data begin record received

Explanation More than one internal replication begin record was encountered during ADAWRK processing.

Action Contact your Software AG technical support representative for assistance.

ERROR-165 Bad replication data record

Explanation A bad replication data record was encountered.

Action Contact your Software AG technical support representative for assistance.

**ERROR-166 Work data set has wrapped
The replication restart point was not found on the work data set(s) provided.
Replication information may have been lost.**

Explanation ADAWRK detected that the Work data set has wrapped and that old protection data has been overwritten. The replication restart point (RRP) could not be determined.

Action Contact your Software AG technical support representative with the details of this message.

**WARN-001 A timestamp was encountered reading the Work data sets indicating that
ADAWRK is running against a running Adabas nucleus. ADAWRK will continue.**

Explanation ADAWRK detected that the Work data sets it is reading are being used by an active database.

Action No action is required for this informational message.

WARN-002 Flush point values not established

Explanation While processing the specified Work data sets, ADAWRK was unable to determine the flush point.

Action No action is required for this informational message.

WARN-003 End of buffer flush values not established

Explanation While processing the specified Work data sets, ADAWRK was unable to determine the end of buffer flush point.

Action No action is required for this informational message.

WARN-004 Start of buffer flush values not established

Explanation While processing the specified Work data sets, ADAWRK was unable to determine the start of buffer flush point.

Action No action is required for this informational message.

WARN-005 Backward repair point values not established

Explanation While processing the specified Work data sets, ADAWRK was unable to determine the backward repair point.

Action No action is required for this informational message.

WARN-006 Work data set *dsn* found in PPT but not provided to ADAWRK.

Explanation The PPT refers to a Work data set that has not been provided as input to ADAWRK in JCL. It may be that the data set has been omitted in error. Inconsistent ADAWRK output may result.

Action If the data set was not intentionally excluded from the run, include the relevant data set as input to ADAWRK. Then try again.

WARN-007 Work data set *dsn* not found in PPT but provided to ADAWRK

Explanation The PPT does not refer to a Work data set that has been provided as input to ADAWRK in JCL. It may be that the data set has been included in error. Inconsistent ADAWRK output may result.

Action If the data set was not intentionally included from the run, remove the relevant data set as input to ADAWRK. Then try again.

WARN-008 Work data set for nucleus that triggered the last buffer flush not provided

Explanation The Work data set for the nucleus that triggered the last buffer flush has not been provided as input to ADAWRK in JCL. Inconsistent ADAWRK output may result.

Action If the data set was not intentionally excluded from the run, include the relevant data set as input to ADAWRK. Then try again.