

Data Archiving for Adabas

Glossary

Version 1.1.1

March 2013

This document applies to Data Archiving for Adabas Version 1.1.1.

Specifications contained herein are subject to change and these changes will be reported in subsequent release notes or new editions.

Copyright © 2008-2013 Software AG, Darmstadt, Germany and/or Software AG USA, Inc., Reston, VA, United States of America, and/or their licensors.

Detailed information on trademarks and patents owned by Software AG and/or its subsidiaries is located at <http://documentation.softwareag.com/legal/>.

Use of this software is subject to adherence to Software AG's licensing conditions and terms. These terms are part of the product documentation, located at <http://documentation.softwareag.com/legal/> and/or in the root installation directory of the licensed product(s).

This software may include portions of third-party products. For third-party copyright notices and license terms, please refer to "License Texts, Copyright Notices and Disclaimers of Third-Party Products". This document is part of the product documentation, located at <http://documentation.softwareag.com/legal/> and/or in the root installation directory of the licensed product(s).

Document ID: ADR-GLOSSARY-111-20130315

Table of Contents

Glossary	1
A	1
C	1
D	1
E	2
G	2
P	2
V	2

Glossary

A

Archive Services

Archive Services manage all archive operations. Archive Services run unattended, launching extractors and accumulators according to the plans defined by the administrator in the configuration file.

Archive Services record activity progress and history to assist the administrator in monitoring and controlling archive operations.

Each Archive Service runs within a member of an Adabas System Coordinator Group (please refer to the Adabas System Coordinator documentation for more information on groups etc.).

Accumulator

An Accumulator inserts extracted data into the archive vault or the alternate (Adabas) destination.

Accumulators are launched automatically by Archive Services and run unattended. Filtering rules can cause only a subset of the extracted data to be archived, if defined.

Accumulators communicate progress as well as restart/recovery information to Archive Services.

C

Computer

In archiving terms, a computer represents a single operating system image, even if that image is acting as a virtual machine.

Configuration File

The configuration file is an Adabas file containing the archive definitions for your site. The same configuration file is also shared by Adabas System Coordinator (and other products).

D

Daemon (Note: Also see Group) Each Data Archiving for Adabas service runs within an Adabas System Coordinator Group daemon. One or more daemons for a group run within each computer, usually one for Data Archiving for Adabas.

E

Extractor An extractor extracts data according to criteria defined for the actions in the archive plan, and then transfers the extracted data to the accumulator peer responsible for archiving the extracted data.

Extractors are launched automatically by Archive Services and run unattended.

Extractors communicate progress as well as restart/recovery information to Archive Services.

G

Group An Adabas System Coordinator Group defines a logical network of computers where System Coordinator daemons run. Each daemon can in turn run one or more product services. One of these product services can be for Data Archiving for Adabas. There are also many other services that can be run for other products within the same logical computer network (group).

P

Plan An archiving plan allows you to bring together the archiving rules that you require for one or more related actions. For example, you may use a plan to define all the archiving that is required for a particular business application, or perhaps a whole business division or department, etc. You decide what you want to put together in one plan. For each action within the plan, you define what the data source is, where it is located, how data is to be extracted from it, when, where it is to be archived, how long the data is to be kept, etc.

V

Vault A vault is a flat-file store which contains all the archived data taken since the inception of the archive according to the rules defined in the plans contained within the configuration file. Any number of vaults may be defined. Each archive plan must specify the vault to be used for all archiving processes defined in the plan.