AFP* - Adabas Fastpath Messages

Overview of Messages

AFP-0000-FF	AFP-0001-24	AFP-0002-24	AFP-0003-24	AFP-0004-xx
AFP-0005-04	AFP-0006-20	AFP-0007-10	AFP-0008-20	AFP-0009-20
AFP-0010-20	AFP-0011-20	AFP-0012-20	AFP-0013-10	AFP-0014-20
AFP-0015-20	AFP-0016-20	AFP-0017-20	AFP-0018-20	AFP-0019-08
AFP-0020-14	AFP-0021-14	AFP-0022-FF	AFP-0023-08	AFP-0024-20
AFP-0025-16	AFP-0028-04	AFP-0029-04	AFP-0030-04	AFP-0031-18
AFP-0032-18	AFP-0033-18	AFP-0034-08	AFP-0035-10	AFP-0036-14
AFP-0037-18	AFP-0038-08	AFP-0039-10	AFP-0040-04	AFP-0041-04
AFP-0042-04	AFP-0043-08	AFP-0044-08	AFP-0045-08	AFP-0046-08
AFP-0047-08	AFP-0048-18	AFP-0049-08	AFP-0050-08	AFP-0051-04
AFP-0052-04	AFP-0053-20	AFP-0054-20	AFP-0056-20	AFP-0059-04
AFP-0060-04	AFP-0061-20	AFP-0063-04	AFP-0065-20	

AFP-0000-FF NO TEXT

Explanation This message is either

• an unexpected error; or

• an error created intentionally by zap.

Action Report an unexpected error to Software AG.

AFP-0001-24 ABEND PSW psw

Explanation Indicates an abnormal termination of the asynchronous buffer manager (ABM). The

PSW is displayed at the point the ABM abended.

AFP-0002-24 ABEND: NO PSW/REGS AVAILABLE

Explanation Indicates an abnormal termination of the asynchronous buffer manager (ABM). The

PSW and registers were not available.

AFP-0003-24 ABEND REGS - 4-GP-registers

Explanation Normally follows message 0001 and is repeated 4 times. Each time it is repeated, a

different set of 4 GP registers is displayed.

AFP-0004-xx NEW BUFFER address, length, date, time

Explanation Indicates that a new buffer has been initialized and shows the buffer address, buffer

length, starting date and time, all in hexadecimal.

Note:

For this message only, the severity code shown (xx) is overwritten with the message

level parameter.

AFP-0005-04 INITIALIZATION FAILED

Explanation This is a warning that the buffer could not be initialized. It is preceded by a message

showing the reason for failure.

AFP-0006-20 AUTHORIZATION FAILURE

Explanation The operating system would not permit Adabas Fastpath to perform certain

commands; for example, GETMAIN.

Action Ensure that all AFPxxx and link modules are in an authorized library.

AFP-0007-10 RSP 148, RETRY: rsp, svc,dbid, fnr

Explanation The Adabas Fastpath configuration file is not active. Adabas Fastpath will retry

periodically. The Adabas response code and the configuration file SVC, DBID, and

FNR are shown in hexadecimal.

Action Check the status of the configuration file.

AFP-0008-20 SYSFILE RESPONSE: rsp, svc, dbid, fnr

Explanation An invalid Adabas response code was encountered while trying to access the Adabas

Fastpath configuration file. The response code and configuration file SVC, DBID, and

FNR are shown, in hexadecimal.

Action Check the status of the configuration file.

AFP-0009-20 NO SYSFILE PARAMETERS: buffer-name

Explanation Global or member buffer parameters could not be found on the Adabas Fastpath

configuration file for the buffer name shown.

Action Check the status of the configuration file.

AFP-0010-20 NO SYSFILE PARAMETERS: connected-buffer-name

Explanation Connected buffer parameters could not be found on the Adabas Fastpath configuration

file for the buffer name shown.

Action Check the status of the configuration file.

AFP-0011-20 INVALID PARAMETERS: buffer-name

Explanation The parameters for the buffer name shown would require more memory than requested

in the size parameter. Buffer initialization is terminated.

Action Check the parameter values and adjust as necessary.

AFP-0012-20 TRAP FAILURE: buffer-name

Explanation The asynchronous buffer manager (AFPABM) must be able to intercept any abnormal

ABENDs to preserve operational integrity. Initialization failed for the buffer named

while attempting to set the operating system ABEND trap.

AFP-0013-10 ALREADY ACTIVE: buffer-name

Explanation An attempt was made to start the buffer named, which is already active.

AFP-0014-20 GETMAIN FAILED: buffer-name

Explanation The operating system GETMAIN operation failed while initializing the named buffer.

AFP-0015-20 SEGMENTATION FAILURE: buffer-name

Explanation A failure occurred during the preformatting stage of initialization for the named buffer.

AFP-0016-20 FILE PARAMETER ERROR: buffer-name

Explanation An error occurred during file parameter initialization of the named buffer.

AFP-0017-20 PARAMETER(S) OVERRIDDEN: buffer-name

Explanation The buffer parameter record on the Adabas Fastpath configuration file was updated

sometime between the start and end of initialization for the buffer named.

AFP-0018-20 BUFFER SIGNON FAILURE: buffer-name

Explanation Logon to the ID table failed. Possible reasons are as follows:

- the SVC specified in the named buffer parameters could not provide Adabas communication; or
- the database number defined for the buffer was already in use by a database or another buffer.

AFP-0019-08 OPERATOR ENTERED: command

Explanation The specified command is valid and recognized by the asynchronous buffer manager.

AFP-0020-14 INVALID OPERATOR COMMAND: command

Explanation The specified command is not recognized as a valid command.

AFP-0021-14 COMMAND REJECTED: command

Explanation The specified command is valid but processing is rejected.

AFP-0022-FF STAT, SNAP, STOP, RESTART, NEWCOPY, HELP

Explanation Response to the HELP command.

AFP-0023-08 SHUTDOWN ACTIVATED

Explanation The buffer is in the process of terminating. During this process, all tasks within the Adabas Fastpath buffer are allowed to complete normally and no new tasks are started.

AFP-0024-20 NO CONNECTION TO BUFFER: buffer-name

Explanation Initialization for the specified buffer could not be completed because it was not possible to obtain a buffer session area for the asynchronous buffer manager.

AFP-0025-16 SAMPLER MISSING: AFPLOOK-module-name

Explanation An attempt to load the specified AFPLOOK module failed.

AFP-0028-04 NEWCOPY REQUEST

Explanation The database component accepted a Newcopy request.

AFP-0029-04 DISCONNECT FAILURE

Explanation The database component could not successfully disconnect.

AFP-0030-04 NO RECOVERY ACTION NEEDED

Explanation The buffer ended abnormally but no specific action was necessary to provide an

orderly shutdown.

AFP-0031-18 POSSIBLE ORPHAN: address-of-memory

Explanation An attempt to free memory after an abnormal termination failed. The attempted

address is shown and should be the same as that portrayed in message 0004.

AFP-0032-18 NOT FREED: address-of-memory

Explanation An abnormal termination occurred. The memory address shown appears to be invalid

and should be the same as that portrayed in message 0004.

AFP-0033-18 SIGNOFF FAILURE: address-of-memory

Explanation An abnormal termination occurred while attempting to log off from the Adabas ID

table.

AFP-0034-08 SNAP COMPLETED

Explanation The snap dump of the Adabas Fastpath buffer has completed successfully. This

message is issued in response to a request to snap the contents of the buffer.

AFP-0035-10 SNAP FAILED

Explanation The snap dump of the Adabas Fastpath buffer failed.

AFP-0036-14 BUSY - PLEASE RETRY

Explanation Adabas Fastpath processes only one operator command at a time and one is already

being processed.

Action Resubmit the failed command.

AFP-0037-18 JOB ACTIVE: job-name-and-number

Explanation AFPABM is attempting to stop but cannot do so until all jobs have released all Adabas

Fastpath resources. The job named has not yet released resources and disconnected

from the Adabas Fastpath buffer.

AFP-0038-08 STATISTICS UNAVAILABLE

Explanation The database component disconnected successfully but could not log the final

statistics.

AFP-0039-10 LOG EVENT ERROR: ADABAS-cmd-code-and-rsp-code

Explanation An invalid Adabas response code was encountered while attempting to write a

statistics log to the Adabas Fastpath configuration file. The Adabas command code and

response code are shown in hexadecimal.

AFP-0040-04 JOB REPORT: job-name, commands

Explanation If the job parameter Job End Stats is set to Y, AFPABM shows the above

message when the named job completes. The message shows the job name and the total number of commands for the job seen by Adabas Fastpath. Messages 0041 and

0042 should follow.

AFP-0041-04 DIRECT ACCESS: attempts, saved, RCs

Explanation This message follows either message 0040 or 0051. It shows the Adabas Fastpath

direct access optimization attempts, the number of commands saved, and the number

of associated RC commands saved.

AFP-0042-04 SEQUENCE: attempts, saved, over-reads

Explanation This message follows either message 0040 or 0051. It shows the Adabas Fastpath

read-ahead optimization attempts, the number of commands saved, and the number of

commands that were not needed (over-reads).

AFP-0043-08 STOP REQUESTED BY: userid

Explanation A buffer STOP request was issued from SYSAFP by the user shown.

AFP-0044-08 RESTART REQUESTED BY: userid

Explanation A buffer RESTART request was issued from SYSAFP by the user shown.

AFP-0045-08 LOG REQUESTED BY: userid

Explanation A LOG request was issued from SYSAFP by the user shown.

AFP-0046-08 NEWCOPY REQUESTED BY: userid

Explanation A NEWCOPY request was issued from SYSAFP by the user shown.

AFP-0047-08 SNAP REQUESTED BY: userid

Explanation A STOP request was issued from SYSAFP by the user shown.

AFP-0048-18 OPERATOR CANCEL: FORCED SHUTDOWN

Explanation The buffer is being shut down due to an operating system cancel.

AFP-0049-08 SCHEDULED FILE STOP time fnr / dbid

Explanation The file is subject to optimization by time period and a stop time period has been

reached. The scheduled stop time plus the file and database number are also shown.

AFP-0050-08 SCHEDULED FILE START time fnr / dbid

Explanation The file is subject to optimization by time period and a new start time period has been

reached. The scheduled start time plus the file and database number are also shown.

AFP-0051-04 BUFFER STATISTICS name, total-commands

Explanation This message is issued automatically at normal buffer end or when the operator

command STAT is issued. It shows the buffer name and the total number of

commands seen by Adabas Fastpath. It is followed by messages 0041 and 0042.

AFP-0052-04 NEWCOPY LOADED

Explanation The database component successfully reloaded the Adabas Fastpath nucleus.

AFP-0053-20 UNABLE TO LOAD FASTPATH MODULE: module-name

Explanation AFPABM was unable to load the module named in the message.

Action Check that the Adabas Fastpath library is defined to the buffer start task and that it

contains the module named.

AFP-0054-20 ERROR IN LOADED FASTPATH MODULE: module-name

Explanation AFPABM loaded the module named in the message but then found an error in it.

Action Check that the version of Adabas Fastpath matches for AFPABM and the module

named.

AFP-0056-20 UNABLE TO SEND UPDATES TO: daemon-name/node-id (SYSCO DAEMON)

RSPnnnn

Explanation AFPADA cannot send updates to the SYSCO daemon named. In most cases, this

indicates an Entire Net-Work problem.

Action To maintain data integrity, stop or restart the named AFPABM hosted by the named

SYSCO daemon.

AFP-0059-04 JOB REPORT: Job Number

Explanation If the job parameter Job End Stats is set to Y, Fastpath displays this message

when the job completes. The message shows the job name and job number of the

ending job (step).

AFP-0060-04 THE DATE IS: date

Explanation This message is issued by the Adabas Fastpath buffer manager at startup and also at

midnight.

AFP-0061-20 COR GROUP NAME MISMATCH

Explanation The Adabas System Coordinator group name defined for the AFPABM does not match

the group name defined for the host SYSCO daemon.

Action Correct the group names in the defined parameters.

AFP-0063-04 UNABLE TO SAVE JOB END STATISTICS -

Explanation The job history record could not be updated with the statistics from the named job as it

finished.

Action Check the status of the configuration file.

AFP-0065-20 DATASPACE ALLOCATION FAILURE: dataspace-name,return-code

Explanation The allocation of the named dataspace failed during buffer initialization.

Action Correct the dataspace name in the defined parameters.