

ET data and ET identity processing

- Using ET identities (ETID)
 - ET Data
 - Continuous operation mode and ET Data
 - External transaction coordinators and ET Data
-

Using ET identities (ETID)

It is possible for an application to use an ETID for some database sessions, and concurrently to use other database sessions with no ETID. It is also possible for a client to use different ETIDs concurrently in different database sessions; however, Software AG strongly recommends that the same ETID is used for all databases that are used.

ET Data

ET data is a special type of application data. Changes to ET data take effect if and only if a transaction completes successfully (is applied) with an ET command (or CL).

Adabas Transaction Manager supports the use of ET data with distributed transactions. If no new ET data is used when the transaction is applied the existing ET data remains unchanged, similar to how standard Adabas handles ET data.

When an application issues an ET command with ET data when no valid ETID has been provided, Adabas Transaction Manager, like Adabas will not store the ET data persistently. Instead, it will proceed as follows:

- If the target database of the ET command is being managed using the two-phase protocol, the ET data will be ignored, but Adabas Transaction Manager will not draw attention to this fact by means of a non-zero response code;
- Otherwise, the ET data will be passed to the database which the application specified on the ET command, and to no other database.

When ET data is stored by an ET or CL command for a session using a valid ETID, its location is determined by the setting of the client runtime control ET data storage location.

Note:

It is important that the same mechanism and store location is used from one execution to the next otherwise ET data will be lost. For example, if the application is configured to store ET data in a database one day, and then changed to use the TM recovery file the next, then it is likely that ET data will be lost during this changeover – unless special action has taken place to make sure the ET data has been moved from the old store to the new store.

Software AG strongly recommends applications should use the same ETID in all databases for one client. When this recommendation is followed, there can be no confusion about which ETID should be used when ET data is to be stored or read.

For information about:

- controlling the storage of ET data, see the ET data storage location client runtime control and ET data storage location TM control.
- establishing the current ET data of your applications in the TM recovery file before they execute, see ET Data Management.

Continuous operation mode and ET Data

When a client session is temporarily running in continuous operation mode, ET data requests are directed to the database specified in the Adabas control block even though the client is configured to use the TM recovery file. This could result in

- incorrect ET data being read.
- ET data being written to a database from which Adabas Transaction Manager is not able to retrieve it.
- incorrect results when Adabas Transaction Manager attempts to recover a transaction on behalf of the user

For these reasons, it is strongly recommended that the client control *Continuous operation mode* is set to NO when ET data is configured to be maintained in the TM recovery file.

External transaction coordinators and ET Data

When running with the CICS Syncpoint Manager or Recoverable Resource Management Services (RRMS), it is not possible to synchronize the storage of ET data when an unsolicited syncpoint occurs, because CICS and RRMS syncpoints have no knowledge of ET data.

If an application stores ET data and runs in a CICS/RMI or RRMS environment, you can ensure that the storing of its ET data is synchronized with the two-phase commit process by conforming to the following rules:

- Any syncpoint for which ET data is to be stored must be triggered by an ET or CL command.
- The ET or CL command that triggers the syncpoint must also supply the ET data; that is, if the application issues a series of ET commands to different databases, the first ET must supply the ET data.

In an IMS TM system whose transactions are coordinated by RRMS, it is not possible to store ET data synchronously with an RRMS syncpoint. IMS allows an RRMS commit syncpoint to take place only at the successful completion of message processing, and this syncpoint cannot be triggered by an ET or CL command.