

Adabas Transaction Manager

Print Suspect/Recovery Records

Version 8.2.2

March 2013

This document applies to Adabas Transaction Manager Version 8.2.2.

Specifications contained herein are subject to change and these changes will be reported in subsequent release notes or new editions.

Copyright © 2013 Software AG, Darmstadt, Germany and/or Software AG USA, Inc., Reston, VA, United States of America, and/or their licensors.

Detailed information on trademarks and patents owned by Software AG and/or its subsidiaries is located at <http://documentation.softwareag.com/legal/>.

Use of this software is subject to adherence to Software AG's licensing conditions and terms. These terms are part of the product documentation, located at <http://documentation.softwareag.com/legal/> and/or in the root installation directory of the licensed product(s).

This software may include portions of third-party products. For third-party copyright notices and license terms, please refer to "License Texts, Copyright Notices and Disclaimers of Third-Party Products". This document is part of the product documentation, located at <http://documentation.softwareag.com/legal/> and/or in the root installation directory of the licensed product(s).

Document ID: ATM-STJ-822-20130315

Table of Contents

1 Print Suspect/Recovery Records	1
Suspect Records	2
Recovery Records	2
Running the Print program T1STJP	2

1 Print Suspect/Recovery Records

- Suspect Records 2
- Recovery Records 2
- Running the Print program T1STJP 2

This section describes how to print suspect records and recovery records.

Suspect Records

Recovery information relating to incomplete transactions is stored in the suspect transaction portion of the transaction manager's recovery file in certain situations. For example:

- during a forced restart of the transaction manager; or
- when an administrator forcibly terminates a distributed transaction using Online Services.

In these cases, transactions are lost to the transaction manager and therefore cannot be completed normally. Transaction integrity may be compromised. For example, a branch of a distributed transaction on one database might be committed while another branch is backed out.

Each record represents a suspect transaction. The print program T1STJP can be used to:

- identify the suspect transactions; and
- determine their status when they were last under the control of the transaction manager.

Recovery Records

Recovery information relating to all prepared distributed transactions or branches which are incomplete are stored in the recovery portion of the transaction manager's recovery file.

The print program T1STJP can also be used to print these records.

Running the Print program T1STJP

The sample job member `ATMSPRNT`, which is located in the installation `JOBS` library, can be used to run the print program T1STJP. Before executing this job, modify the `ADARUN` parameters and `Natural` parameters according to the requirements of your installation.

This utility requires that the transaction manager is active. Set up the job step as if it were using Adabas Transaction Manager to coordinate its transactions. That is, suitable client runtime controls must be defined, the job step must use an `ADALNK` module which has the Adabas System Coordinator stub linked in, and the Adabas Transaction Manager library must be available to the job step.

Program execution is controlled by parameters read from the `CMSYNIN` input. Two parameters are expected:

Parameter	Description
Record ID	<p>The identity of the records for which data will be read. Possible values are</p> <ul style="list-style-type: none">■ STJ: for suspect transaction records■ PRR: for recovery records <p>Note: The contents of the recovery records are likely to change frequently and rapidly. Thus, the report has only limited use in determining the status of a transaction that cannot be brought to completion for some reason. Online Services can also be used to display suspect transaction records or recovery records online.</p> <p>Note: The batch hardcopy report from the print program does not include an interpretation of a transaction's status codes; for these, you need to use Online Services.</p>
TM ID	<p>The node ID of the transaction manager. If this parameter is omitted, it will default to the node ID of the transaction manager that is associated with the Adabas System Coordinator Group specified in the job's client runtime controls.</p>

Suspect transaction and recovery records are not reported in any particular sequence. The field marked "Last act" in the report provides an indication of the time when the record was stored.
