

CORD* - Adabas System Coordinator Daemon Messages

CORDnn messages are issued by the Adabas System Coordinator daemon.

Overview of Messages

CORD01S	CORD02S	CORD03E	CORD04I	CORD05E	CORD06E	CORD07E
CORD08E	CORD09I	CORD10E	CORD11I	CORD12I	CORD13E	CORD14I
CORD15I	CORD16S	CORD17E	CORD18E	CORD19E	CORD20E	CORD21I
CORD22E	CORD23I	CORD24I	CORD25E	CORD26E	CORD27S	CORD28E
CORD29E	CORD30E	CORD31E	CORD33S	CORD34E	CORD35S	CORD36S
CORD37S	CORD38S	CORD39I	CORD40S	CORD41S	CORD42S	CORD43S
CORD44I	CORD45E	CORD46I	CORD47S	CORD49I	CORD50E	CORD51S
CORD52I	CORD53I	CORD56E	CORD57I	CORD58I	CORD59I	CORD60S
CORD61I	CORD62E	CORD63I	CORD64S	CORD65S	CORD66S	

CORD01S CAS CANNOT INITIALIZE, GETMAIN ERROR

Explanation The Adabas System Coordinator cannot initialize because of a memory shortage.

Action Increase the region specification for the daemon job.

CORD02S CAS CANNOT INITIALIZE, KERNEL LOAD ERROR

Explanation The daemon failed to locate or load the runtime kernel module CORKRN.

Action Ensure that the load library containing the kernel module is available to the job.

CORD03E DDCARD OPEN ERROR: ## - TERMINATING

Explanation The DDCARD control file could not be opened.

Action Ensure that the daemon job has a DDCARD file containing the required control cards.

CORD04I INPUT PARAMETER: #####

Explanation The input parameters contained in the DDCARD file are echoed in the job message output file.

Action None. This message is for information only.

CORD05E INVALID PARAMETER: #####

Explanation An invalid input parameter was found in the DDCARD file. The daemon terminates.

Action Correct or delete the invalid parameter.

CORD06E PRODUCT PARAMETER NOT SPECIFIED

Explanation There was no PRODUCTparameter in the DDCARD file. The daemon does not know which product(s) to load.

Action Add the required PRODUCT parameter and restart the daemon.

CORD07E MPM FAILURE - FUNCTION: ## ERROR ##

Explanation An error occurred when trying to:

- sign on to the Adabas SVC (Function=24 - x'18')
- sign off from the Adabas SVC (Function=20 - x'14')
- Post command completion to caller (Function=12 - x'0C')
- get the command queue element (CQE) (Function=8 - x'08')

Action For a sign on error, ensure that the correct SVC and Node ID have been specified in the Adabas System Coordinator group member.

A sign-off error indicates an internal problem with the System Coordinator Daemon. Contact your Software AG technical support representative for assistance.

A Get CQE error or a Post error indicates a problem with the daemon caller. This will be accompanied by an Adabas "User Gone" message (ADAM91 or ADAM92), identifying the calling Job and session Id. Examine the calling job to determine the reason for the failure. Probably the job has abnormally terminated. No action is required in the Coordinator Daemon.

CORD08E IOR FAILURE - FUNCTION: ## ERROR ##

Explanation An error occurred during an ADAIOR service call.

Action Contact your Software AG technical support representative for assistance.

CORD09I SHUTDOWN REQUESTED**Explanation** The daemon has received a shutdown request.**Action** None. This message is for information only.**CORD10E GETMAIN FOR COMMAND QUEUE FAILED****Explanation** The daemon cannot acquire memory for the command queue.**Action** Increase the region specification for the Adabas System Coordinator daemon task.**CORD11I CORD11I SYSCO ##### IS ACTIVE ON NODE ##### ### CIB=#####****Explanation** The daemon successfully signed on to the Adabas SVC and is ready for communication. The message indicates the node and SVC number used.**Action** None. This message is for information only.**CORD12I OPER TYPEIN: #####****Explanation** The operator entered a console command to the daemon. The command is echoed back to the message output file.**Action** None. This message is for information only.**CORD13E INVALID OPERATOR COMMAND****Explanation** The command entered is not valid.**Action** Correct the command and enter it again.**CORD14I TARGET ##### TERMINATION IN PROGRESS****Explanation** The daemon is terminating because of operator request or unrecoverable error.**Action** None. This message is for information only.**CORD15I TARGET ##### ENDED NORMALLY****Explanation** The daemon terminated normally as a result of an operator request.**Action** None. This message is for information only.

CORD16S TARGET ##### ENDED ABNORMALLY

Explanation The daemon terminated abnormally as a result of a previous error.

Action A previous message will identify the cause of the abnormal termination. Examine the message and take appropriate recovery action.

CORD17E PRODUCT ### DUPLICATED

Explanation The daemon has detected multiple copies of the PRODUCT= card for a single product.

Action Remove the duplicate entries and restart the daemon.

CORD18E TOO MANY PRODUCTS SPECIFIED

Explanation The daemon has detected too many copies of the PRODUCT= card.

Action Correct the PRODUCT= cards and restart the daemon.

CORD19E PRODUCT ### - WORK AREA CANNOT BE ALLOCATED

Explanation This is an internal error.

Action Contact your Software AG technical support representative for assistance.

CORD20E INVALID PARAMETERS - TERMINATING

Explanation The daemon has detected invalid parameter cards and has shut down.

Action Correct the parameter cards and restart the daemon.

CORD21I OPERATOR COMMAND PROCESSED SUCCESSFULLY

Explanation An operator command completed successfully.

Action None. This message is for information only.

CORD22E LOAD FOR MODULE: ##### FAILED

Explanation The requested module could not be located or loaded.

Action Ensure that the requested module is available to the Adabas System Coordinator daemon task.

CORD23I PARAMETERS FOR THIS RUN:

Explanation The parameters in use in this instance of the daemon.

Action None. This message is for information only.

CORD24I ##### = #####

Explanation Along with CORD23I gives details of the parameters in use in this instance of the daemon.

Action None. This message is for information only.

CORD25E ### IS AN INVALID PRODUCT NAME

Explanation The daemon has detected invalid an invalid product name.

Action Correct the product name and restart the daemon.

CORD26E PROXY MODULE ##### WAS NOT FOUND, PRODUCT ### WILL NOT BE CALLED

Explanation The daemon has been told to run with PRODUCT=*nnn* but cannot find *nnn*PXY.

Action Ensure the daemon has access to all the products required and restart the daemon.

CORD27S INVALID PRODUCT TABLE ENTRY FOR ###

Explanation This is an internal error.

Action Contact your Software AG technical support representative.

CORD28E CAS PROXY MODULE ##### FOR PRODUCT ### IS INVALID (BAD EYECATCHER)

Explanation The requested module could not be located or loaded.

Action Contact your Software AG technical support representative.

**CORD29E CAS PROXY MODULE ##### FOR PRODUCT ### IS NOT SUPPORTED
BY THIS VERSION OF CAS**

Explanation This is an installation error.

Action Ensure that all product libraries used in the daemon are the same version.

CORD30E GETMAIN FOR PRODUCT PARM BLOCK FAILED

Explanation A memory allocation failed during the initialization.

Action Increase the region specification for the job.

CORD31E CAB ALLOCATION ERROR IN MODULE SYSCORU

Explanation A memory allocation failed during the initialization of the daemon.

Action Increase the region specification for the job.

CORD33S APPEND OF PRODUCT V-CON LIST FAILED.

Explanation Explanation This is an internal error.

Action Contact your Software AG technical support representative.

CORD34E ASA ALLOCATION ERROR IN MODULE SYSCORU

Explanation A memory allocation failed during the initialization of the daemon.

Action Increase the region specification for the job.

CORD35S CONFIGURATION MODULE ##### CORCFG CANNOT BE LOCATED

Explanation The configuration module cannot be loaded. This module contains the SVC, DBID, and file number for reading the configuration file. The daemon will not function correctly without this module.

Action Refer to the Adabas System Coordinator Installation documentation for information about assembling a configuration module.

CORD36S **SVC/NODE DDCARD INPUT IS INVALID WITH PRODUCT=CAS**

Explanation This is an internal error.

Action Contact your Software AG technical support representative.

CORD37S **SYSCO DAEMON member-name NOT FOUND IN CONFIGURATION FILE,
RESPONSE=nnnn, SUBCODE=nnnn**

Explanation The named Adabas System Coordinator group member was not found in the group in the configuration file. Every daemon must have an equivalent group member parameter.

Action Add the member entry for this daemon to the appropriate Adabas System Coordinator group.

CORD38S **GROUP group-name NOT FOUND IN CONFIGURATION FILE,
RESPONSE=nnnn, SUBCODE=nnnn**

Explanation The named group cannot be located.

Action An error occurred while searching for the Adabas System Coordinator group parameters. Define the Adabas System Coordinator group. If the problem persists, contact your Software AG technical support representative.

CORD39I **SHUTDOWN PENDING**

Explanation A shutdown request was entered. One or more of the subcomponents of the Adabas System Coordinator daemon suspended the request until it completes its own shutdown processing. The daemon should terminate when this is completed.

Action None. This message is for information only.

CORD40S **ABEND ##### PSW #####**

Explanation An error occurred in the Adabas System Coordinator daemon. The registers, PSW, and failing module at the time of the error are displayed. The Adabas System Coordinator writes additional diagnostic information to the CORDUMP file, deletes any common memory pools in use, and terminates.

Action Contact your Software AG technical support representative.

CORD41S **CSECT ##### ENTRY ##### OFFSET #####**

Explanation Additional information to CORD40S.

Action Contact your Software AG technical support representative.

CORD42S **MODULE ##### ENTRY ##### OFFSET #####**

Explanation Additional information to CORD40S.

Action Contact your Software AG technical support representative.

CORD43S **REGS ##### ##### ##### #####**

Explanation Additional information to CORD40S.

Action Contact your Software AG technical support representative.

CORD44I **PROXY ##### LOADED AT #####**

Explanation The address of the named proxy module.

Action None. This message is for information only.

CORD45E **THREAD ##### TIMEOUT, TARGET=#####, USER=#####**

Explanation The Adabas System Coordinator daemon sent an Adabas command to the indicated target, and has not received a response within the timeout interval as specified by DDCARD parameter CT.

Action Check that the target database is operating correctly. If the problem persists, try increasing the CT timeout value. If there is still a problem, contact your Software AG technical support representative.

CORD46I **##### Start pending, configuration file (dbid ##### fnr #####) not active**

Explanation An Adabas System Coordinator daemon has been started, but the required configuration file is not active. The daemon will wait for 60 seconds and try again. If the configuration file is still not active after 60 minutes the daemon will terminate.

Action Start the database that contains the configuration file.

CORD47S Halt-Load library is not Authorized

Explanation z/OS only. An Adabas System Coordinator daemon has been started from a load library that is not APF-authorized.

Action Ensure the specified load library is authorized and restart the daemon.

CORD49I PRODUCT COMPONENT ENDED - ###

Explanation The named product has ended.

Action None. This message is for information only.

CORD50E Shutdown rejected

Explanation A daemon shutdown request was made, but there are active client DTR jobs connected to the daemon.

This message will be preceded by message CAS004I, identifying the names of the active DTR job(s).

Action Terminate the active client jobs and re-issue the shutdown request.

CORD51S XCF CQ OVERFLOW – RESTART DAEMON(S)

Explanation There has been an overflow in the XCF command queue.

Action A restart of all daemons using XCF communications is required.

CORD52I Configuration file: database / file

Explanation This message shows the database ID and file number of the configuration file in use by this System Coordinator daemon.

Action None. This message is for information only.

CORD53I Alternate file : database / file

Explanation This message shows the database ID and file number of the alternate configuration file in use by this System Coordinator daemon. The message only appears if an alternate configuration file has been specified.

Action None. This message is for information only.

CORD56E Latency file error: ##### - ##### rc=#####

Explanation A latency file error has occurred in the Adabas System Coordinator daemon.

Action Contact your Software AG technical support representative.

CORD57I Recovery for ##### found ##### sessions at rest

Explanation The Adabas System Coordinator daemon has been restarted after a failure and full crash recovery was active at the time of failure for the job/service indicated. This message identifies the number of sessions recovered for the services/job so they can continue without interruption if possible.

Action This message is for information only, no action is needed.

CORD58I Service AbTerm resource manager termination-type term

Explanation The System Coordinator daemon resource manager was invoked at address-space (*termination-type* indicates AddrSpc) or task (*termination-type* indicates Task) termination .

Action None. This message is for information only.

CORD59I Resource manager activation failed, rc=hhhhhhh

Explanation The System Coordinator daemon was unable to activate its resource manager. *hhhhhhh* indicates a reason for the failure.

Action The daemon continues without its resource manager. Contact Software AG support to establish the reason for the failure.

CORD60S Failure: Continuous Operation has been initiated for ###

Explanation A failure has occurred in the component identified in the message. Continuous operation processing has been invoked to restart the appropriate component(s).

Action None. This message is for information only.

CORD61I ### STORAGE AREA RELEASED

Explanation This is an information message during continuous operation recovery.

Action Report it to your Software AG technical support representative.

CORD62E **Continuous operation error: ##### rc=#####**

Explanation The System Coordinator daemon was attempting to recover following a failure but an error occurred trying to do so.

Action Contact your Software AG technical support representative.

CORD63I **Continuous operation recovery for ##### found ##### sessions at rest**

Explanation The Adabas System Coordinator daemon was restarted following a failure and has recovered the job/service indicated. This message identifies the number of sessions recovered for the services/job so they can continue without interruption.

Action None. This message is for information only.

CORD64S **Shutdown activated owing to recursive failure**

Explanation There has been more than one failure in a period of 30 minutes. Continuous operation is abandoned and the daemon terminates.

Action None. This message is for information only.

CORD65S **SHARED MEMORY ANCHOR AT #####**

Explanation Issued at startup of a Coordinator daemon, this message displays the address of the daemon's shared memory anchor.

Action None. This message is for information only.

CORD66S **SHARED MEMORY GETMAIN FAILED**

Explanation Issued at startup of a Coordinator daemon, when it has been configured to use shared memory for latency/pulse services but the attempt to allocate shared memory failed.

Action The daemon continues, using private memory for latency services (pulse services are disabled). Review the daemon's shared memory definitions and ensure that sufficient shared memory is available. Consider using a dataspace in preference to standard shared memory.