

# **Adabas Cluster Services**

## **Release Notes**

Version 8.5.1

April 2020

This document applies to Adabas Cluster Services Version 8.5.1 and all subsequent releases.

Specifications contained herein are subject to change and these changes will be reported in subsequent release notes or new editions.

Copyright © 2020 Software AG, Darmstadt, Germany and/or Software AG USA, Inc., Reston, VA, USA, and/or its subsidiaries and/or its affiliates and/or their licensors.

The name Software AG and all Software AG product names are either trademarks or registered trademarks of Software AG and/or Software AG USA, Inc. and/or its subsidiaries and/or its affiliates and/or their licensors. Other company and product names mentioned herein may be trademarks of their respective owners.

Detailed information on trademarks and patents owned by Software AG and/or its subsidiaries is located at <http://softwareag.com/licenses>.

Use of this software is subject to adherence to Software AG's licensing conditions and terms. These terms are part of the product documentation, located at <http://softwareag.com/licenses/> and/or in the root installation directory of the licensed product(s).

This software may include portions of third-party products. For third-party copyright notices, license terms, additional rights or restrictions, please refer to "License Texts, Copyright Notices and Disclaimers of Third-Party Products". For certain specific third-party license restrictions, please refer to section E of the Legal Notices available under "License Terms and Conditions for Use of Software AG Products / Copyright and Trademark Notices of Software AG Products". These documents are part of the product documentation, located at <http://softwareag.com/licenses> and/or in the root installation directory of the licensed product(s).

Use, reproduction, transfer, publication or disclosure is prohibited except as specifically provided for in your License Agreement with Software AG.

**Document ID: ALS-AALSRELNOTES-851-20210929**

## Table of Contents

1 Release Notes .....	1
2 About this Documentation .....	3
Document Conventions .....	4
Online Information and Support .....	4
Data Protection .....	5
3 Adabas Cluster Services 8.5 Enhancements .....	7
Streamlined Installation .....	8
4 Adabas Product Support .....	9
5 Restricted Support for Adabas Features .....	13
6 Migrating from Prior Versions .....	15
7 Zap Information .....	17
Adabas Zaps on Empower .....	18
Applying Zaps to Adabas Cluster Services Components .....	18
8 End of Maintenance .....	19
9 Documentation and Other Online Information .....	21
Software AG Documentation Website .....	22
Software AG TECHcommunity .....	22
Software AG Empower Product Support Website .....	22
Index .....	23



# 1 Release Notes

---

This document provides detailed information on Adabas Cluster Services version 8.5 and describes the updates and modifications of this version. For information regarding Software AG product compatibility with IBM platforms and any IBM requirements for Software AG products, please review the [Product Compatibility for IBM Platforms](#) web page.

This document provides release notes for the Adabas Cluster Services 8.5 release.

<a href="#">Enhancements</a>	Describes the new and changed features in Adabas Cluster Services 8.5.
<a href="#">Adabas Product Support</a>	Describes Adabas Cluster Services support of Adabas add-ons and other Adabas products.
<a href="#">Restricted Support for Adabas Features</a>	Describes any restrictions on Adabas Cluster Services support of Adabas features.
<a href="#">Migrating from Prior Versions</a>	Describes how to migrate from prior versions of Adabas Cluster Services.
<a href="#">Zap Information</a>	Describes information about Adabas Cluster Services zaps.
<a href="#">End of Maintenance</a>	Describes how you can determine the end-of-support dates for your Software AG products.
<a href="#">Documentation and Other Online Information</a>	Describes the documentation and other online information you can obtain about this release of Adabas Cluster Services.



## 2 About this Documentation

---

■ Document Conventions .....	4
■ Online Information and Support .....	4
■ Data Protection .....	5

## Document Conventions

---

Convention	Description
<b>Bold</b>	Identifies elements on a screen.
Monospace font	Identifies service names and locations in the format <i>folder.subfolder.service</i> , APIs, Java classes, methods, properties.
<i>Italic</i>	Identifies:  Variables for which you must supply values specific to your own situation or environment. New terms the first time they occur in the text. References to other documentation sources.
Monospace font	Identifies:  Text you must type in. Messages displayed by the system. Program code.
{ }	Indicates a set of choices from which you must choose one. Type only the information inside the curly braces. Do not type the { } symbols.
	Separates two mutually exclusive choices in a syntax line. Type one of these choices. Do not type the   symbol.
[ ]	Indicates one or more options. Type only the information inside the square brackets. Do not type the [ ] symbols.
...	Indicates that you can type multiple options of the same type. Type only the information. Do not type the ellipsis (...).

## Online Information and Support

---

### Software AG Documentation Website

You can find documentation on the Software AG Documentation website at <https://documentation.softwareag.com>.

### Software AG Empower Product Support Website

If you do not yet have an account for Empower, send an email to [empower@softwareag.com](mailto:empower@softwareag.com) with your name, company, and company email address and request an account.

Once you have an account, you can open Support Incidents online via the eService section of Empower at <https://empower.softwareag.com/>.



You can find product information on the Software AG Empower Product Support website at <https://empower.softwareag.com>.

To submit feature/enhancement requests, get information about product availability, and download products, go to [Products](#).

To get information about fixes and to read early warnings, technical papers, and knowledge base articles, go to the [Knowledge Center](#).

If you have any questions, you can find a local or toll-free number for your country in our Global Support Contact Directory at [https://empower.softwareag.com/public\\_directory.aspx](https://empower.softwareag.com/public_directory.aspx) and give us a call.

### **Software AG Tech Community**

You can find documentation and other technical information on the Software AG Tech Community website at <https://techcommunity.softwareag.com>. You can:

- Access product documentation, if you have Tech Community credentials. If you do not, you will need to register and specify "Documentation" as an area of interest.
- Access articles, code samples, demos, and tutorials.
- Use the online discussion forums, moderated by Software AG professionals, to ask questions, discuss best practices, and learn how other customers are using Software AG technology.
- Link to external websites that discuss open standards and web technology.

## **Data Protection**

---

Software AG products provide functionality with respect to processing of personal data according to the EU General Data Protection Regulation (GDPR). Where applicable, appropriate steps are documented in the respective administration documentation.



# 3      **Adabas Cluster Services 8.5 Enhancements**

---

■ Streamlined Installation .....	8
----------------------------------	---

This chapter describes the Adabas Cluster Services 8.5 enhancements.

Category	Enhancements
Adabas Cluster Services 8.5 SP1 Enhancements	<i>Streamlined Installation</i>

### Streamlined Installation

---

Use the ALS LOAD modules provided within the ADA851.LOAD library - Adabas Version 8.5 SP1 - and supply the valid ALS product license key described in the Adabas Version 851 Installation.

## 4 Adabas Product Support

---

In general, Adabas Cluster Services version 8.5 supports or is supported by the same add-on products as Adabas 8.5. The following table describes Adabas 8 compatibility with other Adabas products, including prior releases of Adabas itself. You may need to upgrade your installation of the software if your existing release is not listed.

Product	Compatible Version Levels and Notes
Adabas (ADA)	<p>The version of the Adabas SVC or router (BS2000) used must be the same as or greater than the version of any Adabas database used in your Adabas environment. For example, the Adabas 8.5 SVC/router can be run in the same environment with Adabas 8.4 or 8.5 databases. However, an Adabas 8.5 database cannot run in the same environment with an Adabas 8.4 SVC/router.</p> <p>For any given database (on disk), the Adabas nucleus and utilities of the same version and release level as the database must be used. If you need to convert a database to a higher version or release level, or revert it to a lower version or release level, the ADACNV utility of the higher level must be used.</p> <p>The Adabas link (ADALNK) routines can be used across versions. For example, Adabas 8.5 link routines can be used to issue calls to Adabas 8.4 databases. Software AG recommends that you use the Adabas 8 link routines for all programs that issue Adabas direct calls.</p>
Adabas Bridge for DL/I (ADL)	Version 2.3 SP2 supports Adabas 8.
Adabas Bridge for VSAM (AVB)	Version 5.1 SP1 releases on z/OS 2.1 support Adabas 8.5 databases that do not make use of the expanded features (for example, spanned records, increased limits, or large object fields) available since Adabas 8.3.
Adabas Caching Facility (ACF)	Version 8.5 supports Adabas 8.5 databases and requires the Adabas 8.5 load library, with appropriate Adabas 8.5 zaps applied.
Adabas CICS Interface (ACI)	Version 8.5 supports Adabas 8.5 databases, with appropriate Adabas 8.5 zaps applied.

Product	Compatible Version Levels and Notes
Adabas Cluster Services (ALS)	Version 8.5 supports Adabas 8.5 databases and requires the Adabas 8.5 load library, with appropriate Adabas 8.5 zaps applied.
Adabas Delta Save Facility (ADE)	Version 8.5 supports Adabas 8.5 databases and requires the Adabas 8.5 load library, with appropriate Adabas 8.5 zaps applied.
Adabas Fastpath (AFP)	The minimum supported level of Adabas Fastpath is version 8.2 SP2. For more information, refer to <i>Using COR-based Add-ons</i> , in the <i>Adabas Release Notes</i> .
Adabas IMS Interface (AII)	Version 8.5 supports Adabas 8.5 databases, with appropriate Adabas 8.5 zaps applied.
Adabas Native SQL (SQL)	Version 2.4 SP1 supports Adabas 8 databases that do not make use of the expanded features (for example, spanned records, increased limits, or large object fields) available in Adabas 8.
Adabas Online System (AOS)	Version 8.5 supports Adabas 8.5 databases, with appropriate Adabas 8.5 zaps applied.
Adabas Parallel Services (ASM)	Version 8.5 supports Adabas 8.5 databases and requires the Adabas 8.5 load library, with appropriate Adabas 8.5 zaps applied.
Adabas Review (REV)	Version 5.1 SP1 and above support Adabas 8.5. For more information, refer to your <i>Adabas Review</i> documentation.
Adabas SAF Security z/OS (AAF)	The minimum supported level of Adabas SAF Security is version 8.2 SP2. For more information, refer to <i>Using COR-based Add-ons</i> , in the <i>Adabas Release Notes</i> .
Adabas Statistics Facility (ASF)	Version 8 fully supports all Adabas databases 8.3 SP3 or above databases and expanded features.
Adabas SQL Gateway (ACE)	All currently supported versions of ACE support Adabas 8 databases. Please check the individual release notes for further information on which databases features are supported
Adabas System Coordinator (COR)	The minimum supported level of Adabas System Coordinator is version 8.2 SP2. For more information, refer to <i>Using COR-based Add-ons</i> , in the <i>Adabas Release Notes</i> .
Adabas Text Retrieval (TRS)	<p>Version 2.1 SP4 works with Adabas 8.5 SP1 when the Adabas Text Retrieval 2.1 SP4 hyperdescriptor exit TRSHEX12 is enabled to run with the Version 8 interface by applying zaps TR21454 and TR21455. This hyperdescriptor exit will then only operate with Adabas Version 8. If you then want to run Adabas Text Retrieval 2.1 SP4 with an older Adabas version, you must either undo the zaps or use a copy of the hyperdescriptor exit where zaps TR21454 and TR21455 are not applied. If you do use TR21454 and TR21455, the following additional Adabas Text Retrieval fixes must be applied as prerequisite zaps: TR21420, TR21421, TR21422, TR21423 and TR21424. These zaps can be found in Empower.</p> <p>It is not necessary to use the Adabas Hyperdescriptor Exit Stub in conjunction with Adabas Text Retrieval.</p>
Adabas Transaction Manager (ATM)	The minimum supported level of Adabas Transaction Manager is version 8.2 SP2. For more information, refer to <i>Using COR-based Add-ons</i> , in the <i>Adabas Release Notes</i> .

Product	Compatible Version Levels and Notes
Adabas Vista (AVI)	The minimum supported level of Adabas Vista is version 8.2 SP2. For more information, refer to <i>Using COR-based Add-ons</i> , in the <i>Adabas Release Notes</i> .
Data Archiving for Adabas (ADR)	Data Archiving for Adabas is compatible with all supported versions of Adabas in z/OS environments.
Entire Net-Work (WCP)	Version 6.3 and above fully support Adabas 8 databases and expanded features, as well as ACBX interface direct calls.  <b>Note:</b> Using Point-to-point support for Adabas (ADATCP) requires Entire Net-Work Version 6.5 SP1 or above and Entire Net-Work TCP/IP Option Version 6.5 SP1 or above.
Entire System Server (NPR)	Entire System Server Version 3.5 and later versions fully support Adabas 8 databases and expanded features.
Event Replicator for Adabas (ARK)	Version 3.8 SP1 and above support Adabas 8.5. For more information, refer to your Event Replicator for Adabas documentation.
Natural (NAT)	Version 8.2 SP7 fully supports Adabas 8.5 databases and expanded features.
Predict (PRD)	Version 8.4 SP1 fully supports Adabas 8.5 databases and expanded features.
EntireX/webMethods EntireX (EXX)	All currently supported versions of EntireX support Adabas 8 databases. Please check the individual release notes for further information.  <b>Note:</b> In order to work with the Adabas 8.5 SVC, certain EntireX fixes must be applied, depending on the EntireX version you are using. These are currently: EXX912L006, EXX910L015, EXX990L019 or EXX970L036. The latest product fixes are available under <i>Product Fixes</i> in the Knowledge Center in Software AG's Empower ( <a href="https://empower.softwareag.com">https://empower.softwareag.com</a> ) web site.





# 5

## Restricted Support for Adabas Features

---

This section describes facilities of Adabas that are not supported by cluster nuclei running under this Adabas Cluster Services or Adabas Parallel Services version. The facilities are supported normally for noncluster nuclei; however, no Adabas Cluster Services or Adabas Parallel Services functionality is available to them.

For an Adabas nucleus running in cluster mode (CLUSTER=LOCAL or SYSPLEX), the following features are not available and cannot be specified:

- MODE=SINGLE
- sequential protection log (DDSIBA)
- synchronous buffer flush (LFIOP=0)

The following features are not currently supported by nuclei running in cluster mode under this Adabas Cluster Services or Adabas Parallel Services version, but may be supported in subsequent versions of the product:

- READONLY=YES (receives PARM ERROR 71 if attempted).
- UTIONLY=YES can be specified for a cluster nucleus; if you start cluster nuclei with conflicting settings of UTIONLY, the system will change them to conform to the setting of the first active nucleus. Currently, however, the UTIONLY setting cannot be changed using an ADADBS OPERCOM or Adabas Online System function. Once the cluster is started, the only way to change the UTIONLY setting is to bring down the whole cluster and restart it with a different setting.
- online reorder.

Enhanced error recovery is supported; however, option changes are effective only for the local nucleus.

TCP/IP direct links are supported; however, the IP address/port is tied to an individual nucleus.



## 6 Migrating from Prior Versions

---

➤ To migrate from your current Adabas Cluster Services version to Adabas Cluster Services 8.5, complete the following steps:

- 1 Shut down all nuclei in the cluster and the ADACOM subtasks for the (SVC) / DBID set. Run Adabas ADARES PLCOPY and ADASAV SAVE utility operations as necessary for your installation. For more information on these utility functions, refer to your Adabas documentation.
- 2 Replace the load library in your existing installation with the library supplied by Software AG containing the Adabas 8.5 SP1 (ADA851.LOAD) data set. Apply the zaps delivered with Adabas 8.5 SP1.
- 3 Install the Adabas 8.5 SP1 SVC if you have not already done so.
- 4 Run the ADACNV utility with TOVERS=85 to convert the database to version 8.5 format. For more information about the ADACNV utility, refer to the *Adabas Utilities Manual*.
- 5 Restart the nuclei in the cluster.

### Migrating to Higher Service Pack (SP) Levels Later

To migrate from one SP level of Adabas Cluster Services 8.5 to a higher SP level (after SP1), it will usually be possible to shut down the affected components (Adabas nuclei, ADACOM task, Adabas SVC) on one system at a time, upgrade them to the higher SP level, and to bring them up again, on one system after the other, without ever shutting down the entire cluster.

Should that not be possible for a particular new SP level, it will be clearly indicated in the release notes for that SP level and instructions will be given on how to upgrade and activate the new SP level properly.



# 7

## Zap Information

---

■ Adabas Zaps on Empower .....	18
■ Applying Zaps to Adabas Cluster Services Components .....	18

This chapter covers the following topics related to zaps and your use of Adabas Cluster Services:

## Adabas Zaps on Empower

---

Please be sure to check the Knowledge Center in Software AG's Empower (<https://empower.softwareag.com>) web site for any cluster-related Adabas zaps (AP<sub>vrnnn</sub>) when you install Adabas Cluster Services.

## Applying Zaps to Adabas Cluster Services Components

---

Usually, zaps for components of Adabas Cluster Services (Adabas nuclei, the SVCCLU component of the Adabas SVC, the ADACOM task) can be applied and made active one component at a time. That is, individual components can be shut down, have the zap applied, and be brought up again without ever shutting down the entire cluster. This is the default method of applying zaps, which is in effect if the zap description does not explicitly state otherwise.

In some cases, it may be possible that applying and activating a zap one component at a time would introduce erroneous behavior in the components that have not yet been zapped. If this is the case for a zap, it will be clearly indicated in the zap description, and instructions will be given for how to apply and activate the zap properly.

## 8 End of Maintenance

---

For information on how long a product is supported by Software AG, access Software AG's Empower web site at <https://empower.softwareag.com>.

Log into Empower. Once you have logged in, you can expand **Products** in the left menu of the web page and select **Product Version Availability** to access the Product Version Availability application. This application allows you to review support information for specific products and releases.





## 9 Documentation and Other Online Information

---

■ Software AG Documentation Website .....	22
■ Software AG TECHcommunity .....	22
■ Software AG Empower Product Support Website .....	22

The following online resources are available for you to obtain up-to-date information about your Software AG products:

## Software AG Documentation Website

---

You can find documentation for all Software AG products on the Software AG Documentation website at <https://documentation.softwareag.com>. This site requires Empower credentials. If you do not have an Empower user ID and password yet, you will find instructions for registering on this site (free for customers with maintenance contracts) or you can also use the TECHcommunity website to access the latest documentation.

## Software AG TECHcommunity

---

You can find documentation and other technical information on the Software AG TECHcommunity website at <http://techcommunity.softwareag.com>. You can:

- Access product documentation, if you have TECHcommunity credentials. If you do not, you will need to register and specify "Documentation" as an area of interest. If you already have TECHcommunity credentials, you can adjust your areas of interest on the TECHcommunity website by editing your TECHcommunity profile. To access documentation in the TECHcommunity once you are logged in, select **Documentation** from the **Communities** menu.
- Access articles, demos, and tutorials.
- Use the online discussion forums, moderated by Software AG professionals, to ask questions, discuss best practices, and learn how other customers are using Software AG technology.
- Link to external websites that discuss open standards and web technology.

## Software AG Empower Product Support Website

---

You can find product information on the Software AG Empower Product Support website at <https://empower.softwareag.com>. This site requires Empower credentials. If you do not have an Empower user ID and password yet, you will find instructions for registering on this site (free for customers with maintenance contracts).

To submit feature/enhancement requests, get information about product availability, and download products and certified samples, select **Products & Documentation** from the menu once you are logged in.

To get information about fixes and to read early warnings, technical papers, and knowledge base articles, select **Knowledge Center** from the menu once you are logged in.

# Index

---

## A

Adabas  
    add-on product support, 9  
    product support, 9  
    restricted support for features, 13  
add-on product support, 9

## D

dates, end-of-maintenance, 19  
documentation  
    in TECHcommunity website, 22  
    obtaining updates, 21  
    on Documentation website, 22  
Documentation website  
    documentation, 22

## E

Empower, 18  
    Adabas zaps, 18  
    end-of-maintenance dates, 19  
Empower website  
    product support, 22  
end-of-maintenance dates, 19  
enhancements, 7

## M

migrating from prior version, 15

## P

prior versions, 15  
product support  
    end-of-maintenance dates, 19  
    obtaining in Empower, 22  
    obtaining updated documentation, 21

## R

restricted support, 13

## S

support  
    end-of-maintenance dates, 19

    obtaining updated documentation, 21  
support dates, 19  
support for prior versions, 19

## T

TECHcommunity website, 22

## Z

zap information, 17  
zaps  
    applying to Adabas Cluster Services components, 18  
zps  
    Adabas, 18

