

Adabas Online System

Installation Guide

Version 8.5.1

October 2021

This document applies to Adabas Online System Version 8.5.1 and all subsequent releases.

Specifications contained herein are subject to change and these changes will be reported in subsequent release notes or new editions.

Copyright © 2021 Software AG, Darmstadt, Germany and/or Software AG USA, Inc., Reston, VA, USA, and/or its subsidiaries and/or its affiliates and/or their licensors.

The name Software AG and all Software AG product names are either trademarks or registered trademarks of Software AG and/or Software AG USA, Inc. and/or its subsidiaries and/or its affiliates and/or their licensors. Other company and product names mentioned herein may be trademarks of their respective owners.

Detailed information on trademarks and patents owned by Software AG and/or its subsidiaries is located at <http://softwareag.com/licenses>.

Use of this software is subject to adherence to Software AG's licensing conditions and terms. These terms are part of the product documentation, located at <http://softwareag.com/licenses/> and/or in the root installation directory of the licensed product(s).

This software may include portions of third-party products. For third-party copyright notices, license terms, additional rights or restrictions, please refer to "License Texts, Copyright Notices and Disclaimers of Third-Party Products". For certain specific third-party license restrictions, please refer to section E of the Legal Notices available under "License Terms and Conditions for Use of Software AG Products / Copyright and Trademark Notices of Software AG Products". These documents are part of the product documentation, located at <http://softwareag.com/licenses> and/or in the root installation directory of the licensed product(s).

Use, reproduction, transfer, publication or disclosure is prohibited except as specifically provided for in your License Agreement with Software AG.

Document ID: AOS-AAOSINSTALL-851-20210929

Table of Contents

Preface	v
1 Conventions	1
2 About this Documentation	3
Document Conventions	4
Online Information and Support	4
Data Protection	5
3 System Requirements	7
Supported Operating System Platforms	8
Supported Hardware	9
Installation Requirements	9
Natural and Natural Security Requirements	10
AOS Compatibility with Other Adabas Products	10
4 Installing on z/OS or z/VSE Platforms	11
5 Installing on BS2000 Platforms	13
6 Installing with Natural Security	15
7 Setting the Adabas Online System Defaults	17
Index	21

Preface

This document describes how to install Adabas Online System (AOS) manually. Installation on systems using Software AG's System Maintenance Aid (SMA) is described in the *Adabas Installation* documentation. For information about SMA, see the *System Maintenance Aid* documentation.

The Adabas Online System installation documentation is organized in the following topics:

<i>System Requirements</i>
<i>Installing on z/OS or z/VSE Platforms</i>
<i>Installing on BS2000 Platforms</i>
<i>Installing with Natural Security</i>
<i>Setting the Adabas Online System Defaults</i>

1 Conventions

Throughout this document, the terms "Adabas Online System" and "AOS" are used interchangeably.

Data set names starting with DD are referred to in Adabas Online System Documentation with a slash separating the DD from the remainder of the data set name to accommodate z/VSE data set names that do not contain the DD prefix. The slash is not part of the data set name.

A product version is identified by the first two digits of the versioning number. Software AG distinguishes between major and minor versions according to the amount of functionality or technology added to the product. All other digits indicate correction levels.

In the product documentation, the notations *vrs*, *vr*, or simply *v* are often used as placeholders for the current product version, for example, in data set or module names.

Placeholder	Meaning	Definition
<i>v</i>	version	Major Version The first digit of the product version number indicates major architecture and functionality implementation or enhancement that adds value to the product.
<i>r</i>	release	Minor Version The second digit of the version number indicates new or enhanced functionality that adds value to the product.
<i>s</i>	system maintenance level	Correction Level Correction levels contain error corrections only, without new functionality, including documentation of all modifications and repairs. In case it is necessary to include functional changes into a correction level, an exception handling process ensures that corresponding quality assurance activities are triggered. These functional changes are documented. The main goal is to avoid impacts when you install such a correction level. The third number of an Adabas version denotes the system maintenance level.

Placeholder	Meaning	Definition
		On certain platforms supported by Adabas, additional levels may exist, such as update package, patch level, service pack and hot fix.

2 About this Documentation

■ Document Conventions	4
■ Online Information and Support	4
■ Data Protection	5

Document Conventions

Convention	Description
Bold	Identifies elements on a screen.
Monospace font	Identifies service names and locations in the format <i>folder.subfolder.service</i> , APIs, Java classes, methods, properties.
<i>Italic</i>	Identifies: Variables for which you must supply values specific to your own situation or environment. New terms the first time they occur in the text. References to other documentation sources.
Monospace font	Identifies: Text you must type in. Messages displayed by the system. Program code.
{ }	Indicates a set of choices from which you must choose one. Type only the information inside the curly braces. Do not type the { } symbols.
	Separates two mutually exclusive choices in a syntax line. Type one of these choices. Do not type the symbol.
[]	Indicates one or more options. Type only the information inside the square brackets. Do not type the [] symbols.
...	Indicates that you can type multiple options of the same type. Type only the information. Do not type the ellipsis (...).

Online Information and Support

Software AG Documentation Website

You can find documentation on the Software AG Documentation website at <https://documentation.softwareag.com>.

Software AG Empower Product Support Website

If you do not yet have an account for Empower, send an email to empower@softwareag.com with your name, company, and company email address and request an account.

Once you have an account, you can open Support Incidents online via the eService section of Empower at <https://empower.softwareag.com/>.

You can find product information on the Software AG Empower Product Support website at <https://empower.softwareag.com>.

To submit feature/enhancement requests, get information about product availability, and download products, go to [Products](#).

To get information about fixes and to read early warnings, technical papers, and knowledge base articles, go to the [Knowledge Center](#).

If you have any questions, you can find a local or toll-free number for your country in our Global Support Contact Directory at https://empower.softwareag.com/public_directory.aspx and give us a call.

Software AG Tech Community

You can find documentation and other technical information on the Software AG Tech Community website at <https://techcommunity.softwareag.com>. You can:

- Access product documentation, if you have Tech Community credentials. If you do not, you will need to register and specify "Documentation" as an area of interest.
- Access articles, code samples, demos, and tutorials.
- Use the online discussion forums, moderated by Software AG professionals, to ask questions, discuss best practices, and learn how other customers are using Software AG technology.
- Link to external websites that discuss open standards and web technology.

Data Protection

Software AG products provide functionality with respect to processing of personal data according to the EU General Data Protection Regulation (GDPR). Where applicable, appropriate steps are documented in the respective administration documentation.

3

System Requirements

■ Supported Operating System Platforms	8
■ Supported Hardware	9
■ Installation Requirements	9
■ Natural and Natural Security Requirements	10
■ AOS Compatibility with Other Adabas Products	10

Supported Operating System Platforms

Software AG generally provides support for the operating system platform versions supported by their respective manufacturers; when an operating system platform provider stops supporting a version of an operating system, Software AG will stop supporting that version.

For information regarding Software AG product compatibility with IBM platforms and any IBM requirements for Software AG products, please review the [Product Compatibility for IBM Platforms](#) web page.

Before attempting to install this product, ensure that your host operating system is at the minimum required level. For information on the operating system platform versions supported by Software AG products, complete the following steps.

1. Access Software AG's Empower web site at <https://empower.softwareag.com>.
2. Log into Empower. Once you have logged in, you can expand **Products & Documentation** in the left menu of the web page and select **Product Version Availability** to access the Product Version Availability screen.
3. Use the fields on the top of this screen to filter its results for your Software AG product. When you click the **Search** button, the supported Software AG products that meet the filter criteria are listed in the table below the filter criteria.

This list provides, by supported operating system platform:

- the Software AG general availability (GA) date of the Software AG product;
- the date the operating system platform is scheduled for retirement (OS Retirement);
- the Software AG end-of-maintenance (EOM) date for the product; and
- the Software AG end-of-sustained-support (EOSS) date for the product.



Note: Although it may be technically possible to run a new version of your Software AG product on an older operating system, Software AG cannot continue to support operating system versions that are no longer supported by the system's provider. If you have questions about support, or if you plan to install this product on a release, version, or type of operating system other than one listed on the Product Version Availability screen described above, consult Software AG technical support to determine whether support is possible, and under what circumstances.

This release of the Event Replicator Target Adapter Administration tool is supported in Windows and Linux environments that also support Eclipse.

Supported Hardware

For general information regarding Software AG product compatibility with other platforms and their requirements for Software AG products, visit Software AG's [Hardware Supported](#) web page.

Installation Requirements

The delivered *ALLINPL* file, *ADAvrs.ALLINPL* (where *vrs* is a number representing the version of Adabas), contains the Adabas Online System (AOS) base and also functions as a demo.

Verify you have prepared and installed the product license file, as described in the Adabas for Mainframes Version 8.5 installation.

The distributed INPL jobs (both the sample jobs and the SMA-generated jobs) that you use to load the Adabas INPL library load it in a date-sensitive manner. In other words, the load process will now check the dates of your existing INPL library and will not allow older members to overwrite members with newer dates. However, if you use your own Natural batch jobs to load the Adabas INPL library, you will need to modify them to be date-sensitive. To do this, specify the following *CMSYNIN* primary command input in your job (this setting assumes the Natural input parameters in the job are specified in comma-delimited mode, or *IM=D*):

```
B,,,,,,Y
```

The "B" setting indicates that the INPL action should load everything; the next six fields (comma-delimited) are defaults, the eighth field is specified as "Y" to indicate that dates in the INPL library should be checked, and the ninth field is not included in the specification because the default for that field will be used. For more information about Natural *CMSYNIN* input, refer to your Natural documentation.



Note: When migrating an Adabas 8.4 installation, this procedure does not apply. Instead, you should replace the 8.4 INPL library members with the latest Adabas 8.5 INPL library members, regardless of the dates of the members, to avoid creating a library containing members from both releases.

Natural and Natural Security Requirements

AOS version 8.5 requires Natural version 8.2 or above.

If you do not upgrade or install Natural with the Adabas version 8.5 release, you will need to relink the Adabas version 8.5 AOSASM module with your Natural in order for AOS 8.5 to function correctly. This AOSASM module is downward compatible with previous versions.

Natural Security is a prerequisite for AOS Security. See the *Adabas Security* documentation for more information.

AOS Compatibility with Other Adabas Products

Adabas Online System (AOS) supports back-level versions of Adabas. However, Adabas 8.5 is a prerequisite for this version of AOS if you want to use AOS to manage any new features provided in Adabas 8.5.



Note: Depending on the platforms supported, demo versions of Adabas Vista (AVI), Adabas Fastpath (AFP), Adabas SAF Security (AAF), and Adabas Transaction Manager (ATM) are automatically installed when you install either the demo or full version of AOS.

4 Installing on z/OS or z/VSE Platforms



Note: Depending on the platforms supported, demo versions of Adabas Vista (AVI), Adabas Fastpath (AFP), Adabas SAF Security (AAF), and Adabas Transaction Manager (ATM) are automatically installed when you install either the demo or full version of AOS.

➤ **To install AOS on a z/OS or z/VSE system, complete the following steps:**

- 1 Verify you have prepared and installed the product license file, as described in the Adabas for Mainframes Version 8.5 installation.
- 2 For a Com-plete or CICS environment, link the correct object module with the Natural TP nucleus.

If a split Natural nucleus is to be installed, the AOSASM module *must* be linked to the shared portion of the nucleus and *not* to the thread portion.

- 3 Perform a Natural INPL.

The medium containing Adabas contains an INPL-formatted data set. The programs for AOS are stored in library SYSAOS. Verify you have handled the requirements regarding the INPL-formatted data set, as described in [Installation Requirement](#), elsewhere in this guide.

- 4 Optionally, set the AOS defaults. Parameters that control the operation of AOS can be set at installation time by changing the defaults in the Natural program AOSEX1 found in library SYSAOSU. For complete information about these parameters, read [Setting the Adabas Online System Defaults](#), elsewhere in this guide.
- 5 After setting the AOS defaults in the previous step, copy the AOSEX1 member and its companion member P-AOSEX1 from the SYSAOSU library to the SYSAOS library. The programs for AOS are stored in library SYSAOS, and these members and the correct AOSEX1 parameters for your environment must be present in SYSAOS for AOS to run.

The SYSAOSU library is provided to ensure that AOS settings (including the AOSEX1 settings) in your running AOS installation are not overwritten when you upgrade or apply maintenance

to your AOS code. Whenever you upgrade or apply maintenance, you must ensure that the AOSEX1 member in the SYSAOSU library is updated appropriately and copied (with P-AOSEX1) to the SYSAOS library.

- 6 Load the AOS error messages using the Natural utility ERRLODUS.

The error messages are stored in an ERRN-formatted data set included on the medium.

See the *Natural Utilities* documentation for information about the ERRLODUS utility.

- 7 Finally, execute AOS by logging on to the application library SYSAOS and entering the command MENU.

5

Installing on BS2000 Platforms



Note: Depending on the platforms supported, demo versions of Adabas Vista (AVI), Adabas Fastpath (AFP), Adabas SAF Security (AAF), and Adabas Transaction Manager (ATM) are automatically installed when you install either the demo or full version of AOS.

➤ **To install AOS on a BS2000 system:**

- 1 Verify you have prepared and installed the product license file, as described in the Adabas for Mainframes Version 8.5 installation.
- 2 Link the module AOSASM to the (shared) Natural nucleus.
- 3 Optionally, set the AOS defaults. Parameters that control the operation of AOS can be set at installation time by changing the defaults in the Natural program AOSEX1 found in library SYSAOSU. For complete information about these parameters, read [Setting the Adabas Online System Defaults](#), elsewhere in this guide.
- 4 After setting the AOS defaults in the previous step, copy the AOSEX1 member and its companion member P-AOSEX1 from the SYSAOSU library to the SYSAOS library. The programs for AOS are stored in library SYSAOS, and these members and the correct AOSEX1 parameters for your environment must be present in SYSAOS for AOS to run.

The SYSAOSU library is provided to ensure that AOS settings (including the AOSEX1 settings) in your running AOS installation are not overwritten when you upgrade or apply maintenance to your AOS code. Whenever you upgrade or apply maintenance, you must ensure that the AOSEX1 member in the SYSAOSU library is updated appropriately and copied (with P-AOSEX1) to the SYSAOS library.

- 5 Perform a Natural INPL.

The medium containing Adabas contains an INPL-formatted data set in Natural version 8.2 or above. The programs for AOS are stored in library SYSAOS. Verify you have handled the requirements regarding the INPL-formatted data set, as described in [Installation Requirement](#), elsewhere in this guide.

- 6 Locate module ADAAOS in the AOS_{vrs} load (module) library, (where *vrs* is a number representing the version of Adabas). Make this module available to your Adabas nucleus either by copying it to the ADA_{vrs} load (module) library or, using BLSLIBs, concatenate it with the ADA_{vrs} load library in the nucleus startup job.

- 7 Load the AOS error messages using the Natural utility ERRLODUS.

The error messages are stored in an ERRN-formatted data set included on the medium.

See the *Natural Utilities* documentation for information about the ERRLODUS utility.

- 8 Finally, execute AOS by logging on to the application library SYSAOS and entering the command MENU.

6 Installing with Natural Security

If Natural Security is installed, define at least the following libraries to it:

SYSAOS
SYSTRG
SYSACF
SYSSPT

Define the following libraries as needed:

- For Adabas Vista: SYSAVI and SYSMV_{vrs}
- For Adabas Fastpath: SYSAFP and SYSMW_{vrs}
- For Adabas SAF Security: SYSAAF and SYSMX_{vrs}
- For Adabas Transaction Manager: SYSATM and SYSMT_{vrs}

Software AG recommends you define all of these libraries as protected.

Specify the start-up program for SYSAOS as MENU. Do not specify a start-up program name for the other libraries.

Natural Security must be installed before implementing Adabas Online System Security. See the *Adabas Security* documentation for more information. For information about installing Natural Security for use with AOS Security, see the *Natural Security* documentation.

For information about error messages you may receive in the context of Natural Security, see the section *Natural Security AOS Error Messages* in the *Reference* documentation.

Natural Security includes the ability to automatically close all open databases when the Natural command mode's LOGON function of Adabas Online System is invoked.

7

Setting the Adabas Online System Defaults

Parameters that control the operation of Adabas Online System can be set at installation time by changing the defaults in the Natural program AOSEX1. Once you have altered the parameters as needed for your installation, copy the AOSEX1 and P-AOSEX1 members from the SYSAOSU library to the SYSAOS library.

The table below lists the parameters and possible values.

Parameter	Valid Values	Default	Description
ADMIN-LEVEL	0-9	6	Administration level: Allows access to certain functions that can cause error conditions in the ADABAS environment. When set to 8 or higher, it allows the "CATCH RSP-CODE" direct command to occur, and when set to 9, it allows the "ZAP" function to be issued.
AOS-END-MSG	Yes (Y) or No (N)	Y	Display AOS end-of-session message?
AOS-LOGO	Yes (Y) or No (N)	N	Display AOS logo?
BATCH-ERROR	Yes (Y) or No (N)	N	Batch job cond code: When AOS is executing from a batch job and has an error condition, and if BATCH-ERROR is set to "Y", AOS will terminate with a condition code of 8. This function will be fully implemented over time, as all AOS programs must be modified for this.
BLK-CYL	Cylinder (C) or Block (B)	B	Space control by block or cylinder
CMD-INT	Natural (N) or AOS (A)	A	Pass-through control for invalid AOS commands: "N" passes invalid commands to Natural; "A" displays an error message for invalid commands.

Parameter	Valid Values	Default	Description
CPEXLIST	No (N) or Yes (Y)	N	Display extended checkpoint list? A value of "N" displays the normal list; a value of "Y" displays the extended list.
EX1-A1	---	---	Reserved for future use.
EX1-N3	---	---	Reserved for future use.
EXF-UTI	E or U	U	UTI or EXF file lock exception. A value of E specifies an EXF exception; a value of U specifies a UTI exception.
HWM-PRT	<ul style="list-style-type: none"> ■ ' ' (blank) The selection fields are not displayed, with lines having 9 digit counters/multiplier. ■ L The selection fields are not displayed, with lines having full 26 digit counters, and extra screens. ■ N The selection fields are displayed, with lines having 9 digit counters/multiplier. 	' ' (blank)	Batch report function: HWM-PRT is an option for displaying/printing the selection fields on each line of the High Watermarks for SYSAOS Batch execution jobs. There is also a value for complete counter displays.
MAX-AC-IOS	0-999999	150	AC read converter block threshold value
MAXANZ	1-99999999	100	Maximum displayed user queue elements
NR-EXT	1-5	4	Critical extent threshold for listing file. This parameter applies to Adabas 7.4 (or earlier) installations.
NR-EXT2	1-99	50	Critical extent threshold for listing file. This parameter applies to Adabas 8 (or later) installations.
NR-PERCENT	1-99	89	Report function: NR-PERCENT is a threshold value for the display of critical files concerning the percentage full of the extents reached in AC/UI/NI/DS table type. A value greater than NR-PERCENT will be highlighted.
PURGE-UQE	Yes (Y) or No (N)	N	Remove user queue element?
SAVEFDT	Yes (Y) or No (N)	N	Keep deleted file's FDT?
STATINTV	1-9999 seconds	60	Statistics-gathering interval, in seconds

Parameter	Valid Values	Default	Description
TID-DISPLAY	B, A, I	I	Control display for TID in "display user queue" function: "B" = binary TID display; "A" = alpha TID display; "I" = alpha for A-Z/0-9, otherwise binary.
TIMELA	0-99999999 seconds	0 (no limitations)	Display user queue elements with activity during the last "n" seconds.
TIN-JOBN	T or J	J	Display either job name or time-in in "display command queue" function. A value of "T" indicates that time-in should be displayed; a value of "J" indicates that the job name should be displayed.

To change the defaults, you must edit the Natural AOSEX1 program and make the changes directly within the program listing in the defaults area, which looks as follows:

```

.
.
.
DEFINE DATA PARAMETER USING P-AOSEX1
END-DEFINE
*
* SET THE DEFAULTS
*
ADMIN-LEVEL = '6'      (Allows access to certain functions that can cause error ←
conditions in the ADABAS environment)
AOS-END-MSG = 'Y'      (Display end-of-session message)
AOS-LOGO = 'Y'         (Adabas Online System logo display-set to 'N' for no logo ←
display)
BATCH-ERROR = 'N'      (If BATCH-ERROR is set to "Y", AOS will terminate with a ←
condition code of 8 if an error occurs.)
BLK-CYL = 'B'          (Space allocation default-set to 'C' for cylinders)
CMD-INT = 'A'          (Pass invalid Adabas commands to (N)atural, or intercept (A))
CPEXLIST = 'N'         (Checkpoint list control-set to 'Y' for extended checkpoint list)
NR-EXT2 = '50'         (ADA V8 critical extent threshold. Range: 1-99)
EXF-UTI = 'U'          (File locking exception-set to 'E' to except files in EXF status)
MAXANZ = 100           (Maximum user queue elements displayed. range: 1 - 99,999,999 ←
elements)
NR-EXT = 4             (ADA V7 critical extent threshold. Range: 1, 2, 3, 4, or 5)
NR-PERCENT = '89'      (NR-PERCENT is a threshold value for the display of critical ←
files)
MAX-AC-IOS = 150       (AC read converter block threshold)
PURGE-UQE = 'N'        (Remove element from user queue. Pre-5.1 default is "Y")
SAVEFDT = 'N'          (Keep old FDT for SAVE operation-set to 'Y' to save FDTs)
STATINTV = 60          (Statistic-gathering time. range: 1 - 9999)
TID-DISPLAY = 'I'      (TID display control: B=binary, A=alpha, I=normally alpha, ←
special characters as binary)
TIMELA = 0             (Include activity in last 'n' seconds. range: "all" (0) -last ←

```

```
99,999,999 seconds)
TIN-JOBN = 'J'      (Command queue display-"J" for job name, "T" for "time in ↵
queue" )
*
END
```

Index

A

Adabas Online System (AOS)
 AOSEX1 program parameters, 17
 BS2000 installation, 13
 installation, v
 installation requirements, 7
 installation with Natural Security, 15
 modify default parameter values, 17
 prerequisites, 10
 setting defaults, 17
 z/OS or z/VSE installation, 11
ADMIN-LEVEL parameter, 17
AOS
 see Adabas Online System (AOS), v
AOS-END-MSG parameter, 17
AOS-LOGO parameter, 17
AOSEX1 user exit, 17
 setting defaults, 17

B

BATCH-ERROR parameter, 17
BLS-CYL parameter, 17

C

CMD-INT parameter, 17
CPEXLIST parameter, 18

D

defaults, 17

E

Empower
 platform support, 8
EX1-A1 parameter, 18
EX1-N3 parameter, 18
EXF-UTI parameter, 18

H

hardware support, 9
HWM-PRT parameter, 18

I

installation
 BS2000 platforms, 13
 requirements, 7
 z/OS or z/VSE platforms, 11

M

MAX-AC-IO parameter, 18
MAXANZ parameter, 18
Microsoft Windows support, 8

N

Natural requirements, 10
Natural Security
 installing AOS with, 15
 requirements, 10
NR-EXT parameter, 18
NR-PERCENT parameter, 18
NR1-N3 parameter, 18

O

operating system coverage, 8

P

platform support, 8
product support
 supported platforms, 8
PURGE-UQE parameter, 18

R

requirements
 operating system coverage, 8

S

SAVEFDT parameter, 18
setting AOS defaults, 17
STATINTV parameter, 18
support
 platforms supported, 8
supported hardware, 9
supported operating systems, 8

supported platforms, 8

T

TID-DISPLAY parameter, 19

TIMELA parameter, 19

TIN-JOBN parameter, 19

U

UNIX

 supported platforms, 8

user exits

 AOSEX1, 17