

Event\_Replicator\_Target\_Adapter\_3-4\_readme.txt

```
*****
*****
***** Readme.txt
***** Event Replicator Target Adapter
***** Version 3.4
*****
***** This file was last updated: 11 October 2018
*****
***** Software AG
***** Uhlandstrasse 12
***** D-64297 Darmstadt
***** Germany
*****
***** Telephone: +49-6151-92-0
***** Fax: +49-6151-92-1191
***** WWW: http://www.softwareag.com
*****
*****
*****
```

Contents:  
\*\*\*\*\*

- A. About Event Replicator Target Adapter
- B. Supported Platforms
- C. Software Requirements
- D. Installation
- E. List of supported Message Queue Services
- F. List of supported RDBMS version
- G. Using the Remote Administration Feature
- H. Internationalization
- I. Known Problems
  - Composite Keys and RDBMS Loader Support
- J. Updates to This Version

Please explore the Event Replicator Target Adapter documentation at the Software AG web site:

<http://documentation.softwareag.com/>

The documentation at this site will be updated as required.

A. About Event Replicator Target Adapter  
\*\*\*\*\*

Event Replicator Target Adapter is used to transform and apply replicated data from Adabas on the mainframe to a relational database, such as Oracle, DB2 Open System, DB2 z/OS, Microsoft SQL Server, Teradata for Open Systems, Postgre SQL and MySQL. Replication to JMS queues is also supported, as is replication to a Terracotta cache target.

## Event\_Replicator\_Target\_Adapter\_3-4\_readme.txt

This version introduces the ability to replicate to Software AG's TerracottaDB as a target database, as well as replication to Adabas as a target. Replication to Adabas on LUW can assist users who are re-hosting their mainframe Adabas databases to an LUW database.

It requires the use of:

\* An Event Replicator for Adabas subscription for which a global format buffer field table has been generated. If no field table has been generated, the Event Replicator Target Adapter will not work.

\* At least one Event Replicator for Adabas destination definition with a destination class type of "SAGTARG". This destination must be used by the subscription.

When a subscription definition and its associated destination definitions have been defined in this manner and if they are activated, Event Replicator for Adabas automatically creates a schema that maps the replicated data. The Event Replicator Target Adapter receives the replicated data via the messaging system.

Event Replicator Target Adapter uses the schema to transform and apply the replicated data to your target.

Event Replicator Target Adapter will dynamically create relational tables if they don't exist and populate the tables with Adabas data using insert, update and delete processing as these processes occur in near real-time in the replicated Adabas file.

For Adabas to Adabas replication, the target file may be pre-loaded or the Target Adapter can create the destination file for you. Please see the product documentation for details on this feature.

Event Replicator Target Adapter also supports monitoring of replication events through Adabas Analytics Collector MF. Please see the documentation on that product and the latest documentation of Event Replicator for Adabas for more information on replication monitoring.

Please read the documentation for more detailed instructions on using Event Replicator Target Adapter.

### B. Supported Platforms

\*\*\*\*\*

Windows 8 Professional Edition (64 bit)  
Windows 10 Professional Edition (64 bit)  
Windows Server 2012 (64 bit)  
Windows Server 2016 (64 bit)  
Solaris 11 or greater (Ultra Sparc)  
AIX 7.1 or greater (IA64)  
CentOS Linux version 7 or greater  
HP-UX 11iv3  
Red Hat Enterprise Linux 7 or greater (both x64 and zLinux)  
SuSE Linux Enterprise Server 12 or greater (both x64 and zLinux)

### C. Software Requirements

\*\*\*\*\*

Event\_Replicator\_Target\_Adapter\_3-4\_readme.txt

At least 2GB system memory is required to run this software.

The user must supply the third party jdbc .jar files required to establish connection to the target RDBMS system. Also, if IBM WebSphere MQ Series is used as the messaging system, the required IBM jar files need to be provided by the user from IBM's distribution medium.

See the product documentation for details and additional information.

#### D. Installation

\*\*\*\*\*

Event Replicator Target Adapter v3.4 is installed using SAGInstaller. This version does not upgrade an existing installation, and should not be applied over an existing installation of Event Replicator Target Adapter. Rather, install Event Replicator Target Adapter v3.4 in a separate installation location or on a different machine.

If you must install this product over an existing installation of Event Replicator Target Adapter, please consult with support before doing so. At a minimum, you will need to:

\* Unregister or uninstall your existing Software AG ERTA Administration Service or UNIX daemon.

\* Backup the context.xml file found in one of these locations:

Windows:

<InstallRoot>\EventReplicatorTargetAdapter\art\data\webapps\sqlrep  
\META-INF

UNIX/Linux:

<InstallRoot>/EventReplicatorTargetAdapter/art/TargetAdapter/  
webapps/sqlrep/META-INF

\* Install v3.4

\* Restore the context.xml file to its location in the new installation.

For instructions on how to migrate your existing Event Replicator Target Adapter installation to a newly installed version, please refer to the product documentation.

After you install Event Replicator Target Adapter v3.4, please visit [empower.softwareag.com](http://empower.softwareag.com) and check for any available fixes for the product to keep your installation up to date.

#### E. List of supported Message Queue Services

\*\*\*\*\*

The latest supported version of Software AG's webMethods EntireX.

IBM MQSeries V7.1 or later and  
IBM WebSphere MQ Client Attachment Feature enabled for z/OS.

NOTE: You should make sure all maintenance is applied.

#### F. List of supported RDBMS version

\*\*\*\*\*

Microsoft SQL Server 2008 or higher.

Oracle 10g or later.

DB2 9.1 for Open Systems or later.

DB2 Version 9 for z/OS or later.

MySQL 5.0.17 or later.

PostgreSQL v9.2 or later.

Teradata V12 for Open systems or later.

NOTE: If a third-party vendor drops support for a version of one of their products or even for an entire product, Software AG automatically drops support for that version or product as well. When this happens, Software AG may not necessarily announce this drop in support in an earlier Event Replicator Target Adapter release.

#### G. Using the Remote Administration Feature

\*\*\*\*\*

If you intend to use a remote instance of Event Replicator Target Adapter Administration to administer an installation of Event Replicator Target Adapter, and a firewall is active on the host where the Event Replicator Target Adapter is running, you must configure exceptions on the firewall for both the Software AG ERTA Administration Service (3004 by default) and Event Replicator Target Adapter's remote JMX port (4000 by default).

If you configure the administration console to manage a remote Event Replicator Target Adapter instance and the tool is not able to sense that the remote Target Adapter is running, check the network connectivity between the machines, firewall status and network configuration of the remote machine where the Adabas Administration Service and Target Adapter are running. If you confirm there is no firewall blocking the port, try connecting a jconsole tool (found in the <InstallRoot>/jvm/jvm/bin directory) as follows (NOTE: Event Replicator Target Adapter must be active for this test):

```
jconsole connection=<host>:<ART_JMXport(default4000)>
```

If jconsole is unable to establish the connection, the problem lies somewhere in your network infrastructure or network setup on the remote machine where the Target Adapter is running. Consult with your system and network administrators to try to isolate the problem.

#### H. Internationalization

\*\*\*\*\*

For replication of data in languages other than English (UTF-8

Event\_Replicator\_Target\_Adapter\_3-4\_readme.txt  
processing), ensure your target RDBMS database is configured to support the desired language and character set. See the Adabas Event Replicator documentation for details on configuring your mainframe replicator for UTF-8 support.

I. Known Problems  
\*\*\*\*\*

Composite Keys and RDBMS Loader Support.  
-----

If you have created table(s) using composite keys and intend to use one of the supported loaders for initial-states (i.e. the Oracle sqlldr, MSSQL bcp, Teradata mload or DB2 loader utilities), the loader process will fail. Use of the loaders with composite keys is not supported at this time.

Please visit [empower.softwareag.com](http://empower.softwareag.com) and search for any available updates to Event Replicator Target Adapter v3.4 to keep your installation up to date with the latest fixes.

J. Updates to This Version  
\*\*\*\*\*

Please check for and apply any applicable fix to this version immediately after installation and before using the product.

Fixes to Event Replicator Target Adapter will be made available through Software AG's Software Update Manager. Please visit the Empower website for instructions on installing and using Software Update Manager.

-----  
The <http://documentation.softwareag.com/public/> web site may contain more current information as updates become available.

Thank you for using Software AG's Event Replicator Target Adapter.