Adabas SQL Server Messages and Codes Manual



Manual Order Number: ESQ143-060ALL

This document applies to Adabas SQL Server Version 1.4.3 and to all subsequent releases.

Specifications contained herein are subject to change and these changes will be reported in subsequent release notes or new editions.

Readers' comments are welcomed. Comments may be addressed to the Documentation Department at the address on the back cover or to the following e-mail address:

Documentation@softwareag.com

© July 1999, Software AG All rights reserved Printed in the Federal Republic of Germany

Software AG and/or all Software AG products are either trademarks or registered trademarks of Software AG. Other products and company names mentioned herein may be the trademarks of their respective owners.

TABLE OF CONTENTS

	PREFACE	1
1.	ADABAS SQL SERVER MAINFRAME CODES	3
	Abend Codes — Mainframe Platforms	
	BS 2000 — Multi/Single-Session Driver Response Codes	6
2.	ADABAS SQL SERVER ERROR MESSAGES	11

PREFACE

This manual consists of two chapters: one describing mainframe codes and one describing platform-independent error messages.

The message numbers of system messages issued by Adabas SQL Server begin with the initials "ESQ". The possible error numbers range from 1000 to 9999.

This manual contains the following types of messages:

ESQ1000 – ESQ1999	Serious system errors, i.e., initialization problems	
ESQ2000 – ESQ2999	Host-language-specific scanner errors	
ESQ3000 – ESQ3255	Original Adabas errors encountered during SQL statement execution. (See the <i>Adabas Messages and Codes Manual</i>)	
ESQ4000 – ESQ4999	SQL statement compilation errors	
ESQ6000 – ESQ6999	Miscellaneous database access errors	
ESQ8000 – ESQ8999	Runtime system/statement execution errors	
ESQ9000 – ESQ9255	Original Adabas errors encountered during an Adabas call. (See the <i>Adabas Messages and Codes Manual</i>)	
ESQ9500 - ESQ9999	Buffer manager errors, etc.	

Compilation Error Classification

Errors occuring during compilation can have one of the following error classes:

Warning	During compilation of a statement a situation was detected
	which although not wrong, needs to be brought to the attention

of the user.

Syntax A syntactical error was detected during the compilation of a

statement.

Semantic A semantical error was detected during the compilation of a

statement.

Fatal A serious error, which prematurely terminates the compilation

process, was detected during the compilation of a statement.

ADABAS SQL SERVER MAINFRAME CODES

This chapter describes various types of messages and codes occuring on mainframe platforms only.

Abend Codes — Mainframe Platforms

These abnormal termination codes result from fatal internal errors and require the immediate attention of the Software AG support specialists.

The following ABEND codes can occur in either the mainframe client or Server Session.

ABEND	CICS	Description
	AEY9	ESQ Environment is not initialised - Use the CICS Transaction ESQI to initialize the ESQ Environment
	ELAD	Cannot load CICS ADALNK - Check the ADALINK=() definitionin the VO Parameter module (VOPRM)
	ESTW	TWA address is not accessible on ADABAS call - Check the TWA size of the ESQ CICS client transaction: ensure that it is at least 32 bytes in size.
	E100	SQLIOR call function code not recognized – Fatal internal error, contact Software AG Support
	VOAN	Cannot link CICS ADALNK - Check as ELAD above, and that the ADALINK is accessible using the EXEC CICS LINK command
	VONM	Cannot load ESQLNKCI - Ensure that the ESQLNKCI is declared in the PPT and that the ESQ Load Library is accessible using the EXEC CICS LINK and that the ESQLNKCI has been copied, as described in the installation step D.3
778		Not enough storage space available to start the C-environment in the module: L\$UMAIN – C environment create L\$UATEX – C "ATEXIT" routine build L\$UEXLK – C "ATEXIT" routine build L\$URETR – retry on longjump
998	E998	Installation step B.7 has not been completed successfully
1201	E201	VOPRM not found. Terminating abnormally U1201 – Ensure that the library/sublibrary containing the VOPRM module is defined in the relevant JCL

Adabas SQL Server Messages and Codes Manual

ABEND	CICS	Description	
1202	E202	C stack overflow	
1203	E203	Error in PLUTO return (on prolog)	
1204	E204	Error in PLUTO return (on epilog) or bad target for LONGJMP	
1206		On server initialization, the 'threadsize' provided is less than 64 KB	
1224	E224	Attempt to issue LONGJMP under CICS or an environment where it is forbidden	
1234		A time arithmetic function has resulted in a GMT time difference call	
1299	E299	VOINIT failed. Terminating abnormally U1299 – Fatal internal error, contact Software AG Support	

Adabas SQL Server Mainframe Codes

Console Messages — Mainframe Platforms

Some Adabas SQL Server error messages may be accompanied by console messages which are desribed here. For example:

ESQ8516

TUPLE MANAGER BUFFER SORT:

vo execute file sort returned -nn

The above mainframe message is often issued together with the following console message:

VO_BMxx EBP ERROR - nn

where xx is the module issuing the message:

IN - Initialization

OP - File Open

RD - File Read

WR - File Write

DE – File Purge

where *nn* is a VO sub-code:

1 - file not allocated

2 - block not allocated

3 - no more file to allocate

4 - no more blocks to allocate

5 – not enough space in the temporary area

6 - error on opening the file

7 – error on closing the file

8 - error on reading the file

9 – error on writing the file

10 - file link name (DDNAME) for workfile is missing

11 - workfile is too small

12 - workfile is in use

13 - workfile is not active

14 - invalid request

15 - invalid user ID

20 - internal error

50 - lock has been done

Subcode	Action
6	Declare editor workfile
10	Check for missing file allocation statement EDITWORK (MVS and VSE) EDRWRK01 (BS2000)
2,4,9	Editor workfile is too small for the sort of join operation to be performed. Check the size and enlarge it accordingly.

BS 2000 — Multi/Single-Session Driver Response Codes

The following response codes are issued by the multi/single-session driver (ESQMSRTN), which is a part of the Adabas SQL BS2000 Interface:

ESQ8734 MSDRV: RESPONSE – msdriv-response

ESQ8735 MSDRV: RESPONSE – msdriv-response; SUBCODE=subcode

Where:

msdriv_response is the response-code returned from the module ESQMSDRV

subcode is the BS2000 macro response code.

Adabas SQL Server Mainframe Codes

The following table lists the response codes returned by ESQMSDRV (MSDRIV-Macro), provides a brief explanation and a reference to where more detailed information about the corresponding BS2000 macro response codes may be found. Another table informing about the probable cause of the *subcode* may be found later in this chapter.

Code / Text	Subcode	Explanation
01 TIMEOUT/ASYNCHR.		Time Out During Asynchronous Write
02 SOLSIG/ASYNCHR.		
03 RDTFT/ROLLFILE	DMS-Code	Invalid File Link/Attributes (ESQ-ROLL)
04 FSTAT/ROLLFILE	DMS-Code.(1)	Invalid File Link/Attributes (ESQ-ROLL)
05 ENASI	Macro Rsp (2)	
06 ENQAR	Macro Rsp (2)	
07 ENAMP	Macro Rsp (2)	
08 REQMP	Macro Rsp (2)	
09 REQM/CLIENT-SLOT	Macro Rsp (2)	Insufficient Storage Resouces
10 REQM/ASYNCHR.	Macro Rsp (2)	Insufficient Storage Resouces
11 CCT LOCKED		
12 CCT FULL		
13 ENAEI	Macro Rsp (2)	
14 ENACO	Macro Rsp (2)	
15 OPEN/ROLLFILE	FCB-Code (3)	Invalid File Link/Attributes (ESQROLL)
16 WRITE/ROLLFILE	FCB-Code (3)	Invalid File Link/Attributes (ESQROLL)
17 WRITE/ASYNCHR.	FCB-Code (3)	Invalid File Link/Attributes (ESQROLL)
18 WRITE/SYNCHR.	FCB-Code (3)	Invalid File Link/Attributes (ESQROLL)
19 ADR.APPL.SYSTEM		Required Module Missing (ESQMSSRV)

Adabas SQL Server Messages and Codes Manual

Code / Text	Subcode	Explanation
20 ROLLSLOT OVERFLOW	Size in Bytes (4)	Compressed Threadslot too large
21 ADR.SLOT.INIT		
22 SESSION-MODE		
23 MSBUFF MISSING		Required Module Missing (ESQMSSRV)
24 CMPT TOO LARGE		
25 CMPT ERROR	CCUPERR (5)	Internal Error
26 ROLLFILE <rolltsz< td=""><td></td><td>Invalid File Link/Attributes (ESQROLL)</td></rolltsz<>		Invalid File Link/Attributes (ESQROLL)
27 INCORRECT SLOT		Internal Error
28 INIT.ERROR	INITERR (6)	Internal Error
29 CLIENT NOT FOUND		Internal Error
30 INVALID FUNCTION	_	Internal Error
31 INVALID SLOT ADR		Invalid ADDR-Parameter (ESQMSDRV)

- (1) DMS-System error codes. For details refer to BS2000 System Help or to the Siemens Benutzerhandbuch: BS2000 DVS Assembler-Schnittstelle.
- (2) BS2000 macro response codes. For details refer to the table below or to the Siemens Benutzerhandbuch: BS2000 Makroaufrufe an den Ablaufteil.
- (3) DMS-System error codes extracted from FCB. For details refer to BS2000 System Help or to the Siemens Benutzerhandbuch: BS2000 DVS Assembler-Schnittstelle.
- (4) Size of the compressed threadslot, which exceeded the MSDRIV/ROLLTSZ-Parameter.
- (5) Internal error codes (CCUPPER-Macro).
- (6) Internal error codes (ESQMSINI).

Adabas SQL Server Mainframe Codes

BS2000 Macro Responses

The following table provides an overview of the macro response codes, which occur most often. This infomation has been derived from the Siemens Benutzerhandbuch: BS2000 Makroaufrufe an den Ablaufteil.

Macro	Response	Probable Cause
ENACO	x10000004	Possible parameter error
	x18000004	Maximum number of serialisation id's have been exceeded
ENAEI	x10000004	Possible parameter error
	x18000004	Maximum number of serialisation id's have been exceeded
ENAMP	x04000004	Common memory pool does not exist
	x08000004	Memory pool exists already (MODE=NEW) Conflicting Parameters
	x14000004	Not enough free space in the user's address space Not enough free space below 16MB
	x18000004	Invalid address parameter conflict (ADDR>16MB/LOC=BELOW) overlapping common memory pools
	x1C000004	Possible parameter error Common Memory Pool Name invalid invalid SCOPE-Parameter PARMOD=24 in combination with 31-bit address mode
	x20000004	Request can not be fulfilled at the moment, due to a temporary shortage of resources.
ENASI	x10000004	Possible parameter error
	x18000004	Maximum number of serialisation id's have been exceeded
ENQAR	x10000004	Possible parameter error
	x18000004	Maximum number of serialisation id's have been exceeded
	x40000004	Klasse-5-Speicher exhausted
REQMP	x14000004	Not enough memory to fulfill request RESIDENT PAGES parameter in START-PROGRAM or LOAD-PROGRAM exceeded.
	x18000004	Requested address is not within Common Memory Pool Address is not aligned to a 4KB boundry

Adabas SQL Server Messages and Codes Manual

Macro	Response	Probable Cause
	x1C000004	Possible parameter error Common Memory Pool Name invalid invalid SCOPE-Parameter PARMOD=24 in combination with 31-bit address mode
	x24000004	READ-ONLY memory pool
REQM	x04	Not enough memory to fulfil request not enough free space in the Paging Area
	x0C	Possible parameter error possible overlap with common memory pool

ADABAS SQL SERVER ERROR MESSAGES

This chapter contains the Adabas SQL Server Error Messages in ascending order.

ADABAS SQL Server Messages and Codes Manual

1301	ATTEMPTED ADABAS CALL FAILED WITH RESPONSE %S
Text:	ATTEMPTED ADABAS CALL FAILED WITH RESPONSE
Expl:	DURING THE COMPILATION OF A STATEMENT A CALL TO THE ESQ DIRECTORY FAILED AND RETURNED THE GIVEN ADABAS ERROR CODE.
Actn:	REFER THE PROBLEM TO YOUR SYSTEM ADMINISTRATOR.
1302	SOURCE STATEMENT DIRECTORY OVERFLOW DETECTED DURING COMPILATION
Text:	SOURCE STATEMENT DIRECTORY OVERFLOW DETECTED DURING COMPILATION
Expl:	THE SOURCE STATEMENT DIRECTORY BUFFER CONTAINS ALL THE INFORMATION ON EACH SQL STATEMENT IN THE APPLICATION PROGRAM. DURING THE COMPILATION NO MORE ROOM COULD BE FOUND IN IT.
Actn:	EITHER REDUCE THE NUMBER OF STATEMENTS IN THE COMPILATION UNIT OR INCREASE THE DEFAULT SIZE OF THE SSD AS DEFINED IN THE START-UP PARAMETERS.
1303	UNKNOWN PARAMETER PROCESSING ERROR CONDITION CONCERNING THE CUID
Text:	UNKNOWN PARAMETER PROCESSING ERROR CONDITION CONCERNING THE CUID
Expl:	A FATAL ERROR HAS OCCURRED DURING THE PROCESSING OF THE INPUT PARAMETERS CONCERNING THE COMPILATION UNIT IDENTIFICATION. SUCH AN ERROR SHOULD NOT OCCUR UNDER NORMAL CIRCUMSTANCES.
Actn:	CONTACT YOUR LOCAL SOFTWARE AG REPRESENTATIVE.
1305	ERROR BUFFER FULL : MESSAGES LOST
Text:	ERROR BUFFER FULL : MESSAGES LOST
Expl:	THE MAXIMUM CAPACITY OF THE ERROR MESSAGE BUFFER AS DEFINED IN THE START-UP PARAMETERS HAS BEEN EXCEEDED. THIS MEANS THAT CERTAIN MESSAGES HAVE BEEN LOST DURING THE COMPILATION PROCESS. ESQ WILL DISCARD WARNINGS IN PREFERENCE TO ACTUAL ERRORS.
Actn:	CORRECT THE ERRORS THAT HAVE OCCURRED TO DATE AND RE-COMPILE OR INCREASE THE ERROR MESSAGE CAPACITY IF PERMITTED.

1306	CATALOGUE CORRUPTED FOR TABLE OR VIEW %S %S				
Text:	CATALOGUE CORRUPTED FOR TABLE OR VIEW %S %S				
Expl:	A FATAL ERROR HAS OCCURRED DURING THE COMPILATION OF A STATEMENT WHICH INDICATES THAT THE CATALOGUE IS IN SOME WAY CORRUPTED.				
Actn:	CONSULT YOUR SYSTEM ADMINISTRATOR. ATTEMPT TO RE-CREATE THE VIEW OR RESORT TO USING THE BACK UP COPY OF THE CATALOGUE				
1308	DYNAMIC MEMORY ALLOCATION FAILED				
Text:	DYNAMIC MEMORY ALLOCATION FAILED				
Expl:	ESQ HAS BEEN UNABLE TO ACQUIRE SUFFICIENT DYNAMIC MEMORY IN ORDER TO BE ABLE TO PERFORM THE CURRENT REQUIRED TASK. THIS IS A FATAL ERROR. SYSTEM CALL LOGGING CAN BE ENABLED VIA THE ENVIRONMENT VARIABLE VOLOG. THE PROBLEM CAN BE INVESTIGATED VIA THIS LOGGING FACILITY AND BY REPRODUCING THE ERROR.				
Actn:	REDUCE THE SIZE OF THE TASK PRESENTED TO ESQ OR INCREASE THE AMOUNT OF MEMORY AVAILABLE TO IT.				
1309	COMPILER BACK END FAILED WITH ERROR %S				
Text:	COMPILER BACK END FAILED WITH ERROR				
Expl:	DURING THE COMPILATION OF A STATEMENT A FATAL INTERNAL ERROR HAS OCCURRED CAUSING THE COMPILATION TO BE ABORTED.				
Actn:	CONSULT YOUR LOCAL SOFTWARE AG REPRESENTATIVE.				
1310	NO TEXT ASSOCIATED WITH ERROR NUMBER %S				
Text:	NO TEXT ASSOCIATED WITH ERROR NUMBER %S				
Expl:	THE SPECIFIED ERROR NUMBER COULD NOT BE RETRIEVED FROM THE ONLINE ERROR MESSAGE FILE. THIS IS EITHER BECAUSE FOR SOME REASON THE ERROR MESSAGE DOES NOT EXIST OR THE WHOLE ERROR MESSAGE FILE IS FOR SOME REASON NOT CURRENTLY AVAILABLE. THIS MAY BE BECAUSE THE ERROR MESSAGE FILE NUMBER HAS BEEN INCORRECTLY SPECIFIED AS AN ESQ PARAMETER.				
Actn:	ENSURE THAT ESQ HAS ACCESS TO THE ERROR MESSAGE FILE. YOUR SYSTEM ADMINISTRATOR WILL BE ABLE TO DO THIS. OTHERWISE CONTACT YOUR SOFTWARE AG REPRESENTATIVE.				

ADABAS SQL Server Messages and Codes Manual

1311	ERROR NUMBER %S COULD NOT BE RETRIEVED DUE TO INACTIVE ADABAS
Text:	ERROR NUMBER %S COULD NOT BE RETRIEVED DUE TO INACTIVE ADABAS
Expl:	AN ATTEMPT WAS MADE TO RETRIEVE AN ERROR MESSAGE FROM THE ESQ ERROR MESSAGE FILE. THIS PROVED NOT TO BE POSSIBLE AS ADABAS IS CURRENTLY NOT ACTIVE.
Actn:	CONTACT YOUR SYSTEM ADMINISTRATOR IN ORDER TO ACTIVATE ADABAS.
1312	ESQ ERROR TEXT FILE NUMBER INVALID FOR ERROR NUMBER %S
Text:	Q ERROR TEXT FILE NUMBER INVALID FOR ERROR NUMBER
Expl:	THE ESQ ERROR TEXT FILE NUMBER AS DEFINED IN THE START-UP PARAMETERS HAS BE DETERMINED TO BE WRONG. THIS MEANS THAT NO ERROR TEXTS CAN BE PRODUCED.
Actn:	CORRECT THE ERROR TEXT FILE NUMBER IN THE START-UP PARAMETERS.
1313	ADABAS ERROR %S OCCURRED UPON RETRIEVING ERROR TEXT NUMBER %S
Text:	ADABAS ERROR OCCURRED UPON RETRIEVING ERROR TEXT NUMBER
Expl:	UPON RETRIEVING THE ERROR TEXT FOR THE GIVEN ERROR NUMBER THE SPECIFIED ADABAS ERROR WAS ENCOUNTERED. REFER TO THE ADABAS DOCUMENTATION FOR A DESCRIPTION OF THIS ADABAS ERROR.
Actn:	CONTACT YOUR SYSTEM ADMINISTRATOR IF REQUIRED.
1350	INITIALIZATION ERRORS HAVE OCCURRED
Text:	INITIALIZATION ERRORS HAVE OCCURRED
Expl:	AN ERROR HAS OCCURRED DURING THE INITIALIZATION OF ESQ.
Actn:	CORRECT THE ERRORS BEFORE ATTEMPTING TO PROCEED.
1351	TERMINATION ERRORS HAVE OCCURRED
Text:	TERMINATION ERRORS HAVE OCCURRED
Expl:	DURING THE TERMINATION OF ESQ, AN ERROR WAS DETECTED.
Actn:	NO ACTION REQUIRED

1250	
1352	INTERNAL initialization ERROR
Text:	INTERNAL INITIALIZATION ERROR
Expl:	THE INITIALIZATION OF THE ERROR LOGGER FAILED.
Actn:	CONTACT YOUR SOFTWARE AG REPRESENTATIVE
1353	INTERNAL INITIALIZATION ERROR
Text:	INTERNAL INITIALIZATION ERROR
Expl:	THE INITIALIZATION OF THE MEMORY MANAGER FAILED
Actn:	CONTACT YOUR SOFTWARE AG REPRESENTATIVE
1354	INTERNAL INITIALIZATION ERROR
Text:	INTERNAL INITIALIZATION ERROR
Expl:	THE INITIALIZATION OF THE PRE-COMPILER FAILED
Actn:	CONTACT YOUR SOFTWARE AG REPRESENTATIVE
1355	INTERNAL initialization ERROR
Text:	INTERNAL INITIALIZATION ERROR
Expl:	AN INTERNAL INITIALIZATION ERROR HAS OCCURRED. THERE ARE NUMEROUS POSSIBLE CAUSES: - THE PARAMETER SETTING 'FILE OUTPUT RECORD LENGTH' MAY BE FAR TOO BIG. - MEMORY ALLOCATION PROBLEMS MAY HAVE BEEN ENCOUNTERED. REVIEW RESOURCE REQUIREMENTS.
Actn:	IF THE ABOVE CAUSES ARE NOT APPLICABLE THEN CONTACT YOUR SOFTWARE AGREPRESENTATIVE.
1356	INTERNAL initialization ERROR
Text:	INTERNAL initialization ERROR
Expl:	THE initialization OF THE TOKENIZER FAILED
Actn:	CONTACT YOUR SOFTWARE AG REPRESENTATIVE

ADABAS SQL Server Messages and Codes Manual

1357	INTERNAL initialization ERROR
Text:	INTERNAL initialization ERROR
Expl:	THE initialization OF THE STATEMENT LOGGER FAILED
Actn:	CONTACT YOUR SOFTWARE AG REPRESENTATIVE
1358	DATABASE NUMBER OR FILE NUMBER FOR CATALOG INVALID
Text:	DATABASE NUMBER OR FILE NUMBER FOR CATALOG INVALID
Expl:	IN ATTEMPTING TO START THE ADABAS SQL SERVER, A PROBLEM WAS ENCOUNTERED IN TRYING TO FIND THE CATALOG. EITHER NO DATABASE IDENTIFIER OR FILE NUMBER HAS BEEN SPECIFIED OR THE SPECIFICATION IS INVALID. THE FILE NUMBERS OF THE CATALOG FILES MUST LIE IN THE RANGE 1 TO 252. THE DATABASE NUMBER MUST LIE IN THE RANGE 1 TO 255.
Actn:	ENSURE THAT THE CORRECT FILE SPECIFICATION HAS BEEN GIVEN IN THE PARAMETER PROCESSING FILE.
1360	OPERATING SYSTEM CALL FAILED
Text:	OPERATING SYSTEM CALL FAILED
Expl:	AN INTERNAL ERROR IN THE OPERATING SYSTEM HAS BEEN DETECTED.
Actn:	CONTACT YOUR SOFTWARE AG REPRESENTATIVE. THE PROBLEM CAN BE INVESTIGATED
	BY ENABLING SYSTEM CALLS LOGGING BY SETTING THE ENVIRONMENT VARIABLE VOLOG.
 1361	
	VOLOG. PARAMETER PROCESSING ERRORS HAVE OCCURRED
Text:	PARAMETER PROCESSING ERRORS HAVE OCCURRED PARAMETER PROCESSING ERRORS HAVE OCCURRED
	VOLOG. PARAMETER PROCESSING ERRORS HAVE OCCURRED
Text: Expl:	PARAMETER PROCESSING ERRORS HAVE OCCURRED PARAMETER PROCESSING ERRORS HAVE OCCURRED DURING THE PROCESSING OF THE SYSTEM PARAMETER FILE, ERRORS WHERE DETECTED. THE NATURE OF THESE ERRORS WILL BE DESCRIBED IN SUBSEQUENT
Text: Expl:	PARAMETER PROCESSING ERRORS HAVE OCCURRED PARAMETER PROCESSING ERRORS HAVE OCCURRED DURING THE PROCESSING OF THE SYSTEM PARAMETER FILE, ERRORS WHERE DETECTED. THE NATURE OF THESE ERRORS WILL BE DESCRIBED IN SUBSEQUENT ERROR MESSAGES.

1363	INTERNAL initialization ERROR
Text:	INTERNAL initialization ERROR
Expl:	AN INTERNAL initialization ERROR HAS OCCURRED CONCERNING THE ADABAS INTERFACE
Actn:	CONSULT YOUR SOFTWARE AG REPRESENTATIVE
1370	ADABAS SQL SERVER ALREADY ACTIVE FOR DIRECTORY %S
Text:	ADABAS SQL SERVER ALREADY ACTIVE FOR DIRECTORY %S
Expl:	AN ATTEMPT HAS BEEN MADE TO ACTIVATE AN ADABAS SQL SERVER. HOWEVER FOR THE ASSOCIATED SQL DIRECTORY, THERE ALREADY EXISTS AN ACTIVE ADABAS SQL SERVER. AN SQL DIRECTORY MAY ONLY BE USED BY ONE ADABAS SQL SERVER AT A TIME.
Actn:	NO ACTION REQUIRED
1371 	ADABAS SQL SERVER NOT ACTIVE
Text:	ADABAS SQL SERVER NOT ACTIVE
Expl:	AN INTERNAL FATAL ERROR HAS BEEN DETECTED. A THREAD HAS BEEN ACTIVATED FOR WHICH THERE IS NO SERVER CURRENTLY ACTIVE.
Actn:	CONSULT YOUR SOFTWARE AG REPRESENTATIVE
1372 	SERVER CONTROL BLOCK STILL IN USE BY ANOTHER TASK
Text:	SERVER CONTROL BLOCK STILL IN USE BY ANOTHER TASK
Expl:	DURING THE SHUT DOWN OF THE ADABAS SQL SERVER AND THE ASSOCIATED FREEING OF RESOURCES, IT HAS BEEN NOTICED THAT THE SERVER CONTROL BLOCK IS CURRENTLY STILL IN USE BY ANOTHER TASK (E.G OPERATOR UTILITY OR PRE-COMPILER ETC.). THIS MEANS THAT THE RESOURCES OCCUPIED BY THE SERVER CONTROL BLOCK COULD NOT BE FREED AND HENCE WILL NOT BE AVAILABLE TO THE SERVER UPON RESTART.
Actn:	FREE THE SERVER CONTROL BLOCK BY STOPPING THE OTHER TASK BEFORE RESTARTING THE SERVER.
	1363 - 1372

ADABAS SQL Server Messages and Codes Manual

1373	SERVER CONTROL BLOCK CONSISTENCY ERROR
Text:	SERVER CONTROL BLOCK CONSISTENCY ERROR
Expl:	THE CURRENT SERVER CONTROL BLOCK CONFORMS TO A CERTAIN VERSION NUMBER. THE TASK IN QUESTION HOWEVER IS NOT CONSISTENT WITH THIS VERSION NUMBER AND HENCE CANNOT MAP TO THE CURRENT SERVER CONTROL BLOCK.
Actn:	CONSULT YOUR SYSTEM ADMINISTRATOR AND REVIEW INSTALLATION.
1374	GLOBAL ENVIRONMENT VARIABLE ACCESS ERROR
Text:	GLOBAL ENVIRONMENT VARIABLE ACCESS ERROR
Expl:	A GLOBAL ENVIRONMENT VARIABLE HAS PROVED TO BE INACCESSIBLE.
Actn:	CONSULT YOUR SYSTEM ADMINISTRATOR
1375	ADABAS SQL SERVER IS CURRENTLY BEING ACTIVATED
Text:	ADABAS SQL SERVER IS CURRENTLY BEING ACTIVATED
Expl:	AN ATTEMPT WAS MADE BY A TASK OTHER THAN AN ADABAS SQL SERVER, TO SHARE THE RESOURCES OF THE SERVER. HOWEVER AT THIS MOMENT IN TIME THE SERVER WAS BEING ACTIVATED AND SO THE RESOURCES WERE NOT YET AVAILABLE FOR SHARING. IN SUCH A CASE THE TASK WILL RE-ACTIVATE ITSELF AND CONTINUE IN SINGLE USER MODE.
Actn:	NO ACTION REQUIRED AS A CHANCE CONFLICT HAS OCCURRED. IF HOWEVER THIS SITUATION ARISES CONSISTENTLY THEN THE SYSTEM ADMINISTRATOR SHOULD BE CONTACTED
1376	ADABAS SQL SERVER IS CURRENTLY BEING DE-ACTIVATED
Text:	ADABAS SQL SERVER IS CURRENTLY BEING DE-ACTIVATED
Expl:	AN ATTEMPT WAS MADE BY A TASK OTHER THAN AN ADABAS SQL SERVER, TO SHARE THE RESOURCES OF THE SERVER. HOWEVER AT THIS MOMENT IN TIME THE SERVER WAS BEING DE-ACTIVATED AND SO THE RESOURCES WERE NOT YET AVAILABLE FOR SHARING. IN SUCH A CASE THE TASK WILL RE-ACTIVATE ITSELF AND CONTINUE IN SINGLE USER MODE.
Actn:	NO ACTION REQUIRED AS A CHANCE CONFLICT HAS OCCURRED. IF HOWEVER THIS SITUATION ARISES CONSISTENTLY THEN THE SYSTEM ADMINISTRATOR SHOULD BE CONTACTED

1377	ADABAS SQL SERVER %S ALREADY ACTIVE
Text:	ADABAS SQL SERVER %S ALREADY ACTIVE
Expl:	AN ATTEMPT HAS BEEN MADE TO START THE SPECIFIED SERVER. HOWEVER A SERVER OF THIS NAME IS ALREADY CURRENTLY ACTIVE ON THE SAME NODE.
Actn:	RESOLVE SERVER NAME CONFLICT
1378	MAXIMUM NUMBER OF SESSIONS PER THREAD EXCEEDED
Text:	MAXIMUM NUMBER OF SESSIONS PER THREAD EXCEEDED
Expl:	THE MAXIMUM NUMBER OF SESSIONS PER THREAD HAS BEEN EXCEEDED. THIS IS A FATAL INTERNAL ERROR.
Actn:	CONTACT YOUR SOFTWARE AG REPRESENTATIVE
1400	ADABAS SQL SERVER THREAD ACTIVATION FAILED
Text:	ADABAS SQL SERVER THREAD ACTIVATION FAILED
Expl:	DURING THE initialization PROCESS OF THE ADABAS SQL SERVER, ONE OF THE DESIGNATED THREADS COULD NOT BE ACTIVATED. THIS RESULTS IN NO FURTHER THREADS BEING ATTEMPTED TO BE ACTIVATED. SHOULD THE FAILURE HAVE OCCURRED DURING THE ACTIVATION OF THE FIRST THREAD, THEN NO THREADS ARE UP AND SO THE SERVER WILL SHUT ITSELF DOWN.
Actn:	CONTACT SYSTEM ADMINISTRATOR
	UNEXPECTED OPERATING SYSTEM KILL REQUEST RECEIVED
	UNEXPECTED OPERATING SYSTEM KILL REQUEST RECEIVED
Expl:	THE ADABAS SQL SERVER HAS RECEIVED AN UNEXPECTED OPERATING SYSTEM KILL REQUEST WHICH WILL CAUSE THE SERVER TO ABORT. ALTHOUGH RESOURCES WILL BE RELEASED, CURRENTLY ACTIVE SESSIONS WILL ALSO BE LOST. NOTE THAT THE APPROPRIATE UTILITIES SHOULD BE USED IN ORDER TO SHUT THE SERVER DOWN SAFELY.
Actn:	CONTACT YOUR SYSTEM ADMINISTRATOR

ADABAS SQL Server Messages and Codes Manual

1450	CLIENT SERVER INTERFACE ERROR
Text:	CLIENT SERVER INTERFACE ERROR
Expl:	AN ERROR HAS BEEN DETECTED IN THE CLIENT SERVER INTERFACE, THE NATURE OF WHICH IS EITHER UNKNOWN OR WILL BE DESCRIBED IN A SUBSEQUENT ERROR MESSAGE.
	CONTACT YOUR SYSTEM ADMINISTRATOR
	CLIENT SERVER INTERFACE INTERNAL TYPE MISMATCH ERROR
Text:	CLIENT SERVER INTERFACE INTERNAL TYPE MISMATCH ERROR
Expl:	A FATAL INTERNAL ERROR HAS OCCURRED, CONCERNING THE TYPE OF THE CLIENT SERVER INTERFACE.
Actn:	CONSULT YOUR SOFTWARE AG REPRESENTATIVE
1452	CLIENT SERVER INTERFACE initialization ERROR
Text:	CLIENT SERVER INTERFACE initialization ERROR
Expl:	DURING THE initialization OF THE CLIENT SERVER INTERFACE ON THE SERVER SIDE, AN ERROR HAS BEEN DETECTED. THE CAUSE OF THE ERROR IS DESCRIBED IN THE SUBSEQUENT ERROR MESSAGE.
Actn:	CONTACT YOUR SYSTEM ADMINISTRATOR
1453	CLIENT SERVER INTERFACE RECEIVE ERROR
Text:	CLIENT SERVER INTERFACE RECEIVE ERROR
Expl:	AN ERROR HAS BEEN DETECTED BY THE ADABAS SQL SERVER UPON ATTEMPTING TO RECEIVE A CLIENT'S REQUEST. THE NATURE OF THE ERROR MAY BE CONNECTED WITH THE INSTALLATION OF THE UNDERLYING CLIENT SERVER INTERFACE, IN WHICH CASE THE SYSTEM ADMINISTRATOR MUST REVIEW THIS INSTALLATION, OR SIMPLY IT MAY BE DUE TO INSUFFICIENT SERVER RESOURCES, IN PARTICULAR THE MAXIMUM REQUEST LENGTH AS SPECIFIED IN THE SERVER'S PARAMETER FILE THE ERROR WILL BE DESCRIBED IN A SUBSEQUENT ERROR MESSAGE.
Actn:	CONTACT YOUR SYSTEM ADMINISTRATOR.
	1450 _ 1452

1454 CLIENT SERVER INTERFACE SEND ERROR Text: CLIENT SERVER INTERFACE SEND ERROR Expl: AN ERROR HAS BEEN DETECTED BY THE ADABAS SQL SERVER UPON ATTEMPTING TO SEND A REQUEST TO THE CLIENT. THE NATURE OF THE ERROR MAY BE CONNECTED WITH THE INSTALLATION OF THE UNDERLYING CLIENT SERVER INTERFACE, IN WHICH CASE THE SYSTEM ADMINISTRATOR MUST REVIEW THIS INSTALLATION, OR SIMPLY IT MAY BE DUE TO INSUFFICIENT SERVER RESOURCES, IN PARTICULAR THE MAXIMUM REPLY LENGTH AS SPECIFIED IN THE SERVER'S PARAMETER FILE. THE ERROR WILL BE DESCRIBED IN A SUBSEQUENT ERROR MESSAGE. Actn: CONSULT YOUR SYSTEM ADMINISTRATOR 1455 CLIENT SERVER INTERFACE TERMINATION ERROR Text: CLIENT SERVER INTERFACE TERMINATION ERROR Expl: DURING THE TERMINATION OF THE CLIENT SERVER INTERFACE ON THE SERVER SIDE, AN ERROR HAS BEEN DETECTED. THE CAUSE OF THE ERROR IS DESCRIBED IN THE SUBSEQUENT ERROR MESSAGE. Actn: CONTACT YOUR SYSTEM ADMINISTRATOR 1456 ADABAS SQL SERVER THREAD SHUTDOWN REQUESTED Text: ADABAS SQL SERVER THREAD SHUTDOWN REQUESTED Expl: A REQUEST HAS BEEN RECEIVED TO SHUT THE SPECIFIED THREAD DOWN. Actn: NO ACTION REQUIRED. 1457 ADABAS SQL SERVER THREAD ABORT REQUESTED ______ Text: ADABAS SQL SERVER THREAD ABORT REQUESTED Expl: A REQUEST HAS BEEN RECEIVED TO ABORT THE SPECIFIED THREAD. Actn: NO ACTION REQUIRED

ADABAS SQL Server Messages and Codes Manual

1458	ADABAS SQL SERVER KILL REQUESTED
Text:	ADABAS SQL SERVER THREAD KILL REQUESTED
Expl:	THE ADABAS SQL SERVER RECEIVED A KILL REQUEST WHICH MAY INDEED HAVE BEEN INTENTIONALLY INITIATED. HOWEVER IF A FATAL INTERNAL ERROR HAS OCCURRED, IT IS POSSIBLE THAT THE OPERATING SYSTEM ITSELF WILL INITIATE SUCH A KILL REQUEST.
Actn:	CONSULT YOUR SYSTEM ADMINISTRATOR.
1459	
Text:	CLIENT SESSION TIMEOUT HAS OCCURRED; SERVER THREAD KILLED.
Expl:	A CLIENT SESSION TIMEOUT HAS OCCURRED. THE ADABAS SQL SERVER THREAD HAS CANCELED THE CLIENT SESSION AND TERMINATED THE SERVER THREAD.
	CONSULT YOUR SYSTEM ADMINISTRATOR.
1461	SERVER HAS DETECTED THAT CLIENT HAS DISCONNECTED
Text:	SERVER HAS DETECTED THAT CLIENT HAS DISCONNECTED
Expl:	THE SERVER HAS DETECTED THAT THE CLIENT IS NO LONGER CONNECTED. THIS INFORMATION MAY HAVE BEEN EXPLICITLY PASSED ONTO THE SERVER OR THE SERVER MAY HAVE DISCOVERED THIS UPON ATTEMPTING TO COMMUNICATE WITH THE CLIENT.
	NO ACTION REQUIRED
1501	INTERNAL TRACE initialization FAILED WITH RESPONSE %S
Text:	INTERNAL TRACE initialization FAILED WITH RESPONSE %S
Expl:	A FATAL ERROR OCCURRED DURING THE initialization OF THE ADABAS SQL SERVER.
Actn:	CONTACT YOUR SOFTWARE AG REPRESENTATIVE.

1502	FILENAME/USER NAME '%S' EXCEEDS MAXIMUM PERMITTED LENGTH
Text:	FILENAME/USER NAME EXCEEDS MAXIMUM PERMITTED LENGTH
Expl:	A FILENAME OR USER NAME IN THE PARAMETER FILE EXCEEDS THE MAXIMUM LENGTH PERMITTED ON YOUR SYSTEM.
Actn:	EDIT THE PARAMETER FILE AND SHORTEN THE FILENAME/USER NAME WHICH IS TOO LONG.
1503	UNEXPECTED TOKEN '%S' IN PARAMETER FILE. EXPECTED WAS '%S'
Text:	UNEXPECTED TOKEN '%S' IN PARAMETER FILE. EXPECTED WAS '%S'.
Expl:	AN UNEXPECTED TOKEN IS PRESENT IN THE PARAMETER FILE. THIS MEANS THAT THE SYNTAX EXPRESSED IN THE PARAMETER FILE IS INCORRECT.
Actn:	EDIT THE PARAMETER FILE AND CORRECT THE SYNTAX ERROR(S) IN IT.
	DIRECTORY SYNTAX NO LONGER SUPPORTED
Text:	DIRECTORY SYNTAX NO LONGER SUPPORTED
Expl:	THE PARAMETER FILE SYNTAX USED TO DEFINE THE DIRECTORY IS NO LONGER SUPPORTED. AS OF VERSION 1.4 THE SYNTAX HAS BEEN AMENDED AND HENCE THE PARAMETER FILE MUST NOW SPECIFY A CATALOGUE.
Actn:	CORRECT THE PARAMETER FILE SYNTAX AS SUGGESTED ABOVE
1505	PARAMETER FILE CONTAINS UNEXPECTED TOKEN %S
Text:	PARAMETER FILE CONTAINS UNEXPECTED TOKEN.
Expl:	AN UNEXPECTED TOKEN IS PRESENT IN THE PARAMETER FILE. THIS MEANS THAT THE PARAMETER FILE CONTAINS ONE OR MORE SYNTAX ERRORS.
Actn:	EDIT THE PARAMETER FILE AND CORRECT THE SYNTAX ERROR(S) IN THE PARAMETER FILE.

ADABAS SQL Server Messages and Codes Manual

1506	PARAMETER FILE READ ERROR
Text:	PARAMETER FILE READ ERROR.
Expl:	AN ERROR OCCURRED WHILE TRYING TO READ FROM THE PARAMETER FILE. THIS USUALLY MEANS THAT THE PARAMETER FILE COULD NOT BE FOUND.
Actn:	ALTER THE FILENAME SETTING FOR THE PARAMETER FILE SO THAT IT COINCIDES WITH THE PARAMETER FILE WHICH YOU WANT TO USE.
1507	SCHEMA IDENTIFIER %S EXCEEDS MAXIMUM PERMITTED LENGTH
Text:	SCHEMA IDENTIFIER EXCEEDS MAXIMUM PERMITTED LENGTH.
Expl:	THE SPECIFIED DEFAULT SCHEMA IDENTIFIER IN THE PARAMETER FILE EXCEEDED THE MAXIMUM PERMITTED 32 CHARACTERS.
Actn:	EDIT THE PARAMETER FILE AND SHORTEN THE DEFAULT SCHEMA IDENTIFIER.
1510	CU ID PROGRAM NAME %S EXCEEDS MAXIMUM PERMITTED LENGTH
Text:	CU ID PROGRAM NAME EXCEEDS MAXIMUM PERMITTED LENGTH.
Expl:	THE COMPILATION UNIT IDENTIFIER PROGRAM NAME IS TOO LONG.
Actn:	EDIT THE PARAMETER FILE AND SHORTEN THE COMPILATION UNIT IDENTIFIER PROGRAM NAME.
1511	CU ID LIBRARY NAME %S EXCEEDS MAXIMUM PERMITTED LENGTH
Text:	CU ID LIBRARY NAME EXCEEDS MAXIMUM PERMITTED LENGTH.
Expl:	THE COMPILATION UNIT IDENTIFIER LIBRARY NAME IS TOO LONG.
Actn:	EDIT THE PARAMETER FILE AND SHORTEN THE COMPILATION UNIT IDENTIFIER LIBRARY NAME.
1512	CU ID PRIMARY QUALIFIER %S EXCEEDS MAXIMUM LENGTH
Text:	CU ID PRIMARY QUALIFIER EXCEEDS MAXIMUM LENGTH.
Expl:	THE COMPILATION UNIT IDENTIFIER PRIMARY QUALIFIER YOU HAVE SPECIFIED IN THE PARAMETER FILE IS TOO LONG.
Actn:	EDIT THE PARAMETER FILE AND SHORTEN THE COMPILATION UNIT IDENTIFIER PRIMARY QUALIFIER.

1513	CU ID SECONDARY QUALIFIER %S EXCEEDS MAXIMUM LENGTH
Text:	CU ID SECONDARY QUALIFIER EXCEEDS MAXIMUM LENGTH.
Expl:	THE COMPILATION UNIT IDENTIFIER SECONDARY QUALIFIER YOU HAVE SPECIFIED IN THE PARAMETER FILE IS TOO LONG.
Actn:	EDIT THE PARAMETER FILE AND SHORTEN THE COMPILATION UNIT IDENTIFIER SECONDARY QUALIFIER.
	PARAMETER FILE HAS INVALID FILENAME %S
Text:	PARAMETER FILE HAS INVALID FILENAME.
Expl:	THE FILENAME FOR THE PARAMETER FILE CONTAINS ILLEGAL CHARACTERS WHICH ARE NOT ALLOWED IN YOUR OPERATING SYSTEM ENVIRONMENT.
Actn:	CHECK THE FILENAME SETTING FOR THE PARAMETER FILE AND RESET IT SO THAT IT CONTAINS NO ILLEGAL CHARACTERS.
1515	UNKNOWN ERROR WHILE TOKENIZING PARAMETER FILE
Text:	UNKNOWN ERROR WHILE TOKENIZING PARAMETER FILE.
Expl:	AN UNEXPECTED SITUATION HAS ARISEN WHILE TOKENIZING THE PARAMETER FILE. THIS ERROR SITUATION SHOULD NEVER ARISE.
Actn:	CONTACT YOUR LOCAL SOFTWARE AG REPRESENTATIVE.
1516 	DDL AND DML CANNOT BOTH BE DISALLOWED
Text:	DDL AND DML CANNOT BOTH BE DISALLOWED.
Expl:	YOU HAVE DISALLOWED BOTH THE DATA DEFINITION LANGUAGE (DDL) AND THE DATA MANIPULATION LANGUAGE (DML). THIS IS NOT PERMITTED.
Actn:	EDIT THE PARAMETER FILE AND ALTER THE COMPILER MODE SETTINGS SO THAT EITHER DDL OR DML IS ALLOWED.

ADABAS SQL Server Messages and Codes Manual

PROGRAM NAME IS MANDATORY ID PROGRAM NAME HAS NOT BEEN SPECIFIED IN THE PARAMETER FILE TO THE PRE-COMPILATION OF AN SQL COMPILATION UNIT. SUCH A AM NAME MUST BE SPECIFIED. I A SUITABLE CU ID PROGRAM NAME INTO THE PARAMETER FILE AND BMIT FOR PRE-COMPILATION. S BLOCK FACTOR OUT OF RANGE S BLOCK FACTOR OUT OF RANGE. AVE ATTEMPTED TO SET THE ADABAS MULTI FETCH BLOCK SIZE TO EITHER ARGE OR TOO SMALL A VALUE. ITHE PARAMETER FILE AND SET THE ADABAS BLOCK FACTOR SIZE TO UE WHICH IS IN RANGE. ND DML CANNOT BOTH BE ALLOWED IN ANSI MODE. AVE SET THE COMPILER MODE SO THAT IT IS ANSI COMPATIBLE WITH DDL AND DML ALLOWED. HOWEVER, THE ANSI SQL SPECIFICATION DOES
TO THE PRE-COMPILATION OF AN SQL COMPILATION UNIT. SUCH A AM NAME MUST BE SPECIFIED. If A SUITABLE CU ID PROGRAM NAME INTO THE PARAMETER FILE AND BMIT FOR PRE-COMPILATION. S BLOCK FACTOR OUT OF RANGE S BLOCK FACTOR OUT OF RANGE. AVE ATTEMPTED TO SET THE ADABAS MULTI FETCH BLOCK SIZE TO EITHER ARGE OR TOO SMALL A VALUE. ITHE PARAMETER FILE AND SET THE ADABAS BLOCK FACTOR SIZE TO UE WHICH IS IN RANGE. ND DML CANNOT BOTH BE ALLOWED IN ANSI MODE. AVE SET THE COMPILER MODE SO THAT IT IS ANSI COMPATIBLE WITH
BMIT FOR PRE-COMPILATION. S BLOCK FACTOR OUT OF RANGE S BLOCK FACTOR OUT OF RANGE. AVE ATTEMPTED TO SET THE ADABAS MULTI FETCH BLOCK SIZE TO EITHER ARGE OR TOO SMALL A VALUE. THE PARAMETER FILE AND SET THE ADABAS BLOCK FACTOR SIZE TO UE WHICH IS IN RANGE. ND DML CANNOT BOTH BE ALLOWED IN ANSI MODE. AVE SET THE COMPILER MODE SO THAT IT IS ANSI COMPATIBLE WITH
S BLOCK FACTOR OUT OF RANGE. AVE ATTEMPTED TO SET THE ADABAS MULTI FETCH BLOCK SIZE TO EITHER ARGE OR TOO SMALL A VALUE. THE PARAMETER FILE AND SET THE ADABAS BLOCK FACTOR SIZE TO UE WHICH IS IN RANGE. ND DML CANNOT BOTH BE ALLOWED IN ANSI MODE. AVE SET THE COMPILER MODE SO THAT IT IS ANSI COMPATIBLE WITH
AVE ATTEMPTED TO SET THE ADABAS MULTI FETCH BLOCK SIZE TO EITHER ARGE OR TOO SMALL A VALUE. THE PARAMETER FILE AND SET THE ADABAS BLOCK FACTOR SIZE TO UE WHICH IS IN RANGE. ND DML CANNOT BOTH BE ALLOWED IN ANSI MODE. AVE SET THE COMPILER MODE SO THAT IT IS ANSI COMPATIBLE WITH
ARGE OR TOO SMALL A VALUE. THE PARAMETER FILE AND SET THE ADABAS BLOCK FACTOR SIZE TO UE WHICH IS IN RANGE. ND DML CANNOT BOTH BE ALLOWED IN ANSI MODE ND DML CANNOT BOTH BE ALLOWED IN ANSI MODE. AVE SET THE COMPILER MODE SO THAT IT IS ANSI COMPATIBLE WITH
ND DML CANNOT BOTH BE ALLOWED IN ANSI MODE ND DML CANNOT BOTH BE ALLOWED IN ANSI MODE. AVE SET THE COMPILER MODE SO THAT IT IS ANSI COMPATIBLE WITH
ND DML CANNOT BOTH BE ALLOWED IN ANSI MODE. AVE SET THE COMPILER MODE SO THAT IT IS ANSI COMPATIBLE WITH
AVE SET THE COMPILER MODE SO THAT IT IS ANSI COMPATIBLE WITH
LLOW BOTH DDL AND DML STATEMENTS TO APPEAR IN THE SAME APPLICATION AM.
THE PARAMETER FILE AND EITHER CHANGE THE COMPILER MODE SO THAT IT IT ANSI OR DISALLOW EITHER DDL OR DML.
F RANGE VALUE (%S) SPECIFIED FOR %S SETTING
F RANGE VALUE SPECIFIED FOR SETTING.
PARAMETER FILE CONTAINS A SETTING WHICH IS OUT OF RANGE. SETTING HAS BEEN IGNORED AND THE DEFAULT VALUE HAS BEEN USED.
YOUR PARAMETER FILE AND CHANGE THE VALUE OF THE SETTING WHICH AUSED THE PROBLEM.

1521	TRAILING BLANK SUPPRESSION NOT ALLOWED IN ANSI MODE
Text:	TRAILING BLANK SUPPRESSION NOT ALLOWED IN ANSI MODE
Expl:	YOU HAVE TRIED TO SWITCH THE TRAILING BLANK SUPPRESSION MODE ON AND THE COMPILER TO ANSI MODE. HOWEVER, THIS COMBINATION IS NOT ALLOWED.
Actn:	EDIT YOUR PARAMETER FILE AND EITHER SWITCH OFF TRAILING BLANK SUPPRESSION OR SWITCH THE COMPILER TO A DIFFERENT MODE.
1522	
Text:	INPUT RECORD LENGTH SET GREATER THAN OUTPUT RECORD LENGTH
Expl:	THIS WARNING INDICATES THAT YOU HAVE SET THE FILE INPUT RECORD LENGTH TO A GREATER VALUE THAN THE FILE OUTPUT RECORD LENGTH. THIS COULD RESULT IN THE PRECOMPILER GENERATING TRUNCATED OUTPUT WHICH WILL NOT COMPILE.
Actn:	IF YOUR PRECOMPILER INPUT FILE CONTAINS NO LINES WHICH ARE LONGER THAN THE SET OUTPUT RECORD LENGTH THEN YOU CAN IGNORE THIS WARNING, OTHERWISI YOU MUST SET THE OUTPUT RECORD LENGTH TO A VALUE >= INPUT RECORD LENGTH
1523	PREDICT X REFERENCE LIBRARY NAME %S EXCEEDS MAXIMUM LENGTH
Text:	PREDICT X REFERENCE LIBRARY NAME EXCEEDS MAXIMUM LENGTH
Expl:	THE NAME YOU HAVE SPECIFIED FOR THE PREDICT CROSS REFERENCE LIBRARY EXCEEDS THE MAXIMUM PERMITTED LENGTH OF 8 CHARACTERS.
Actn:	EDIT YOUR PARAMETER AND REDUCE THE LENGTH OF THE NAME YOU HAVE SPECIFIED FOR THE PREDICT CROSS REFERENCE LIBRARY.
1524	SERVER NAME %S EXCEEDS MAXIMUM PERMITTED LENGTH
	SERVER NAME %S EXCEEDS MAXIMUM PERMITTED LENGTH SERVER NAME %S EXCEEDS MAXIMUM PERMITTED LENGTH
Text:	SERVER NAME %S EXCEEDS MAXIMUM PERMITTED LENGTH THE SPECIFIED SERVER NAME, AS GIVEN IN THE START UP PARAMETERS, WAS
Text:	SERVER NAME %S EXCEEDS MAXIMUM PERMITTED LENGTH THE SPECIFIED SERVER NAME, AS GIVEN IN THE START UP PARAMETERS, WAS DETERMINED TO BE LONGER THAN THE PERMITTED 32 CHARACTERS.
Text:	SERVER NAME %S EXCEEDS MAXIMUM PERMITTED LENGTH THE SPECIFIED SERVER NAME, AS GIVEN IN THE START UP PARAMETERS, WAS DETERMINED TO BE LONGER THAN THE PERMITTED 32 CHARACTERS.

ADABAS SQL Server Messages and Codes Manual

1525	SERVER BROKER IDENTIFIER %S EXCEEDS MAXIMUM PERMITTED LENGTH
Text:	SERVER BROKER IDENTIFIER %S EXCEEDS MAXIMUM PERMITTED LENGTH
Expl:	THE SPECIFIED SERVER BROKER IDENTIFIER, AS GIVEN IN THE START UP PARAMETERS, WAS DETERMINED TO BE LONGER THAN THE PERMITTED 32 CHARACTERS.
Actn:	RE-SPECIFY THE SERVER BROKER IDENTIFIER AND ATTEMPT TO RE-START THE ESÇ SYSTEM
 1526	SERVER SPECIFIC CLAUSE %S SPECIFIED IN CLIENT PARAMETER FILE
Text:	SERVER SPECIFIC CLAUSE %S SPECIFIED IN CLIENT PARAMETER FILE
Expl:	THE SPECIFIED CLAUSE HAS BEEN SPECIFIED IN A PARAMETER PROCESSING FILE WHICH IS ONLY RELEVANT IN THE SERVER ENVIRONMENT ALTHOUGH THE CURRENT PROCESSING IS OCCURRING FOR A CLIENT. SUCH SETTINGS ARE IGNORED.
Actn:	NO ACTION REQUIRED.
1550	INVALID TRACE RANGE SPECIFIED : FROM %S TO %S
Text:	INVALID TRACE RANGE SPECIFIED
Expl:	YOU HAVE SPECIFIED AN INVALID TRACE RANGE. AN INVALID TRACE RANGE IS ON IN WHICH THE FROM OPERAND IS GREATER THAN THE TO OPERAND. EXAMPLE OF INVALID RANGE: INCLUDE FUNCTIONS ("ST_ENTER_STRING") RANGE = FROM 9 TO 5
Actn:	SWAP THE FROM OPERAND WITH THE TO OPERAND. SO THE EXAMPLE IN THE EXPLANATION BECOMES: INCLUDE FUNCTIONS ("ST_ENTER_STRING") RANGE = FROM 5 TO 9
1710	GENERATED META PROGRAM EXCEEDS SPACE LIMITS
Text:	GENERATED META PROGRAM EXCEEDS SPACE LIMITS
Expl:	THE COMPILATION OF AN SQL STATEMENT HAS FAILED BECAUSE THE RESULTING META PROGRAM HAS EXCEEDED THE ALLOWABLE SIZE. THE META PROGRAM IS SUBDIVIDED INTO A NUMBER OF CODE AND OPERAND TABLES. EACH OF THESE TABLES IS LIMITED TO 64 KB. ONE OF THE TABLES HAS BEEN FILLED UP TO THIS LIMIT BEFORE IT WAS COMPLETE. THIS MAY BE BECAUSE THE NUMBER OF LONG ALPHANUMERIC FIELDS CONTAINED IN THE ASSOCIATED SQL STATEMENT,
	CAUSES AN OVERFLOW TO OCCUR.

1717	PARSE TREE BUFFER TOO SMALL : NEW SIZE %S
Text:	PARSE TREE BUFFER TOO SMALL : NEW SIZE
Expl:	DURING THE COMPILATION OF A STATEMENT, IT WAS ESTABLISHED THAT THE DEFAULT SIZE FOR THE PARSE TREE BUFFER WAS TOO SMALL. ESQ THEN ATTEMPTS TO ACQUIRE A BUFFER TWICE THE SIZE AND THEN RESTARTS THE COMPILATION FOR THAT STATEMENT. IF THIS MESSAGE IS ACTUALLY REPORTED AS AN ERROR THEN ESQ WAS UNABLE TO ACQUIRE THE NECESSARY DYNAMIC MEMORY.
Actn:	NO ACTION REQUIRED. IF THE MESSAGE IS CONSTANTLY ENCOUNTERED THEN INCREASE THE DEFAULT SIZE IN ORDER TO IMPROVE THE COMPILER'S PERFORMANCE.
1718	INTERNAL TOKEN STREAM BUFFER TOO SMALL : NEW SIZE %S
Text:	INTERNAL TOKEN STREAM BUFFER TOO SMALL : NEW SIZE
Expl:	DURING THE COMPILATION OF A STATEMENT, IT WAS ESTABLISHED THAT THE DEFAULT SIZE FOR THE INTERNAL TOKEN STREAM BUFFER WAS TOO SMALL. ESQ THEN ATTEMPTS TO ACQUIRE A BUFFER TWICE THE SIZE AND THEN RESTARTS THE COMPILATION FOR THAT STATEMENT. IF THIS MESSAGE IS ACTUALLY REPORTED AS AN ERROR THEN ESQ WAS UNABLE TO ACQUIRE THE NECESSARY DYNAMIC MEMORY.
Actn:	NO ACTION REQUIRED. IF THE MESSAGE IS CONSTANTLY ENCOUNTERED THEN INCREASE THE DEFAULT SIZE IN ORDER TO IMPROVE THE COMPILER'S PERFORMANCE.
1719	DC SOURCE BUFFER TOO SMALL : NEW SIZE %S
Text:	DC SOURCE BUFFER TOO SMALL : NEW SIZE
Expl:	DURING THE COMPILATION OF A DYNAMIC STATEMENT, IT WAS ESTABLISHED THAT COULD NOT ACQUIRE SUFFICIENT DYNAMIC MEMORY FOR THE BUFFER. THIS COULD BE BECAUSE THE DEFAULT SIZE IS ACTUALLY TOO BIG.
Actn:	EITHER PROVIDE ESQ WITH ACCESS TO MORE DYNAMIC MEMORY OR REDUCE THE DEFAULT SIZE AND/OR REDUCE THE SIZE OF THE STATEMENT.
1720	DC PRIMARY TOKEN STREAM TOO SMALL : NEW SIZE %S
Text:	DC PRIMARY TOKEN STREAM TOO SMALL : NEW SIZE
Expl:	DURING THE COMPILATION OF A DYNAMIC STATEMENT, IT WAS ESTABLISHED THAT ESQ COULD NOT GET SUFFICIENT DYNAMIC MEMORY FOR THE BUFFER. THIS COULD BE CAUSED BY THE DEFAULT VALUE BEING TOO BIG.
Actn:	EITHER ENABLE ESQ TO HAVE ACCESS TO MORE DYNAMIC MEMORY OR REDUCE THE DEFAULT SIZE OF THE BUFFER AND/OR REDUCE THE SIZE OF THE STATEMENT.

ADABAS SQL Server Messages and Codes Manual

Text: SUBQUERY STACK TOO SMALL: NEW SIZE %S

Text: SUBQUERY STACK TOO SMALL: NEW SIZE

Expl: DURING THE COMPILATION OF A STATEMENT, THE NUMBER OF SUBQUERIES EXCEEDED THE MAXIMUM NUMBER PERMITTED AS DEFINED IN THE START UP PARAMETERS.

Actn: INCREASE THE MAXIMUM NUMBER OF SUBQUERIES PERMITTED IN THE START UP PARAMETERS.

2001	SYSTEM INITIALIZATION ERROR
Text:	SYSTEM INITIALIZATION ERROR
Expl:	A FATAL ERROR WAS ENCOUNTERED DURING SYSTEM INITIALIZATION.
Actn:	RECTIFY THE CAUSE OF THE ERROR AND ATTEMPT TO START ESQ AGAIN.
2002	MEMORY ALLOCATION FOR LINE BUFFER %S FAILED
Text:	MEMORY ALLOCATION FOR LINE BUFFER FAILED
Expl:	AN ATTEMPT TO ACQUIRE DYNAMIC MEMORY DURING THE PRE-COMPILATION OF THE SOURCE PROGRAM FAILED.
Actn:	TRY TO INCREASE THE AMOUNT OF DYNAMIC MEMORY THAT IS AVAILABLE TO ESQ OR REDUCE THE DEMANDS OF THE PROGRAM PLACED ON ESQ.
2003	POINTER ASSIGNMENT FOR LINE BUFFER %S FAILED
Text:	POINTER ASSIGNMENT FOR LINE BUFFER FAILED
Expl:	A FATAL INTERNAL ERROR HAS OCCURRED.
Actn:	CONSULT YOUR SOFTWARE AG REPRESENTATIVE.
2004	ERROR FILE COULD NOT BE OPENED
Text:	ERROR FILE COULD NOT BE OPENED
Expl:	THE SPECIFIED ERROR FILE COULD NOT BE OPENED. THIS MAY BE DUE TO AN ERRONEOUS FILE SPECIFICATION OR INSUFFICIENT PRIVILEGES ON BEHALF OF THE USER.
Actn:	CORRECT THE SOURCE FILE SPECIFICATION AND RE-COMPILE.
2005	SOURCE FILE COULD NOT BE OPENED
Text:	SOURCE FILE COULD NOT BE OPENED
Expl:	THE SPECIFIED SOURCE FILE COULD NOT BE OPENED. THIS MAY BE DUE TO AN ERRONEOUS FILE SPECIFICATION OR INSUFFICIENT PRIVILEGES ON BEHALF OF THE USER.
Actn:	CORRECT THE SOURCE FILE SPECIFICATION AND RE-COMPILE.

ADABAS SQL Server Messages and Codes Manual

2006	INTERNAL ERROR ENCOUNTERED IN SCANNER AT LINE %S
Text:	INTERNAL ERROR ENCOUNTERED IN SCANNER AT LINE
Expl:	A FATAL INTERNAL ERROR HAS OCCURRED.
Actn:	CONSULT YOUR SOFTWARE AG REPRESENTATIVE.
2007	TRUNCATION OF SOURCE INPUT RECORD ENCOUNTERED AT LINE %S
Text:	TRUNCATION OF SOURCE INPUT RECORD ENCOUNTERED AT LINE
Expl:	THE MAXIMUM LENGTH OF A LINE OF THE SOURCE FILE AS DEFINED IN THE START UP PARAMETERS HAS BEEN EXCEEDED. THIS IS A FATAL ERROR.
Actn:	CHECK THE LINE IN THE SOURCE FILE AND CONFIRM THAT IT SHOULD ACTUALLY BE THIS LONG. OTHERWISE INCREASE THE MAXIMUM SIZE AS DEFINED IN THE START UP PARAMETERS.
2008	OVERFLOW OF SOURCE INPUT RECORD ENCOUNTERED AT LINE %S
Text:	OVERFLOW OF SOURCE INPUT RECORD ENCOUNTERED AT LINE
Expl:	THE MAXIMUM LENGTH OF A LINE OF THE SOURCE FILE AS DEFINED IN THE START UP PARAMETERS HAS BEEN EXCEEDED. THIS IS A FATAL ERROR.
Actn:	CHECK THE LINE IN THE SOURCE FILE AND CONFIRM THAT IT SHOULD ACTUALLY BE THIS LONG. OTHERWISE INCREASE THE MAXIMUM SIZE AS DEFINED IN THE START UP PARAMETERS.
2009	ERROR UPON READING SOURCE INPUT FILE ENCOUNTERED AT LINE %S
Text:	ERROR UPON READING SOURCE INPUT FILE ENCOUNTERED
Expl:	AN ERROR HAS BEEN DETECTED WHILE READING THE INPUT SOURCE FILE. THIS IS A FATAL ERROR. IT MIGHT HAVE BEEN CAUSED BY UN-RECOGNIZED CONTROL CHARACTERS.
Actn:	CHECK THE CONTENTS OF THE INPUT SOURCE FILE.
2010	INPUT FILE COULD NOT BE CLOSED
Text:	INPUT FILE COULD NOT BE CLOSED
Expl:	THE INPUT SOURCE FILE COULD NOT BE CLOSED. THIS IS A FATAL ERROR.
Actn:	INVESTIGATE SOURCE FILE STATUS AND CONDITION.

Text: NO SQL STATEMENTS FOUND AT ALL Exp1: THE SPECIFIED SOURCE FILE DID NOT CONTAIN ANY SQL DIRECTIVES OR STATEMENTS WHATSOEVER. THE USE OF THE ESQ COMPILER IS THEREFORE NOT REQUIRED. Actn: Make sure that the Correct Source file has been submitted for COMPILATION. 2012 ONLY SQL PRECOMPILER DIRECTIVES FOUND Exp1: NO ACTUAL SQL STATEMENTS WERE FOUND IN THE SPECIFIED SOURCE FILE. ONLY THE PRE-COMPILER DIRECTIVES 'BEGIN DECLARE SECTION', 'INCLUDE' OR 'WHENEVER' WERE DISCOVERED, THE SOURCE FILE IN THE SQL SENSE IS THEREFORE MEANINGLESS. Actn: CHECK THE SOURCE FILE FOR REQUIRED FUNCTIONALITY. 2013 SQL COMPILER TERMINATED WITH FATAL ERROR Exp1: DURING THE COMPILATION OF THE SQL STATEMENTS A FATAL ERROR WAS ENCOUNTERED. Actn: RECTIFY THE CAUSE OF THE FATAL ERROR AND RE-COMPILE. 2014 COMPILATION COMPLETED WITH WARNINGS Exp1: DURING THE COMPILATION OF THE STATEMENTS WARNING CONDITIONS WERE ENCOUNTERED. Actn: COMPILATION COMPLETED WITH WARNINGS Exp1: DURING THE COMPILATION OF THE STATEMENTS WARNING CONDITIONS WERE ENCOUNTERED.		
Expl: THE SPECIFIED SOURCE FILE DID NOT CONTAIN ANY SQL DIRECTIVES OR STATEMENTS WHATSOEVER. THE USE OF THE ESQ COMPILER IS THEREFORE NOT REQUIRED. Actn: MAKE SURE THAT THE CORRECT SOURCE FILE HAS BEEN SUBMITTED FOR COMPILATION. 2012 ONLY SQL PRECOMPILER DIRECTIVES FOUND Text: ONLY SQL PRECOMPILER DIRECTIVES FOUND Expl: NO ACTUAL SQL STATEMENTS WERE FOUND IN THE SPECIFIED SOURCE FILE. ONLY THE PRE-COMPILER DIRECTIVES 'BEGIN DECLARE SECTION', 'INCLUDE' OR 'WHENEVER' WERE DISCOVERED. THE SOURCE FILE IN THE SQL SENSE IS THEREFORE MEANINGLESS. Actn: CHECK THE SOURCE FILE FOR REQUIRED FUNCTIONALITY. 2013 SQL COMPILER TERMINATED WITH FATAL ERROR Text: SQL COMPILER TERMINATED WITH FATAL ERROR Expl: DURING THE COMPILATION OF THE SQL STATEMENTS A FATAL ERROR WAS ENCOUNTERED. Actn: RECTIFY THE CAUSE OF THE FATAL ERROR AND RE-COMPILE. 2014 COMPILATION COMPLETED WITH WARNINGS Text: COMPILATION COMPLETED WITH WARNINGS Expl: DURING THE COMPILATION OF THE STATEMENTS WARNING CONDITIONS WERE ENCOUNTERED.	2011	
STATEMENTS WHATSOEVER. THE USE OF THE ESQ COMPILER IS THEREFORE NOT REQUIRED. Actn: MAKE SURE THAT THE CORRECT SOURCE FILE HAS BEEN SUBMITTED FOR COMPILATION. 2012 ONLY SQL PRECOMPILER DIRECTIVES FOUND Text: ONLY SQL PRECOMPILER DIRECTIVES FOUND Expl: NO ACTUAL SQL STATEMENTS WERE FOUND IN THE SPECIFIED SOURCE FILE. ONLY THE PRE-COMPILER DIRECTIVES 'BEGIN DECLARE SECTION', 'INCLUDE' OR 'WHENEVER' WERE DISCOVERED. THE SOURCE FILE IN THE SQL SENSE IS THEREFORE MEANINGLESS. Actn: CHECK THE SOURCE FILE FOR REQUIRED FUNCTIONALITY. 2013 SQL COMPILER TERMINATED WITH FATAL ERROR Expl: DURING THE COMPILATION OF THE SQL STATEMENTS A FATAL ERROR WAS ENCOUNTERED. Actn: RECTIFY THE CAUSE OF THE FATAL ERROR AND RE-COMPILE. 2014 COMPILATION COMPLETED WITH WARNINGS Text: COMPILATION COMPLETED WITH WARNINGS Expl: DURING THE COMPILATION OF THE STATEMENTS WARNING CONDITIONS WERE ENCOUNTERED.	Text:	NO SQL STATEMENTS FOUND AT ALL
COMPILATION. 2012 ONLY SQL PRECOMPILER DIRECTIVES FOUND Expl: NO ACTUAL SQL STATEMENTS WERE FOUND IN THE SPECIFIED SOURCE FILE. ONLY THE PRE-COMPILER DIRECTIVES 'BEGIN DECLARE SECTION', 'INCLUDE' OR 'WHENEVER' WERE DISCOVERED. THE SOURCE FILE IN THE SQL SENSE IS THEREFORE MEANINGLESS. Actn: CHECK THE SOURCE FILE FOR REQUIRED FUNCTIONALITY. 2013 SQL COMPILER TERMINATED WITH FATAL ERROR Expl: DURING THE COMPILATION OF THE SQL STATEMENTS A FATAL ERROR WAS ENCOUNTERED. Actn: RECTIFY THE CAUSE OF THE FATAL ERROR AND RE-COMPILE. 2014 COMPILATION COMPLETED WITH WARNINGS Expl: DURING THE COMPILATION OF THE STATEMENTS WARNING CONDITIONS WERE ENCOUNTERED.	Expl:	STATEMENTS WHATSOEVER. THE USE OF THE ESQ COMPILER IS THEREFORE NOT
Text: ONLY SQL PRECOMPILER DIRECTIVES FOUND Expl: NO ACTUAL SQL STATEMENTS WERE FOUND IN THE SPECIFIED SOURCE FILE. ONLY THE PRE-COMPILER DIRECTIVES 'BEGIN DECLARE SECTION', 'INCLUDE' OR 'WHENEVER' WERE DISCOVERED. THE SOURCE FILE IN THE SQL SENSE IS THEREFORE MEANINGLESS. Actn: CHECK THE SOURCE FILE FOR REQUIRED FUNCTIONALITY. 2013 SQL COMPILER TERMINATED WITH FATAL ERROR Expl: DURING THE COMPILATION OF THE SQL STATEMENTS A FATAL ERROR WAS ENCOUNTERED. Actn: RECTIFY THE CAUSE OF THE FATAL ERROR AND RE-COMPILE. 2014 COMPILATION COMPLETED WITH WARNINGS Text: COMPILATION COMPLETED WITH WARNINGS Expl: DURING THE COMPILATION OF THE STATEMENTS WARNING CONDITIONS WERE ENCOUNTERED.		COMPILATION.
Text: ONLY SQL PRECOMPILER DIRECTIVES FOUND Expl: NO ACTUAL SQL STATEMENTS WERE FOUND IN THE SPECIFIED SOURCE FILE. ONLY THE PRE-COMPILER DIRECTIVES 'BEGIN DECLARE SECTION', 'INCLUDE' OR 'WHENEVER' WERE DISCOVERED. THE SOURCE FILE IN THE SQL SENSE IS THEREFORE MEANINGLESS. Actn: CHECK THE SOURCE FILE FOR REQUIRED FUNCTIONALITY. 2013 SQL COMPILER TERMINATED WITH FATAL ERROR Text: SQL COMPILER TERMINATED WITH FATAL ERROR Expl: DURING THE COMPILATION OF THE SQL STATEMENTS A FATAL ERROR WAS ENCOUNTERED. Actn: RECTIFY THE CAUSE OF THE FATAL ERROR AND RE-COMPILE. 2014 COMPILATION COMPLETED WITH WARNINGS Text: COMPILATION COMPLETED WITH WARNINGS Expl: DURING THE COMPILATION OF THE STATEMENTS WARNING CONDITIONS WERE ENCOUNTERED.		ONLY SQL PRECOMPILER DIRECTIVES FOUND
THE PRE-COMPILER DIRECTIVES 'BEGIN DECLARE SECTION', 'INCLUDE' OR 'WHENEVER' WERE DISCOVERED. THE SOURCE FILE IN THE SQL SENSE IS THEREFORE MEANINGLESS. Actn: CHECK THE SOURCE FILE FOR REQUIRED FUNCTIONALITY. 2013 SQL COMPILER TERMINATED WITH FATAL ERROR Text: SQL COMPILER TERMINATED WITH FATAL ERROR Expl: DURING THE COMPILATION OF THE SQL STATEMENTS A FATAL ERROR WAS ENCOUNTERED. Actn: RECTIFY THE CAUSE OF THE FATAL ERROR AND RE-COMPILE. 2014 COMPILATION COMPLETED WITH WARNINGS Text: COMPILATION COMPLETED WITH WARNINGS Expl: DURING THE COMPILATION OF THE STATEMENTS WARNING CONDITIONS WERE ENCOUNTERED.	Text:	
2013 SQL COMPILER TERMINATED WITH FATAL ERROR Text: SQL COMPILER TERMINATED WITH FATAL ERROR Exp1: DURING THE COMPILATION OF THE SQL STATEMENTS A FATAL ERROR WAS ENCOUNTERED. Actn: RECTIFY THE CAUSE OF THE FATAL ERROR AND RE-COMPILE. 2014 COMPILATION COMPLETED WITH WARNINGS Text: COMPILATION COMPLETED WITH WARNINGS Exp1: DURING THE COMPILATION OF THE STATEMENTS WARNING CONDITIONS WERE ENCOUNTERED.	Expl:	'WHENEVER' WERE DISCOVERED. THE SOURCE FILE IN THE SQL SENSE IS
2013 SQL COMPILER TERMINATED WITH FATAL ERROR Text: SQL COMPILER TERMINATED WITH FATAL ERROR Expl: DURING THE COMPILATION OF THE SQL STATEMENTS A FATAL ERROR WAS ENCOUNTERED. Actn: RECTIFY THE CAUSE OF THE FATAL ERROR AND RE-COMPILE. 2014 COMPILATION COMPLETED WITH WARNINGS Text: COMPILATION COMPLETED WITH WARNINGS Expl: DURING THE COMPILATION OF THE STATEMENTS WARNING CONDITIONS WERE ENCOUNTERED.	Actn:	
Expl: DURING THE COMPILATION OF THE SQL STATEMENTS A FATAL ERROR WAS ENCOUNTERED. Actn: RECTIFY THE CAUSE OF THE FATAL ERROR AND RE-COMPILE. 2014 COMPILATION COMPLETED WITH WARNINGS Text: COMPILATION COMPLETED WITH WARNINGS Expl: DURING THE COMPILATION OF THE STATEMENTS WARNING CONDITIONS WERE ENCOUNTERED.	2013	SQL COMPILER TERMINATED WITH FATAL ERROR
ENCOUNTERED. Actn: RECTIFY THE CAUSE OF THE FATAL ERROR AND RE-COMPILE. 2014 COMPILATION COMPLETED WITH WARNINGS Text: COMPILATION COMPLETED WITH WARNINGS Expl: DURING THE COMPILATION OF THE STATEMENTS WARNING CONDITIONS WERE ENCOUNTERED.	Text:	SQL COMPILER TERMINATED WITH FATAL ERROR
2014 COMPILATION COMPLETED WITH WARNINGS Text: COMPILATION COMPLETED WITH WARNINGS Expl: DURING THE COMPILATION OF THE STATEMENTS WARNING CONDITIONS WERE ENCOUNTERED.	Expl:	
2014 COMPILATION COMPLETED WITH WARNINGS Text: COMPILATION COMPLETED WITH WARNINGS Expl: DURING THE COMPILATION OF THE STATEMENTS WARNING CONDITIONS WERE ENCOUNTERED.		
Text: COMPILATION COMPLETED WITH WARNINGS Expl: DURING THE COMPILATION OF THE STATEMENTS WARNING CONDITIONS WERE ENCOUNTERED.		COMPILATION COMPLETED WITH WARNINGS
ENCOUNTERED.	Text:	
Actn: NO ACTION REQUIRED.	Expl:	
	Actn:	NO ACTION REQUIRED.

2

ADABAS SQL Server Messages and Codes Manual

2015	COMPILATION COMPLETED WITH SEMANTIC ERRORS
Text:	COMPILATION COMPLETED WITH SEMANTIC ERRORS
Expl:	DURING THE COMPILATION OF STATEMENTS, SEMANTIC ERRORS WERE ENCOUNTERED
Actn:	CORRECT THE STATEMENTS WHICH HAVE BEEN IDENTIFIED AS CONTAINING SEMANTIC ERRORS.
2016	COMPILATION COMPLETED WITH SYNTAX ERRORS
Text:	COMPILATION COMPLETED WITH SYNTAX ERRORS
Expl:	DURING THE COMPILATION OF STATEMENTS, SYNTAX ERRORS WERE ENCOUNTERED.
Actn:	CORRECT THE STATEMENTS WHICH HAVE BEEN IDENTIFIED AS CONTAINING SYNTAX ERRORS.
2017	GENERATED OUTPUT FILE COULD NOT BE OPENED
Text:	GENERATED OUTPUT FILE COULD NOT BE OPENED
Expl:	THE OUTPUT FILE WHICH IS USED TO CONTAIN THE GENERATED SOURCE CODE COULD NOT BE OPENED. THIS MAY BE DUE TO INSUFFICIENT PRIVILEGES ON BEHALF OF THE USER OR INSUFFICIENT DISC SPACE.
Actn:	CHECK THE SPECIFICATION AND THE CONDITION OF THE OUTPUT SOURCE FILE.
2018	INTERNAL ERROR ENCOUNTERED IN GENERATOR AT LINE %S
Text:	INTERNAL ERROR ENCOUNTERED IN GENERATOR AT LINE
Expl:	A FATAL ERROR HAS OCCURRED DURING THE GENERATION OF THE SOURCE OUTPUT FILE.
Actn:	CONTACT YOUR SOFTWARE AG REPRESENTATIVE.
2019	GENERATED OUTPUT FILE COULD NOT BE CLOSED
Text:	GENERATED OUTPUT FILE COULD NOT BE CLOSED
Expl:	THE GENERATED SOURCE OUTPUT FILE COULD NOT BE CLOSED. THIS IS A FATAL ERROR.
Actn:	INVESTIGATE THE SOURCE OUTPUT FILE STATUS AND CONDITION.
	0015 0010

2020	ERROR FILE COULD NOT BE CLOSED
Text:	ERROR FILE COULD NOT BE CLOSED
Expl:	THE ERROR MESSAGE FILE COULD NOT BE CLOSED. THIS IS A FATAL ERROR.
Actn:	INVESTIGATE THE ERROR MESSAGE FILE STATUS AND CONDITION.
2102	INTERNAL DELIMITER TYPE ERROR %S
Text:	INTERNAL DELIMITER TYPE ERROR
Expl:	A FATAL INTERNAL ERROR HAS OCCURRED.
Actn:	CONSULT YOUR SOFTWARE AG REPRESENTATIVE.
2104	INTERNAL FUNCTION TYPE ERROR %S
Text:	INTERNAL FUNCTION TYPE ERROR
Expl:	A FATAL INTERNAL ERROR HAS OCCURRED.
	CONSULT YOUR SOFTWARE AG REPRESENTATIVE.
2105	
Text:	ERROR ENCOUNTERED IN SETTING THE MAXIMUM DELIMITER
Expl:	A FATAL INTERNAL ERROR HAS OCCURRED.
	CONSULT YOUR SOFTWARE AG REPRESENTATIVE.
2106	OVERFLOW OF TOKEN TABLE ENCOUNTERED AT LINE %S
Text:	OVERFLOW OF TOKEN TABLE ENCOUNTERED AT LINE.
Expl:	A FATAL INTERNAL ERROR HAS OCCURRED.
Actn:	REDUCE THE SIZE OF THE STATEMENT AND/OR THE SOURCE FILE.

2107	OVERFLOW OF WORD BUFFER ENCOUNTERED AT LINE %S
Text:	OVERFLOW OF WORD BUFFER ENCOUNTERED AT LINE
Expl:	A FATAL INTERNAL ERROR HAS OCCURRED.
Actn:	REDUCE THE SIZE OF THE STATEMENT AND/OR THE SOURCE FILE.
2108	OVERFLOW OF SYMBOL TABLE ENCOUNTERED AT LINE %S
Text:	OVERFLOW OF SYMBOL TABLE ENCOUNTERED AT LINE
Expl:	A FATAL INTERNAL ERROR HAS OCCURRED.
Actn:	REDUCE THE SIZE OF THE STATEMENT AND/OR THE SOURCE FILE.
	UNKNOWN SYMBOL TYPE ENCOUNTERED AT LINE %S
Text:	UNKNOWN SYMBOL TYPE ENCOUNTERED AT LINE
Expl:	A FATAL INTERNAL ERROR HAS OCCURRED.
Actn:	CONSULT YOUR SOFTWARE AG REPRESENTATIVE.
2113	INTERNAL ERROR : UNKNOWN TYPE %S ENCOUNTERED
Text:	INTERNAL ERROR : UNKNOWN TYPE ENCOUNTERED
Expl:	A FATAL INTERNAL ERROR HAS OCCURRED.
Actn:	CONSULT YOUR SOFTWARE AG REPRESENTATIVE.
2114	INTERNAL ERROR : UNKNOWN STATUS %S ENCOUNTERED
Text:	INTERNAL ERROR : UNKNOWN STATUS ENCOUNTERED
Expl:	A FATAL INTERNAL ERROR HAS OCCURRED.
Actn:	CONSULT YOUR SOFTWARE AG REPRESENTATIVE.

2115	INTERNAL ERROR : UNKNOWN FUNCTION %S ENCOUNTERED
Text:	INTERNAL ERROR : UNKNOWN FUNCTION ENCOUNTERED
Expl:	A FATAL INTERNAL ERROR HAS OCCURRED.
Actn:	CONSULT YOUR SOFTWARE AG REPRESENTATIVE.
2116	NESTED COMMENT AT LINE %S COLUMN %S ENCOUNTERED
Text:	NESTED COMMENT AT LINE %S COLUMN %S ENCOUNTERED
Expl:	A NESTED COMMENT HAS BEEN ENCOUNTERED AT THE SPECIFIED LOCATION. SUCH COMMENTS ARE OPTIONALLY PERMITTED DEPENDING ON THE HOST LANGUAGE COMPILER.
Actn:	IF AN ERROR HAS BEEN RETURNED THEN EITHER REMOVE THE NESTED COMMENT OR AMEND THE SYSTEM PARAMETERS AS APPROPRIATE ASSUMING THAT THE HOST COMPILER SUPPORTS NESTED COMMENTS
2117	COMMENT END DELIMITER WITHOUT START DELIMITER FOUND IN LINE %S
Text:	COMMENT END DELIMITER WITHOUT START DELIMITER FOUND IN LINE %S
Expl:	A COMMENT END DELIMITER HAS BEEN ENCOUNTERED AT THE SPECIFIED LINE FOR WHICH NO CORRESPONDING COMMENT START DELIMITER COULD BE FOUND. THIS IS AN ERROR.
Actn:	CORRECT THE HOST PROGRAM AS SUGGESTED ABOVE.
2118	NON-TERMINATED COMMENT ENCOUNTERED
Text:	NON-TERMINATED COMMENT ENCOUNTERED.
Expl:	A COMMENT WAS STARTED BUT THE END OF FILE WAS ENCOUNTERED BEFORE A CORRESPONDING COMMENT TERMINATOR. THIS IS AN ERROR.
Actn:	CORRECT THE HOST PROGRAM AS SUGGESTED ABOVE.
2119	NON-TERMINATED LITERAL ENCOUNTERED
Text:	NON-TERMINATED LITERAL ENCOUNTERED
Expl:	A LITERAL WAS STARTED BUT THE END OF FILE WAS ENCOUNTERED BEFORE A CORRESPONDING LITERAL TERMINATOR. THIS IS AN ERROR.
Actn:	CORRECT THE HOST PROGRAM AS SUGGESTED ABOVE

2120	NON-TERMINATED CONSTANT ENCOUNTERED
Text:	NON-TERMINATED CONSTANT ENCOUNTERED
Expl:	A CONSTANT WAS STARTED BUT THE END OF FILE WAS ENCOUNTERED BEFORE A CORRESPONDING CONSTANT TERMINATOR. THIS IS AN ERROR.
Actn:	CORRECT THE HOST PROGRAM AS SUGGESTED ABOVE.
 2202 	SQL STATEMENT BUFFER IS TOO SMALL
Text:	SQL STATEMENT BUFFER IS TOO SMALL
Expl:	DURING THE EXTRACTION OF AN SQL STATEMENT FROM THE SOURCE INPUT FILE IT WAS DISCOVERED THAT THE STATEMENT WAS IN FACT LARGER THAN THE MAXIMUM SIZE ALLOWED AS DEFINED IN THE START UP PARAMETERS. THIS IS A FATAL ERROR.
Actn:	INCREASE THE TOKENIZER SIZE PARAMETER OR DECREASE THE COMPLEXITY OF THE STATEMENT.
 2203 	ZERO LENGTH SQL STATEMENT AT LINE:COLUMN NUMBER %S
Text:	ZERO LENGTH SQL STATEMENT AT LINE: COLUMN NUMBER
Expl:	THE SQL STATEMENT STARTING DELIMITER WERE IMMEDIATELY FOLLOWED BY THE SQL STATEMENT TERMINATING DELIMITER WITHOUT ANY SIGNIFICANT TEXT, REPRESENTING AN SQL STATEMENT IN BETWEEN. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.
2204	TOKENIZER FAILED AT LINE:COLUMN NUMBER %S
Text:	TOKENIZER FAILED AT LINE:COLUMN NUMBER
Expl:	A FATAL INTERNAL ERROR HAS OCCURRED CONCERNING THE TOKENIZER. THIS MAY DUE TO INSUFFICIENT DYNAMIC MEMORY OR POSSIBLY DUE TO UN-RECOGNIZED OR UN-SUPPORTED CHARACTERS IN THE SOURCE FILE.
	CHECK THE SOURCE FILE AS SUGGESTED ABOVE. OTHERWISE CONTACT YOUR

2206	UNKNOWN TYPE %S ENCOUNTERED UPON REBUILDING AT LINE %S
Text:	UNKNOWN TYPE ENCOUNTERED UPON REBUILDING AT LINE
Expl:	A FATAL INTERNAL ERROR HAS OCCURRED.
Actn:	CONSULT YOUR SOFTWARE AG REPRESENTATIVE.
2207	HOST VARIABLE IDENTIFIER %S IS TOO LONG AT LINE %S
Text:	HOST VARIABLE IDENTIFIER IS TOO LONG AT LINE
Expl:	THE SPECIFIED HOST VARIABLE IDENTIFIER WAS DETERMINED TO BE LONGER THAN THE PERMITTED MAXIMUM OF 32 CHARACTERS.
Actn:	RE-NAME THE HOST VARIABLE CONCERNED.
2208	HOST VARIABLE DECLARATION LIST TOO LONG AT LINE %S
Text:	HOST VARIABLE DECLARATION LIST TOO LONG AT LINE %S
Expl:	THE NUMBER OF HOST VARIABLES DECLARED IN ONE LINE OF THE HOST PROGRAM HAS EXCEEDED THE INTERNAL CAPACITY OF THE PRE-COMPILER.
Actn:	SPLIT THE DECLARATIONS UP OVER TWO OR MORE LINES THEN RE-COMPILE.
2210	KEYWORD 'SQL' MISSING FROM EXEC DIRECTIVE AT LINE %S
Text:	KEYWORD 'SQL' MISSING FROM EXEC DIRECTIVE AT LINE
Expl:	AN 'EXEC' DIRECTIVE HAS BEEN FOUND WHICH IS NOT IMMEDIATELY FOLLOWED BY THE KEYWORD 'SQL'. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.
2211	EXEC SQL STATEMENT WAS NOT TERMINATED AT LINE %S
Text:	EXEC SQL STATEMENT WAS NOT TERMINATED AT LINE
Expl:	AN SQL STATEMENT WAS IDENTIFIED BY A VALID STARTING DELIMITER BUT DID NOT APPEAR TO POSSESS A VALID TERMINATING DELIMITER. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.

2

ADABAS SQL Server Messages and Codes Manual

2251	DUPLICATE HOST VARIABLE IDENTIFIER %S
Text:	DUPLICATE HOST VARIABLE IDENTIFIER
Expl:	THE SPECIFIED HOST VARIABLE HAS ALREADY BEEN DECLARED IN THE APPLICATION PROGRAM. HOST VARIABLE IDENTIFIERS MUST BE UNIQUE THROUGHOUT THE ENTIRE APPLICATION PROGRAM.
Actn:	RE-NAME THE HOST VARIABLE CONCERNED.
2252 	HOST VARIABLE TABLE FULL
Text:	HOST VARIABLE TABLE FULL
Expl:	THE MAXIMUM NUMBER OF HOST VARIABLES AS DEFINED IN THE START-UP PARAMETERS HAS BEEN EXCEEDED. THIS IS A FATAL ERROR.
Actn:	INCREASE THE MAXIMUM NUMBER OF PERMITTED HOST VARIABLES AS DEFINED IN THE START-UP PARAMETERS.
2253	HOST VARIABLE IDENTIFIER %S REFERS TO STRUCTURE AND ELEMENT
Text:	HOST VARIABLE IDENTIFIER REFERS TO STRUCTURE AND ELEMENT
Expl:	THE SPECIFIED HOST VARIABLE IS NOT OF A BASIC DATA TYPE, RATHER IT REFERS TO AN ENTIRE STRUCTURE. WHOLE STRUCTURES ARE NOT CURRENTLY SUPPORTED BY ESQ.
Actn:	SUBSTITUTE INDIVIDUAL FIELDS FOR THE STRUCTURE ELEMENTS WHEN REFERENCING THEM IN SQL STATEMENTS.
2254	HOST VARIABLE TABLE INDEX FULL
Text:	HOST VARIABLE TABLE INDEX FULL
Expl:	THE MAXIMUM NUMBER OF HOST VARIABLES AS DEFINED IN THE START-UP PARAMETERS HAS BEEN EXCEEDED. THIS IS A FATAL ERROR.
Actn:	INCREASE THE MAXIMUM NUMBER OF PERMITTED HOST VARIABLES AS DEFINED IN THE START UP-PARAMETERS.
Text:	HOST VARIABLE TABLE INDEX FULL THE MAXIMUM NUMBER OF HOST VARIABLES AS DEFINED IN THE START-UP PARAMETERS HAS BEEN EXCEEDED. THIS IS A FATAL ERROR. INCREASE THE MAXIMUM NUMBER OF PERMITTED HOST VARIABLES AS DEFINED IN

2255	HOST VARIABLE STRUCTURE %S NESTING LEVEL INCORRECT
Text:	HOST VARIABLE STRUCTURE NESTING LEVEL INCORRECT
Expl:	A FATAL INTERNAL ERROR HAS OCCURRED CONCERNING THE COLLECTION OF HOST VARIABLE INFORMATION.
Actn:	CONTACT YOUR SOFTWARE AG REPRESENTATIVE.
2256	HOST VARIABLE %S NOT A STRUCTURE
Text:	HOST VARIABLE IS NOT A STRUCTURE
Expl:	A FATAL INTERNAL ERROR HAS OCCURRED CONCERNING THE IDENTIFICATION OF HOST VARIABLES.
Actn:	CONTACT YOUR SOFTWARE AG REPRESENTATIVE.
	HOST VARIABLE STRUCTURE %S ILLEGALLY DEFINED
Text:	HOST VARIABLE STRUCTURE %S ILLEGALLY DEFINED
Expl:	THE SPECIFIED HOST VARIABLE STRUCTURE HAS BEEN DEFINED WITH AN ILLEGAL LAYOUT.
Actn:	MODIFY THE SOURCE CODE AS SUGGESTED ABOVE AND RE-SUBMIT FOR PRE-COMPILATION
2258	HOST VARIABLE %S IS INCORRECTLY SPECIFIED
Text:	HOST VARIABLE %S IS INCORRECTLY SPECIFIED
Expl:	THE DATA TYPE OF THE SPECIFIED HOST VARIABLE IS INCOMPATIBLE WITH THE DATA TYPE OF THE COLUMN TO WHICH IT REFERS. THE POSSIBLE CAUSE MAY BE INCORRECT PRECISION/SCALE DEFINITION, WRONG TYPE OR MISSPELLING
Actn:	MODIFY THE HOST VARIABLE DECLARATION AND RESUBMIT FOR PRECOMPILATION.
2260	HOST VARIABLE %S NOT DECLARED
Text:	HOST VARIABLE %S NOT DECLARED
Expl:	THE SPECIFIED HOST VARIABLE HAS BEEN GIVEN IN AN SQL STATEMENT BUT HAS NOT BEEN DECLARED WITHIN THE COMPILATION UNIT. THIS IS A FATAL ERROR.
Actn:	CORRECT THE COMPILATION UNIT AS SUGGESTED ABOVE AND RE-SUBMIT FOR PRE-COMPILATION.

	ARRAY INDEX OUT OF RANGE FOR HOST VARIABLE %S THE ARRAY INDEX OF THE SPECIFIED HOST VARIABLE WAS DETERMINED TO LIE
Expl:	THE ARRAY INDEX OF THE SPECIFIED HOST VARIABLE WAS DETERMINED TO LIE
	OUTSIDE THE ACTUAL DECLARED RANGE OF THE HOST VARIABLE ARRAY. THIS IS A FATAL ERROR.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-SUBMIT FOR PRE-COMPILATION.
 2262 	HOST VARIABLE %S AMBIGUOUSLY REFERENCED
Text:	HOST VARIABLE %S AMBIGUOUSLY REFERENCED
Expl:	THE SPECIFIED HOST VARIABLE COULD NOT BE UNIQUELY IDENTIFIED. THIS IS PROBABLY BECAUSE THE VARIABLE IS NOT FULLY QUALIFIED WITH THE STRUCTURE NAME AND HENCE CAN NOT BE DISTINGUISHED FROM A SIMILARLY NAMED ELEMENT OF ANOTHER STRUCTURE.
Actn:	MODIFY THE HOST VARIABLE REFERENCE AS SUGGESTED ABOVE AND SUBMIT FOR PRE-COMPILATION AGAIN.
2263	HOST VARIABLE %S DECLARED MORE THAN ONCE
Text:	HOST VARIABLE %S DECLARED MORE THAN ONCE
Expl:	HOST VARIABLES THAT HAVE BEEN DECLARED WITHIN THE BEGIN DECLARE SECTION MUST BE UNIQUE.
Actn:	CORRECT THE PROGRAM AS SUGGESTED ABOVE AND RE-SUBMIT FOR PRE-COMPILATIO
2301	ANSI VIOLATION : ARRAY SIZE AS MACRO AT LINE %S
Text:	ANSI VIOLATION : ARRAY SIZE AS MACRO AT LINE
Expl:	A HOST VARIABLE ARRAY HAD ITS BOUNDARIES DEFINED VIA A MACRO. THIS IS NOT PART OF THE STANDARD. IN ANSI COMPATIBILITY MODE, HOST VARIABLE ARRAY BOUNDARIES MUST BE EXPLICITLY DEFINED WITH AN INTEGER VALUE.
Actn:	CHANGE THE ARRAY DECLARATION AS SUGGESTED ABOVE OR ALTER THE COMPILER

2302 A NON-ZERO RESPONSE CODE WAS RECEIVED FROM THE DATABASE

Text: A non-zero response code was received from the database.

Expl: The NATURAL error messages NAT3001 - NAT3999 deal with database response
 codes, i.e., an error message 'NAT3nnn' indicates that the database has
 replied to a command with a response code 'nnn'.
 The error may be caused by one of the following:
 - An invalid request was made to the database.

- A malfunction occurred in the database.

Actn: Retain the number of the response code and contact your database administrator.

Adabas SQL Server error numbers 3001 – 3255 encountered during
Statement Execution are
original Adabas error numbers 1 – 255
and are explained in the
Adabas Messages and Codes Manual.

4110	INPUT TOKEN STREAM COULD NOT BE OPENED
Text:	AN INTERNAL ERROR HAS OCCURRED DURING THE PRE-COMPILATION OF AN ESQ
Actn:	APPLICATION PROGRAM. CONTACT YOUR SAG REPRESENTATIVE
4111	NEXT TOKEN COULD NOT BE OBTAINED
Text:	NEXT TOKEN COULD NOT BE OBTAINED
Expl:	AN INTERNAL ERROR HAS OCCURRED DURING THE PRE-COMPILATION OF AN APPLICATION PROGRAM.
Actn:	CONTACT YOUR SOFTWARE AG REPRESENTATIVE.
	COULD NOT ADD NEXT TOKEN TO TOKEN STREAM
Text:	
Expl:	DURING THE COMPILATION OF A STATEMENT, ESQ ENCOUNTERED PROBLEMS IN CONSTRUCTING AN INTERNAL REPRESENTATION OF THE STATEMENT. THIS IS USUALLY DUE TO LACK OF MEMORY.
Actn:	INCREASE THE SIZE OF THE SOURCE STATEMENT DIRECTORY AS DEFINED IN THE START-UP PARAMETERS. ALTERNATIVELY INCREASE THE DEFAULT TOKEN STREAM SIZE.
4140	NUMBER OF DECLARED CURSORS EXCEEDED SPECIFIED SYSTEM MAXIMUM
Text:	NUMBER OF DECLARED CURSORS EXCEEDED SPECIFIED SYSTEM MAXIMUM
Expl:	DURING THE PRE-COMPILATION OF THE ESQ APPLICATION PROGRAM IT WAS DISCOVERED THAT MORE CURSORS HAD BEEN DECLARED THAN HAD BEEN SPECIFIED AS THE MAXIMUM IN THE INPUT PARAMETERS OR AS THE DEFAULT.
Actn:	INCREASE THE INPUT PARAMETER 'COMPILER_MAX_CURS_SETTING' AS REQUIRED

4141 	PROJECTION LIST BUFFER COULD NOT BE ALLOCATED
Text:	DERIVED COLUMN LIST BUFFER COULD NOT BE ALLOCATED
Expl:	DURING THE PRE-COMPILATION OF A DECLARE CURSOR STATEMENT OR A SINGLE ROW SELECT STATEMENT A REQUEST FOR DYNAMIC MEMORY WAS REJECTED BY THE OPERATING SYSTEM. THIS MEMORY IS REQUIRED IN ORDER TO STORE THE INFORMATION CONCERNING THE DERIVED COLUMN LIST.
Actn:	INCREASE THE AMOUNT OF MEMORY AVAILABLE TO ESQ OR REDUCE THE MEMORY REQUIREMENT OF THE PRE-COMPILATION BY REDUCING DEMANDS MADE BY THE APPLICATION PROGRAM.
 4142 	CURSOR PROJECTION LIST PROCESSING BUFFER IS FULL
Text:	CURSOR DERIVED COLUMN LIST PROCESSING BUFFER IS FULL
Expl:	AN INTERNAL ERROR HAS OCCURRED DURING THE PRE-COMPILATION OF AN ESQ APPLICATION PROGRAM CONCERNING THE DETERMINED SIZE OF THE DERIVED COLUMN LIST.
Actn:	CONTACT YOUR SAG REPRESENTATIVE
4143 	NUMBER OF SUBQUERIES EXCEEDS SYSTEM SPECIFIED MAXIMUM
Text:	NUMBER OF SUBQUERIES EXCEEDS SYSTEM SPECIFIED MAXIMUM
Expl:	THE NUMBER OF SUB-QUERIES SPECIFIED IN THE STATEMENT EXCEEDS THAT SPECIFIED AS THE SYSTEM DEFAULT OR AS AN INPUT PARAMETER.
Actn:	INCREASE THE VALUE OF THE INPUT PARAMETER 'COMPILER_MAX_QUER_SETTING' AS REQUIRED.
4206	ANSI VIOLATION : BIT OR HEX LITERAL SPECIFIED
Text:	ANSI VIOLATION : BIT OR HEX LITERAL SPECIFIED
Expl:	A HEX OR BIT LITERAL ARE NOT PERMITTED WHEN COMPILING IN ANSI COMPATIBILITY MODE.
Actn:	CORRECT THE SYNTAX AS SUGGESTED ABOVE OR ALTER THE COMPILER OPTIONS AS REQUIRED IF PERMITTED

4207	ASTERISK SPECIFIED IN ILLEGAL CONTEXT
Text:	ASTERISK SPECIFIED IN ILLEGAL CONTEXT
Expl:	AN ASTERISK HAS BEEN SPECIFIED IN A POSITION WHICH DOES NOT CORRESPOND TO THE SYNTAX RULES AS DEFINED IN THE ADABAS SQL SERVER LANGUAGE REFERENCE.
Actn:	AMEND THE STATEMENT AS SUGGESTED ABOVE AND RESUBMIT FOR COMPILATION.
4208	ASTERISK SPECIFIED IN NUMERIC EXPRESSION
Text:	ASTERISK SPECIFIED IN NUMERIC EXPRESSION
Expl:	AN ASTERISK HAS BEEN SPECIFIED WITHIN A NUMERIC EXPRESSION. THIS IS NOT PERMITTED.
Actn:	AMEND THE STATEMENT AS SUGGESTED ABOVE AND RESUBMIT FOR COMPILATION.
	ASTERISK SPECIFIED IN FUNCTION OTHER THAN COUNT
Text:	ASTERISK SPECIFIED IN FUNCTION OTHER THAN COUNT
Expl:	AN ASTERISK HAS BEEN SPECIFIED AS THE ARGUMENT OF A FUNCTION OTHER THAN THE COUNT FUNCTION. THIS IS NOT PERMITTED.
Actn:	AMEND THE STATEMENT AS SUGGESTED ABOVE AND RESUBMIT FOR COMPILATION.
4210	TOKEN '%S' DOES NOT MATCH EXPECTED TOKEN '%S'
Text:	TOKEN '%S' DOES NOT MATCH EXPECTED TOKEN '%S'
Expl:	DURING THE PARSING OF THE SQL STATEMENT A FUNDAMENTAL SYNTAX ERROR HAS BEEN DETECTED. A PARTICULAR TOKEN WAS EXPECTED BUT A DIFFERENT TOKEN WAS SPECIFIED.
Actn:	CORRECT THE SYNTAX SO THAT THE STATEMENT CONFORMS TO THE SYNTAX AS DEFINED THE THE ADABAS SQL SERVER LANGUAGE REFERENCE MANUAL.

4211	TOKEN '%S' IS NOT IN EXPECTED SET OF TOKENS
Text:	TOKEN '%S' IS NOT IN EXPECTED SET OF TOKENS
Expl:	DURING THE PARSING OF AN SQL STATEMENT A FUNDAMENTAL SYNTAX ERROR WAS DETECTED. THE OFFENDING TOKEN DOES NOT BELONG IN THE SET OF TOKENS EXPECTED AT THAT PARTICULAR POSITION IN THE STATEMENT.
Actn:	CORRECT THE SYNTAX SO THAT THE STATEMENT CONFORMS TO THE SYNTAX AS DEFINED IN THE ADABAS SQL SERVER LANGUAGE REFERENCE MANUAL.
4212	ILLEGAL QUALIFIER FOR ASTERISK OR SEQNO
Text:	ILLEGAL QUALIFIER FOR ASTERISK OR SEQNO
Expl:	A DERIVED COLUMN SPECIFICATION MAY NOT INCLUDE EITHER AN ASTERISK OR THE KEYWORD SEQNO AS EITHER THE TABLE IDENTIFIER OR THE TABLE QUALIFIER. SEQNO AND ASTERISK CAN ONLY BE SPECIFIED IN THE POSITION OF THE COLUMN NAME, I.E THE LAST IDENTIFIER OF A COLUMN SPECIFICATION.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-SUBMIT FOR COMPILATION
4213	SEQNO OR ASTERISK ILLEGALLY GIVEN AS COLUMN QUALIFIER
Text:	SEQNO OR ASTERISK ILLEGALLY GIVEN AS COLUMN QUALIFIER
Expl:	A DERIVED COLUMN LIST WAS ERRONEOUSLY SPECIFIED AS '*.' OR 'SEQNO.'
Actn:	REMOVE THE PERIOD FROM THE DERIVED COLUMN LIST.
4214	MORE THAN TWO QUALIFIERS IN COLUMN SPECIFICATION NOT PERMITTED
	MORE THAN TWO QUALIFIERS IN COLUMN SPECIFICATION NOT PERMITTED MORE THAN TWO QUALIFIERS IN COLUMN SPECIFICATION NOT PERMITTED

4215	ANSI VIOLATION : CORRELATION ID %S EXCEEDS PERMITTED 18 CHARS
Text:	ANSI VIOLATION : CORRELATION ID %S EXCEEDS PERMITTED 18 CHARS
Expl:	A CORRELATION IDENTIFIER MUST NOT BE LONGER THAN THE PERMITTED 18 CHARACTERS IN ANSI MODE.
Actn:	CORRECT THE SYNTAX AS SUGGESTED ABOVE OR ALTER THE COMPILATION OPTIONS AS REQUIRED IF PERMITTED.
4216	ANSI VIOLATION : CORRELATION ID IN UPDATE OR DELETE STATEMENT
Text:	ANSI VIOLATION : CORRELATION ID IN UPDATE OR DELETE STATEMENT
Expl:	A CORRELATION IDENTIFIER WAS SPECIFIED IN EITHER AN UPDATE OR DELETE STATEMENT. THIS IS NOT PERMITTED IN THE ANSI STANDARD AND IS THEREFORE AN ESQ EXTENSION.
Actn:	CHANGE THE SYNTAX AS SUGGESTED ABOVE OR ALTER THE COMPILATION OPTIONS AS REQUIRED IF PERMITTED.
	ANSI VIOLATION : ASTERISK QUALIFIED
Text:	ANSI VIOLATION : ASTERISK QUALIFIED
Expl:	THE ANSI STANDARD DOES NOT PERMIT ASTERISKS IN THE SELECT LIST TO BE QUALIFIED IN ANY WAY. THIS FEATURE IS AN ESQ EXTENSION.
Actn:	CHANGE THE SYNTAX AS SUGGESTED ABOVE OR ALTER THE COMPILATION OPTIONS AS REQUIRED AS PERMITTED
4218	ILLEGAL COMPLEX HOST VARIABLE
Text:	ILLEGAL COMPLEX HOST VARIABLE
Expl:	A HOST VARIABLE WAS SPECIFIED AS A STRUCTURE CONTAINING MORE THAN ONE FIELD IN A POSITION WHERE SUCH A REFERENCE IS MEANINGLESS. ONLY HOST VARIABLE SPECIFICATIONS WHICH REFERENCE A SINGLE VARIABLE ARE VALID.
Actn:	CHANGE THE SYNTAX AS SUGGESTED ABOVE

2

ADABAS SQL Server Messages and Codes Manual

4219	NOT IMPLEMENTED YET
Text:	ESQ LANGUAGE FEATURE NOT IMPLEMENTED YET
Expl:	AN ESQ LANGUAGE CONSTRUCTION HAS BEEN SPECIFIED WHICH IS CURRENTLY NOT IMPLEMENTED. HOWEVER TO AVOID FUTURE PROBLEMS CONCERNING UPWARD COMPATIBILITY OF ESQ, SOME BASIC SYNTAX HAS BEEN DEFINED AND HENCE CERTAIN KEYWORDS HAVE BEEN RESERVED FOR FUTURE EXPANSION.
Actn:	CORRECT THE SYNTAX SO THAT THE STATEMENT CONFORMS TO THE SYNTAX AS DEFINED IN THE ESQ LANGUAGE REFERENCE MANUAL.
4220	EMBEDDED DYNAMIC STATEMENT NOT ANSI NOR DYNAMICALLY PREPARABLE
Text:	EMBEDDED DYNAMIC STATEMENT NOT ANSI NOR DYNAMICALLY PREPAREABLE
Expl:	THE ANSI STANDARD DOES NOT SUPPORT DYNAMIC SQL AT ALL. HENCE THE USE OF EMBEDDED DYNAMIC STATEMENTS WHEN COMPILING IN ANSI COMPATIBILITY MOD IS NOT PERMITTED. IN ADDITION EMBEDDED DYNAMIC STATEMENTS CANNOT THEMSELVES BE DYNAMICALL PREPARED.
Actn:	DYNAMIC SQL APPLICATIONS SHOULD BE DEVELOPED UNDER EITHER DB2 COMPATIBILITY MODE OR IN THE FULL ESQ MODE.
4221	DDL STATEMENT NOT PERMITTED BY CURRENT COMPILER OPTIONS
Text:	DDL STATEMENT NOT PERMITTED BY CURRENT COMPILER OPTIONS
Expl:	THE CURRENT COMPILER OPTIONS ARE SET SO THAT DDL STATEMENTS ARE NOT PERMITTED. IT IS POSSIBLE THAT DUE TO THE RESTRICTIONS IMPOSED BY YOUR SYSTEM ADMINISTRATOR, YOU ARE NOT ALLOWED TO WORK WITH DDL STATEMENTS.
Actn:	CHANGE THE COMPILER OPTIONS AS REQUIRED IF PERMITTED.
4222	DCL STATEMENT NOT PERMITTED BY CURRENT COMPILER OPTIONS
Text:	DCL STATEMENT NOT PERMITTED BY CURRENT COMPILER OPTIONS
Expl:	THE CURRENT COMPILER OPTIONS ARE SET SO THAT DCL STATEMENTS ARE NOT PERMITTED. IT IS POSSIBLE THAT DUE TO RESTRICTIONS IMPOSED BY YOUR SYSTEM ADMINISTRATOR, YOU ARE NOT ALLOWED TO WORK WITH DCL STATEMENTS.
Actn:	CHANGE THE COMPILER OPTIONS AS REQUIRED IF PERMITTED

4224	DML STATEMENT NOT PREPARABLE OR NOT PERMITTED BY COMPILER OPTION
Text:	DML STATEMENT NOT PREPARABLE OR NOT PERMITTED BY COMPILER OPTION
Expl:	THE CURRENT COMPILER OPTIONS DO NOT PERMIT THE COMPILATION OF DML STATEMENTS. ALTERNATIVELY CERTAIN DML STATEMENTS CANNOT BE SUBMITTED TO A PREPARE STATEMENT WHEN RUNNING A DYNAMIC SQL APPLICATION.
Actn:	CHANGE THE COMPILER OPTIONS AS REQUIRED OR SUBMIT ONLY VALID DYNAMIC SQL STATEMENTS.
4225	DDL STATEMENT NOT PERMITTED BY CURRENT COMPILER OPTIONS
Text:	DML STATEMENT NOT PERMITTED BY CURRENT COMPILER OPTIONS
Expl:	THE CURRENT COMPILER OPTIONS DO NOT PERMIT THE COMPILATION OF DML STATEMENTS.
Actn:	CHANGE COMPILER OPTIONS AS REQUIRED IF PERMITTED.
4226	DML STATEMENT NOT EXECUTABLE OR NOT PERMITTED BY COMPILER OPTION
Text:	DML STATEMENT NOT EXECUTABLE OR NOT PERMITTED BY COMPILER OPTION
Expl:	THE CURRENT COMPILER OPTIONS DO NOT PERMIT THE COMPILATION OF DML STATEMENTS. ALTERNATIVELY A SELECT STATEMENT MAY HAVE BEEN DYNAMICALLY SUBMITTED TO AN EXECUTE IMMEDIATE STATEMENT EMBEDDED IN A DYNAMIC SQL APPLICATION. THIS IS NOT PERMITTED.
Actn:	CHANGE THE COMPILER OPTIONS AS REQUIRED IF PERMITTED. ALTERNATIVELY SUBMIT THE SELECT STATEMENT TO A PREPARE AND THEN A DYNAMIC CURSOR STATEMENT.
4227	CONNECTION STATEMENTS ARE NEITHER ANSI NOR DYNAMICALLY PREPARABLE
Text:	CONNECTION STATEMENTS ARE NEITHER ANSI NOR DYNAMICALLY PREPARABLE
Expl:	THE CONNECT, DISCONNECT AND SET CONNECTION STATEMENTS CANNOT BE SUBMITTED TO EITHER A PREPARE STATEMENT OR AN EXECUTE IMMEDIATE STATEMENT. IN ADDITION THE STATEMENTS ARE EXTENSIONS TO THE ANSI STANDARD. HOWEVER THEIR USE WHEN IN ANSI MODE WILL ONLY RESULT IN A WARNING.
Actn:	NO ACTION REQUIRED
	4224 - 4227

2

ADABAS SQL Server Messages and Codes Manual

4229	BINARY LITERAL IS LONGER THAN MAXIMUM PERMITTED
Text:	BINARY LITERAL IS LONGER THAN MAXIMUM PERMITTED
Expl:	A BINARY LITERAL HAS BEEN SPECIFIED WHICH IS LONGER THAN THE MAXIMUM ALLOWED PRECISION FOR A BINARY. THIS IS NOT PERMITTED.
Actn:	CHANGE THE SYNTAX AS SUGGESTED ABOVE
4230	HEXADECIMAL LITERAL LONGER THAN MAXIMUM PERMITTED
Text:	HEXADECIMAL LITERAL LONGER THAN MAXIMUM PERMITTED
Expl:	A HEXADECIMAL LITERAL HAS BEEN SPECIFIED WHICH IS LONGER THAN THE MAXIMUM ALLOWED PRECISION FOR A BINARY. THIS IS NOT PERMITTED.
Actn:	CHANGE THE SYNTAX AS SUGGESTED ABOVE
4231	HEX LITERAL CONTAINS A NON HEX DIGIT
Text:	HEX LITERAL CONTAINS A NON HEX DIGIT
Expl:	AN HEX LITERAL WAS SPECIFIED BUT ONE OR MORE OF ITS DIGITS WAS NOT AN HEX DIGIT. THIS IS NOT PERMITTED.
Actn:	CHANGE THE SYNTAX AS SUGGESTED ABOVE.
4232	BIT LITERAL CONTAINS A NON BINARY DIGIT
Text:	BIT LITERAL CONTAINS A NON BINARY DIGIT
Expl:	A BIT LITERAL HAS BEEN SPECIFIED BUT ONE OR MORE OF ITS DIGITS WAS NOT A BINARY DIGIT (I.E '0' OR '1'). THIS IS NOT PERMITTED.
Actn:	CHANGE THE SYNTAX AS SUGGESTED ABOVE.
4233	PERSISTENT STATEMENT IDENTIFICATION WITH EXECUTE IMMEDIATE
Text:	PERSISTENT STATEMENT IDENTIFICATION WITH EXECUTE IMMEDIATE
Expl:	AN EXECUTE IMMEDIATE STATEMENT HAS BEEN SPECIFIED IN WHICH A DYNAMIC PERSISTENT STATEMENT IDENTIFICATION WAS SUPPLIED. THIS IS NOT PERMITTED
Actn:	CHANGE THE SYNTAX AS SUGGESTED ABOVE AND RE-COMPILE.

4234	FOR UPDATE CLAUSE NOT PERMITTED IN EMBEDDED SELECT STATEMENT
Text:	FOR UPDATE CLAUSE NOT PERMITTED IN EMBEDDED SELECT STATEMENT
Expl:	A FOR UPDATE CLAUSE CANNOT BE APPENDED TO AN EMBEDDED SINGLE ROW SELECT STATEMENT. A FOR UPDATE CLAUSE MAY BE APPENDED TO A DYNAMIC SELECT STATEMENT.
Actn:	CHANGE THE SYNTAX AS SUGGESTED ABOVE.
4235	STANDARD STATEMENT IDENTIFICATION IN OPEN STATEMENT
Text:	STANDARD STATEMENT IDENTIFICATION IN OPEN STATEMENT
Expl:	A STANDARD DYNAMIC STATEMENT IDENTIFICATION HAS BEEN SPECIFIED IN AN OPEN STATEMENT. THIS IS NOT PERMITTED.
Actn:	AMEND THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.
4236	UNION OPERATOR NOT PERMITTED IN EMBEDDED SELECT STATEMENT
Text:	UNION OPERATOR NOT PERMITTED IN EMBEDDED SELECT STATEMENT
Expl:	A UNION OPERATOR CANNOT BE SPECIFIED AS PART OF A SINGLE ROW SELECT STATEMENT AS AN EMBEDDED QUERY EXPRESSION IS NOT PERMITTED.
Actn:	CHANGE THE SYNTAX AS SUGGESTED ABOVE.
	ORDER BY CLAUSE NOT PERMITTED WITH DYNAMIC DECLARE
Text:	
Expl:	AN ORDER BY CLAUSE CANNOT BE APPENDED TO AN EMBEDDED DYNAMIC DECLARE CURSOR STATEMENT. IF THE RESULTANT TABLE NEEDS TO BE ORDERED THEN THE ORDER BY CLAUSE MUST BE APPENDED TO THE ASSOCIATED DYNAMIC SELECT STATEMENT AT RUN TIME.
Actn:	CHANGE THE SYNTAX AS SUGGESTED ABOVE.

4238	FOR UPDATE CLAUSE NOT PERMITTED WITH DYNAMIC DECLARE
Text:	FOR UPDATE CLAUSE NOT PERMITTED WITH DYNAMIC DECLARE
Expl:	A FOR UPDATE CLAUSE CANNOT BE APPENDED TO AN EMBEDDED DYNAMIC DECLARE CURSOR STATEMENT. IF A FOR UPDATE CLAUSE IS REQUIRED THEN IT MUST BE APPENDED TO THE ASSOCIATED SELECT STATEMENT DYNAMICALLY AT RUNTIME.
Actn:	CHANGE THE SYNTAX AS SUGGESTED ABOVE.
4239	
Text:	STRING EXPRESSION ONLY PERMITTED WITH EXECUTE IMMEDIATE
Expl:	A STRING CANNOT BE SPECIFIED AS THE OBJECT OF A PLAIN EXECUTE STATEMENT. ONLY AN EXECUTE IMMEDIATE STATEMENT MAY HAVE A STRING LITERAL AS ITS OBJECT.
Actn:	CHANGE THE SYNTAX AS SUGGESTED ABOVE.
4240	TIMESTAMP SPECIFIED IN DEALLOCATE PREPARE STATEMENT
Text:	TIMESTAMP SPECIFIED IN DEALLOCATE PREPARE STATEMENT.
Expl:	A DEALLOCATE PREPARE STATEMENT WAS SPECIFIED WHICH CONTAINED A TIMESTAMP IN THE PERSISTENT DYNAMIC STATEMENT IDENTIFICATION. THIS IS NOT PERMITTED.
	CHANGE THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.
	ESQ EXTENSION : KEYWORD 'BY' NOT SPECIFIED IN GROUPING CLAUSE
Text:	ESQ EXTENSION : KEYWORD 'BY' NOT SPECIFIED IN GROUPING CLAUSE
Expl:	ONLY IN THE ESQ COMPILATION MODE IS IT PERMITTED TO OMIT THE KEYWORD 'BY' FROM A GROUPING CLAUSE.
Actn:	CHANGE THE SYNTAX AS SUGGESTED ABOVE OR ALTER THE COMPILATION OPTIONS AS REQUIRED IF PERMITTED.

4242	COLUMN SYNONYMS NOT CURRENTLY SUPPORTED
Text:	COLUMN SYNONYMS NOT CURRENTLY SUPPORTED
Expl:	THE SUPPORT OF COLUMN SYNONYMS IS RESERVED FOR FUTURE EXPANSION.
Actn:	CORRECT THE SYNTAX SO THAT THE STATEMENT CONFORMS TO THE SYNTAX AS DEFINED IN THE ESQ LANGUAGE REFERENCE MANUAL.
4243	ESCAPE STRING DEFINED TO BE MORE THAN ONE CHARACTER
Text:	ESCAPE STRING DEFINED TO BE MORE THAN ONE CHARACTER
Expl:	AN ESCAPE CLAUSE HAS BEEN SPECIFIED IN A LIKE PREDICATE WITH AN EXPLICIT STRING LITERAL FOR THE ESCAPE CHARACTER. THIS STRING LITERAL CONSISTS OF MORE THAN THE PERMITTED SINGLE CHARACTER. THIS THEREFORE CONSTITUTES AN ILLEGAL STATEMENT.
Actn:	CHANGE THE SYNTAX AS SUGGESTED ABOVE.
4244	ANSI VIOLATION : LENGTH OPERATOR SPECIFIED
Text:	ANSI VIOLATION : LENGTH OPERATOR SPECIFIED
Expl:	THE LENGTH FUNCTION IS NOT CURRENTLY IMPLEMENTED. IT IS RESERVED FOR FUTURE EXPANSION.
Actn:	DON'T USE THE LENGTH FUNCTION.
4245	ESQ EXTENSION : KEYWORD 'CURRENT' NOT SPECIFIED IN WHERE CLAUSE
Text:	ESQ EXTENSION : KEYWORD 'CURRENT' NOT SPECIFIED IN WHERE CLAUSE
Expl:	ONLY IN THE ESQ COMPILATION MODE IS IT PERMITTED TO OMIT THE KEYWORD 'CURRENT' FROM THE WHERE CURRENT OF CURSOR CLAUSE.
Actn:	CHANGE THE SYNTAX AS SUGGESTED ABOVE OR ALTER THE COMPILATION OPTIONS AS REQUIRED IF PERMITTED.

4246	ANSI VIOLATION : DB2 SPECIFIC COMPARISON OPERATOR SPECIFIED
Text:	ANSI VIOLATION : DB2 SPECIFIC COMPARISON OPERATOR SPECIFIED
Expl:	IN A COMPARISON PREDICATE A DB2 SPECIFIC COMPARISON OPERATOR WAS SPECIFIED. THIS OPERATOR IS NOT RECOGNIZED AS A VALID ANSI CHARACTER.
Actn:	CORRECT THE SYNTAX AS SUGGESTED ABOVE OR ALTER THE COMPILER OPTIONS AS REQUIRED IF PERMITTED.
4247 	ESQ EXTENSION : ESQ COMPARISON OPERATOR SPECIFIED
Text:	ESQ EXTENSION : ESQ COMPARISON OPERATOR SPECIFIED
Expl:	IN A COMPARISON PREDICATE AN ESQ SPECIFIC COMPARISON OPERATOR WAS SPECIFIED. THIS OPERATOR IS NOT RECOGNIZED AS A VALID ANSI OR DB2 CHARACTER.
Actn:	CHANGE THE SYNTAX AS SUGGESTED ABOVE OR ALTER THE COMPILATION OPTIONS AS REQUIRED IF PERMITTED.
4248 	DB2 VIOLATION : KEYWORD 'ESCAPE' SPECIFIED IN LIKE PREDICATE
Text:	DB2 VIOLATION : KEYWORD 'ESCAPE' SPECIFIED IN LIKE PREDICATE
Expl:	WHEN COMPILING IN DB2 COMPATIBILITY MODE, THE ESCAPE CLAUSE OF A LIKE PREDICATE IS NOT SUPPORTED.
Actn:	CHANGE THE SYNTAX AS SUGGESTED ABOVE OR ALTER THE COMPILATION OPTIONS AS REQUIRED IF PERMITTED.
	ANSI VIOLATION : HOST VARIABLE STRUCTURE SPECIFIED AS TARGET
Text:	ANSI VIOLATION : HOST VARIABLE STRUCTURE SPECIFIED AS TARGET
Expl:	WHEN COMPILING IN ANSI COMPATIBILITY MODE IT IS NOT PERMITTED TO SPECIFY A HOST VARIABLE TARGET IN FOR INSTANCE A FETCH STATEMENT WHICH IN FACT REFERS TO A STRUCTURE.
Actn:	CHANGE THE HOST VARIABLE STRUCTURE REFERENCE TO A LIST OF ITS INDIVIDUAL FIELDS OR AMEND THE COMPILER OPTIONS AS REQUIRED IF PERMITTED.

4250	ESQ EXTENSION : CONNECT STATEMENT SPECIFIED
Text:	ESQ EXTENSION : CONNECT STATEMENT SPECIFIED
Expl:	A CONNECT STATEMENT A VALID ANSI OR DB2 STATEMENT AND HENCE WHEN COMPILING IN EITHER OF THESE COMPATIBILITY MODES IS NOT PERMITTED.
Actn:	CHANGE THE SYNTAX AS SUGGESTED ABOVE OR ALTER THE COMPILER OPTIONS AS REQUIRED IF PERMITTED.
4251	ESQ EXTENSION : DISCONNECT STATEMENT SPECIFIED
Text:	ESQ EXTENSION : DISCONNECT STATEMENT SPECIFIED
Expl:	A DISCONNECT STATEMENT IS NOT A VALID ANSI OR DB2 STATEMENT AND HENCE WHEN COMPILING IN EITHER OF THESE COMPATIBILITY MODES IS NOT PERMITTED.
Actn:	CHANGE THE SYNTAX AS SUGGESTED ABOVE OR ALTER THE COMPILER OPTIONS AS REQUIRED IF PERMITTED.
4252	ESQ EXTENSION : PERSISTENT DYNAMIC STATEMENT IDENTIFICATION GIVEN
Text:	ESQ EXTENSION : PERSISTENT DYNAMIC STATEMENT IDENTIFICATION GIVEN
Expl:	SPECIFYING A DYNAMIC STATEMENT VIA AN EXPLICIT STATEMENT IDENTIFICATION IS NOT STANDARD SQL RATHER IT IS AN ESQ EXTENSION.
Actn:	NO ACTION REQUIRED
4253	TRANSACTION STATEMENT NOT CURRENTLY SUPPORTED
Text:	TRANSACTION STATEMENT NOT CURRENTLY SUPPORTED
Expl:	THE TRANSACTION STATEMENT IS RESERVED FOR FUTURE ENHANCEMENT.
Actn:	CORRECT THE SYNTAX SO THAT THE STATEMENT CONFORMS TO THE SYNTAX AS DEFINED IN THE ESQ LANGUAGE REFERENCE MANUAL.
4254	SCROLLED CURSORS NOT CURRENTLY SUPPORTED
Text:	SCROLLED CURSORS NOT CURRENTLY SUPPORTED
Expl:	THE PROVISION FOR SCROLLABLE CURSORS IS RESERVED FOR FUTURE ENHANCEMENT.
Actn:	CORRECT THE SYNTAX SO THAT THE STATEMENT CONFORMS TO THE SYNTAX AS DEFINED IN THE ESQ LANGUAGE REFERENCE MANUAL.

4255	ESQ EXTENSION : KEYWORD 'FOR' NOT SPECIFIED
Text:	ESQ EXTENSION : KEYWORD 'FOR' NOT SPECIFIED
Expl:	ONLY IN THE ESQ COMPILATION MODE IS IT PERMITTED TO OMIT THE KEYWORD 'FOR' FROM A DECLARE CURSOR STATEMENT.
Actn:	CHANGE THE SYNTAX AS SUGGESTED ABOVE OR ALTER THE COMPILATION OPTIONS AS REQUIRED IF PERMITTED.
4256	ESQ EXTENSION : SEQNO GIVEN AS COLUMN SPECIFICATION
Text:	ESQ EXTENSION : SEQNO GIVEN AS COLUMN SPECIFICATION
Expl:	THE SEQUENCE NUMBER OF A PARTICULAR TABLE WAS SPECIFIED IN A NUMERIC EXPRESSION. THIS IS AN ADABAS SQL SERVER EXTENSION.
Actn:	CHANGE THE SYNTAX AS SUGGESTED ABOVE OR ALTER THE COMPILATION OPTIONS AS REQUIRED IF PERMITTED.
4257	ESQ EXTENSION : 'ASCENDING' SPECIFIED IN ORDER BY CLAUSE
Text:	ESQ EXTENSION : 'ASCENDING' SPECIFIED IN ORDER BY CLAUSE
Expl:	ONLY IN THE ESQ COMPILATION MODE IS IT PERMITTED TO USE THE KEYWORD 'ASCENDING' IN AN ORDER BY CLAUSE. IN OTHER MODES THE KEYWORD 'ASC' MUST BE USED.
Actn:	CHANGE THE SYNTAX AS SUGGESTED ABOVE OR ALTER THE COMPILATION OPTIONS AS REQUIRED IF PERMITTED
4258	
Text:	ESQ EXTENSION : 'DESCENDING' SPECIFIED IN ORDERING CLAUSE
Expl:	ONLY IN THE ESQ COMPILATION MODE IS IT PERMITTED TO USE THE KEYWORD 'DESCENDING' IN AN ORDER BY CLAUSE. IN OTHER MODES THE KEYWORD 'DESC' MUST BE USED.
Actn:	CHANGE THE SYNTAX AS SUGGESTED ABOVE OR ALTER THE COMPILATION OPTIONS AS REQUIRED IF PERMITTED.

4259	DB2 EXTENSION : COLUMNS SPECIFIED IN FOR UPDATE CLAUSE
Text:	DB2 EXTENSION : COLUMNS SPECIFIED IN FOR UPDATE CLAUSE
Expl:	COLUMNS MAY ONLY BE EXPLICITLY SPECIFIED IN THE FOR UPDATE CLAUSE OF A DECLARE CURSOR STATEMENT WHEN COMPILING IN DB2 COMPATIBILITY MODE. THEY LIST THE COLUMNS WHICH ARE INTENDED TO BE UPDATED VIA A POSITIONED UPDATE STATEMENT ASSOCIATED WITH THE CURSOR.
Actn:	CHANGE THE SYNTAX AS SUGGESTED ABOVE OR ALTER THE COMPILER OPTIONS AS REQUIRED IF POSSIBLE.
4260	INCOMPLETE EXPLICIT STATEMENT SPECIFICATION
Text:	INCOMPLETE EXPLICIT STATEMENT SPECIFICATION
Expl:	ONLY THE DEALLOCATE STATEMENT CAN LEAVE OUT EITHER THE TIMESTAMP AND OR THE STATEMENT NUMBER FROM AN EXPLICIT STATEMENT SPECIFICATION.
Actn:	AMEND THE SYNTAX AS SUGGESTED ABOVE AND RE-COMPILE
4261	ESQ EXTENSION : KEYWORD 'INTO' NOT SPECIFIED
Text:	ESQ EXTENSION : KEYWORD 'INTO' NOT SPECIFIED
Expl:	ONLY IN THE ESQ COMPILATION MODE IS IT PERMITTED TO OMIT THE KEYWORD 'INTO' FROM AN INSERT STATEMENT
Actn:	CHANGE THE SYNTAX AS SUGGESTED ABOVE OR ALTER THE COMPILATION OPTIONS AS REQUIRED IF POSSIBLE.
4262	SCROLL DIRECTIVES NOT CURRENTLY SUPPORTED
Text:	SCROLL DIRECTIVES NOT CURRENTLY SUPPORTED
Expl:	THE SUPPORT OF SCROLL DIRECTIVES IS RESERVED FOR FUTURE EXPANSION.
Actn:	CHANGE THE SYNTAX SO THAT IT CONFORMS TO THAT SPECIFIED IN THE ESQ LANGUAGE REFERENCE MANUAL.

4263	SEQUENCE NUMBER LEVEL ATTRIBUTE OUT OF RANGE
Text:	SEQUENCE NUMBER LEVEL ATTRIBUTE OUT OF RANGE
Expl:	A SEQUENCE NUMBER WAS SPECIFIED WITH A LEVEL ATTRIBUTE WHICH DID NOT EQUAL 0, 1 OR 2. THIS IS NOT PERMITTED.
Actn:	CHANGE THE SYNTAX AS SUGGESTED ABOVE.
4264	ESQ EXTENSION : TARGET INTO CLAUSE NOT SPECIFIED IN STATEMENT
Text:	ESQ EXTENSION : TARGET INTO CLAUSE NOT SPECIFIED IN FETCH STATEMENT
Expl:	ONLY IN ESQ COMPILATION MODE IS IT PERMITTED TO OMIT THE TARGET BUFFER SPECIFICATION FROM A FETCH STATEMENT. BY SO DOING IT IS POSSIBLE TO ADVANCE THE CURSOR WITHOUT RETRIEVING ANY DATA.
Actn:	CHANGE THE SYNTAX AS SUGGESTED ABOVE OR ALTER THE COMPILATION OPTIONS AS REQUIRED IF PERMITTED.
4265	ANSI VIOLATION : KEYWORD 'WORK' NOT SPECIFIED
Text:	ANSI VIOLATION : KEYWORD 'WORK' NOT SPECIFIED
Expl:	WHEN IN ANSI COMPATIBILITY MODE, IT IS OBLIGATORY TO SPECIFY THE KEYWORD 'WORK' IN A COMMIT OR ROLLBACK STATEMENT.
Actn:	CHANGE THE SYNTAX AS SUGGESTED ABOVE OR ALTER THE COMPILATION OPTIONS AS REQUIRED IF PERMITTED.
4266	ESQ EXTENSION : KEEPING CLAUSE SPECIFIED
Text:	ESQ EXTENSION : KEEPING CLAUSE SPECIFIED
Expl:	ONLY IN THE ESQ COMPILATION MODE IS IT PERMITTED TO USE A KEEPING CLAUSE IN A COMMIT OR ROLLBACK STATEMENT.
Actn:	CHANGE THE SYNTAX AS SUGGESTED ABOVE OR ALTER THE COMPILATION OPTIONS AS REQUIRED IF PERMITTED.

4267 	EXPLICIT SEQNO SPECIFIED AS UPDATE OR INSERT TARGET
Text:	EXPLICIT SEQNO SPECIFIED AS UPDATE OR INSERT TARGET
Expl:	AN EXPLICIT SEQNO COLUMN SPECIFICATION WAS GIVEN IN EITHER AN INSERT OR AN UPDATE SET OR VALUES CLAUSE AS A TARGET COLUMN. THIS IS NOT PERMITTED
Actn:	CORRECT THE SYNTAX AS SUGGESTED ABOVE AND RE-COMPILE
4268	EXECUTE IMMEDIATE WITH STATEMENT IDENTIFIER
Text:	EXECUTE IMMEDIATE WITH STATEMENT IDENTIFIER
Expl:	A STATEMENT IDENTIFIER IS NOT PERMITTED IN AN EXECUTE IMMEDIATE STATEMENT
Actn:	CHANGE THE SYNTAX SO THAT IT CONFORMS TO THAT SPECIFIED IN THE ESQ LANGUAGE REFERENCE MANUAL.
4269	ESQ EXTENSION : HOST VARIABLE SPECIFIED INSTEAD OF IDENTIFIER
Text:	ESQ EXTENSION : HOST VARIABLE SPECIFIED INSTEAD OF IDENTIFIER
Expl:	A HOST VARIABLE WAS SPECIFIED IN SUCH A POSITION WHERE ONLY IN THE ESQ COMPATIBILITY MODE ARE HOST VARIABLES PERMITTED. IN OTHER COMPATIBILITY MODES THE USE OF A HOST VARIABLE IS NOT ALLOWED.
Actn:	CHANGE THE SYNTAX AS SUGGESTED ABOVE OR ALTER THE COMPILATION OPTIONS AS REQUIRED IF PERMITTED.
4270	ESQ EXTENSION : OUTPUT QUALIFIER GIVEN WITH INTO CLAUSE
Text:	ESQ EXTENSION : OUTPUT QUALIFIER GIVEN WITH INTO CLAUSE
Expl:	ONLY IN THE ESQ COMPILATION MODE IS IT PERMITTED TO USE THE KEYWORD 'OUTPUT' IN A DESCRIBE OR PREPARE STATEMENT. AN INPUT DESCRIPTION AREA IS NOT SUPPORTED IN DB2 COMPATIBILITY MODE AND HENCE IT IS NOT NECESSARY TO BE ABLE TO DISTINGUISH BETWEEN AN INPUT AND OUTPUT DESCRIPTION AREA.
Actn:	CHANGE THE SYNTAX AS SUGGESTED ABOVE OR ALTER THE COMPILATION OPTIONS AS REQUIRED IF PERMITTED.

4271	ESQ EXTENSION : INPUT CLAUSE SPECIFIED IN INTO CLAUSE
Text:	ESQ EXTENSION: INPUT CLAUSE SPECIFIED IN INTO CLAUSE
Expl:	ONLY IN THE ESQ COMPILATION MODE IS AN INPUT CLAUSE IN EITHER A DESCRIBE OR PREPARE STATEMENT PERMITTED.
Actn:	CHANGE THE SYNTAX AS SUGGESTED ABOVE OR ALTER THE COMPILATION OPTIONS AS REQUIRED IF PERMITTED.
4272	ESQ EXTENSION : CURSOR SPECIFIED AS HOST VARIABLE
Text:	ESQ EXTENSION : CURSOR SPECIFIED AS HOST VARIABLE
Expl:	ONLY IN ESQ COMPILATION MODE IS IT PERMITTED TO SPECIFY A DYNAMIC CURSOR VIA A HOST VARIABLE.
Actn:	CHANGE THE SYNTAX AS SUGGESTED ABOVE OR ALTER THE COMPILATION OPTIONS AS REQUIRED IF PERMITTED.
4273	ESQ EXTENSION : SET CONNECTION STATEMENT SPECIFIED
Text:	ESQ EXTENSION : SET CONNECTION STATEMENT SPECIFIED
Expl:	THE SET CONNECTION STATEMENT IS NOT PART OF THE ANSI STANDARD AND IS THEREFORE AN ESQ EXTENSION. IT DOES HOWEVER CONFORM TO THE ANSI SQL2 STANDARD PROPOSAL.
Actn:	NO ACTION REQUIRED
4274	DYNAMIC INTO CLAUSE SPECIFIED WITHOUT ANY TARGET
Text:	DYNAMIC INTO CLAUSE SPECIFIED WITHOUT ANY TARGET
Expl:	NEITHER AN INPUT NOR AN OUTPUT DESCRIPTOR AREA WAS SPECIFIED IN A DYNAMIC INTO CLAUSE IN EITHER A DESCRIBE OR PREPARE STATEMENT.
Actn:	CHANGE THE SYNTAX SO THAT IT CONFORMS TO THAT SPECIFIED IN THE ESQ LANGUAGE REFERENCE MANUAL

4275	HOST VARIABLES ONLY PERMITTED IN EMBEDDED STATEMENTS
Text:	HOST VARIABLES ONLY PERMITTED IN EMBEDDED STATEMENTS
Expl:	HOST VARIABLE CAN ONLY BE SPECIFIED IN EMBEDDED STATEMENTS. THEY ARE NOT PERMITTED IN DYNAMIC OR INTERACTIVE STATEMENTS.
Actn:	CHANGE THE SYNTAX SO THAT IT CONFORMS TO THAT SPECIFIED IN THE ESQ LANGUAGE REFERENCE MANUAL.
4276	HOST VARIABLE MARKERS ONLY ALLOWED IN DYNAMIC STATEMENTS
Text:	HOST VARIABLE MARKERS ONLY ALLOWED IN DYNAMIC STATEMENTS
Expl:	HOST VARIABLE MARKERS '?' CAN ONLY BE SPECIFIED IN DYNAMIC STATEMENTS. THEY ARE NOT PERMITTED IN EMBEDDED OR INTERACTIVE STATEMENTS.
Actn:	CHANGE THE SYNTAX SO THAT IT CONFORMS TO THAT SPECIFIED IN THE ESQ LANGUAGE REFERENCE MANUAL.
4277	ESQ EXTENSION : %S STATEMENT SPECIFIED FOR TABLE %S
Text:	ESQ EXTENSION: %S STATEMENT SPECIFIED FOR TABLE %S
Expl:	THE SPECIFIED TABLE OR VIEW WAS THE SUBJECT OF THE GIVEN DDL STATEMENT. THE STATEMENT IS NOT PART OF THE ANSI STANDARD
Actn:	REMOVE THE STATEMENT AS SUGGESTED ABOVE OR ALTER THE COMPILATION OPTIONS AS REQUIRED IF PERMITTED
4278	ANSI VIOLATION : FOR UPDATE CLAUSE SPECIFIED
Text:	ANSI VIOLATION: FOR UPDATE CLAUSE SPECIFIED
Expl:	THE USE OF A FOR UPDATE CLAUSE IS NOT PERMITTED WHEN COMPILING UNDER ANSI COMPATIBILITY MODE. WHEN COMPILING UNDER DB2 COMPATIBILITY MODE A COLUMN LIST MUST ALSO BE SPECIFIED.
Actn:	CHANGE THE SYNTAX AS SUGGESTED ABOVE OR ALTER THE COMPILATION OPTIONS AS REQUIRED IF PERMITTED.

4279	ANSI VIOLATION : FOR FETCH ONLY CLAUSE SPECIFIED
Text:	ANSI VIOLATION: FOR FETCH ONLY CLAUSE SPECIFIED
Expl:	THE USE OF A FOR FETCH ONLY CLAUSE IS NOT PERMITTED WHEN COMPILING UNDER THE ANSI COMPATIBILITY MODE.
Actn:	CHANGE THE SYNTAX AS SUGGESTED ABOVE OR ALTER THE COMPILATION OPTIONS AS REQUIRED IF PERMITTED.
	TABLE %S %S ALREADY IDENTIFIED WITHIN SUBQUERY LEVEL
Text:	TABLE ALREADY IDENTIFIED WITHIN SUBQUERY LEVEL
Expl:	A TABLE HAS BEEN REFERENCED MORE THAN ONCE IN THE FROM CLAUSE OF A QUERY SPECIFICATION WITHOUT HAVING USED CORRELATION IDENTIFIERS. TABLES MAY BE REFERENCED MORE THAN ONCE, I.E THEY MAY BE JOINED WITH THEMSELVES BUT ONLY IF EACH TABLE IDENTIFIER IS MADE UNIQUE WITHIN THE SCOPE OF THE QUERY SPECIFICATION BY USING A CORRELATION IDENTIFIER. FOR EXAMPLE: SELECT * FROM PERSONS P1, PERSONS P2;
Actn:	SPECIFY A CORRELATION IDENTIFIER FOR EACH ADDITIONAL TABLE SPECIFICATION WITHIN THE QUERY SPECIFICATION.
4283	DUPLICATE TARGET COLUMN %S %S %S
Text:	DUPLICATE TARGET COLUMN %S %S %S
Expl:	A COLUMN HAS BEEN SPECIFIED MORE THAN ONCE AS THE TARGET OF AN INSERT OR AN UPDATE STATEMENT. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.

COLUMN %S %S %S COULD NOT BE ATTRIBUTED TO A SINGLE TABLE Text: COLUMN COULD NOT BE ATTRIBUTED TO A SINGLE TABLE Expl: THE PARTICULAR COLUMN COULD NOT BE UNIOUELY ATTRIBUTED TO ANY INDIVIDUAL TABLE. IN OTHER WORDS THE COLUMN WAS FOUND IN MORE THAN ONE TABLE WHERE THE TABLES ARE AT THE SAME LEVEL OF SCOPE. FOR EXAMPLE : SELECT SURNAME FROM PERSONS P1, PERSONS P2; THE COLUMN SURNAME IS OBVIOUSLY TO BE FOUND IN BOTH THE SPECIFIED TABLES SELECT P1.SURNAME, P2.SURNAME FROM PERSONS P1, PERSONS P2; BY ADEQUATELY QUALIFYING THE COLUMN IDENTIFICATION, THE COLUMN SPECIFICATION CAN BE UNIQUELY ATTRIBUTED TO AN INDIVIDUAL TABLE. Actn: USE AS MANY QUALIFIERS IN THE COLUMN SPECIFICATION AS REQUIRED IN ORDER TO UNIQUELY ATTRIBUTE THE COLUMN TO A SINGLE TABLE REFERENCE. 4285 NON UNIQUE CORRELATION IDENTIFIER %S Text: NON UNIQUE CORRELATION IDENTIFIER %S Expl: A CORRELATION IDENTIFIER HAS BEEN USED WHICH IS NOT UNIQUE WITHIN THE TABLE LIST. A CORRELATION IDENTIFIER MUST NOT ONLY NOT BE THE SAME AS ANY OTHER CORRELATION IDENTIFIER, BUT ALSO MUST NOT BE IDENTICAL TO ANY TABLE IDENTIFIER, REGARDLESS OF HOW THAT TABLE IDENTIFIER IS QUALIFIED. Actn: CHANGE THE CORRELATION IDENTIFIER SO THAT IT IS UNIQUE. 4286 TABLE %S %S IS UNKNOWN OR SECURITY VIOLATION HAS OCCURRED Text: TABLE %S %S IS UNKNOWN OR SECURITY VIOLATION HAS OCCURRED Expl: THE SPECIFIED TABLE COULD NOT BE FOUND IN THE ESO CATALOG. ALTERNATIVELY THE USER MAY NOT HAVE SUFFICIENT ACCESS RIGHTS (PRIVILEGES) IN ORDER TO BE ABLE TO ACCESS THE TABLE. IT IS POSSIBLE, THAT THE DESIRED TABLE HAS NOT BEEN FOUND IF IT HAS NOT BEEN EXPLICITLY QUALIFIED WITH A SCHEMA IDENTIFIER AND THE DEFAULT SCHEMA IDENTIFIER IS NOT APPROPRIATELY SET. Actn: CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE. ALTERNATIVELY TRY TO ACQUIRE SUFFICIENT PRIVILEGES FROM THE OWNER OF THE TABLE, IF IT EXISTS.

2

ADABAS SQL Server Messages and Codes Manual

4287	COLUMN %S %S %S IS UNKNOWN
Text:	COLUMN IS UNKNOWN
Expl:	THE SPECIFIED COLUMN COULD NOT BE FOUND IN ANY OF THE TABLES CURRENTLY IN SCOPE. IF THE COLUMN IS EXPLICITLY QUALIFIED THEN THE FAULT MAY LIE WITH THE TABLE OR INDEED THE AUTHORIZATION (EXPLICIT OR IMPLICIT) IDENTIFIER RATHER THAT THE ACTUAL COLUMN IDENTIFIER.
Actn:	CORRECT THE COLUMN SPECIFICATION.
4288	COLUMN TABLE QUALIFIER %S %S IS NOT RECOGNIZED
Text:	COLUMN TABLE QUALIFIER %S %S IS NOT RECOGNIZED
Expl:	SEE PREVIOUS AS WELL ????????????????
Actn:	
4289	ASTERISK NOT UNIQUELY QUALIFIED %S %S
Text:	ASTERISK NOT UNIQUELY QUALIFIED %S %S
Expl:	A ASTERISK WAS SPECIFIED IN THE SELECT LIST WHICH COULD NOT BE UNIQUELY ATTRIBUTED TO A PARTICULAR TABLE. THIS IS BECAUSE THE QUALIFICATION OF THE ASTERISK WAS NOT SUFFICIENT.
Actn:	UNIQUELY QUALIFY THE ASTERISK
4290	EXPLICIT SEQNO LEVEL ATTRIBUTE DOES NOT MATCH TABLE LEVEL
Text:	EXPLICIT SEQNO LEVEL ATTRIBUTE DOES NOT MATCH TABLE LEVEL
Expl:	AN EXPLICIT SEQNO NUMBER WAS GIVEN WHERE THE ASSOCIATED LEVEL ATTRIBUTE IS TOO GREAT FOR THE CONTAINING TABLE'S LEVEL. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.
4291	EXPLICIT SEQNO SPECIFIED FOR VIEW WHICH CANNOT SUPPORT IT
Text:	EXPLICIT SEQNO SPECIFIED FOR VIEW WHICH CANNOT SUPPORT IT
Expl:	AN EXPLICIT SEQNO NUMBER WAS SPECIFIED FOR WHICH THE CONTAINING VIEW CANNOT SUPPORT SUCH A SEQNO. THIS MAY BE BECAUSE THE VIEW IS EITHER A JOINED VIEW OR A GROUPED VIEW.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.

4292	MISSING INSERT TARGET COLUMN %S DOES NOT HAVE DEFAULT
Text:	MISSING INSERT TARGET COLUMN %S DOES NOT HAVE DEFAULT
Expl:	AN INSERT STATEMENT HAS BEEN SPECIFIED WHERE NOT ALL COLUMNS OF THE TARGET TABLE HAVE BEEN SPECIFIED. AT LEAST ONE OF THE 'MISSING' COLUMNS WAS FOUND TO NEITHER SUPPORT THE NULL VALUE NOR HAVE AN EXPLICIT DEFAULT ASSOCIATED WITH IT. THE OMISSION OF SUCH COLUMNS IN AN INSERT STATEMENT IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE
	NUMERIC CONSTANT EXCEEDS ALLOWABLE RANGE
Text:	NUMERIC CONSTANT EXCEEDS ALLOWABLE RANGE
Expl:	A NUMERIC CONSTANT COULD NOT BE CONVERTED TO ITS INTERNAL REPRESENTATION, BECAUSE IT EXCEEDS THE RANGE OF VALUES THAT IS VALID FOR ITS DATA TYPE. THE DATA TYPE IS DETERMINED BY THE SYNTAX. ONE COMMON SOURCE OF THIS PROBLEM IS THE USE OF A WRONG SYNTAX, E.G. AN INTEGER CONSTANT WHERE A DECIMAL CONSTANT (INCLUDING A DECIMAL POINT) WOULD BE CORRECT.
Actn:	CORRECT THE CONSTANT OR USE A DIFFERENT DATA TYPE IF APPROPRIATE.
4302	OPERAND IS NOT OF TYPE NUMERIC
Text:	OPERAND IS NOT OF TYPE NUMERIC
Expl:	AN OPERAND OF A BASIC CHARACTER TYPE WAS SPECIFIED WHERE A BASIC NUMERIC TYPE IS REQUIRED. FOR EXAMPLE AN ADDITION HAS BEEN SPECIFIED WHERE ONE OF THE OPERANDS IS IN FACT OF TYPE CHARACTER.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
4303	FUNCTION COUNT OPERAND IS NOT OF TYPE *, NUMERIC OR CHARACTER
Text:	FUNCTION COUNT OPERAND IS NOT OF TYPE *, NUMERIC OR CHARACTER
Expl:	A COUNT FUNCTION HAS BEEN SPECIFIED WHERE ITS OPERAND IS NOT ONE OF THE PERMITTED TYPES.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.
	4292 - 4303

2

ADABAS SQL Server Messages and Codes Manual

4304	DERIVED COLUMN IS NOT OF TYPE *, NUMERIC OR CHARACTER
Text:	DERIVED COLUMN IS NOT OF TYPE *, NUMERIC OR CHARACTER
Expl:	THE TYPE OF A DERIVED COLUMN HAS BEEN DETERMINED TO BE SOMETHING OTHER THAN AN ASTERISK, A BASIC NUMERIC TYPE OR A BASIC CHARACTER TYPE.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.
4305	MAX/MIN FUNCTION OPERAND IS NOT OF TYPE NUMERIC OR CHARACTER
Text:	MAX/MIN FUNCTION OPERAND IS NOT OF TYPE NUMERIC OR CHARACTER
Expl:	THE TYPE OF THE OPERAND OF EITHER A MAX OR MIN FUNCTION WAS DETERMINED TO BE SOMETHING OTHER THAT A BASIC NUMERIC OR CHARACTER TYPE.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.
4306	OPERAND IS NOT OF TYPE BOOLEAN
Text:	OPERAND IS NOT OF TYPE BOOLEAN
Expl:	THE OPERAND OF AN AND OR OR OPERATOR OR A WHERE OR HAVING CLAUSE WAS DETERMINED TO BE SOMETHING OTHER THAN BOOLEAN.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.
4307	TYPE MISMATCH BETWEEN NUMBER %S ASSIGNMENT OPERANDS
Text:	TYPE MISMATCH BETWEEN NUMBER %S ASSIGNMENT OPERANDS
Expl:	AN ATTEMPT HAS BEEN MADE TO ASSIGN A SOURCE VALUE TO AN INCOMPATIBLE TARGET COLUMN. THIS IS NOT PERMITTED. THE NUMBER INDICATES WHICH PAIR OF OPERANDS ARE AT FAULT.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE.
4308	TYPE MISMATCH BETWEEN COMPARISON OPERANDS
Text:	TYPE MISMATCH BETWEEN COMPARISON OPERANDS
Expl:	A COMPARISON HAS BEEN ATTEMPTED BETWEEN OPERANDS OF DIFFERING BASIC TYPE.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.

4309	LENGTH FUNCTION OPERAND NOT OF TYPE CHARACTER
Text:	LENGTH FUNCTION OPERAND NOT OF TYPE CHARACTER
Expl:	THE OPERAND OF THE LENGTH FUNCTION WAS DETERMINED TO BE SOMETHING OTHER THAN OF TYPE CHARACTER.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.
4310	LIKE PREDICATE ARGUMENT NOT OF TYPE CHARACTER
Text:	LIKE PREDICATE ARGUMENT NOT OF TYPE CHARACTER
Expl:	THE ARGUMENT OF A LIKE PREDICATE WAS DETERMINED TO BE OF A TYPE OTHER THAN CHARACTER. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.
4311	NULL PREDICATE ARGUMENT NOT OF TYPE NUMERIC OR CHARACTER
Text:	NULL PREDICATE ARGUMENT NOT OF TYPE NUMERIC OR CHARACTER
Expl:	THE ARGUMENT OF A NULL PREDICATE WAS DETERMINED TO BE SOMETHING OTHER THAT THE BASIC NUMERIC OR CHARACTER TYPE.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.
4312	ILLEGAL SUBQUERY SPECIFIED
Text:	ILLEGAL SUBQUERY SPECIFIED
Expl:	A SUBQUERY HAS BEEN SPECIFIED IN A POSITION WHERE THIS IS NOT PERMITTED BY THE SYNTAX.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.
4313	SUBQUERY IS SURROUNDED BY TWO OR MORE SETS OF PARENTHESES
Text:	SUBQUERY IS SURROUNDED BY TWO OR MORE SETS OF PARENTHESES
Expl:	A SUBQUERY WAS SPECIFIED AND NESTED IN MORE THAN THE PERMITTED SINGLE PAIR OF PARENTHESES.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.

2

ADABAS SQL Server Messages and Codes Manual

4314	SPECIFIED HOST VARIABLE NOT OF TYPE CHARACTER
Text:	SPECIFIED HOST VARIABLE NOT OF TYPE CHARACTER
Expl:	A HOST VARIABLE WAS SPECIFIED WHICH WAS DETERMINED TO BE OF A TYPE OTHER THAN CHARACTER WHEN ONLY A HOST VARIABLE OF TYPE CHARACTER IS PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.
4315	SQLDA NOT OF TYPE POINTER
Text:	SQLDA NOT OF TYPE POINTER OR STRUCTURE
Expl:	AN SQL DESCRIPTOR AREA HAS BEEN SPECIFIED WHOSE TYPE HAS BEEN DETERMINED AS SOMETHING OTHER THAN POINTER. ONLY THE ADDRESS OF THE STRUCTURE MAY BE SPECIFIED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.
4316	NEIGHBORING PARAMETER MARKERS IN ONE EXPRESSION
Text:	NEIGHBORING PARAMETER MARKERS IN ONE EXPRESSION
Expl:	PARAMETER MARKERS IN A DYNAMIC SQL STATEMENT HAVE BEEN SPECIFIED SUCH THAT IT IS IMPOSSIBLE TO DEDUCE THE INTENDED TYPE OF THE INDIVIDUAL PARAMETER MARKERS. THIS WOULD OCCUR FOR EXAMPLE IF BOTH OPERANDS OF A COMPARISON OPERATOR WERE SPECIFIED AS PARAMETER MARKERS.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.
4317	UNION OR ROW AMENDMENT LIST LONGER THAN FIRST SUCH LIST
Text:	UNION OR ROW AMENDMENT LIST LONGER THAN FIRST SUCH LIST
Expl:	A MISMATCH HAS BEEN DISCOVERED BETWEEN THE NUMBER OF FIELDS SPECIFIED IN TWO FIELD LISTS. FOR EXAMPLE THE DERIVED COLUMN LISTS OF TWO QUERY SPECIFICATIONS CONTAINED IN A QUERY EXPRESSION HAVE BEEN DISCOVERED TO CONTAIN A DIFFERENT NUMBER OF DERIVED COLUMNS. ALTERNATIVELY THE COLUMN TARGET LIST AND ITS CORRESPONDING VALUE SPECIFICATION LIST WITHIN A ROW AMENDMENT EXPRESSION OF EITHER AN INSERT OR AN UPDATE STATEMENT HAVE BEEN DETERMINED TO CONTAIN DIFFERING NUMBERS OF ELEMENTS.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.

4318	TYPE MISMATCH IN UNION LIST FOR MEMBER %S
Text:	TYPE MISMATCH IN UNION LIST FOR MEMBER %S
Expl:	A TYPE MISMATCH HAS BEEN DISCOVERED BETWEEN CORRESPONDING FIELD LIST ELEMENTS. FOR EXAMPLE THE GIVEN ELEMENT OF THE DERIVED COLUMN LIST OF A QUERY SPECIFICATION IS NOT OF A COMPATIBLE TYPE COMPARED TO THE CORRESPONDING ELEMENT OF THE DERIVED COLUMN LIST OF A SECOND QUERY SPECIFICATION WHERE BOTH QUERY SPECIFICATIONS ARE CONTAINED IN A QUERY EXPRESSION.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.
4319	UNION OR ROW AMENDMENT LIST SHORTER THAN FIRST SUCH LIST
Text:	UNION OR ROW AMENDMENT LIST SHORTER THAN FIRST SUCH LIST
Expl:	A MISMATCH HAS BEEN DISCOVERED BETWEEN THE NUMBER OF FIELDS SPECIFIED IN TWO FIELD LISTS. FOR EXAMPLE THE DERIVED COLUMN LISTS OF TWO QUERY SPECIFICATIONS CONTAINED IN A QUERY EXPRESSION HAVE BEEN DISCOVERED TO CONTAIN A DIFFERENT NUMBER OF DERIVED COLUMNS. ALTERNATIVELY THE COLUMN TARGET LIST AND ITS CORRESPONDING VALUE SPECIFICATION LIST WITHIN A ROW AMENDMENT EXPRESSION OF EITHER AN INSERT OR AN UPDATE STATEMENT HAVE BEEN DETERMINED TO CONTAIN DIFFERING NUMBERS OF ELEMENTS.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.
4320	ANSI VIOLATION : APPROXIMATE NUMERIC ASSIGNED TO EXACT COLUMN %S
Text:	ANSI VIOLATION : APPROXIMATE NUMERIC ASSIGNED TO EXACT COLUMN %S
Expl:	WHEN IN ANSI COMPATIBILITY MODE, IT IS NOT PERMITTED TO ASSIGN A VALUE OF TYPE APPROXIMATE NUMERIC TO A COLUMN OF TYPE EXACT NUMERIC WITHIN AN INSERT OR UPDATE STATEMENT. EXACT NUMERIC COLUMNS CAN ONLY BE ASSIGNED EXACT NUMERIC VALUES. APPROXIMATE NUMERIC COLUMNS CAN BE ASSIGNED EITHER APPROXIMATE NUMERIC VALUES OR EXACT NUMERIC VALUES.
Actn:	CHANGE THE SYNTAX AS SUGGESTED ABOVE OR ALTER THE COMPILATION OPTIONS AS REQUIRED IF PERMITTED.

4321	SOURCE CHARACTER VALUE TOO LONG FOR NUMBER %S TARGET COLUMN
Text:	SOURCE CHARACTER VALUE TOO LONG FOR NUMBER %S TARGET COLUMN
Expl:	A CHARACTER VALUE CAN ONLY BE ASSIGNED TO A TARGET COLUMN, WHEN NO DATA CAN BE LOST DUE TO TRUNCATION. THE ASSIGNMENT INDICATED BY THE NUMBER WOULD HAVE RESULTED IN SUCH A TRUNCATION AS THE SOURCE VALUE IS LONGER THAN THE TARGET VALUE.
Actn:	CHANGE THE SYNTAX AS SUGGESTED
 4322 	INDICATOR VARIABLE %S IS NOT OF TYPE EXACT NUMERIC
Text:	INDICATOR VARIABLE %S IS NOT OF TYPE EXACT NUMERIC
Expl:	THE SPECIFIED INDICATOR VARIABLE WAS DETERMINED TO BE SOMETHING OTHER THAN THE PERMITTED EXACT NUMERIC TYPE. ONLY VARIABLES OF AN EXACT NUMERIC TYPE CAN BE USED AS INDICATOR VARIABLES.
Actn:	CHANGE THE INDICATOR VARIABLE SPECIFICATION TO A VARIABLE OF AN EXACT NUMERIC TYPE AND PRE-COMPILE AGAIN.
4323 	ANSI VIOLATION : PRECISION MISMATCH FOR COLUMN %S IN SELECT LISTS
Text:	ANSI VIOLATION : PRECISION MISMATCH FOR COLUMN %S IN SELECT LISTS
Expl:	THE INDICATED COLUMN IN THE SELECT LIST OF A QUERY SPECIFICATION DOES NOT HAVE THE SAME PRECISION AS THE CORRESPONDING COLUMN IN THE OTHER QUERY SPECIFICATION CONTAINED IN THE QUERY EXPRESSION (UNION). THIS IS NOT STRICTLY PERMITTED BY THE ANSI STANDARD.
Actn:	NO ACTION REQUIRED.
4324	ANSI VIOLATION : EXACT NUMERIC SOURCE ASSIGNED TO APPROXIMATE
Text:	ANSI VIOLATION : EXACT NUMERIC SOURCE ASSIGNED TO APPROXIMATE
Expl:	IN A FETCH OR SINGLE ROW SELECT STATEMENT, A DERIVED COLUMN WAS DETERMINED TO BE OF TYPE EXACT NUMERIC. HOWEVER THE CORRESPONDING TARGET HOST VARIABLE IS OF TYPE APPROXIMATE NUMERIC. THIS IS AN ANSI
	VIOLATION.

4325	PERSISTENT DYNAMIC STATEMENT NUMBER NOT EXACT NUMERIC
Text:	PERSISTENT DYNAMIC STATEMENT NUMBER NOT EXACT NUMERIC
Expl:	A PERSISTENT DYNAMIC STATEMENT SPECIFICATION HAS A STATEMENT NUMBER GIVEN WHICH IS NOT OF THE TYPE EXACT NUMBER. THIS IS NOT PERMITTED.
Actn:	AMEND THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.
4327	ANSI VIOLATION : NUMERIC TYPE MISMATCH FOR UNION COLUMN %S
Text:	ANSI VIOLATION : NUMERIC TYPE MISMATCH FOR UNION COLUMN %S
Expl:	WHEN IN ANSI COMPATIBILITY MODE, CORRESPONDING DERIVED COLUMNS OF QUERY SPECIFICATIONS CONTAINED IN A QUERY EXPRESSION (UNION) MUST BE OF EXACTLY THE SAME TYPE. HENCE CONVERSION BETWEEN DIFFERING NUMERIC TYPES IS NOT PERMITTED.
Actn:	CHANGE THE SYNTAX AS SUGGESTED ABOVE OR ALTER THE COMPILATION OPTIONS AS REQUIRED IF PERMITTED
4328	LITERAL CONVERSION ERROR
Text:	LITERAL CONVERSION ERROR
Expl:	THE COMPILER WAS UNABLE TO CONVERT A LITERAL. THIS MAY BE DUE TO THE FACT THAT THE LITERAL IS SIMPLY OUT OF RANGE.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE.
4355	HOST TARGET BUFFER LARGER THAN CURSOR'S PROJECTION LIST
Text:	HOST TARGET LIST LARGER THAN PROJECTION LIST
Expl:	THE LIST OF HOST TARGET VARIABLES HAS BEEN DETERMINED TO HAVE MORE ELEMENTS THAN THE NUMBER OF DERIVED COLUMNS IN THE ASSOCIATED PROJECTION LIST. THIS IS NOT STRICTLY A ERROR BUT THE SUPERFLUOUS HOST VARIABLES WILL HAVE UNDEFINED VALUES ONCE DATA HAS BEEN RETRIEVED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE IF DESIRED AND THEN RE-COMPILE.

4356	HOST VARIABLES NOT PERMITTED IN DDL STATEMENTS
Text:	HOST VARIABLES NOT PERMITTED IN DDL STATEMENTS
Expl:	HOST VARIABLES CANNOT BE SPECIFIED IN A DDL STATEMENT.
Actn:	CHANGE THE SYNTAX SO THAT THE STATEMENT CONFORMS TO THE SYNTAX AS DEFINED IN THE ESQ LANGUAGE REFERENCE MANUAL.
4357	PARAMETER MARKERS NOT PERMITTED IN DDL STATEMENTS
Text:	PARAMETER MARKERS NOT PERMITTED IN DDL STATEMENTS
Expl:	PARAMETER MARKERS CANNOT BE SPECIFIED IN A DYNAMIC DDL STATEMENT.
Actn:	CHANGE THE SYNTAX AS SUGGESTED ABOVE.
4402	FUNCTION NOT WITHIN A PROJECTION LIST OR A HAVING CLAUSE
Text:	FUNCTION NOT WITHIN A PROJECTION LIST OR A HAVING CLAUSE
Expl:	A FUNCTION HAS BEEN SPECIFIED WHICH IS NEITHER IN THE PROJECTION LIST OF A GROUPED QUERY NOR SOMEWHERE IN ITS HAVING CLAUSE. IT IS NOT PERMITTED TO SPECIFY A FUNCTION IN A GROUPED QUERY'S WHERE CLAUSE. A FUNCTION MAY ONLY APPEAR IN A WHERE CLAUSE WHERE THAT WHERE CLAUSE BELONGS TO A SUBQUERY WHICH IS CONTAINED IN THE HAVING CLAUSE OF A GROUPED QUERY AND THE FUNCTION ONLY REFERENCES OUTER REFERENCE COLUMNS FROM THE GROUPED QUERY.
Actn:	CHANGE THE SYNTAX AS SUGGESTED ABOVE.
4403	NESTED FUNCTIONS NOT PERMITTED
Text:	NESTED FUNCTIONS NOT PERMITTED
Expl:	IT IS NOT PERMITTED TO NEST FUNCTIONS WITHIN OTHER FUNCTIONS.
Actn:	CHANGE THE SYNTAX AS SUGGESTED ABOVE.

4404	FUNCTION ARGUMENT DERIVED FROM A GROUPED VIEW
Text:	FUNCTION ARGUMENT DERIVED FROM A GROUPED VIEW
Expl:	THE ARGUMENT OF A FUNCTION MAY NOT REFERENCE A COLUMN WHICH IS IN FACT DERIVED FROM A GROUPED VIEW. THIS IS BECAUSE UPON MERGING THE VIEW A FUNCTION MAY THEN IN EFFECT BE NESTED WITHIN ANOTHER ONE.
Actn:	CHANGE THE SYNTAX AS SUGGESTED ABOVE.
4405	NO COLUMNS SPECIFIED IN FUNCTION ARGUMENT
Text:	NO COLUMNS SPECIFIED IN FUNCTION ARGUMENT
Expl:	A FUNCTION ARGUMENT MUST CONTAIN AT LEAST ONE REFERENCE TO A COLUMN UNLESS THAT FUNCTION IS COUNT IN WHICH CASE AN ASTERISK MAY BE SPECIFIED.
Actn:	CHANGE THE SYNTAX AS SUGGESTED ABOVE.
	ASTERISK SPECIFIED IN OTHER THAN COUNT FUNCTION
Text:	ASTERISK SPECIFIED IN OTHER THAN COUNT FUNCTION
Expl:	IT IS NOT PERMITTED TO SPECIFY AN ASTERISK AS THE ARGUMENT OF A FUNCTION UNLESS THE FUNCTION IS THE COUNT FUNCTION.
Actn:	CHANGE THE SYNTAX AS SUGGESTED ABOVE.
	DISTINCT FUNCTION REFERENCES MORE THAN ONE COLUMN
	DISTINCT FUNCTION REFERENCES MORE THAN ONE COLUMN
Expl:	A FUNCTION WHICH CONTAINS THE ATTRIBUTE DISTINCT MAY NOT REFERENCE MORE THAN ONE INDIVIDUAL COLUMN. HENCE TWO OR MORE DIFFERENT COLUMNS MAY NOT BE REFERENCED IN A DISTINCT FUNCTION BUT A SINGLE COLUMN MAY BE REFERENCED MORE THAN ONCE.
Actn:	CHANGE THE SYNTAX AS SUGGESTED ABOVE.

2

ADABAS SQL Server Messages and Codes Manual

```
OUTER REFERENCE/LOCAL REFERENCE MIX IN FUNCTION ARGUMENT
Text: OUTER REFERENCE/LOCAL REFERENCE MIX IN FUNCTION ARGUMENT
Expl: A FUNCTION ARGUMENT WAS SPECIFIED AS SOME EXPRESSION CONTAINING A
      REFERENCE TO A COLUMN PERTINENT TO THE CURRENT LOCAL QUERY AND A
      REFERENCE TO AN OUTER REFERENCE COLUMN I.E A COLUMN WHICH IS
      PERTINENT TO A HIGHER OUERY SPECIFICATION. SUCH A MIXTURE IS NOT
      PERMITTED.
Actn: CHANGE THE SYNTAX AS SUGGESTED ABOVE.
     COLUMN %S %S %S LISTED MORE THAN ONCE IN GROUP BY LIST
Text: COLUMN %S %S %S LISTED MORE THAN ONCE IN GROUP BY LIST
Expl: THE SPECIFIED COLUMN WAS LISTED MORE THAN ONCE IN THE GROUP BY LIST.
      ONLY ONE REFERENCE TO A PARTICULAR COLUMN IS PERMITTED IN THE GROUP BY
      LIST.
Actn: CHANGE THE SYNTAX AS SUGGESTED ABOVE.
    COLUMN %S %S %S NOT SPECIFIED IN GROUP BY LIST
______
Text: COLUMN %S %S %S NOT SPECIFIED IN GROUP BY LIST
Expl: THE SPECIFIED COLUMN WAS FOUND TO BE REFERENCED IN EITHER THE DERIVED
      COLUMN LIST OR THE HAVING CLAUSE OF A GROUPED QUERY SPECIFICATION AND
      WAS NEITHER SPECIFIED AS PART OF A FUNCTION ARGUMENT NOR REFERENCED
      IN THE GROUP BY LIST. COLUMNS WHICH ARE NOT SPECIFIED AS A FUNCTION
      ARGUMENT ARE 'GROUPING COLUMNS' AND HENCE MUST BE SPECIFIED IN THE
      GROUP BY LIST.
Actn: CHANGE THE SYNTAX AS SUGGESTED ABOVE.
     OUTER REFERENCE FUNCTION SPECIFIED IN CONTAINING WHERE CLAUSE
Text: OUTER REFERENCE FUNCTION SPECIFIED IN CONTAINING WHERE CLAUSE
Expl: A FUNCTION HAS BEEN SPECIFIED WHOSE ARGUMENT IS AN OUTER REFERENCE
      COLUMN SUCH THAT THE FUNCTION REFERENCE EFFECTIVELY APPEARS IN THE
      WHERE CLAUSE OF THE PERTINENT QUERY SPECIFICATION.
      FOR EXAMPLE
           SELECT COUNT (*) FROM PERSONS WHERE SURNAME = ANY
             ( SELECT SURNAME FROM DEPT GROUP BY SURNAME HAVING
                  AVG ( DEPT.SALARY ) > AVG ( PERSONS.SALARY ) ) ;
      THIS IS NOT PERMITTED.
Actn: CHANGE THE SYNTAX AS SUGGESTED ABOVE.
______
```

4412	GROUPING COLUMN %S %S %S DERIVED FROM VIEW WITH EXPRESSION
Text:	GROUPING COLUMN %S %S %S DERIVED FROM VIEW WITH EXPRESSION
Expl:	THE SPECIFIED COLUMN APPEARED IN THE GROUP BY LIST AND THE COLUMN IS IN FACT DERIVED FROM A VIEW AND IS DEFINED AS HAVING AN EXPRESSION BASED ON A SIMPLE BASE COLUMN REFERENCE. THIS IS NOT PERMITTED. ONLY A COLUMN VIEW REFERENCE WHICH IS SOLELY DERIVED FROM A BASE COLUMN MAY APPEAR IN A GROUP BY CLAUSE.
Actn:	CHANGE THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.
4413	GROUPING COLUMN %S %S %S DERIVED FROM VIEW WITHOUT COLUMN
Text:	GROUPING COLUMN %S %S %S DERIVED FROM VIEW WITHOUT COLUMN
Expl:	THE SPECIFIED COLUMN APPEARED IN THE GROUP BY LIST AND THE COLUMN IS IN FACT DERIVED FROM A VIEW AND IS DEFINED AS NOT REFERENCING A BASE COLUMN. THE COLUMN DEFINITION THEREFORE ONLY CONSISTS OF LITERALS. ONLY A VIEW COLUMN REFERENCE WHICH IS SOLELY DERIVED FROM A BASE COLUMN MAY APPEAR IN A GROUP BY CLAUSE.
Actn:	CHANGE THE STATEMENT ABOVE AND RE-COMPILE.
4414	COLUMN %S %S %S IDENTIFIED MORE THAN ONCE AS UPDATE TARGET
Text:	COLUMN %S %S %S IDENTIFIED MORE THAN ONCE AS UPDATE TARGET
Expl:	THE SPECIFIED COLUMN HAS BEEN IDENTIFIED MORE THAN ONCE AS A TARGET COLUMN IN THE ROW AMENDMENT EXPRESSION OF AN UPDATE OR AN INSERT STATEMENT. SUCH A COLUMN MAY ONLY BE SPECIFIED ONCE.
Actn:	CHANGE THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.
4415	MORE THAN ONE DISTINCT SPECIFIED IN PROJECTION LIST
Text:	MORE THAN ONE DISTINCT SPECIFIED IN PROJECTION LIST
Expl:	THE KEYWORD DISTINCT MAY ONLY BE SPECIFIED ONCE IN A PROJECTION LIST WHETHER IT APPEARS AS A QUALIFIER FOR THE WHOLE LIST OR AS AN ATTRIBUTE FOR A FUNCTION.
Actn:	CHANGE THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.

4416	OUTER REFERENCE %S %S NOT PERMITTED IN PROJECTION LIST
Text:	OUTER REFERENCE %S %S %S NOT PERMITTED IN PROJECTION LIST
Expl:	A COLUMN WHICH IS IN FACT AN OUTER REFERENCE MAY NOT BE SPECIFIED IN THE PROJECTION LIST OF A SUBQUERY.
Actn:	CHANGE THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.
4417 	OUTER REFERENCE %S %S %S NOT PERMITTED IN GROUP BY LIST
Text:	OUTER REFERENCE %S %S %S NOT PERMITTED IN GROUP BY LIST
Expl:	A COLUMN HAS BEEN SPECIFIED IN THE GROUP BY LIST OF A SUBQUERY WHICH IS IN FACT AN OUTER REFERENCE. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AN RE-COMPILE.
4418	ANSI VIOLATION : DERIVED COLUMN AS LITERAL IN QUERY EXPRESSION
Text:	ANSI VIOLATION : DERIVED COLUMN AS LITERAL IN QUERY EXPRESSION
Expl:	WHEN A DERIVED COLUMN IN THE SELECT LIST OF A QUERY SPECIFICATION IS SPECIFIED AS A LITERAL AND THE QUERY SPECIFICATION IS CONTAINED IN A QUERY EXPRESSION CONTAINING MORE THAN ONE QUERY SPECIFICATION (I.E TWO OR MORE QUERY SPECIFICATIONS SEPARATED BY THE UNION OPERATOR THEN THIS CONTRAVENES WHAT IS STRICTLY PERMITTED BY THE ANSI STANDARD.
Actn:	NO ACTION REQUIRED.
4419	SUBQUERY WITH TWO OR MORE PROJECTED COLUMNS
Text:	SUBQUERY WITH TWO OR MORE PROJECTED COLUMNS
Expl:	A SUBQUERY HAS BEEN SPECIFIED IN A COMPARISON PREDICATE WITH MORE THAN THE ONE PERMITTED DERIVED COLUMN. ONLY ONE DERIVED COLUMN IS ALLOWED IN SUCH A SUBOUERY.

4420	NULL OR LIKE PREDICATE ARGUMENT WITHOUT COLUMN SPECIFICATION
Text:	NULL OR LIKE PREDICATE ARGUMENT WITHOUT COLUMN SPECIFICATION
Expl:	A NULL OR LIKE PREDICATE HAS BEEN SPECIFIED WHERE ITS ARGUMENT DOES NOT ACTUALLY REFERENCE A COLUMN. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.
4421	NULL PREDICATE ARGUMENT WITH EXPRESSION
Text:	NULL PREDICATE ARGUMENT WITH EXPRESSION
Expl:	A NULL PREDICATE HAS BEEN SPECIFIED WHERE ITS ARGUMENT CONSISTS OF AN EXPRESSION RATHER THAN JUST A SINGLE ISOLATED COLUMN REFERENCE. SUCH AN EXPRESSION IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.
4422	KEYWORD 'NOT' SPECIFIED PRIOR TO A NULL OR COMPARE PREDICATE
Text:	KEYWORD 'NOT' SPECIFIED PRIOR TO A NULL OR COMPARE PREDICATE
Expl:	IT IS NOT PERMITTED TO SPECIFY THE KEYWORD 'NOT' PRIOR TO A NULL OR COMPARISON PREDICATE. THE CORRECT SYNTAX IS AS FOLLOWS:WHERE WAGES NOT = SALARY OR
	WHERE WAGES IS NOT NULL
	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.
	ASTERISK NOT PERMITTED IN GROUP BY LIST
Text:	ASTERISK NOT PERMITTED IN GROUP BY LIST
Expl:	AN ASTERISK CANNOT BE SPECIFIED IN A GROUP BY LIST.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.
4424	ASTERISK NOT PERMITTED IN ORDER BY LIST
Text:	ASTERISK NOT PERMITTED IN ORDER BY LIST
Expl:	AN ASTERISK CANNOT BE SPECIFIED IN AN ORDER BY CLAUSE.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.
	4420 4424

4425	INTO CLAUSE ONLY PERMITTED IN EMBEDDED SELECT STATEMENT
Text:	INTO CLAUSE ONLY PERMITTED IN EMBEDDED SELECT STATEMENT
Expl:	AN INTO CLAUSE HAS BEEN SPECIFIED IN A QUERY SPECIFICATION WHICH IS OTHER THAN A SINGLE ROW SELECT STATEMENT. FOR INSTANCE IT IS NOT PERMITTED TO SPECIFY AN INTO CLAUSE IN A SUBQUERY.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.
4426	ORDER BY CLAUSE NOT PERMITTED IN EMBEDDED SELECT STATEMENT
Text:	ORDER BY CLAUSE NOT PERMITTED IN EMBEDDED SELECT STATEMENT
Expl:	IT IS NOT PERMITTED TO SPECIFY AN ORDER BY CLAUSE IN AN EMBEDDED SINGLE ROW SELECT STATEMENT. AS THE STATEMENT CAN ONLY RETURN ZERO OR ONE ROWS OF DATA IT IS IMPOSSIBLE TO SPECIFY AN MEANINGFUL ORDERING.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.
4427	COLUMN DOES NOT SUPPORT THE NULL VALUE
Text:	COLUMN DOES NOT SUPPORT THE NULL VALUE
Expl:	A COLUMN HAS BEEN SPECIFIED AS THE ARGUMENT OF A NULL PREDICATE AND THE COLUMN DOES NOT SUPPORT THE NULL VALUE.
Actn:	NO ACTION REQUIRED.
4428	FOR UPDATE CLAUSE SPECIFIED FOR A NON UPDATABLE CURSOR
Text:	FOR UPDATE CLAUSE SPECIFIED FOR A NON UPDATABLE CURSOR
Expl:	A FOR UPDATE CLAUSE HAS BEEN SPECIFIED WITHIN A CURSOR DECLARATION WHERE THE CURSOR IS INHERENTLY NOT UPDATABLE. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.

4429	ANSI VIOLATION : DERIVED COLUMN AS EXPRESSION IN QUERY EXPRESSION
Text:	ANSI VIOLATION : DERIVED COLUMN AS EXPRESSION IN QUERY EXPRESSION
Expl:	WHEN A DERIVED COLUMN IN THE SELECT LIST OF A QUERY SPECIFICATION CONTAINS AN EXPRESSION AND THE QUERY SPECIFICATION IS CONTAINED IN A QUERY EXPRESSION CONTAINING MORE THAN ONE QUERY SPECIFICATION (I.E. TWO OR MORE QUERY SPECIFICATIONS SEPARATED BY THE UNION OPERATOR) THEN THIS CONTRAVENES WHAT IS STRICTLY PERMITTED BY THE ANSI STANDARD.
Actn:	NO ACTION REQUIRED
4430	TARGET TABLE NOT UPDATABLE
Text:	TARGET TABLE NOT UPDATABLE
Expl:	THE TABLE SPECIFIED IN AN INSERT, UPDATE OR A DELETE STATEMENT HAS BEEN DISCOVERED TO BE READ ONLY. THIS IS PROBABLY DUE TO THE TABLE IN FACT BEING A VIEW REFERENCE WHICH HAPPENS TO BE INHERENTLY READ ONLY. ALTERNATIVELY, THAT TABLE MAY BE A SUBTABLE, WHERE A DELETE OPERATION WAS ATTEMPTED. THIS IS INHERENTLY NOT POSSIBLE.
Actn:	DO NOT ATTEMPT TO MODIFY THE CONTENTS OF THE SPECIFIED TABLE.
4431	TARGET TABLE SPECIFICATION NOT PERMITTED IN SUBQUERY
Text:	TARGET TABLE SPECIFICATION NOT PERMITTED IN SUBQUERY
Expl:	A TABLE HAS BEEN SPECIFIED AS THE TARGET OF AN INSERT OR UPDATE STATEMENT AND HAS ALSO BEEN SPECIFIED IN A SUBQUERY WHICH EITHER DIRECTLY OR INDIRECTLY PROVIDES VALUES TO BE USED IN THE AMENDMENT PROCESS. SUCH A TARGET TABLE CANNOT ALSO BE SPECIFIED IN AN UNDERLYING SUBQUERY.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.
4432	KEYWORD 'USING' NOT PERMITTED IN INSERT STATEMENT
Text:	KEYWORD 'USING' NOT PERMITTED IN INSERT STATEMENT
Expl:	IT IS NOT PERMITTED TO SPECIFY THE KEYWORD 'USING' WITHIN AN INSERT STATEMENT.
Actn:	CHANGE THE SYNTAX SO THAT IT CONFORMS TO THAT SPECIFIED IN THE ESQ LANGUAGE REFERENCE MANUAL.

	VALUES FOR INSERTION DERIVED FROM COLUMN REFERENCES
Text:	VALUES FOR INSERTION DERIVED FROM COLUMN REFERENCES
Expl:	A COLUMN REFERENCE WAS USED AS THE SOURCE OF A VALUE INTENDED TO TO BE INSERTED. THIS IS NOT PERMITTED. ONLY VALUES DERIVED FROM NON-COLUMN SOURCES CAN BE USED FOR INSERTION. ALTERNATIVELY A SUBQUERY, BASED ON A TABLE OTHER THAN THE TARGET TABLE, CAN BE SPECIFIED AS A SOURCE OF INSERT DATA.
	CHANGE THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.
4434	ASTERISK QUALIFIED IN COUNT FUNCTION
Text:	ASTERISK QUALIFIED IN COUNT FUNCTION
Expl:	THE COUNT FUNCTION CONTAINED A REFERENCE TO THE ASTERISK WHICH HAD BEEN QUALIFIED IN SOME FORM OR OTHER. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.
4435	DISTINCT VIEWS CURRENTLY NOT SUPPORTED
Text:	DISTINCT VIEWS CURRENTLY NOT SUPPORTED
Expl:	A VIEW SPECIFICATION HAS BEEN GIVEN, FOR WHICH THE QUERY SPECIFICATION CONTAINS THE DISTINCT ATTRIBUTE. HENCE THE VIEW IS A DISTINCT VIEW. SUCH VIEWS ARE CURRENTLY NOT SUPPORTED BY ESQ.
Actn:	CORRECT THE SYNTAX OF THE CREATE VIEW STATEMENT AS SPECIFIED ABOVE AND RE-SUBMIT FOR COMPILATION.
4440	GROUPED VIEW NOT PERMITTED IN SELECT STATEMENT
Text:	GROUPED VIEW NOT PERMITTED IN SELECT STATEMENT
Expl:	A SINGLE ROW SELECT STATEMENT HAS REFERENCED A GROUPED VIEW IN ITS FROM CLAUSE. BECAUSE THIS IN GENERAL WILL VIOLATE THE REQUIREMENT THAT ONLY A SINGLE ROW BE RETRIEVED, SUCH A REFERENCE IS NOT PERMITTED.
Actn:	CHANGE THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.

4441	GROUPED VIEW NOT PERMITTED IN SUBQUERY OF COMPARISON PREDICATE
Text:	GROUPED VIEW NOT PERMITTED IN SUBQUERY OF COMPARISON PREDICATE
Expl:	A SUBQUERY CONTAINED IN A COMPARISON PREDICATE SPECIFIED A GROUPED VIEW IN ITS FROM CLAUSE. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.
4442	JOINED QUERY SPECIFICATION REFERENCES A GROUPED VIEW
Text:	JOINED QUERY SPECIFICATION REFERENCES A GROUPED VIEW
Expl:	A QUERY SPECIFICATION WHICH REFERENCES MORE THAN ONE TABLE IN ITS FROM CLAUSE, SPECIFIES A GROUPED VIEW AS ONE OF ITS TABLES. THIS IS NOT PERMITTED.
Actn:	
4443	WHERE CLAUSE WITHIN QUERY BASED ON GROUPED VIEW
Text:	WHERE CLAUSE WITHIN QUERY BASED ON GROUPED VIEW
Expl:	A WHERE CLAUSE HAS BEEN GIVEN IN A QUERY SPECIFICATION WHICH REFERENCES A GROUPED VIEW IN ITS FROM CLAUSE. THIS IS NOT PERMITTED.
Actn:	
4444	GROUP BY CLAUSE WITHIN QUERY BASED ON GROUPED VIEW
Text:	GROUP BY CLAUSE WITHIN QUERY BASED ON GROUPED VIEW
Expl:	A GROUP BY CLAUSE HAS BEEN GIVEN WITHIN A QUERY SPECIFICATION WHICH REFERENCES A GROUPED VIEW IN ITS FROM CLAUSE. THIS IS NOT PERMITTED.
Actn:	
	GROUP BY CLAUSE SPECIFIED IN SUBQUERY OF COMPARISON PREDICATE
Text:	GROUP BY CLAUSE SPECIFIED IN SUBQUERY OF COMPARISON PREDICATE
Expl:	A GROUP BY CLAUSE HAS BEEN SPECIFIED IN A SUBQUERY CONTAINED IN A COMPARISON PREDICATE. THIS IS NOT PERMITTED.
Actn:	

4446	HAVING CLAUSE WITHIN QUERY BASED ON GROUPED VIEW
Text:	HAVING CLAUSE WITHIN QUERY BASED ON GROUPED VIEW
Expl:	A HAVING CLAUSE HAS BEEN GIVEN IN A QUERY SPECIFICATION WHICH REFERENCES A GROUPED VIEW IN ITS FROM CLAUSE. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.
4447	HAVING CLAUSE SPECIFIED IN SUBQUERY OF COMPARISON PREDICATE
Text:	HAVING CLAUSE SPECIFIED IN SUBQUERY OF COMPARISON PREDICATE
Expl:	A HAVING CLAUSE HAS BEEN SPECIFIED IN A SUBQUERY CONTAINED IN A COMPARISON PREDICATE. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.
4448	GROUP BY CLAUSE NOT PERMITTED IN SELECT STATEMENT
Text:	GROUP BY CLAUSE NOT PERMITTED IN SELECT STATEMENT
Expl:	A SINGLE ROW SELECT STATEMENT HAS AN ASSOCIATED GROUP BY CLAUSE. SUCH A CLAUSE IN A SINGLE ROW SELECT STATEMENT IS NOT PERMITTED.
Actn:	CHANGE THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.
4449	HAVING CLAUSE NOT PERMITTED IN SELECT STATEMENT
Text:	HAVING CLAUSE NOT PERMITTED IN SELECT STATEMENT
Expl:	A SINGLE ROW SELECT STATEMENT HAS SPECIFIED A HAVING CLAUSE. SUCH A CLAUSE WITHIN A SINGLE ROW SELECT STATEMENT IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.
4452	NON UPDATABLE COMPUTED COLUMN %S %S %S SPECIFIED AS TARGET COLUMN
Text:	NON UPDATABLE COMPUTED COLUMN %S %S %S SPECIFIED AS TARGET COLUMN
Expl:	A COLUMN WAS SPECIFIED AS A TARGET COLUMN OF EITHER AN INSERT OR AN UPDATE STATEMENT WHERE SUCH A COLUMN CANNOT BE ASSIGNED A VALUE OR HAVE ITS VALUE MODIFIED. SUCH COLUMNS ARE PHYSICALLY DEFINED AS A COMPUTED FIELD.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.

4454	INSERT OF TARGET LEVEL SEQNO COLUMN %S %S %S
Text:	INSERT OF TARGET LEVEL SEQNO COLUMN %S %S %S
Expl:	AN ATTEMPT WAS MADE TO INSERT INTO A TABLE, WHERE THE SEQNO COLUMN CORRESPONDING TO THE TARGET TABLE LEVEL HAS BEEN SPECIFIED AS A TARGET COLUMN IN THE ROW AMENDMENT EXPRESSION. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.
4455	LOWER LEVEL TARGET COLUMN %S %S %S SET INSERTED AS NULL
Text:	LOWER LEVEL TARGET COLUMN %S %S %S SET INSERTED AS NULL
Expl:	AN ATTEMPT HAS BEEN MADE TO SET A TARGET COLUMN OF A LOWER LEVEL THAN THE TARGET TABLE TO THE NULL VALUE IN AN INSERT STATEMENT. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.
4456	ILLEGAL COLUMN %S %S %S IN SELECT LIST
Text:	ILLEGAL COLUMN %S %S %S IN SELECT LIST
Expl:	A COLUMN HAS BEEN SPECIFIED IN THE SELECT LIST OF A QUERY SPECIFICATION WHICH CANNOT BE SELECTED. SUCH A COLUMN IS EITHER PHYSICALLY DEFINED AS A HYPERDESCRIPTOR FIELD OR A PHONETIC DESCRIPTOR FIELD.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AN RE-COMPILE
	CURSOR SPECIFIED AS HOST VARIABLE IN UPDATE OR DELETE STATEMENT
Text:	
Expl:	IT IS NOT PERMITTED TO SPECIFY A CURSOR WITHIN A POSITIONED UPDATE OR DELETE STATEMENT AS A HOST VARIABLE REFERENCE. SUCH A CURSOR REFERENCE MAY ONLY BE SPECIFIED AS AN EXPLICIT SQL IDENTIFIER.
Actn:	CHANGE THE SYNTAX SO THAT IT CONFORMS TO THAT SPECIFIED IN THE ESQ LANGUAGE REFERENCE MANUAL.

4461	INVALID HOST VARIABLE INDICATOR SPECIFIED
Text:	INVALID HOST VARIABLE INDICATOR SPECIFIED
Expl:	AN INDICATOR VARIABLE HAS BEEN SPECIFIED IN CONJUNCTION WITH A REGULAR HOST VARIABLE IN SUCH A POSITION WHERE AN INDICATOR VARIABLE IS NEITHER PERMITTED NOR RELEVANT.
Actn:	CHANGE THE SYNTAX SO THAT IT CONFORMS TO THAT SPECIFIED IN THE ESQ LANGUAGE REFERENCE MANUAL.
4470	PARAMETER MARKER NOT PERMITTED IN PROJECTION LIST
Text:	PARAMETER MARKER NOT PERMITTED IN PROJECTION LIST
Expl:	IT IS NOT PERMITTED TO SPECIFY A HOST VARIABLE PARAMETER MARKER ($^\prime$? $^\prime$) IN THE PROJECTION LIST OF A DYNAMIC QUERY SPECIFICATION.
Actn:	CHANGE THE SYNTAX AS SUGGESTED ABOVE AND RE-SUBMIT THE STATEMENT.
	PARAMETER MARKER NOT PERMITTED IN PREPARE STATEMENT
	PARAMETER MARKER NOT PERMITTED IN PREPARE STATEMENT
Expl:	IT IS NOT PERMITTED TO SPECIFY A HOST VARIABLE PARAMETER MARKER ('?') AS THE STATEMENT SPECIFIER OF A PREPARE STATEMENT. ONLY AN EXPLICIT STRING LITERAL OR A HOST VARIABLE ARE PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE THE APPLICATION
4472	ILLEGAL USE OF KEYWORD 'USER' IN PREPARE OR CONNECT STATEMENT
Text:	USER FUNCTION IS NOT PERMITTED IN PREPARE STATEMENT
Expl:	THE USER SPECIAL REGISTER MAY NOT BE SPECIFIED IN EITHER A PREPARE OR A CONNECT STATEMENT.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.
4500	FUNCTION NOT PERMITTED IN GROUP BY LIST
Text:	FUNCTION NOT PERMITTED IN GROUP BY LIST
Expl:	A FUNCTION HAS BEEN SPECIFIED IN THE GROUP BY LIST OF A QUERY SPECIFICATION. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.

4501	'ALL' SPECIFIED IN COUNT FUNCTION
Text:	'ALL' SPECIFIED IN COUNT FUNCTION
Expl:	THE KEYWORD 'ALL' MAY NOT BE SPECIFIED WITHIN A COUNT FUNCTION.
Actn:	CHANGE THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.
4502	'DISTINCT' NOT SPECIFIED IN COUNT FUNCTION
Text:	'DISTINCT' NOT SPECIFIED IN COUNT FUNCTION
Expl:	THE KEYWORD 'DISTINCT' MUST BE SPECIFIED IN A COUNT FUNCTION WHERE A COLUMN IS EXPLICITLY REFERENCED. IF THE ALTERNATIVE COUNT (*) IS SPECIFIED THEN THE KEYWORD 'DISTINCT' MAY NOT BE GIVEN.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.
4503	'DISTINCT' SPECIFIED IN COUNT * FUNCTION
	'DISTINCT' SPECIFIED IN COUNT * FUNCTION 'DISTINCT' SPECIFIED IN COUNT * FUNCTION
Text:	'DISTINCT' SPECIFIED IN COUNT * FUNCTION THE KEYWORD 'DISTINCT' MAY NOT BE SPECIFIED IN THE COUNT FUNCTION WHEN THE ARGUMENT IS GIVEN AS AN ASTERISK.
Text: Expl: Actn:	'DISTINCT' SPECIFIED IN COUNT * FUNCTION THE KEYWORD 'DISTINCT' MAY NOT BE SPECIFIED IN THE COUNT FUNCTION WHEN THE ARGUMENT IS GIVEN AS AN ASTERISK.
Text: Expl: Actn:4504	'DISTINCT' SPECIFIED IN COUNT * FUNCTION THE KEYWORD 'DISTINCT' MAY NOT BE SPECIFIED IN THE COUNT FUNCTION WHEN THE ARGUMENT IS GIVEN AS AN ASTERISK. CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.
Text: Expl: Actn:4504	'DISTINCT' SPECIFIED IN COUNT * FUNCTION THE KEYWORD 'DISTINCT' MAY NOT BE SPECIFIED IN THE COUNT FUNCTION WHEN THE ARGUMENT IS GIVEN AS AN ASTERISK. CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE. ANSI VIOLATION : EXPRESSION WITH OUTER REFERENCE IN FUNCTION

ADABAS SQL Server Messages and Codes Manual

4505	ANSI VIOLATION : FUNCTION WITH OUTER REFERENCE IN EXPRESSION
Text:	ANSI VIOLATION : FUNCTION WITH OUTER REFERENCE IN EXPRESSION
Expl:	A EXPRESSION HAS BEEN SPECIFIED WHICH CONTAINS A FUNCTION WHOSE ARGUMENT CONSISTS OF AN OUTER REFERENCE. THIS IS NOT PERMITTED UNDER THE ANSI COMPATIBILITY MODE.
Actn:	CHANGE THE STATEMENT AS SUGGESTED ABOVE OR ALTER THE COMPILATION OPTIONS AS REQUIRED IF PERMITTED.
4506	ANSI VIOLATION : FUNCTION WITH 'DISTINCT' IN EXPRESSION
Text:	ANSI VIOLATION : FUNCTION WITH 'DISTINCT' IN EXPRESSION
Expl:	AN EXPRESSION HAS BEEN SPECIFIED WHICH CONTAINS A FUNCTION WHOSE ARGUMENT IS ATTRIBUTED BY THE KEYWORD 'DISTINCT'. THIS IS NOT PERMITTED UNDER THE ANSI COMPATIBILITY MODE.
Actn:	CHANGE THE STATEMENT AS SUGGESTED ABOVE OR ALTER THE COMPILATION OPTIONS AS REQUIRED IF PERMITTED.
4507	EXPRESSION IN FUNCTION WITH 'DISTINCT'
Text:	EXPRESSION IN FUNCTION WITH 'DISTINCT'
Expl:	A FUNCTION HAS BEEN SPECIFIED WHOSE ARGUMENT IS ATTRIBUTED BY THE KEYWORD 'DISTINCT' AND WHICH CONSISTS OF AN EXPRESSION. THIS IS NOT PERMITTED UNDER THE ANSI COMPATIBILITY MODE.
Actn:	CHANGE THE STATEMENT AS SUGGESTED ABOVE OR ALTER THE COMPILATION OPTIONS AS REQUIRED IF PERMITTED.
4508	EXPRESSION SPECIFIED IN COUNT FUNCTION
Text:	EXPRESSION SPECIFIED IN COUNT FUNCTION
Expl:	IT IS NOT PERMITTED TO SPECIFY A COUNT FUNCTION WHOSE ARGUMENT CONSISTS OF AN EXPRESSION. A COUNT FUNCTION'S ARGUMENT MAY ONLY CONSIST OF EITHER AN ASTERISK OR A COLUMN SPECIFICATION ATTRIBUTED WITH THE KEYWORD 'DISTINCT'.
Actn:	CHANGE THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.
	4505 - 4508

4520	ESQ EXTENSION : SET CLAUSE SPECIFIED IN INSERT STATEMENT
Text:	ESQ EXTENSION : SET CLAUSE SPECIFIED IN INSERT STATEMENT
Expl:	ONLY IN ESQ COMPATIBILITY MODE IS IT PERMITTED T EXPRESS AN INSERT STATEMENT CONTAINING A ROW AMENDMENT EXPRESSION BASED ON THE KEYWORD 'SET' RATHER THAN THE KEYWORD 'VALUES'.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE OR ALTER THE COMPILER OPTIONS AS REQUIRED IF PERMITTED.
4521	ESQ EXTENSION : USING CLAUSE SPECIFIED WITH UPDATE STATEMENT
Text:	ESQ EXTENSION: USING CLAUSE SPECIFIED WITH UPDATE STATEMENT
Expl:	ONLY IN ESQ COMPATIBILITY MODE IS IT PERMITTED TO EXPRESS AN UPDATE STATEMENT WITH A ROW AMENDMENT EXPRESSION WHICH CONSISTS OF THE KEYWORD 'USING' FOLLOWED BY A QUERY SPECIFICATION.
Actn:	CHANGE THE STATEMENT AS SUGGESTED ABOVE OR ALTER THE COMPILATION OPTIONS AS REQUIRED IF PERMITTED.
4522 	ESQ EXTENSION : VALUES CLAUSE SPECIFIED IN UPDATE STATEMENT
Text:	ESQ EXTENSION : VALUES CLAUSE SPECIFIED IN UPDATE STATEMENT
Expl:	ONLY IN ESQ COMPATIBILITY MODE IS IT PERMITTED TO EXPRESS AN UPDATE STATEMENT WITH A ROW AMENDMENT EXPRESSION BASED ON THE KEYWORD 'VALUES'.
Actn:	CHANGE THE STATEMENT AS SUGGESTED ABOVE OR ALTER THE COMPILATION OPTIONS AS REQUIRED IF PERMITTED.
4602	CURSOR %S ALREADY DECLARED IN CURRENT COMPILATION UNIT
Text:	CURSOR ALREADY DECLARED IN CURRENT COMPILATION UNIT
Expl:	A DECLARE CURSOR STATEMENT HAS SPECIFIED A CURSOR WHICH HAS ALREADY BEEN DECLARED PREVIOUSLY IN THE COMPILATION UNIT. THIS IS NOT PERMITTED AS ALL CURSORS MUST BE UNIQUE.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE. REMEMBER TO CORRECT ALL OTHER ASSOCIATED STATEMENTS AS WELL.

2

ADABAS SQL Server Messages and Codes Manual

4603	TABLE %S NOT SPECIFIED IN CURSOR DECLARATION
Text:	TABLE NOT SPECIFIED IN CURSOR DECLARATION
Expl:	A POSITIONED UPDATE OR DELETE STATEMENT HAS SPECIFIED A TARGET TABLE WHICH DIFFERS FROM THAT REFERENCED IN THE ASSOCIATED DECLARE CURSOR STATEMENT. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.
4604	CURSOR NOT DECLARED AS SCROLLABLE
Text:	CURSOR NOT DECLARED AS SCROLLABLE
Expl:	A FETCH STATEMENT HAS SPECIFIED CURSOR SCROLLING DIRECTIVES BUT THE ASSOCIATED DECLARE CURSOR STATEMENT DID NOT CONTAIN THE KEYWORD 'SCROLL' AS AN ATTRIBUTE. IF SCROLLING DIRECTIVES ARE GOING TO TO BE USED THEN THE CURSOR MUST BE DECLARED AS SCROLLABLE.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.
4605	POSITIONED UPDATE OR DELETE UPON A DYNAMIC CURSOR
Text:	POSITIONED UPDATE OR DELETE UPON A DYNAMIC CURSOR
Expl:	A POSITIONED UPDATE OR DELETE STATEMENT HAS BEEN SPECIFIED WHERE THE ASSOCIATED CURSOR IS IN FACT DYNAMIC. ESQ ISSUES A WARNING BECAUSE AT COMPILE TIME IT CANNOT DETERMINE WHETHER THE ASSOCIATED QUERY SPECIFICATION IS INDEED UPDATABLE OR NOT.
Actn:	NO ACTION REQUIRED. IF THE QUERY SPECIFICATION IS DETERMINED NOT TO BE UPDATABLE THEN A RUN TIME ERROR WILL BE ENCOUNTERED BY THE POSITIONED UPDATE OR DELETE STATEMENT.
4606	USING CLAUSE ONLY PERMITTED WITH DYNAMIC CURSORS
Text:	USING CLAUSE ONLY PERMITTED WITH DYNAMIC CURSORS
Expl:	A FETCH OR OPEN STATEMENT CONTAINS A USING CLAUSE ALTHOUGH THE ASSOCIATED CURSOR IS NOT DYNAMIC. A USING CLAUSE MAY ONLY BE SPECIFIED IN ASSOCIATION WITH A DYNAMIC CURSOR.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.

4607	PERSISTENT STATEMENT SPECIFICATION FOR DECLARED CURSOR %S
Text:	PERSISTENT STATEMENT SPECIFICATION FOR DECLARED CURSOR %S
Expl:	A CURSOR HAS BEEN EXPLICITLY REFERENCED IN AN OPEN STATEMENT WHICH CONTAINS A PERSISTENT STATEMENT SPECIFICATION, ALTHOUGH THE CURSOR HAS BEEN DECLARED ELSEWHERE ALREADY. THIS IS NOT PERMITTED.
Actn:	AMEND THE STATEMENT AS SUGGESTED ABOVE AND RE-SUBMIT TO THE PRE-COMPILER.
4608	DYNAMIC FETCH STATEMENT WITH UNCHECKED HOST VARIABLE LIST
Text:	DYNAMIC FETCH STATEMENT WITH UNCHECKED HOST VARIABLE LIST
Expl:	THE HOST VARIABLE TARGET LIST SPECIFIED IN THE FETCH STATEMENT COULD NOT BE CHECKED FOR COMPATIBILITY WITH THE FORMAT OF THE RESULTANT TABLE OF THE ASSOCIATED CURSOR. THIS IS BECAUSE THE CURSOR IS EITHER DYNAMIC OR THE USER INTENDS TO DECLARE THE CURSOR IN ANOTHER COMPILATION UNIT. ESQ ISSUES A WARNING TO INFORM THE USER THAT NO CHECKING HAS TAKEN PLACE AT COMPILE TIME. ADEQUATE CHECKING WILL TAKE PLACE DURING EXECUTION OF THE FETCH STATEMENT AND HENCE SHOULD THE HOST VARIABLE TARGET LIST PROVE TO BE INCOMPATIBLE THEN A RUN TIME ERROR WILL BE ENCOUNTERED.
Actn:	NO ACTION REQUIRED.
4609	DYNAMIC CURSOR DECLARED WITH QUERY EXPRESSION
Text:	DYNAMIC CURSOR DECLARED WITH QUERY EXPRESSION
Expl:	A DECLARE CURSOR STATEMENT CONSISTS OF A CURSOR IDENTIFIER EXPRESSED AS A HOST VARIABLE AND A CONVENTIONAL STATIC QUERY EXPRESSION. SUCH A MIXTURE OF DYNAMIC AND STATIC FEATURES IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.

2

ADABAS SQL Server Messages and Codes Manual

Text: CURSOR NOT DECLARED IN COMPILATION UNIT Expl: A CURSOR HAS BEEN SPECIFIED FOR WHICH THERE IS NO ASSOCIATED DECLARE CURSOR STATEMENT WITHIN THE COMPILATION UNIT. FOR AN OPEN OR CLOSE STATEMENT THIS IS NOT PERMITTED. FOR A FETCH OR POSITIONED UPDATE OR DELETE STATEMENT THIS IS PERMITTED BUT ONLY IN ESQ COMPATIBILITY MODE. IN SUCH A CASE IT IS ASSUMED THAT THE CURSOR DECLARATION IS CONTAINED IN ANOTHER COMPILATION UNIT AND HENCE ONLY A WARNING IS ISSUED. Actn: CHANGE THE STATEMENT AS SUGGESTED ABOVE OR ALTER THE COMPILATION OPTION AS REQUIRED IF PERMITTED. ALTERNATIVELY ENSURE THAT AN APPROPRIATE DECLARE CURSOR STATEMENT EXISTS IN ANOTHER COMPILATION UNIT. 4611 CURSOR'S PROJECTION LIST LARGER THAN SPECIFIED TARGET BUFFER Expl: THE DERIVED COLUMN LIST OF THE QUERY EXPRESSION CONTAINED IN THE ASSOCIATED DECLARE CURSOR STATEMENT WAS DETERMINED TO CONTAIN MORE ELEMENTS THAN PROVISION HAD BEEN MADE FOR IN THE FETCH STATEMENT. UPON EXECUTION OF THE FETCH STATEMENT DATA WILL BE LOST. Actn: CORRECT THE STATEMENT AS SUGGESTED ABOVE IF REQUIRED AND RE-COMPILE. 4613 CURSOR %S IS NOT UPDATABLE Exxl: CURSOR IS NOT UPDATABLE Exxl: CURSOR IS NOT UPDATABLE Exxl: CHANGE THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE. 4620 COLUMN %S %S ALREADY ORDERED Text: COLUMN ALREADY ORDERED Exxl: THE GIVEN COLUMN HAS ALREADY BEEN REFERENCED IN THE ORDER BY CLAUSE. ONLY UNIQUE COLUMN HAS ALREADY BEEN REFERENCED IN THE ORDER BY CLAUSE. ONLY UNIQUE COLUMN REFERENCES MAY APPEAR IN THE ORDER BY CLAUSE. ONLY UNIQUE COLUMN REFERENCES MAY APPEAR IN THE ORDER BY CLAUSE. PEGGARDLESS OF WHETHER DERIVED COLUMN LABELS OR ORDINAL POSITIONS OR A MIXTURE OF THE TWO WERE USED. ACTN: CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.	4610	CURSOR %S NOT DECLARED IN COMPILATION UNIT
CURSOR STATEMENT WITHIN THE COMPILATION UNIT. FOR AN OPEN OR CLOSE STATEMENT THIS IS NOT PERMITTED. FOR A FETCH OR POSITIONED UPDATE OR DELETE STATEMENT THIS IS PERMITTED BUT ONLY IN ESQ COMPATIBILITY MODE. IN SUCH A CASE IT IS ASSUMED THAT THE CURSOR DECLARATION IS CONTAINED IN ANOTHER COMPILATION UNIT AND HENCE ONLY A WARNING IS ISSUED. Actn: CHANGE THE STATEMENT AS SUGGESTED ABOVE OR ALTER THE COMPILATION OPTION AS REQUIRED IF PERMITTED. ALTERNATIVELY ENSURE THAT AN APPROPRIATE DECLARE CURSOR STATEMENT EXISTS IN ANOTHER COMPILATION UNIT. 4611 CURSOR'S PROJECTION LIST LARGER THAN SPECIFIED TARGET BUFFER Text: CURSOR'S PROJECTION LIST LARGER THAN SPECIFIED TARGET BUFFER Expl: THE DERIVED COLUMN LIST OF THE QUERY EXPRESSION CONTAINED IN THE ASSOCIATED DECLARE CURSOR STATEMENT WAS DETERMINED TO CONTAIN MORE ELEMENTS THAN PROVISION HAD BEEN MADE FOR IN THE FETCH STATEMENT. UPON EXECUTION OF THE FETCH STATEMENT DATA WILL BE LOST. Actn: CORRECT THE STATEMENT AS SUGGESTED ABOVE IF REQUIRED AND RE-COMPILE. 4613 CURSOR %S IS NOT UPDATABLE Expl: A POSITIONED DELETE OR UPDATE STATEMENT REFERENCES A CURSOR WHICH HAS BEEN DETERMINED TO BE READ ONLY. THIS IS NOT PERMITTED. Actn: CHANGE THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE. 4630 COLUMN %S %S %S ALREADY ORDERED Text: COLUMN ALREADY ORDERED Expl: THE GIVEN COLUMN HAS ALREADY BEEN REFERENCED IN THE ORDER BY CLAUSE REGARDLESS OF WHETHER DERIVED COLUMN LABELS OR ORDINAL POSITIONS OR A MIXTURE OF THE TWO WERE USED.	Text:	CURSOR NOT DECLARED IN COMPILATION UNIT
AS REQUIRED IF PERMITTED. ALTERNATIVELY ENSURE THAT AN APPROPRIATE DECLARE CURSOR STATEMENT EXISTS IN ANOTHER COMPILATION UNIT. 4611 CURSOR'S PROJECTION LIST LARGER THAN SPECIFIED TARGET BUFFER Text: CURSOR'S PROJECTION LIST LARGER THAN SPECIFIED TARGET BUFFER Expl: THE DERIVED COLUMN LIST OF THE QUERY EXPRESSION CONTAINED IN THE ASSOCIATED DECLARE CURSOR STATEMENT WAS DETERMINED TO CONTAIN MORE ELEMENTS THAN PROVISION HAD BEEN MADE FOR IN THE FETCH STATEMENT. UPON EXECUTION OF THE FETCH STATEMENT DATA WILL BE LOST. Actn: CORRECT THE STATEMENT AS SUGGESTED ABOVE IF REQUIRED AND RE-COMPILE.	Expl:	CURSOR STATEMENT WITHIN THE COMPILATION UNIT. FOR AN OPEN OR CLOSE STATEMENT THIS IS NOT PERMITTED. FOR A FETCH OR POSITIONED UPDATE OR DELETE STATEMENT THIS IS PERMITTED BUT ONLY IN ESQ COMPATIBILITY MODE. IN SUCH A CASE IT IS ASSUMED THAT THE CURSOR DECLARATION IS CONTAINED
Text: CURSOR'S PROJECTION LIST LARGER THAN SPECIFIED TARGET BUFFER Expl: THE DERIVED COLUMN LIST OF THE QUERY EXPRESSION CONTAINED IN THE ASSOCIATED DECLARE CURSOR STATEMENT WAS DETERMINED TO CONTAIN MORE ELEMENTS THAN PROVISION HAD BEEN MADE FOR IN THE FETCH STATEMENT. UPON EXECUTION OF THE FETCH STATEMENT DATA WILL BE LOST. Actn: CORRECT THE STATEMENT AS SUGGESTED ABOVE IF REQUIRED AND RE-COMPILE. Text: CURSOR IS NOT UPDATABLE Expl: A POSITIONED DELETE OR UPDATE STATEMENT REFERENCES A CURSOR WHICH HAS BEEN DETERMINED TO BE READ ONLY. THIS IS NOT PERMITTED. Actn: CHANGE THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE. 4630 COLUMN %S %S %S ALREADY ORDERED Text: COLUMN ALREADY ORDERED Expl: THE GIVEN COLUMN HAS ALREADY BEEN REFERENCED IN THE ORDER BY CLAUSE. ONLY UNIQUE COLUMN REFERENCES MAY APPEAR IN THE ORDER BY CLAUSE REGARDLESS OF WHETHER DERIVED COLUMN LABELS OR ORDINAL POSITIONS OR A MIXTURE OF THE TWO WERE USED.	Actn:	~
Expl: THE DERIVED COLUMN LIST OF THE QUERY EXPRESSION CONTAINED IN THE ASSOCIATED DECLARE CURSOR STATEMENT WAS DETERMINED TO CONTAIN MORE ELEMENTS THAN PROVISION HAD BEEN MADE FOR IN THE FETCH STATEMENT. UPON EXECUTION OF THE FETCH STATEMENT DATA WILL BE LOST. Actn: CORRECT THE STATEMENT AS SUGGESTED ABOVE IF REQUIRED AND RE-COMPILE. Text: CURSOR %S IS NOT UPDATABLE Expl: A POSITIONED DELETE OR UPDATE STATEMENT REFERENCES A CURSOR WHICH HAS BEEN DETERMINED TO BE READ ONLY. THIS IS NOT PERMITTED. Actn: CHANGE THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE. Text: COLUMN %S %S %S ALREADY ORDERED Expl: THE GIVEN COLUMN HAS ALREADY BEEN REFERENCED IN THE ORDER BY CLAUSE. ONLY UNIQUE COLUMN REFERENCES MAY APPEAR IN THE ORDER BY CLAUSE REGARDLESS OF WHETHER DERIVED COLUMN LABELS OR ORDINAL POSITIONS OR A MIXTURE OF THE TWO WERE USED.	4611	CURSOR'S PROJECTION LIST LARGER THAN SPECIFIED TARGET BUFFER
ASSOCIATED DECLARE CURSOR STATEMENT WAS DETERMINED TO CONTAIN MORE ELEMENTS THAN PROVISION HAD BEEN MADE FOR IN THE FETCH STATEMENT. UPON EXECUTION OF THE FETCH STATEMENT DATA WILL BE LOST. Actn: CORRECT THE STATEMENT AS SUGGESTED ABOVE IF REQUIRED AND RE-COMPILE. 4613 CURSOR %S IS NOT UPDATABLE Text: CURSOR IS NOT UPDATABLE Expl: A POSITIONED DELETE OR UPDATE STATEMENT REFERENCES A CURSOR WHICH HAS BEEN DETERMINED TO BE READ ONLY. THIS IS NOT PERMITTED. Actn: CHANGE THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE. 4630 COLUMN %S %S %S ALREADY ORDERED Text: COLUMN ALREADY ORDERED Expl: THE GIVEN COLUMN HAS ALREADY BEEN REFERENCED IN THE ORDER BY CLAUSE. ONLY UNIQUE COLUMN REFERENCES MAY APPEAR IN THE ORDER BY CLAUSE REGARDLESS OF WHETHER DERIVED COLUMN LABELS OR ORDINAL POSITIONS OR A MIXTURE OF THE TWO WERE USED.	Text:	CURSOR'S PROJECTION LIST LARGER THAN SPECIFIED TARGET BUFFER
4613 CURSOR %S IS NOT UPDATABLE Text: CURSOR IS NOT UPDATABLE Expl: A POSITIONED DELETE OR UPDATE STATEMENT REFERENCES A CURSOR WHICH HAS BEEN DETERMINED TO BE READ ONLY. THIS IS NOT PERMITTED. Actn: CHANGE THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE. 4630 COLUMN %S %S %S ALREADY ORDERED Text: COLUMN ALREADY ORDERED Expl: THE GIVEN COLUMN HAS ALREADY BEEN REFERENCED IN THE ORDER BY CLAUSE. ONLY UNIQUE COLUMN REFERENCES MAY APPEAR IN THE ORDER BY CLAUSE REGARDLESS OF WHETHER DERIVED COLUMN LABELS OR ORDINAL POSITIONS OR A MIXTURE OF THE TWO WERE USED.	Expl:	ASSOCIATED DECLARE CURSOR STATEMENT WAS DETERMINED TO CONTAIN MORE ELEMENTS THAN PROVISION HAD BEEN MADE FOR IN THE FETCH STATEMENT. UPON
Text: CURSOR IS NOT UPDATABLE Expl: A POSITIONED DELETE OR UPDATE STATEMENT REFERENCES A CURSOR WHICH HAS BEEN DETERMINED TO BE READ ONLY. THIS IS NOT PERMITTED. Actn: CHANGE THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE. 4630 COLUMN %S %S %S ALREADY ORDERED Text: COLUMN ALREADY ORDERED Expl: THE GIVEN COLUMN HAS ALREADY BEEN REFERENCED IN THE ORDER BY CLAUSE. ONLY UNIQUE COLUMN REFERENCES MAY APPEAR IN THE ORDER BY CLAUSE REGARDLESS OF WHETHER DERIVED COLUMN LABELS OR ORDINAL POSITIONS OR A MIXTURE OF THE TWO WERE USED.	Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE IF REQUIRED AND RE-COMPILE.
Expl: A POSITIONED DELETE OR UPDATE STATEMENT REFERENCES A CURSOR WHICH HAS BEEN DETERMINED TO BE READ ONLY. THIS IS NOT PERMITTED. Actn: CHANGE THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE. 4630 COLUMN %S %S %S ALREADY ORDERED Text: COLUMN ALREADY ORDERED Expl: THE GIVEN COLUMN HAS ALREADY BEEN REFERENCED IN THE ORDER BY CLAUSE. ONLY UNIQUE COLUMN REFERENCES MAY APPEAR IN THE ORDER BY CLAUSE REGARDLESS OF WHETHER DERIVED COLUMN LABELS OR ORDINAL POSITIONS OR A MIXTURE OF THE TWO WERE USED.	4613	CURSOR %S IS NOT UPDATABLE
BEEN DETERMINED TO BE READ ONLY. THIS IS NOT PERMITTED. Actn: CHANGE THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE. 4630 COLUMN %S %S %S ALREADY ORDERED Text: COLUMN ALREADY ORDERED Expl: THE GIVEN COLUMN HAS ALREADY BEEN REFERENCED IN THE ORDER BY CLAUSE. ONLY UNIQUE COLUMN REFERENCES MAY APPEAR IN THE ORDER BY CLAUSE REGARDLESS OF WHETHER DERIVED COLUMN LABELS OR ORDINAL POSITIONS OR A MIXTURE OF THE TWO WERE USED.	Text:	CURSOR IS NOT UPDATABLE
4630 COLUMN %S %S %S ALREADY ORDERED Text: COLUMN ALREADY ORDERED Expl: THE GIVEN COLUMN HAS ALREADY BEEN REFERENCED IN THE ORDER BY CLAUSE. ONLY UNIQUE COLUMN REFERENCES MAY APPEAR IN THE ORDER BY CLAUSE REGARDLESS OF WHETHER DERIVED COLUMN LABELS OR ORDINAL POSITIONS OR A MIXTURE OF THE TWO WERE USED.	Expl:	
Text: COLUMN %S %S %S ALREADY ORDERED Expl: THE GIVEN COLUMN HAS ALREADY BEEN REFERENCED IN THE ORDER BY CLAUSE. ONLY UNIQUE COLUMN REFERENCES MAY APPEAR IN THE ORDER BY CLAUSE REGARDLESS OF WHETHER DERIVED COLUMN LABELS OR ORDINAL POSITIONS OR A MIXTURE OF THE TWO WERE USED.		
Expl: THE GIVEN COLUMN HAS ALREADY BEEN REFERENCED IN THE ORDER BY CLAUSE. ONLY UNIQUE COLUMN REFERENCES MAY APPEAR IN THE ORDER BY CLAUSE REGARDLESS OF WHETHER DERIVED COLUMN LABELS OR ORDINAL POSITIONS OR A MIXTURE OF THE TWO WERE USED.		
ONLY UNIQUE COLUMN REFERENCES MAY APPEAR IN THE ORDER BY CLAUSE REGARDLESS OF WHETHER DERIVED COLUMN LABELS OR ORDINAL POSITIONS OR A MIXTURE OF THE TWO WERE USED.	Text:	COLUMN ALREADY ORDERED
Actn: CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.	Expl:	ONLY UNIQUE COLUMN REFERENCES MAY APPEAR IN THE ORDER BY CLAUSE REGARDLESS OF WHETHER DERIVED COLUMN LABELS OR ORDINAL POSITIONS OR A
	Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.

ORDERED COLUMN %S %S %S NOT FOUND IN PROJECTION LIST Text: ORDERED COLUMN NOT FOUND IN PROJECTION LIST Expl: THE COLUMN GIVEN IN THE ORDER BY CLAUSE COULD NOT BE MATCHED WITH ANY DERIVED COLUMN LABEL OR ORDINAL POSITION OF THE DERIVED COLUMN LIST. IF A DERIVED COLUMN LABEL WAS GIVEN IN THE ORDER BY CLAUSE THEN PERHAPS IT WAS INCORRECTLY SPECIFIED OR PERHAPS THE INTENDED COLUMN TO BE ORDERED DOES NOT HAVE A DERIVED COLUMN LABEL. IF AN ORDINAL POSITION WAS GIVEN THEN IT MUST BE SIMPLY INCOMPATIBLE WITH THE NUMBER OF COLUMNS IN THE DERIVED COLUMN LIST. Actn: CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE 4632 ORDERED COLUMN %S %S %S NOT UNIQUELY IDENTIFIED IN SELECT LIST ______ Text: ORDERED COLUMN NOT UNIQUELY IDENTIFIED IN SELECT LIST Expl: THE GIVEN COLUMN IN THE ORDER BY CLAUSE COULD NOT BE UNIQUELY MATCHED WITH A PARTICULAR DERIVED COLUMN LABEL IN THE DERIVED COLUMN LIST. THIS IS BECAUSE THE COLUMN REFERENCE HAS NOT BEEN SUFFICIENTLY QUALIFIED IN ORDER TO BE ABLE TO DISTINGUISH BETWEEN TWO COLUMNS OF THE SAME NAMEBUT FROM DIFFERENT TABLES. THE COLUMN TO BE ORDERED MUST EITHER BE REFERENCED VIA AN ORDINAL INDEX OR MUST BE SUFFICIENTLY QUALIFIED SO THAT A UNIQUE MATCH CAN BE MADE. Actn: CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE. 4633 ORDERED COLUMN %S %S %S IDENTIFIED TWICE IN PROJECTION LIST ______ Text: ORDERED COLUMN IDENTIFIED TWICE IN PROJECTION LIST Expl: THE GIVEN COLUMN WAS MATCHED WITH ONE OR MORE COLUMNS IN THE DERIVED COLUMN LIST. THIS IS BECAUSE THE SAME COLUMN HAS BEEN SPECIFIED MORE THAN ONCE AS A DERIVED COLUMN. IN SUCH A CASE AN ORDINAL INDEX MUST BE USED IN ORDER TO UNIQUELY BE ABLE TO IDENTIFY THE CORRECT COLUMN TO BE ORDERED. Actn: CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE. ______ 4702 CURSOR %S DOES NOT HAVE ASSOCIATED OPEN Text: CURSOR DOES NOT HAVE ASSOCIATED OPEN Expl: THE GIVEN CURSOR HAS BEEN DECLARED IN A COMPILATION UNIT BUT THERE IS NO ASSOCIATED OPEN STATEMENT. THIS IS NOT PERMITTED. Actn: CORRECT THE PROGRAM AS SUGGESTED ABOVE AND RE-COMPILE.

2

ADABAS SQL Server Messages and Codes Manual

Text: CURSOR %S IS NOT ACCESSED WITHIN THIS COMPILATION UNIT Expl: THE GIVEN CURSOR IS DECLARED AND HAS AN ASSOCIATED OPEN STATEMENT BUT DOES NOT HAVE AN ASSOCIATED FETCH NOR POSITIONED UPDATE NOR POSITIONED DELETE STATEMENT WITHIN THE COMPLIATION UNIT. IN ESC COMPATIBILITY MODE SUCH STATEMENT WITHIN THE COMPLIATION UNIT. IN ESC COMPATIBILITY MODE SUCH STATEMENTS MAY RESIDE IN A DIFFERENT COMPLIATION UNIT. ALTHOUGH THIS IS NOT AN ERROR IT IS BROUGHT TO THE ATTENTION OF THE USER. Actn: NO ACTION REQUIRED. Text: ILLEGAL ADABAS SHORTNAME %S FOR CONSTRAINT, INDEX OR COLUMN %S Expl: THE SPECIFIED SHORTNAME WAS EITHER NOT A VALID ADABAS SHORT NAME, OR THE ELEMENT NUMBER WAS OUT OF RANGE OR A COMBINATION OF SHORTNAMES WITH AND WITHOUT ELEMENTS WAS SPECIFIED. THIS IS NOT PERMITTED. Actn: CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE. Text: DUPLICATE ADABAS SHORTNAME %S SPECIFIED FOR TABLE %S Expl: DIFFERING COLUMN SPECIFICATIONS HAVE USED THE SAME ADABAS SHORT NAME. THIS IS NOT PERMITTED AS ALL ADABAS SHORT NAMES HAVE TO BE UNIQUE FOR THE ENTIRE TABLE SPECIFICATION. INDEX DEFINITIONS MAY ALSO BE ASSIGNED AN ADABAS SHORT NAME WHICH MUST NOT CONFLICT WITH THE SHORT NAMES OF OTHER COLUMNS OR INDEXES. Actn: CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE. Text: ADABAS SHORTNAME LIMIT REACHED FOR TABLE %S Text: ADABAS SHORTNAME LIMIT REACHED FOR TABLE %S Expl: ADABAS SHORTNAME LIMIT REACHED FOR TABLE %S Text: ADABAS SHORTNAME LIMIT REACHED FOR TABLE %S Expl: ADABAS SHORTNAME LIMIT REACHED FOR TABLE %S Expl: ADABAS SHORTNAME LIMIT REACHED FOR TABLE %S Text: CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.		
Expl: THE GIVEN CURSOR IS DECLARED AND HAS AN ASSOCIATED OPEN STATEMENT BUT DOES NOT HAVE AN ASSOCIATED FETCH NOR POSITIONED UPDATE NOR POSITIONED DELETE STATEMENT WITHIN THE COMPILATION UNIT. IN ESQ COMPATIBILITY MODE SUCH STATEMENTS MAY RESIDE IN A DIFFERENT COMPILATION UNIT. ALTHOUGH THIS IS NOT AN ERROR IT IS BROUGHT TO THE ATTENTION OF THE USER. Actn: NO ACTION REQUIRED. 4801 ILLEGAL ADABAS SHORTNAME %S FOR CONSTRAINT, INDEX OR COLUMN %S Expl: THE SPECIFIED SHORTNAME %S FOR CONSTRAINT, INDEX OR COLUMN %S Expl: THE SPECIFIED SHORTNAME WAS EITHER NOT A VALID ADABAS SHORT NAME, OR THE ELEMENT NUMBER WAS OUT OF RANGE OR A COMBINATION OF SHORTNAMES WITH AND WITHOUT ELEMENTS WAS SPECIFIED. THIS IS NOT PERMITTED. Actn: CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE. 4802 DUPLICATE ADABAS SHORTNAME %S SPECIFIED FOR TABLE %S Expl: DIFFERING COLUMN SPECIFICATIONS HAVE USED THE SAME ADABAS SHORT NAME. THIS IS NOT PERMITTED AS ALL ADABAS SHORT NAMES HAVE TO BE UNIQUE FOR THE ENTIRE TABLE SPECIFICATION. INDEX DEFINITIONS MAY ALSO BE ASSIGNED AN ADABAS SHORT NAME WHICH MUST NOT CONFLICT WITH THE SHORT NAMES OF OTHER COLUMNS OR INDEXES. Actn: CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE. Text: ADABAS SHORTNAME LIMIT REACHED FOR TABLE %S Expl: ADABAS HAS A LIMIT OF 900 INDIVIDUAL POSSIBLE VALID SHORT NAMES. THIS EFFECTIVELY LIMITS THE NUMBER OF COLUMNS IN A TABLE TO 900. THIS LIMIT HAS BEEN EXCEEDED BY THIS CREATE TABLE STATEMENT. INDEX DEFINITIONS MAY ALSO BE ASSIGNED AN ADABAS SHORT NAMES AND THESE ARE ALSO INCLUDED IN THE OVERALL TOTAL OF SHORT NAMES USED IN A CREATE TABLE STATEMENT.	4703	CURSOR %S IS NOT ACCESSED WITHIN THIS COMPILATION UNIT
DOES NOT HAVE AN ASSOCIATED FETCH NOR POSITIONED UPDATE NOR POSITIONED DELETE STATEMENT WITHIN THE COMPLIATION UNIT. IN ESQ COMPATIBILITY MODE SUCH STATEMENTS MAY RESIDE IN A DIFFERENT COMPLIATION UNIT. ALTHOUGH THIS IS NOT AN ERROR IT IS BROUGHT TO THE ATTENTION OF THE USER. Actn: NO ACTION REQUIRED. Actn: NO ACTION REQUIRED. Text: ILLEGAL ADABAS SHORTNAME %S FOR CONSTRAINT, INDEX OR COLUMN %S Expl: THE SPECIFIED SHORTNAME WAS EITHER NOT A VALID ADABAS SHORT NAME, OR THE ELEMENT NUMBER WAS OUT OF RANGE OR A COMBINATION OF SHORTNAMES WITH AND WITHOUT ELEMENTS WAS SPECIFIED. THIS IS NOT PERMITTED. Actn: CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE. Text: DUPLICATE ADABAS SHORTNAME %S SPECIFIED FOR TABLE %S Expl: DIFFERING COLUMN SPECIFICATIONS HAVE USED THE SAME ADABAS SHORT NAME. THIS IS NOT PERMITTED AS ALL ADABAS SHORT NAMES HAVE TO BE UNIQUE FOR THE ENTIRE TABLE SPECIFICATION. INDEX DEFINITIONS MAY ALSO BE ASSIGNED AN ADABAS SHORT NAME WHICH MUST NOT CONFLICT WITH THE SHORT NAMES OF OTHER COLUMNS OR INDEXES. Actn: CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE. Text: ADABAS SHORTNAME LIMIT REACHED FOR TABLE %S Expl: ADABAS HAS A LIMIT OF 900 INDIVIDUAL POSSIBLE VALID SHORT NAMES. THIS EFFECTIVELY LIMITS THE NUMBER OF COLUMNS IN A TABLE TO 900. THIS LIMIT HAS BEEN EXCEDEDED BY THIS CREATE TABLE STATEMENT. INDEX DEFINITIONS MAY ALSO BE ASSIGNED AN ADABAS SHORT NAMES SHORT NAME AND THESE ARE ALSO INCLUDED IN THE OVERALL TOTAL OF SHORT NAMES USED IN A CREATE TABLE STATEMENT.	Text:	CURSOR IS NOT ACCESSED WITHIN THIS COMPILATION UNIT
Text: ILLEGAL ADABAS SHORTNAME %S FOR CONSTRAINT, INDEX OR COLUMN %S Expl: THE SPECIFIED SHORTNAME WAS EITHER NOT A VALID ADABAS SHORT NAME, OR THE ELEMENT NUMBER WAS OUT OF RANGE OR A COMBINATION OF SHORTNAMES WITH AND WITHOUT ELEMENTS WAS SPECIFIED. THIS IS NOT PERMITTED. Actn: CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE. 4802 DUPLICATE ADABAS SHORTNAME %S SPECIFIED FOR TABLE %S Expl: DIFFERING COLUMN SPECIFICATIONS HAVE USED THE SAME ADABAS SHORT NAME. THIS IS NOT PERMITTED AS ALL ADABAS SHORT NAMES HAVE TO BE UNIQUE FOR THE ENTIRE TABLE SPECIFICATION. INDEX DEFINITIONS MAY ALSO BE ASSIGNED AN ADABAS SHORT NAME WHICH MUST NOT CONFLICT WITH THE SHORT NAMES OF OTHER COLUMNS OR INDEXES. Actn: CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE. 4803 ADABAS SHORTNAME LIMIT REACHED FOR TABLE %S Expl: ADABAS SHORTNAME LIMIT REACHED FOR TABLE %S Expl: ADABAS SHORTNAME LIMIT REACHED FOR TABLE %S Expl: ADABAS HAS A LIMIT OF 900 INDIVIDUAL POSSIBLE VALID SHORT NAMES. THIS EFFECTIVELY LIMITS THE NUMBER OF COLUMNS IN A TABLE TO 900. THIS LIMIT HAS BEEN EXCEEDED BY THIS CREATE TABLE STATEMENT, INDEX DEFINITIONS MAY ALSO BE ASSIGNED AN ADABAS SHORT NAMES SHORT NAME AND THESE ARE ALSO INCLUDED IN THE OVERALL TOTAL OF SHORT NAMES USED IN A CREATE TABLE STATEMENT.	Expl:	DOES NOT HAVE AN ASSOCIATED FETCH NOR POSITIONED UPDATE NOR POSITIONED DELETE STATEMENT WITHIN THE COMPILATION UNIT. IN ESQ COMPATIBILITY MODE SUCH STATEMENTS MAY RESIDE IN A DIFFERENT COMPILATION UNIT. ALTHOUGH
Text: ILLEGAL ADABAS SHORTNAME %S FOR CONSTRAINT, INDEX OR COLUMN %S Expl: THE SPECIFIED SHORTNAME WAS EITHER NOT A VALID ADABAS SHORT NAME, OR THE ELEMENT NUMBER WAS OUT OF RANGE OR A COMBINATION OF SHORTNAMES WITH AND WITHOUT ELEMENTS WAS SPECIFIED. THIS IS NOT PERMITTED. Actn: CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE. Text: DUPLICATE ADABAS SHORTNAME %S SPECIFIED FOR TABLE %S Expl: DIFFERING COLUMN SPECIFICATIONS HAVE USED THE SAME ADABAS SHORT NAME. THIS IS NOT PERMITTED AS ALL ADABAS SHORT NAMES HAVE TO BE UNIQUE FOR THE ENTIRE TABLE SPECIFICATION. INDEX DEFINITIONS MAY ALSO BE ASSIGNED AN ADABAS SHORT NAME WHICH MUST NOT CONFLICT WITH THE SHORT NAMES OF OTHER COLUMNS OR INDEXES. Actn: CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE. Text: ADABAS SHORTNAME LIMIT REACHED FOR TABLE %S Expl: ADABAS HAS A LIMIT OF 900 INDIVIDUAL POSSIBLE VALID SHORT NAMES. THIS EFFECTIVELY LIMITS THE NUMBER OF COLUMNS IN A TABLE TO 900. THIS LIMIT HAS BEEN EXCEEDED BY THIS CREATE TABLE STATEMENT. INDEX DEFINITIONS MAY ALSO BE ASSIGNED AN ADABAS SHORT NAME AND THESE ARE ALSO INCLUDED IN THE OVERALL TOTAL OF SHORT NAMES USED IN A CREATE TABLE STATEMENT.	Actn:	NO ACTION REQUIRED.
Expl: THE SPECIFIED SHORTNAME WAS EITHER NOT A VALID ADABAS SHORT NAME, OR THE ELEMENT NUMBER WAS OUT OF RANGE OR A COMBINATION OF SHORTNAMES WITH AND WITHOUT ELEMENTS WAS SPECIFIED. THIS IS NOT PERMITTED. Actn: CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE. 4802 DUPLICATE ADABAS SHORTNAME %S SPECIFIED FOR TABLE %S Expl: DIFFERING COLUMN SPECIFICATIONS HAVE USED THE SAME ADABAS SHORT NAME. THIS IS NOT PERMITTED AS ALL ADABAS SHORT NAMES HAVE TO BE UNIQUE FOR THE ENTIRE TABLE SPECIFICATION. INDEX DEFINITIONS MAY ALSO BE ASSIGNED AN ADABAS SHORT NAME WHICH MUST NOT CONFLICT WITH THE SHORT NAMES OF OTHER COLUMNS OR INDEXES. Actn: CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE. Text: ADABAS SHORTNAME LIMIT REACHED FOR TABLE %S Expl: ADABAS HAS A LIMIT OF 900 INDIVIDUAL POSSIBLE VALID SHORT NAMES. THIS EFFECTIVELY LIMITS THE NUMBER OF COLUMNS IN A TABLE TO 900. THIS LIMIT HAS BEEN EXCEEDED BY THIS CREATE TABLE STATEMENT. INDEX DEFINITIONS MAY ALSO BE ASSIGNED AN ADABAS SHORT NAMES USED IN A CREATE TABLE STATEMENT.	4801	ILLEGAL ADABAS SHORTNAME %S FOR CONSTRAINT, INDEX OR COLUMN %S
ELEMENT NUMBER WAS OUT OF RANGE OR A COMBINATION OF SHORTNAMES WITH AND WITHOUT ELEMENTS WAS SPECIFIED. THIS IS NOT PERMITTED. Actn: CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE. 4802 DUPLICATE ADABAS SHORTNAME %S SPECIFIED FOR TABLE %S Expl: DIFFERING COLUMN SPECIFICATIONS HAVE USED THE SAME ADABAS SHORT NAME. THIS IS NOT PERMITTED AS ALL ADABAS SHORT NAMES HAVE TO BE UNIQUE FOR THE ENTIRE TABLE SPECIFICATION. INDEX DEFINITIONS MAY ALSO BE ASSIGNED AN ADABAS SHORT NAME WHICH MUST NOT CONFLICT WITH THE SHORT NAMES OF OTHER COLUMNS OR INDEXES. Actn: CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE. 4803 ADABAS SHORTNAME LIMIT REACHED FOR TABLE %S Expl: ADABAS HAS A LIMIT OF 900 INDIVIDUAL POSSIBLE VALID SHORT NAMES. THIS EFFECTIVELY LIMITS THE NUMBER OF COLUMNS IN A TABLE TO 900. THIS LIMIT HAS BEEN EXCEEDED BY THIS CREATE TABLE STATEMENT. INDEX DEFINITIONS MAY ALSO BE ASSIGNED AN ADABAS SHORT NAME AND THESE ARE ALSO INCLUDED IN THE OVERALL TOTAL OF SHORT NAMES USED IN A CREATE TABLE STATEMENT.	Text:	ILLEGAL ADABAS SHORTNAME %S FOR CONSTRAINT, INDEX OR COLUMN %S
DUPLICATE ADABAS SHORTNAME %S SPECIFIED FOR TABLE %S Text: DUPLICATE ADABAS SHORTNAME %S SPECIFIED FOR TABLE %S Expl: DIFFERING COLUMN SPECIFICATIONS HAVE USED THE SAME ADABAS SHORT NAME. THIS IS NOT PERMITTED AS ALL ADABAS SHORT NAMES HAVE TO BE UNIQUE FOR THE ENTIRE TABLE SPECIFICATION. INDEX DEFINITIONS MAY ALSO BE ASSIGNED AN ADABAS SHORT NAME WHICH MUST NOT CONFLICT WITH THE SHORT NAMES OF OTHER COLUMNS OR INDEXES. Actn: CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE. 4803 ADABAS SHORTNAME LIMIT REACHED FOR TABLE %S Expl: ADABAS HAS A LIMIT OF 900 INDIVIDUAL POSSIBLE VALID SHORT NAMES. THIS EFFECTIVELY LIMITS THE NUMBER OF COLUMNS IN A TABLE TO 900. THIS LIMIT HAS BEEN EXCEEDED BY THIS CREATE TABLE STATEMENT. INDEX DEFINITIONS MAY ALSO BE ASSIGNED AN ADABAS SHORT NAME AND THESE ARE ALSO INCLUDED IN THE OVERALL TOTAL OF SHORT NAMES USED IN A CREATE TABLE STATEMENT.	Expl:	ELEMENT NUMBER WAS OUT OF RANGE OR A COMBINATION OF SHORTNAMES WITH AND
Text: DUPLICATE ADABAS SHORTNAME %S SPECIFIED FOR TABLE %S Expl: DIFFERING COLUMN SPECIFICATIONS HAVE USED THE SAME ADABAS SHORT NAME. THIS IS NOT PERMITTED AS ALL ADABAS SHORT NAMES HAVE TO BE UNIQUE FOR THE ENTIRE TABLE SPECIFICATION. INDEX DEFINITIONS MAY ALSO BE ASSIGNED AN ADABAS SHORT NAME WHICH MUST NOT CONFLICT WITH THE SHORT NAMES OF OTHER COLUMNS OR INDEXES. Actn: CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE. Text: ADABAS SHORTNAME LIMIT REACHED FOR TABLE %S Expl: ADABAS HAS A LIMIT OF 900 INDIVIDUAL POSSIBLE VALID SHORT NAMES. THIS EFFECTIVELY LIMITS THE NUMBER OF COLUMNS IN A TABLE TO 900. THIS LIMIT HAS BEEN EXCEEDED BY THIS CREATE TABLE STATEMENT. INDEX DEFINITIONS MAY ALSO BE ASSIGNED AN ADABAS SHORT NAME AND THESE ARE ALSO INCLUDED IN THE OVERALL TOTAL OF SHORT NAMES USED IN A CREATE TABLE STATEMENT.	Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.
Expl: DIFFERING COLUMN SPECIFICATIONS HAVE USED THE SAME ADABAS SHORT NAME. THIS IS NOT PERMITTED AS ALL ADABAS SHORT NAMES HAVE TO BE UNIQUE FOR THE ENTIRE TABLE SPECIFICATION. INDEX DEFINITIONS MAY ALSO BE ASSIGNED AN ADABAS SHORT NAME WHICH MUST NOT CONFLICT WITH THE SHORT NAMES OF OTHER COLUMNS OR INDEXES. Actn: CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE. 4803 ADABAS SHORTNAME LIMIT REACHED FOR TABLE %S Expl: ADABAS SHORTNAME LIMIT REACHED FOR TABLE %S Expl: ADABAS HAS A LIMIT OF 900 INDIVIDUAL POSSIBLE VALID SHORT NAMES. THIS EFFECTIVELY LIMITS THE NUMBER OF COLUMNS IN A TABLE TO 900. THIS LIMIT HAS BEEN EXCEEDED BY THIS CREATE TABLE STATEMENT. INDEX DEFINITIONS MAY ALSO BE ASSIGNED AN ADABAS SHORT NAME AND THESE ARE ALSO INCLUDED IN THE OVERALL TOTAL OF SHORT NAMES USED IN A CREATE TABLE STATEMENT.	4802	DUPLICATE ADABAS SHORTNAME %S SPECIFIED FOR TABLE %S
THIS IS NOT PERMITTED AS ALL ADABAS SHORT NAMES HAVE TO BE UNIQUE FOR THE ENTIRE TABLE SPECIFICATION. INDEX DEFINITIONS MAY ALSO BE ASSIGNED AN ADABAS SHORT NAME WHICH MUST NOT CONFLICT WITH THE SHORT NAMES OF OTHER COLUMNS OR INDEXES. Actn: CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE. 4803 ADABAS SHORTNAME LIMIT REACHED FOR TABLE %S Text: ADABAS SHORTNAME LIMIT REACHED FOR TABLE %S Expl: ADABAS HAS A LIMIT OF 900 INDIVIDUAL POSSIBLE VALID SHORT NAMES. THIS EFFECTIVELY LIMITS THE NUMBER OF COLUMNS IN A TABLE TO 900. THIS LIMIT HAS BEEN EXCEEDED BY THIS CREATE TABLE STATEMENT. INDEX DEFINITIONS MAY ALSO BE ASSIGNED AN ADABAS SHORT NAME AND THESE ARE ALSO INCLUDED IN THE OVERALL TOTAL OF SHORT NAMES USED IN A CREATE TABLE STATEMENT.	Text:	DUPLICATE ADABAS SHORTNAME %S SPECIFIED FOR TABLE %S
4803 ADABAS SHORTNAME LIMIT REACHED FOR TABLE %S Text: ADABAS SHORTNAME LIMIT REACHED FOR TABLE %S Expl: ADABAS HAS A LIMIT OF 900 INDIVIDUAL POSSIBLE VALID SHORT NAMES. THIS EFFECTIVELY LIMITS THE NUMBER OF COLUMNS IN A TABLE TO 900. THIS LIMIT HAS BEEN EXCEEDED BY THIS CREATE TABLE STATEMENT. INDEX DEFINITIONS MAY ALSO BE ASSIGNED AN ADABAS SHORT NAME AND THESE ARE ALSO INCLUDED IN THE OVERALL TOTAL OF SHORT NAMES USED IN A CREATE TABLE STATEMENT.	Expl:	THIS IS NOT PERMITTED AS ALL ADABAS SHORT NAMES HAVE TO BE UNIQUE FOR THE ENTIRE TABLE SPECIFICATION. INDEX DEFINITIONS MAY ALSO BE ASSIGNED AN ADABAS SHORT NAME WHICH MUST NOT CONFLICT WITH THE SHORT NAMES OF
Text: ADABAS SHORTNAME LIMIT REACHED FOR TABLE %S Expl: ADABAS HAS A LIMIT OF 900 INDIVIDUAL POSSIBLE VALID SHORT NAMES. THIS EFFECTIVELY LIMITS THE NUMBER OF COLUMNS IN A TABLE TO 900. THIS LIMIT HAS BEEN EXCEEDED BY THIS CREATE TABLE STATEMENT. INDEX DEFINITIONS MAY ALSO BE ASSIGNED AN ADABAS SHORT NAME AND THESE ARE ALSO INCLUDED IN THE OVERALL TOTAL OF SHORT NAMES USED IN A CREATE TABLE STATEMENT.	Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.
Text: ADABAS SHORTNAME LIMIT REACHED FOR TABLE %S Expl: ADABAS HAS A LIMIT OF 900 INDIVIDUAL POSSIBLE VALID SHORT NAMES. THIS EFFECTIVELY LIMITS THE NUMBER OF COLUMNS IN A TABLE TO 900. THIS LIMIT HAS BEEN EXCEEDED BY THIS CREATE TABLE STATEMENT. INDEX DEFINITIONS MAY ALSO BE ASSIGNED AN ADABAS SHORT NAME AND THESE ARE ALSO INCLUDED IN THE OVERALL TOTAL OF SHORT NAMES USED IN A CREATE TABLE STATEMENT.		
EFFECTIVELY LIMITS THE NUMBER OF COLUMNS IN A TABLE TO 900. THIS LIMIT HAS BEEN EXCEEDED BY THIS CREATE TABLE STATEMENT. INDEX DEFINITIONS MAY ALSO BE ASSIGNED AN ADABAS SHORT NAME AND THESE ARE ALSO INCLUDED IN THE OVERALL TOTAL OF SHORT NAMES USED IN A CREATE TABLE STATEMENT.	Text:	ADABAS SHORTNAME LIMIT REACHED FOR TABLE %S
Actn: CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.	Expl:	EFFECTIVELY LIMITS THE NUMBER OF COLUMNS IN A TABLE TO 900. THIS LIMIT HAS BEEN EXCEEDED BY THIS CREATE TABLE STATEMENT. INDEX DEFINITIONS MAY ALSO BE ASSIGNED AN ADABAS SHORT NAME AND THESE ARE ALSO INCLUDED IN
	Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.

4804 DUPLICATE COLUMN %S SPECIFIED IN TABLE %S Text: DUPLICATE COLUMN %S SPECIFIED IN TABLE %S EXPL: THE GIVEN COLUMN IDENTIFIER HAS BEEN USED FOR MORE THAN ONE COLUMN DEFINITION WITHIN THE CREATE TABLE STATEMENT OR THE CREATE VIEW STATEMENT. COLUMNS MUST BE UNIQUELY IDENTIFIED WITHIN A TABLE OR VIEW DEFINITION. IF A CREATE VIEW STATEMENT DOES NOT HAVE AN EXPLICIT VIEW COLUMN DEFINITION LIST, THEN THIS ERROR WILL ALSO OCCUR IF THE DERIVED COLUMN LABELS OF THE DERIVED COLUMN LIST OF THE UNDERLYING OUERY SPECIFICATION ARE NOT UNIOUE. THIS IS BECAUSE THE IMPLICIT VIEW COLUMN DEFINITION LIST DERIVES ITS IDENTIFIERS FROM THE VIEW COLUMN DEFINITION LIST AND HENCE THEY ARE THEREFORE NOT UNIQUE. Actn: CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE. VIEW COLUMN DEFINITION LIST COULD NOT BE GENERATED Text: VIEW COLUMN DEFINITION LIST COULD NOT BE GENERATED Expl: A CREATE VIEW STATEMENT HAS BEEN SPECIFIED WITHOUT AN EXPLICIT VIEW COLUMN DEFINITION LIST WHERE AN IMPLICIT LIST COULD NOT BE GENERATED FROM THE UNDERLYING OUERY SPECIFICATION. THIS IS BECAUSE CERTAIN COLUMNS IN THE DERIVED COLUMN LIST DO NOT HAVE DERIVED COLUMN LABELS WITH WHICH TO IDENTIFY THE VIEW'S EQUIVALENT COLUMN. IN SUCH A CASE THE DERIVED COLUMN MUST BE CHANGED SO IT DOES HAVE A DERIVED COLUMN LABEL OR AN EXPLICIT VIEW COLUMN DEFINITION LIST MUST BE SPECIFIED. Actn: CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE. 4806 COLUMN AND PROJECTION LIST SIZE MISMATCH FOR VIEW %S ______ Text: COLUMN AND PROJECTION LIST SIZE MISMATCH FOR VIEW %S Expl: AN EXPLICIT VIEW COLUMN DEFINITION LIST IN A CREATE VIEW STATEMENT DOES NOT CONTAIN THE SAME NUMBER OF ELEMENTS AS THE DERIVED COLUMN LIST OF THE UNDERLYING QUERY SPECIFICATION. THIS IS NOT PERMITTED. Actn: CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE. ______ 4807 SCALE %S LARGER THAN PRECISION %S FOR COLUMN %S Text: SCALE %S LARGER THAN PRECISION %S FOR COLUMN %S Expl: THE GIVEN SCALE IS LARGER THAN THE GIVEN PRECISION FOR A PARTICULAR COLUMN DEFINITION. THIS IS NOT PERMITTED. Actn: CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.

2

ADABAS SQL Server Messages and Codes Manual

4808	PRECISION %S FOR COLUMN %S OUT OF RANGE
Text:	PRECISION %S FOR COLUMN %S TOO LARGE
Expl:	THE GIVEN PRECISION WAS FOUND TO BE OUT OF RANGE.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.
4809	IDENTIFIER %S TOO LONG
Text:	IDENTIFIER TOO LONG
Expl:	THE GIVEN IDENTIFIER IS LARGER THAN ITS PERMITTED SIZE. REFER TO THE ESQ LANGUAGE REFERENCE MANUAL FOR A LIST OF THE PERMITTED SIZES OF PARTICULAR IDENTIFIERS.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.
4810	WITH CHECK OPTION CLAUSE NOT PERMITTED FOR READ ONLY VIEW %S
Text:	WITH CHECK OPTION CLAUSE NOT PERMITTED FOR READ ONLY VIEW %S
Expl:	A WITH CHECK OPTION CLAUSE HAS BEEN SPECIFIED IN A CREATE VIEW STATEMENT WHERE THE VIEW HAS BEEN DETERMINED TO BE READ ONLY. THE USE OF SUCH A CLAUSE IN SUCH A CASE IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.
4811	AUTHORIZATION AND TABLE IDENTIFIER COMBINATION %S %S TOO LONG
Text:	AUTHORIZATION AND TABLE IDENTIFIER COMBINATION TOO LONG
Expl:	ALTHOUGH INDIVIDUALLY THE AUTHORIZATION IDENTIFIER OR A TABLE IDENTIFIER MAY BE UP TO 18 CHARACTERS IN LENGTH WHEN COMBINED TO FORM A TABLE SPECIFICATION, IT MAY ONLY BE 36 CHARACTERS IN LENGTH INCLUDING THE SEPARATING PERIOD. THE ABOVE COMBINATION DOES NOT CONFORM TO THIS CRITERIA. IF NO EXPLICIT AUTHORIZATION IDENTIFIER HAS BEEN SPECIFIED, THEN THE DEFAULT IS COMBINED WITH THE TABLE IDENTIFIER. EVEN THIS COMBINATION MUST STILL CONFORM TO THE ABOVE CRITERIA.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.

4812	ILLEGAL COLUMN LEVEL FOR COLUMN %S IN TABLE %S
Text:	ILLEGAL COLUMN LEVEL FOR COLUMN %S IN TABLE %S
Expl:	THE SPECIFIED COLUMN WAS FOUND TO TO BE OF A LEVEL THAT IS INCOMPATIBLE WITH THAT OF THE TARGET TABLE. TYPICALLY THIS CAN BE CAUSED BY THE COLUMN BEING OF A HIGHER LEVEL THAN THE TABLE ITSELF.
Actn:	CORRECT THE SYNTAX AS SUGGESTED ABOVE AND RE - COMPILE
4813 	ANSI VIOLATION : UNIQUE AND NULL FOR SAME COLUMN %S NOT ALLOWED
Text:	ANSI VIOLATION : UNIQUE AND NULL FOR SAME COLUMN %S NOT ALLOWED
Expl:	A COLUMN WHICH HAS NOT BEEN DEFINED AS NOT NULL CANNOT BE DEFINED AS UNIQUE, WHEN IN ANSI COMPATIBILITY MODE.
Actn:	CHANGE THE SYNTAX AS SUGGESTED ABOVE OR ALTER THE COMPILATION OPTIONS AS REQUIRED IF PERMITTED.
4814 	DUPLICATE INDEX OR CONSTRAINT %S SPECIFIED FOR TABLE %S
Text:	DUPLICATE INDEX OR CONSTRAINT %S SPECIFIED FOR TABLE %S
Expl:	ONE OF THE FOLLOWING CONDITIONS CAUSES THE ERROR: AN ATTEMPT WAS MADE TO SPECIFY A PRIMARY KEY COLUMN CONSTRAINT ELEMENT WHILE ANOTHER PRIMARY KEY COLUMN OR/AND TABLE CONSTRAINT ELEMENT ALREADY EXISTS FOR THAT TABLE. AN ATTEMPT WAS MADE TO SPECIFY A PRIMARY KEY TABLE CONSTRAINT ELEMENT WHILE ANOTHER PRIMARY KEY COLUMN AND/OR TABLE CONSTRAINT ELEMENT ALREADY EXISTS FOR THAT TABLE. THE GIVEN INDEX IDENTIFIER WAS SPECIFIED TWICE WITHIN THE CURRENT SCHEMA. THE IDENTICAL SEQUENCE OF COLUMNS WAS SPECIFIED TWICE FOR A TABLE INDEX OR CONSTRAINT ELEMENT. THIS IS NOT PERMITTED EVEN IF THE INDEX OR CONSTRAINT IDENTIFIERS ARE DIFFERENT.
Actn:	CORRECT THE STATEMENT AND RE-COMPILE.
4815 	ANSI VIOLATION : THE COLUMN ID %S EXCEEDS THE PERMITTED 18 CHARS
Text:	ANSI VIOLATION : THE COLUMN ID %S EXCEEDS THE PERMITTED 18 CHARS
Expl:	THE SPECIFIED COLUMN IDENTIFIER HAS BEEN DEFINED WITH MORE THAN 18 CHARACTERS. THIS IS NOT PERMITTED UNDER ANSI COMPATIBILITY MODE.
Actn:	CORRECT THE SYNTAX AS SUGGESTED ABOVE OR ALTER THE COMPILATION OPTIONS AS REQUIRED IF PERMITTED.

4816	ILLEGAL LONG CHARACTER DEFINITION FOR COLUMN %S OF TABLE %S
Text:	ILLEGAL LONG CHARACTER DEFINITION FOR COLUMN %S OF TABLE %S
Expl:	THE SPECIFIED COLUMN COULD NOT BE DEFINED AS A LONG CHARACTER COLUMN AS IT IS ALREADY DEFINED AS A LEVEL TWO COLUMN. LONG CHARACTER COLUMNS ARE SIMULATED BY USING ADABAS MU FIELDS. LEVEL TWO COLUMNS ARE MU ADABAS FIELDS WITHIN A PE. HENCE IT IS IMPOSSIBLE TO DEFINE A LEVEL TWO COLUMN AS A LONG CHARACTER.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
4817	ILLEGAL FILE OR DATABASE NUMBER %S FOR TABLE OR TABLESPACE %S
Text:	ILLEGAL FILE OR DATABASE NUMBER %S FOR TABLE OR TABLESPACE %S
Expl:	THE SPECIFIED FILE NUMBER OR DATABASE NUMBER EXCEEDED THE PERMITTED MAXIMUM OF 255.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
4818	DATA TYPE SPECIFICATION OMITTED FOR COLUMN %S OF TABLE %S
Text:	DATA TYPE SPECIFICATION OMITTED FOR COLUMN %S OF TABLE %S
Expl:	THE DATA TYPE SPECIFICATION FOR THE GIVEN COLUMN WITHIN A CREATE TABLE STATEMENT OR WITHIN A CREATE CLUSTER STATEMENT WAS OMITTED. THIS IS ONLY PERMITTED WITHIN A CREATE TABLE DESCRIPTION OR WITHIN A CREATE CLUSTER DESCRIPTION STATEMENT, AS IN BOTH CASES THE CORRECT DATA TYPE CAN BE DETERMINED FROM THE ADABAS FDT DIRECTLY.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE
4819	PRECISION MISMATCH FOR COLUMN %S IN TABLE %S
Text:	PRECISION MISMATCH FOR COLUMN %S IN TABLE %S
Expl:	THE SPECIFIED PRECISION FOR THE GIVEN COLUMN IN A CREATE TABLE DESCRIPTION STATEMENT OR A CREATE CLUSTER DESCRIPTION STATEMENT DOES NOT MATCH THE REAL PRECISION AS DETERMINED FROM THE ADABAS FDT. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.

4820	ILLEGAL ATTRIBUTE %S FOR COLUMN %S IN STATEMENT %S
Text:	ILLEGAL ATTRIBUTE %S FOR COLUMN %S IN STATEMENT %S
Expl:	THE SPECIFIED ATTRIBUTE FOR THE GIVEN COLUMN WAS DETERMINED TO BE ILLEGAL WITHIN THE CURRENT STATEMENT CONTEXT. PLEASE REFER TO THE THE ADABAS SQL SERVER REFERENCE MANUAL FOR MORE DETAILS.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
4821	ILLEGAL ATTRIBUTE %S GIVEN FOR SEQNO COLUMN %S
Text:	ILLEGAL ATTRIBUTE %S GIVEN FOR SEQNO COLUMN %S
Expl:	A SEQNO COLUMN WAS SPECIFIED AND WAS GIVEN AN ILLEGAL ATTRIBUTE. ONLY THE ATTRIBUTES NOT NULL, INDEX, UNIQUE AND PRIMARY KEY ARE PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
4822	ILLEGAL ATTRIBUTE COMBINATION %S : %S FOR COLUMN %S
Text:	ILLEGAL ATTRIBUTE COMBINATION %S : %S FOR COLUMN %S
-	THE SPECIFIED COMBINATION OF ATTRIBUTES FOR THE GIVEN COLUMN WAS DETERMINED TO BE ILLEGAL WITHIN THE CURRENT STATEMENT CONTEXT. PLEASE REFER TO THE ADABAS SQL SERVER REFERENCE MANUAL FOR MORE DETAILS.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
4823	DUPLICATE ATTRIBUTE %S SPECIFIED FOR COLUMN %S
Text:	DUPLICATE ATTRIBUTE %S SPECIFIED FOR COLUMN %S
Expl:	THE GIVEN ATTRIBUTE WAS SPECIFIED MORE THAN ONCE FOR THE GIVEN COLUMN. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
4824	SEQNO LEVEL %S FOR COLUMN %S OF TABLE %S GREATER THAN TABLE LEVEL
Text:	SEQNO LEVEL %S FOR COLUMN %S OF TABLE %S GREATER THAN TABLE LEVEL
Expl:	A COLUMN OF TYPE SEQNO WAS SPECIFIED WITH AN EXPLICIT LEVEL WHICH IS GREATER THAN THE TABLE LEVEL FOR WHICH THE COLUMN IS A PART. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.

4825	DUPLICATE SEQNO %S SPECIFIED FOR COLUMN %S OF TABLE %S
Text:	DUPLICATE SEQNO %S SPECIFIED FOR COLUMN %S OF TABLE %S
Expl:	A SEQNO WAS SPECIFIED MORE THAN ONCE FOR A COLUMN DEFINITION. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
4826	ILLEGAL SEQNO LEVEL %S FOR COLUMN %S OF TABLE %S
Text:	ILLEGAL SEQNO LEVEL %S FOR COLUMN %S OF TABLE %S
Expl:	AN ILLEGAL SEQNO LEVEL WAS SPECIFIED. THE LEVEL MUST BE EITHER 0, 1 OR 2.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
4827	LONG CHARACTER COLUMN %S OF TABLE %S NOT DEFINED AS NOT NULL
Text:	LONG CHARACTER COLUMN %S OF TABLE %S NOT DEFINED AS NOT NULL
Expl:	A COLUMN DEFINED AS A LONG CHARACTER COLUMN (I.E GREATER THAN 253 CHARACTERS) HAS NOT BEEN ASSIGNED THE NOT NULL ATTRIBUTE. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE
4828	COLUMN %S MAPPED TO NON EXISTENT SHORTNAME %S IN TABLE %S
Text:	COLUMN %S MAPPED TO NON EXISTENT SHORTNAME %S IN TABLE %S
Expl:	A COLUMN DEFINITION, IN EITHER A CREATE TABLE DESCRIPTION STATEMENT OR A CREATE CLUSTER STATEMENT, HAS BEEN MAPPED TO A SHORTNAME WHICH COULD NOT BE FOUND IN THE UNDERLYING ADABAS FDT. IT IS NOT PERMITTED TO MAP COLUMN DEFINITIONS TO NON EXISTENT ADABAS FIELDS.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.

4829	ATTRIBUTE MISMATCH FOR COLUMN DEFINITION %S IN TABLE %S
Text:	ATTRIBUTE MISMATCH FOR COLUMN DEFINITION %S IN TABLE %S
Expl:	A COLUMN DEFINITION, IN EITHER A CREATE TABLE DESCRIPTION STATEMENT OR A CREATE CLUSTER DESCRIPTION STATEMENT, WAS ASSIGNED ATTRIBUTES WHICH CONFLICT WITH THE ATTRIBUTES ASSIGNED TO THE UNDERLYING ASSOCIATED ADABAS FIELD. A CREATE DESCRIPTION STATEMENT MUST NOT CONFLICT WITH THE ADABAS FILE WHICH IT IS TRYING TO DESCRIBE.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE
4830 	ILLEGAL NOT NULL SUPPRESSION ATTRIBUTE FOR COLUMN %S IN TABLE %S
Text:	ILLEGAL NOT NULL SUPPRESSION ATTRIBUTE FOR COLUMN %S IN TABLE %S
Expl:	A COLUMN DEFINITION HAS BEEN ASSIGNED THE ATTRIBUTE NOT NULL SUPPRESSION WHERE THE PHYSICAL NATURE OF THE COLUMN WILL NOT SUPPORT THIS ATTRIBUTE THIS IS NOT PERMITTED. THE ATTRIBUTE NOT NULL SUPPRESSION IS ONLY PERMITTED ON ADABAS MU FIELDS, I.E FIELDS WITH THE ADABAS ATTRIBUTES "NU,MU".
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
4831	ILLEGAL NULL SUPPRESSION ATTRIBUTE FOR COLUMN %S IN TABLE %S
Text:	ILLEGAL NULL SUPPRESSION ATTRIBUTE FOR COLUMN %S IN TABLE %S
Expl:	A COLUMN DEFINITION HAS BEEN ASSIGNED THE ATTRIBUTE NULL SUPPRESSION WHERE THE PHYSICAL NATURE OF THE COLUMN WILL NOT SUPPORT THIS ATTRIBUTE THIS IS NOT PERMITTED. THE ATTRIBUTE NULL SUPPRESSION IS NOT PERMITTED ON ADABAS MU FIELDS, I.E FIELDS WITH THE ADABAS ATTRIBUTE "NU"
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE
4832	ILLEGAL NOT NULL DEFAULT ADABAS ATTRIBUTE FOR COLUMN %S IN %S
Text:	ILLEGAL NOT NULL DEFAULT ADABAS ATTRIBUTE FOR COLUMN %S IN %S
Expl:	A COLUMN DEFINITION HAS BEEN ASSIGNED THE ATTRIBUTE NOT NULL DEFAULT ADABAS WHERE THE PHYSICAL NATURE OF THE COLUMN WILL NOT SUPPORT THIS ATTRIBUTE. THIS IS NOT PERMITTED. THE ATTRIBUTE NOT NULL DEFAULT ADABAS IS ONLY PERMITTED ON ADABAS FIELDS WITH NO ATTRIBUTES.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
	4829 - 4832

4833	ILLEGAL FIXED ATTRIBUTE FOR COLUMN %S IN TABLE %S
Text:	ILLEGAL FIXED ATTRIBUTE FOR COLUMN %S IN TABLE %S
Expl:	A COLUMN DEFINITION HAS BEEN ASSIGNED THE ATTRIBUTE FIXED WHERE THE PHYSICAL NATURE OF THE COLUMN WILL NOT SUPPORT THIS ATTRIBUTE. THIS IS NOT PERMITTED. THE ATTRIBUTE FIXED IS ONLY PERMITTED ON ADABAS FIELDS WITH THE ADABAS ATTRIBUTE "FI".
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE
4834	ILLEGAL INDEX ATTRIBUTE FOR COLUMN %S IN TABLE %S
Text:	ILLEGAL INDEX ATTRIBUTE FOR COLUMN %S IN TABLE %S
Expl:	A COLUMN DEFINITION HAS BEEN ASSIGNED THE ATTRIBUTE INDEX WHERE THE PHYSICAL NATURE OF THE COLUMN WILL NOT SUPPORT THIS ATTRIBUTE. THIS IS NOT PERMITTED. THE ATTRIBUTE INDEX IS ONLY PERMITTED ON ADABAS FIELDS WITH THE ADABAS ATTRIBUTE "DE". IT IS NOT PERMITTED ON ADABAS FIELDS WITH THE ADABAS ATTRIBUTE "UQ".
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
	ILLEGAL UQINDEX ATTRIBUTE FOR COLUMN %S IN TABLE %S
Text:	ILLEGAL UQINDEX ATTRIBUTE FOR COLUMN %S IN TABLE %S
Expl:	A COLUMN DEFINITION HAS BEEN ASSIGNED THE ATTRIBUTE UQINDEX WHERE THE PHYSICAL NATURE OF THE COLUMN WILL NOT SUPPORT THIS ATTRIBUTE. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
4836	ILLEGAL UNIQUE ATTRIBUTE FOR COLUMN %S IN TABLE %S
Text:	ILLEGAL UNIQUE ATTRIBUTE FOR COLUMN %S IN TABLE %S
Expl:	A COLUMN DEFINITION HAS BEEN ASSIGNED A UNIQUE TYPE ATTRIBUTE WHERE THE PHYSICAL NATURE OF THE COLUMN WILL NOT SUPPORT THIS ATTRIBUTE. THIS IS NOT PERMITTED. THE ATTRIBUTES UNIQUE, PRIMARY KEY, UNIQUE INDEX AND INDEX UNIQUENESS ARE ONLY PERMITTED FOR ADABAS FIELDS WITH THE ADABAS ATTRIBUTES OF "DE, UQ". OTHER CONDITIONS MAY ALSO APPLY.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.

4837	UNRECOGNIZED ADABAS DATA TYPE FOUND FOR COLUMN %S IN TABLE %S
Text:	UNRECOGNIZED ADABAS DATA TYPE FOUND FOR COLUMN %S IN TABLE %S
Expl:	A COLUMN DEFINITION, IN EITHER A CREATE TABLE DESCRIPTION STATEMENT OR A CREATE CLUSTER DESCRIPTION STATEMENT, REFERRED TO ADABAS FIELD FOR WHICH THE DATA TYPE IS NOT RECOGNIZED. THIS IS PROBABLY DUE TO RUNNING SLIGHT INCOMPATIBLE VERSIONS OF ADABAS AND THE ADABAS SQL SERVER.
Actn:	CONTACT YOUR SOFTWARE AG REPRESENTATIVE.
4838	DATA TYPE MAPPING MISMATCH FOR COLUMN %S IN TABLE %S
Text:	DATA TYPE MAPPING MISMATCH FOR COLUMN %S IN TABLE %S
Expl:	THE DATA TYPE SPECIFIED WITHIN A COLUMN DEFINITION, IN EITHER A CREATE TABLE DESCRIPTION STATEMENT OR A CREATE CLUSTER DESCRIPTION STATEMENT, DOES NOT MATCH THE DATA TYPE OF THE MAPPED ADABAS FIELD. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
4839	ADABAS FIELD MISMATCH BETWEEN COLUMN %S AND INDEX %
Text:	ADABAS FIELD MISMATCH BETWEEN COLUMN %S AND INDEX %
Expl:	A COLUMN HAS BEEN SPECIFIED IN AN INDEX DEFINITION WITHIN EITHER A CREATE TABLE DESCRIPTION STATEMENT OR A CREATE CLUSTER DESCRIPTION STATEMENT, WHERE THE COLUMN'S MAPPED ADABAS FIELD NAME CANNOT BE FOUND IN THE LIST OF ADABAS FIELD NAMES FOR THE INDEX. FOR EXAMPLE IF THE COLUMN IS MAPPED TO SAY FIELD NAME "AA" AND THE INDEX, WHICH IS DEFINED AS CONTAINING THE COLUMN IS MAPPED TO A DESCRIPTOR "ZZ", THEN THIS ERROR OCCURS IF IN FACT "ZZ" DOES NOT CONTAIN "AA".
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
4840	COLUMN %S OF INDEX %S SUBFIELD MISMATCH WITH DESCRIPTOR %S
Text:	COLUMN %S OF INDEX %S SUBFIELD MISMATCH WITH DESCRIPTOR %S
Expl:	A COLUMN HAS BEEN SPECIFIED IN AN INDEX DEFINITION, WHERE A SUBFIELD RANGE WAS GIVEN, WITHIN EITHER A CREATE TABLE DESCRIPTION OR A CREATE CLUSTER DESCRIPTION STATEMENT. IT WAS SUBSEQUENTLY DETERMINED THAT THE RANGE DID NOT CORRESPOND TO THE RANGE FOUND IN THE UNDERLYING ADABAS FDT FOR THE DESCRIPTOR. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.

4841	DUPLICATE COLUMN %S SPECIFIED IN INDEX OR CONSTRAINT %S
Text:	DUPLICATE COLUMN %S SPECIFIED IN INDEX OR CONSTRAINT %S
Expl:	A COLUMN WAS SPECIFIED MORE THAN ONCE IN AN INDEX OR CONSTRAINT DEFINITION. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
4842	INCOMPATIBLE DATA TYPE FOR PHONETIC INDEX COLUMN %S IN TABLE %S
Text:	INCOMPATIBLE DATA TYPE FOR PHONETIC INDEX COLUMN %S IN TABLE %S
Expl:	AN ATTEMPT HAS BEEN MADE TO ASSIGN A PHONETIC INDEX ATTRIBUTE TO A COLUMN, WHOSE DATA TYPE IS NOT OF CHARACTER. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
4843	UNKNOWN COLUMN %S SPECIFIED WITHIN CONSTRAINT OR INDEX %S
Text:	UNKNOWN COLUMN %S SPECIFIED WITHIN CONSTRAINT OR INDEX %S
Expl:	A COLUMN WAS SPECIFIED WITHIN A CONSTRAINT OR INDEX DEFINITION FOR WHICH THERE IS NO CORRESPONDING COLUMN DEFINITION IN THE CONTAINING TABLE DESCRIPTION. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
4844	COLUMN COUNT MISMATCH FOR FOREIGN/PRIMARY KEY %S FOR TABLE %S
Text:	COLUMN COUNT MISMATCH FOR FOREIGN/PRIMARY KEY %S FOR TABLE %S
Expl:	THE NUMBER OF COLUMNS SPECIFIED IN A FOREIGN KEY DEFINITION DOES NOT MATCH THE NUMBER OF COLUMNS SPECIFIED IN THE CORRESPONDING REFERENCES CONSTRAINT. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.

4845	ATTRIBUTES OR DATA TYPE MISMATCH FOR ASSOCIATED COLUMNS %S AND %S
Text:	ATTRIBUTES OR DATA TYPE MISMATCH FOR ASSOCIATED COLUMNS %S AND %S
Expl:	THE DATA TYPE OR ATTRIBUTES OF THE FIRST COLUMN DO NOT MATCH THOSE OF THE SECOND COLUMN. THE COLUMNS ARE ASSOCIATED EITHER BY WAY OF A REFERENTIAL INTEGRITY RELATIONSHIP OR BY WAY OF A TABLE CLUSTER RELATIONSHIP.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
4846	COLUMN %S DOES NOT MATCH COLUMN %S FOR REFERENTIAL CONSTRAINT %S
Text:	COLUMN %S DOES NOT MATCH COLUMN %S FOR REFERENTIAL CONSTRAINT %S
Expl:	WHEN COLUMNS ARE ASSOCIATED VIA A REFERENTIAL CONSTRAINT, THEY MUST BOTH POSSESS THE SAME DATA TYPE AND THE SAME ATTRIBUTES. THEY MUST NOT HOWEVER REFERENCE THE SAME ADABAS FIELD WHEN IN A CREATE CLUSTER DESCRIPTION STATEMENT. THIS IS NOT SO IN THIS CASE.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
4847	REFERENCED COLUMN %S NOT IN TABLE %S FOR CONSTRAINT %S
Text:	REFERENCED COLUMN %S NOT IN TABLE %S FOR CONSTRAINT %S
Expl:	A COLUMN HAS BEEN SPECIFIED IN A REFERENCES CLAUSE WHERE THE COLUMN DOES NOT ACTUALLY EXIST IN THE REFERENCED TABLE. THIS IS NOT PERMITTED
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
4848	DERIVED COLUMN GIVEN IN COMPLEX COLUMN IN INTERNAL TABLE %S
Text:	DERIVED COLUMN GIVEN IN COMPLEX COLUMN IN INTERNAL TABLE %S
Expl:	A DERIVED ADABAS COLUMN (I.E A COLUMN MADE UP OF SUBFIELDS) WAS SPECIFIED AS AN ELEMENT OF EITHER AN MU OR A PE OR A GROUP. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.

4849	ILLEGAL ADABAS SHORTNAME %S GIVEN FOR INTERNAL TABLE %S
Text:	ILLEGAL ADABAS SHORTNAME %S GIVEN FOR INTERNAL TABLE %S
Expl:	A CREATE INTERNAL TABLE STATEMENT INCLUDING AN ADABAS COLUMN DEFINITION WHICH CONTAINED AN ILLEGAL SHORTNAME SPECIFICATION. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
4850	ILLEGAL ATTEMPT TO CREATE INDEX %S FOR VIEW %S
Text:	ILLEGAL ATTEMPT TO CREATE INDEX %S FOR VIEW %S
Expl:	AN ATTEMPT WAS MADE TO CREATE AN INDEX FOR A VIEW. AN INDEX CAN ONLY BE CREATED FOR A TABLE.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
4851	SCHEMA NAME %S MISMATCH BETWEEN CONSTRAINT %S AND TABLE %S
Text:	SCHEMA NAME %S MISMATCH BETWEEN CONSTRAINT %S AND TABLE %S
Expl:	AN ATTEMPT WAS MADE TO CREATE A CONSTRAINT, WHERE THE CONSTRAINT SCHEMA NAME DID NOT MATCH THAT OF THE ASSOCIATED TABLE. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
4852	ESQ EXTENSION : KEYWORD %S SPECIFIED FOR TABLE %S
Text:	ESQ EXTENSION : KEYWORD %S SPECIFIED FOR TABLE %S
Expl:	THE COLUMN DEFINITION ATTRIBUTES SUPPRESSION OR FIXED ARE ONLY SUPPORTED IN ESQ COMPATIBILITY MODE.
Actn:	CHANGE THE STATEMENT AS SUGGESTED ABOVE OR ALTER THE COMPILATION OPTIONS
	AS REQUIRED IF PERMITTED.

ESQ EXTENSION : KEYWORD 'SHORTNAME' SPECIFIED
ESQ EXTENSION : KEYWORD 'SHORTNAME' SPECIFIED
AN ADABAS SHORT NAME SPECIFICATION IN A COLUMN DEFINITION IS ONLY SUPPORTED IN ESQ COMPATIBILITY MODE.
CORRECT THE STATEMENT AS SUGGESTED ABOVE OR ALTER THE COMPILATION OPTION AS REQUIRED IF PERMITTED.
ANSI VIOLATION : DROP STATEMENT SPECIFIED FOR TABLE %S
ANSI VIOLATION : DROP STATEMENT SPECIFIED FOR TABLE %S
THE DROP STATEMENT IS NOT PART OF THE ANSI STANDARD.
REMOVE THE STATEMENT OR ALTER THE COMPILATION OPTIONS AS REQUIRED IF PERMITTED.
ESQ EXTENSION : KEYWORD PRIVILEGES OMITTED
ESQ EXTENSION : KEYWORD PRIVILEGES OMITTED
THE KEYWORD PRIVILEGES HAS BEEN OMITTED FROM EITHER A GRANT OR A REVOKE STATEMENT. THE INCLUSION OF THIS KEYWORD IS A REQUIREMENT OF THE ANSI STANDARD.
NO ACTION REQUIRED
ANSI VIOLATION : RESTRICT OR CASCADE NOT GIVEN FOR TABLE %S
ANSI VIOLATION : RESTRICT OR CASCADE NOT GIVEN FOR TABLE %S
ONE OF THE KEYWORDS RESTRICT OR CASCADE WERE NOT SPECIFIED IN EITHER A DROP OR REVOKE STATEMENT. THIS IS A VIOLATION OF THE ANSI STANDARD.
CORRECT THE SYNTAX AS SUGGESTED ABOVE OR ALTER THE COMPILATION OPTIONS AS REQUIRED IF PERMITTED.
AS REQUIRED IF PERMITTED.
AS REQUIRED IF PERMITTED.

4860	INDEX OR CONSTRAINT %S LEVEL MISMATCH FOR TABLE %S
Text:	INDEX OR CONSTRAINT %S LEVEL MISMATCH FOR TABLE %S
Expl:	THE INDEX OR CONSTRAINT IS ILLEGALLY DEFINED BECAUSE THE TABLE LEVEL IS GREATER THAN ZERO. TO CREATE SUCH AN INDEX OR CONSTRAINT, A COLUMN OF TYPE SEQNO ON THE APPROPRIATE LEVEL MUST BE USED TO DEFINE A UNIQUE/PRIMARY KEY OR UNIQUE INDEX.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
4861	ANSI VIOLATION : KEYWORD TABLE SPECIFIED IN REVOKE STATEMENT
Text:	ANSI VIOLATION : KEYWORD TABLE SPECIFIED IN REVOKE STATEMENT
Expl:	THE KEYWORD TABLE WAS SPECIFIED IN A REVOKE STATEMENT. THIS IS AN ANSI VIOLATION.
Actn:	CORRECT THE SYNTAX AS SUGGESTED ABOVE OR ALTER THE COMPILATION OPTIONS AS REQUIRED IF PERMITTED.
4862	ATTRIBUTE MISMATCH FOR VIRTUAL INDEX %S IN TABLE %S EXPECTED %S
Text:	ATTRIBUTE MISMATCH FOR VIRTUAL INDEX %S IN TABLE %S EXPECTED %S
Expl:	A VIRTUAL INDEX (HYPERDESCRIPTOR) WAS DEFINED IN EITHER A CREATE TABLE DESCRIPTION STATEMENT OR A CREATE CLUSTER DESCRIPTION STATEMENT WHERE THE SPECIFIED ATTRIBUTE DID NOT MATCH THAT FOUND IN THE UNDERLYING FDT. IN PARTICULAR EITHER: THE VIRTUAL INDEX WAS SPECIFIED AS MULTIPLE BUT NOT THE FDT. THE VIRTUAL INDEX WAS NOT SPECIFIED AS MULTIPLE BUT THE FDT WAS. THE VIRTUAL INDEX WAS SPECIFIED AS UNIQUE OR UNIQUENESS BUT NOT THE FDT. THE VIRTUAL INDEX WAS NOT SPECIFIED AS UNIQUE OR UNIQUENESS BUT THT FDT WAS.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
4863	VIRTUAL INDEX %S EXIT NUMBER %S MISMATCH FOR TABLE %S
Text:	VIRTUAL INDEX %S EXIT NUMBER %S MISMATCH FOR TABLE %S
Expl:	AN EXIT NUMBER WAS DEFINED FOR A VIRTUAL INDEX (HYPERDESCRIPTOR), WHERE THE EXIT NUMBER DID NOT MATCH THAT FOUND IN THE UNDERLYING ADABAS FDT. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.

4864	VIRTUAL INDEX %S OF TABLE %S NOT FOUND IN UNDERLYING FDT
Text:	VIRTUAL INDEX %S OF TABLE %S NOT FOUND IN UNDERLYING FDT
Expl:	A VIRTUAL INDEX WAS SPECIFIED WITHIN A CREATE TABLE DESCRIPTION STATEMENT OR A CREATE CLUSTER DESCRIPTION STATEMENT, WHERE THE VIRTUAL INDEX COULD NOT BE FOUND IN THE UNDERLYING ADABAS FDT. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
4865	CONSTRAINT OR INDEX %S IN TABLE %S NOT FOUND IN UNDERLYING FDT
Text:	CONSTRAINT OR INDEX %S IN TABLE %S NOT FOUND IN UNDERLYING FDT
Expl:	A CONSTRAINT OR INDEX WAS SPECIFIED IN A CREATE TABLE DESCRIPTION STATEMENT WHICH WAS FOUND NOT TO EXIST IN THE UNDERLYING FDT. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
4866	INDEX %S OF TABLE %S WITH ATTRIBUTE %S UNDERLYING FDT MISMATCH
Text:	INDEX %S OF TABLE %S WITH ATTRIBUTE %S UNDERLYING FDT MISMATCH
Expl:	AN INDEX WAS SPECIFIED WITHIN A CREATE TABLE DESCRIPTION STATEMENT OR A CREATE CLUSTER DESCRIPTION STATEMENT FOR WHICH THE ASSOCIATED ATTRIBUTE DID NOT MATCH THAT OF THE INDEX IN THE UNDERLYING ADABAS FDT. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
4867	CONSTRAINT OR INDEX %S TYPE MISMATCH FOR TABLE %S
Text:	CONSTRAINT OR INDEX %S TYPE MISMATCH FOR TABLE %S
Expl:	A CONSTRAINT OR INDEX OF A PARTICULAR TYPE WAS SPECIFIED WITHIN A CREATE TABLE DESCRIPTION STATEMENT OR A CREATE CLUSTER DESCRIPTION STATEMENT FOR WHICH THE TYPE OF THE MAPPED CONSTRAINT OR INDEX IN THE UNDERLYING ADABAS FDT WAS FOUND TO BE DIFFERENT. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
	4864 - 4867

4868	MISSING CONSTRAINT, INDEX OR SHORTNAME IN %S FOR %S
Text:	MISSING CONSTRAINT, INDEX OR SHORTNAME IN %S FOR %S
Expl:	EITHER A CONSTRAINT NAME, AN INDEX NAME OR A SHORTNAME WAS FOUND TO BE MISSING IN EITHER A CREATE TABLE DESCRIPTION STATEMENT, A CREATE INTERNAL TABLE STATEMENT OR A CREATE CLUSTER DESCRIPTION STATEMENT.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
 4869 	ILLEGAL %S CLAUSE FOR CONSTRAINT OR INDEX %S IN %S STATEMENT
Text:	ILLEGAL %S CLAUSE FOR CONSTRAINT OR INDEX %S IN %S STATEMENT
Expl:	THE SPECIFIED CONSTRAIN OR INDEX CONTAINS AN ILLEGAL CLAUSE WITHIN THE GIVEN STATEMENT. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
4870	ELEMENT COUNT MISMATCH FOR CONSTRAINT OR INDEX %S IN TABLE %S
Text:	ELEMENT COUNT MISMATCH FOR CONSTRAINT OR INDEX %S IN TABLE %S
Expl:	THE NUMBER OF ELEMENTS SPECIFIED WITHIN A CONSTRAINT OR INDEX DEFINITIVE WITHIN EITHER A CREATE TABLE DESCRIPTION STATEMENT OR A CREATE CLUSTER DESCRIPTION STATEMENT WAS FOUND TO BE DIFFERENT TO THAT IN THE UNDERLYING ADABAS FDT. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
4871	ILLEGAL EXIT NUMBER FOR VIRTUAL INDEX %S IN TABLE %S
Text:	ILLEGAL EXIT NUMBER FOR VIRTUAL INDEX %S IN TABLE %S
Expl:	AN EXIT NUMBER WAS SPECIFIED IN A VIRTUAL INDEX (HYPERDESCRIPTOR) DEFINITION WHICH WAS OUT OF RANGE. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
 4872 	TOO MANY ELEMENTS IN INDEX OR CONSTRAINT FOR TABLE %S
Text:	TOO MANY ELEMENTS IN INDEX OR CONSTRAINT FOR TABLE %S
Expl:	THE MAXIMUM NUMBER OF ELEMENTS WITHIN THE DEFINITION OF AN INDEX OR A CONSTRAINT HAS BEEN EXCEEDED. THIS MAXIMUM IS 20 ELEMENTS.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
	4969 4972

4873	MISMATCH BETWEEN TYPES %S %S FOR CONSTRAINTS OR INDICES %S
Text:	MISMATCH BETWEEN TYPES %S %S FOR CONSTRAINTS OR INDICES %S
Expl:	EITHER TWO CONSTRAINTS OR TWO INDICES OF DIFFERENT INCOMPATIBLE TYPES WERE SPECIFIED BUT BASED ON THE SAME COLUMNS. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
4874	NON IDENTICAL FOREIGN KEY TABLE % IN CONSTRAINT %S OF TABLE %S
Text:	NON IDENTICAL FOREIGN KEY TABLE % IN CONSTRAINT %S OF TABLE %S
Expl:	A CREATE CLUSTER OR A CREATE CLUSTER DESCRIPTION STATEMENT, WHICH DOES NOT HAVE THE CLUSTER BY CLAUSE SPECIFIED, HAS MORE THAN ONE FOREIGN KEY DEFINITION WHERE NOT ALL TABLES IN ALL THE FOREIGN KEY DEFINITIONS ARE THE SAME. IN SUCH A STATEMENT ALL TABLES REFERENCED IN ANY FOREIGN KEY DEFINITION MUST REFERENCE THE SAME TABLE.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
4875	TABLE %S IN REFERENTIAL CONSTRAINT %S NOT PART OF CLUSTER %S
Text:	TABLE %S IN REFERENTIAL CONSTRAINT %S NOT PART OF CLUSTER %S
Expl:	A REFERENTIAL CONSTRAINT, SPECIFIED WITHIN A CREATE CLUSTER STATEMENT OR A CREATE CLUSTER DESCRIPTION STATEMENT, REFERENCES A TABLE WHICH WAS FOUND NOT TO BE A PART OF THE CLUSTER. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
4876	THE %S COLUMN LEVEL DEFINED AS GREATER THAN TABLE LEVEL
Text:	THE %S COLUMN LEVEL DEFINED AS GREATER THAN TABLE LEVEL
Expl:	THE LEVEL OF THE SPECIFIED COLUMN HAS BEEN DEFINED SO THAT IT IS GREATER THAN THE LEVEL DEFINED FOR THE TABLE, TO WHICH THE COLUMN BELONGS. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.

4877 	NO LEVEL 0 COLUMNS SPECIFIED FOR LEVEL 1 OR 2 TABLE %S
Text:	NO LEVEL 0 COLUMNS SPECIFIED FOR LEVEL 1 OR 2 TABLE %S
Expl:	A TABLE DEFINED AS EITHER LEVEL 1 OR LEVEL 2 IN EITHER A CREATE TABLE DESCRIPTION STATEMENT OR A CREATE CLUSTER DESCRIPTION STATEMENT, WAS FOUND TO NOT CONTAIN ANY LEVEL 0 COLUMNS. HENCE THE TABLE WAS FOUND TO CONTAIN ONLY COLUMNS WHICH WERE MAPPED TO EITHER AN MU OR A PE ELEMENT. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
 4878 	ILLEGAL ATTRIBUTES FOR INDEX OR CONSTRAINT %S IN TABLE %S
Text:	ILLEGAL ATTRIBUTES FOR INDEX OR CONSTRAINT %S IN TABLE %S
Expl:	THE ATTRIBUTES NOT NULL AND NULL MAY NOT BE COMBINED WITH THE ATTRIBUTE SUPPRESSION NULL AND SUPPRESSION NOT NULL IN AN INDEX OR CONSTRAINT DEFINITION INVOLVING MORE THAN ONE COLUMN.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
 4879 	CLUSTER BY CLAUSE SPECIFIES UNKNOWN CONSTRAINT IN CLUSTER %S
Text:	CLUSTER BY CLAUSE SPECIFIES UNKNOWN CONSTRAINT IN CLUSTER %S
Expl:	THE DEFINITION OF A CONSTRAINT, SPECIFIED IN A CLUSTER BY CLAUSE IN EITHER A CREATE CLUSTER STATEMENT OR A CREATE CLUSTER DESCRIPTION STATEMENT, COULD NOT BE FOUND WITHIN A TABLE DEFINITION WITHIN THE CLUSTER. ONLY CONSTRAINTS DEFINED WITHIN THE CLUSTER MAY BE SPECIFIED IN A CLUSTER BY CLAUSE.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE
4880	DUPLICATE TABLE %S SPECIFIED IN CLUSTER %S
Text:	DUPLICATE TABLE %S SPECIFIED IN CLUSTER %S
Expl:	A TABLE HAS BEEN SPECIFIED MORE THAN ONCE WITHIN A CREATE CLUSTER STATEMENT OR A CREATE CLUSTER DESCRIPTION STATEMENT. THIS IS NOT PERMITTED. FURTHERMORE, TABLES MUST UNIQUE WITHIN A SCHEMA.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
	4877 - 4880

4881	IN CLUSTER %S, MAXIMUM BLOCK SIZE FOR SUBTABLE %S EXCEEDED
	THE GLASSED AS ANALYSING PLOSE STEEL FOR SUPERIOR AS EVERTIPED
Text: Expl:	IN CLUSTER %S, MAXIMUM BLOCK SIZE FOR SUBTABLE %S EXCEEDED THE DEFINITION OF THE BLOCK SIZE FOR A SUBTABLE WITHIN EITHER A CREATE CLUSTER STATEMENT OR A CREATE CLUSTER DESCRIPTION STATEMENT WAS FOUND
	TO EXCEED THE MAXIMUM ALLOWED. THIS MAXIMUM IS EQUAL TO THE TOTAL NUMBER OF MU FIELDS PLUS THE TOTAL NUMBER OF PE ELEMENTS CONTAINED WITHIN THE UNDERLYING ADABAS FDT.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
4882	DROP %S FAILED AS INTERNAL TABLES NOT FOUND FOR %S
Text:	DROP %S FAILED AS INTERNAL TABLES NOT FOUND FOR %S
Expl:	THE DROP STATEMENT FAILED BECAUSE THE UNDERLYING ADABAS OBJECTS COULD NOT BE FOUND. THIS IS AN INDICATION THAT THE CATALOGUE IS IN AN INCONSISTENT STATE.
Actn:	CONTACT YOUR SYSTEM ADMINISTRATOR
4883	DROP %S REJECTED AS %S CURRENTLY IN USE
Text:	DROP %S REJECTED AS %S CURRENTLY IN USE
Expl:	THE DROP STATEMENT WAS REJECTED AS EITHER THE OBJECT TO BE DROPPED IS CURRENTLY IN USE OR OBJECTS RELIANT ON THE OBJECT TO BE DROPPED ARE IN USE. ENSURE THAT THIS OBJECT AND ASSOCIATED RELIANT OBJECTS REALLY IS TO BE DROPPED. IF SO ENSURE THAT ALL OTHER USERS DO NOT USE THE OBJECT(S).
Actn:	CONTACT YOUR SYSTEM ADMINISTRATOR
4884	DROP %S REJECTED AS OBJECT REFERENCED BY OTHER OBJECTS
Text:	DROP %S REJECTED AS OBJECT REFERENCED BY OTHER OBJECTS
Text: Expl:	DROP %S REJECTED AS OBJECT REFERENCED BY OTHER OBJECTS THE DROP STATEMENT WAS REJECTED BECAUSE OTHER OBJECTS, EITHER DIRECTLY OR INDIRECTLY, REFERENCE THE OBJECT TO BE DROPPED. FOR EXAMPLE IF THE OBJECT TO BE DROPPED IS A TABLE AND THIS TABLE IS IN TURN SPECIFIED IN ONE OR MORE VIEW DEFINITIONS, THEN THE DROP STATEMENT WILL BE REJECTED. THE SPECIFICATION OF THE CASCADE OPTION IN THE DROP STATEMENT WILL CAUSE SUCH CHAINS OF OBJECTS TO BE DROPPED AS WELL.
	THE DROP STATEMENT WAS REJECTED BECAUSE OTHER OBJECTS, EITHER DIRECTLY OR INDIRECTLY, REFERENCE THE OBJECT TO BE DROPPED. FOR EXAMPLE IF THE OBJECT TO BE DROPPED IS A TABLE AND THIS TABLE IS IN TURN SPECIFIED IN ONE OR MORE VIEW DEFINITIONS, THEN THE DROP STATEMENT WILL BE REJECTED. THE SPECIFICATION OF THE CASCADE OPTION IN THE DROP STATEMENT WILL CAUSE SUCH CHAINS OF OBJECTS TO BE DROPPED AS WELL.
Expl:	THE DROP STATEMENT WAS REJECTED BECAUSE OTHER OBJECTS, EITHER DIRECTLY OR INDIRECTLY, REFERENCE THE OBJECT TO BE DROPPED. FOR EXAMPLE IF THE OBJECT TO BE DROPPED IS A TABLE AND THIS TABLE IS IN TURN SPECIFIED IN ONE OR MORE VIEW DEFINITIONS, THEN THE DROP STATEMENT WILL BE REJECTED. THE SPECIFICATION OF THE CASCADE OPTION IN THE DROP STATEMENT WILL CAUSE SUCH CHAINS OF OBJECTS TO BE DROPPED AS WELL.

4885	DROP %S FAILED AS OBJECT TYPE NOT COMPATIBLE WITH STATEMENT
Text:	DROP %S FAILED AS OBJECT TYPE NOT COMPATIBLE WITH STATEMENT
Expl:	THE DROP STATEMENT FAILED AS THE OBJECT WAS NOT OF THE TYPE INDICATED BY THE STATEMENT. FOR EXAMPLE AN INTERNAL TABLE WAS SPECIFIED AS THE OBJECT OF A DROP VIEW STATEMENT. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
4886	CASCADE OPTION NOT PERMITTED IN DROP SCHEMA STATEMENT
Text:	CASCADE OPTION NOT PERMITTED IN DROP SCHEMA STATEMENT
Expl:	THE CASCADE OPTION WAS SPECIFIED IN A DROP SCHEMA STATEMENT. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
4887	DROP REJECTED FOR SCHEMA %S AS SCHEMA NOT EMPTY
Text:	DROP REJECTED FOR SCHEMA %S AS SCHEMA NOT EMPTY
Expl:	AN ATTEMPT WAS MADE TO DROP A SCHEMA WHERE THE SCHEMA STILL HAD OBJECTS ASSOCIATED WITH IT. THIS IS NOT PERMITTED.
Actn:	DROP ALL OBJECTS ASSOCIATED WITH THE SCHEMA BEFORE ATTEMPTING TO DROP THE SCHEMA ITSELF.
4888	ATTRIBUTES SPECIFIED FOR PE DEFINITION IN INTERNAL TABLE %S
Text:	ATTRIBUTES SPECIFIED FOR PE DEFINITION IN INTERNAL TABLE %S
Expl:	A PE WAS DEFINED IN A CREATE INTERNAL TABLE STATEMENT, WHERE ATTRIBUTES WERE SPECIFIED, FOR EXAMPLE NOT NULL. ALTHOUGH PE ELEMENTS MAY BE SPECIFIED WITH ATTRIBUTES, THE PE ITSELF MAY NOT.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
4889	MAXIMUM NESTING LEVEL EXCEEDED FOR GROUP %S IN INTERNAL TABLE %S
Text:	MAXIMUM NESTING LEVEL EXCEEDED FOR GROUP %S IN INTERNAL TABLE %S
Expl:	THE SPECIFIED NESTING LEVEL IN THE GROUP DEFINITION, WITHIN A CREATE INTERNAL TABLE STATEMENT WAS EXCEEDED. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.

STATEMENT WHICH WAS OTHER THAN A CREATE INTERNAL TABLE STATEMENT. THE IS NOT PERMITTED. Actn: CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE. 4892 KEYWORD 'DESCRIPTION' ERRONEOUSLY PRESENT OR MISSING FOR %S Text: KEYWORD 'DESCRIPTION' ERRONEOUSLY PRESENT OR MISSING FOR A CREATE TABLE DESCRIPTION CLAUSE WITHIN A CREATE CLUSTER DESCRIPTION STATEMENT OR WAS FOUND TO BE PRESENT IN A CREATE TABLE CLAUSE WITHIN A CREATE CLUSTER STATEMENT. EITHER CASE IS NOT PERMITTED. Actn: CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE. 4893 ATTEMPT TO CREATE DUPLICATE SCHEMA %S Text: ATTEMPT TO CREATE DUPLICATE SCHEMA %S	4890 	ILLEGAL ATTEMPT TO NEST PERIODIC GROUP %S IN INTERNAL TABLE %S
WHERE IT WAS NESTED WITHIN ANOTHER PERIODIC GROUP. THIS IS NOT PERMITTED. Actn: CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE. 4891 ILLEGAL PE OR GROUP %S SPECIFIED FOR TABLE %S Text: ILLEGAL PE OR GROUP %S SPECIFIED FOR TABLE %S Expl: AN ATTEMPT WAS MADE TO SPECIFY EITHER A PE OR A GROUP WITHIN A CREATE STATEMENT WHICH WAS OTHER THAN A CREATE INTERNAL TABLE STATEMENT. THIS IS NOT PERMITTED. Actn: CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE. 4892 KEYWORD 'DESCRIPTION' ERRONEOUSLY PRESENT OR MISSING FOR %S Expl: THE KEYWORD 'DESCRIPTION' WAS FOUND TO BE EITHER MISSING FOR A CREATE TABLE DESCRIPTION CLAUSE WITHIN A CREATE CLUSTER DESCRIPTION STATEMEN OR WAS FOUND TO BE PRESENT IN A CREATE TABLE CLAUSE WITHIN A CREATE CLUSTER STATEMENT. EITHER CASE IS NOT PERMITTED. Actn: CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE. 4893 ATTEMPT TO CREATE DUPLICATE SCHEMA %S Expl: A SCHEMA NAME WAS SPECIFIED WITHIN A CREATE SCHEMA STATEMENT FOR WHICA SCHEMA NAMES MUST BE UNIQUE WITHIN A CATALOGUE.	Text:	ILLEGAL ATTEMPT TO NEST PERIODIC GROUP %S IN INTERNAL TABLE %S
Text: ILLEGAL PE OR GROUP %S SPECIFIED FOR TABLE %S Expl: AN ATTEMPT WAS MADE TO SPECIFY EITHER A PE OR A GROUP WITHIN A CREATE STATEMENT WHICH WAS OTHER THAN A CREATE INTERNAL TABLE STATEMENT. THIS IS NOT PERMITTED. Actn: CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE. 4892 KEYWORD 'DESCRIPTION' ERRONEOUSLY PRESENT OR MISSING FOR %S Expl: THE KEYWORD 'DESCRIPTION' WAS FOUND TO BE EITHER MISSING FOR A CREATE TABLE DESCRIPTION CLAUSE WITHIN A CREATE CLUSTER DESCRIPTION STATEMEN OR WAS FOUND TO BE PRESENT IN A CREATE TABLE CLAUSE WITHIN A CREATE CLUSTER STATEMENT. EITHER CASE IS NOT PERMITTED. Actn: CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE. 4893 ATTEMPT TO CREATE DUPLICATE SCHEMA %S Expl: A SCHEMA NAME WAS SPECIFIED WITHIN A CREATE SCHEMA STATEMENT FOR WHICH A SCHEMA NAME WAS SPECIFIED WITHIN A CREATE SCHEMA STATEMENT FOR WHICH A SCHEMA ALREADY EXISTS WITHIN THE CATALOGUE. THIS IS NOT PERMITTED.	Expl:	WHERE IT WAS NESTED WITHIN ANOTHER PERIODIC GROUP. THIS IS NOT
Text: ILLEGAL PE OR GROUP %S SPECIFIED FOR TABLE %S Expl: AN ATTEMPT WAS MADE TO SPECIFY EITHER A PE OR A GROUP WITHIN A CREATE STATEMENT WHICH WAS OTHER THAN A CREATE INTERNAL TABLE STATEMENT. THIS NOT PERMITTED. Actn: CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE. 4892 KEYWORD 'DESCRIPTION' ERRONEOUSLY PRESENT OR MISSING FOR %S Text: KEYWORD 'DESCRIPTION' ERRONEOUSLY PRESENT OR MISSING FOR A CREATE TABLE DESCRIPTION CLAUSE WITHIN A CREATE CLUSTER DESCRIPTION STATEMEN OR WAS FOUND TO BE PRESENT IN A CREATE TABLE CLAUSE WITHIN A CREATE CLUSTER STATEMENT. EITHER CASE IS NOT PERMITTED. Actn: CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE. 4893 ATTEMPT TO CREATE DUPLICATE SCHEMA %S Text: ATTEMPT TO CREATE DUPLICATE SCHEMA %S Expl: A SCHEMA NAME WAS SPECIFIED WITHIN A CREATE SCHEMA STATEMENT FOR WHICH A SCHEMA ALREADY EXISTS WITHIN THE CATALOGUE. THIS IS NOT PERMITTED. SCHEMA NAMES MUST BE UNIQUE WITHIN A CATALOGUE.	Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
Expl: AN ATTEMPT WAS MADE TO SPECIFY EITHER A PE OR A GROUP WITHIN A CREATE STATEMENT WHICH WAS OTHER THAN A CREATE INTERNAL TABLE STATEMENT. THE IS NOT PERMITTED. Actn: CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE. **EXPL: KEYWORD 'DESCRIPTION' ERRONEOUSLY PRESENT OR MISSING FOR %S Expl: THE KEYWORD 'DESCRIPTION' WAS FOUND TO BE EITHER MISSING FOR A CREATE TABLE DESCRIPTION CLAUSE WITHIN A CREATE CLUSTER DESCRIPTION STATEMEN OR WAS FOUND TO BE PRESENT IN A CREATE TABLE CLAUSE WITHIN A CREATE CLUSTER STATEMENT. EITHER CASE IS NOT PERMITTED. Actn: CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE. **Text: ATTEMPT TO CREATE DUPLICATE SCHEMA %S Expl: A SCHEMA NAME WAS SPECIFIED WITHIN A CREATE SCHEMA STATEMENT FOR WHICH A SCHEMA ALREADY EXISTS WITHIN THE CATALOGUE. THIS IS NOT PERMITTED. SCHEMA NAMES MUST BE UNIQUE WITHIN A CATALOGUE.	4891 	ILLEGAL PE OR GROUP %S SPECIFIED FOR TABLE %S
STATEMENT WHICH WAS OTHER THAN A CREATE INTERNAL TABLE STATEMENT. THE IS NOT PERMITTED. Actn: CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE. 4892 KEYWORD 'DESCRIPTION' ERRONEOUSLY PRESENT OR MISSING FOR %S Text: KEYWORD 'DESCRIPTION' ERRONEOUSLY PRESENT OR MISSING FOR A CREATE TABLE DESCRIPTION CLAUSE WITHIN A CREATE CLUSTER DESCRIPTION STATEMEN OR WAS FOUND TO BE PRESENT IN A CREATE TABLE CLAUSE WITHIN A CREATE CLUSTER STATEMENT. EITHER CASE IS NOT PERMITTED. Actn: CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE. 4893 ATTEMPT TO CREATE DUPLICATE SCHEMA %S Text: ATTEMPT TO CREATE DUPLICATE SCHEMA %S Expl: A SCHEMA NAME WAS SPECIFIED WITHIN A CREATE SCHEMA STATEMENT FOR WHICH A SCHEMA ALREADY EXISTS WITHIN THE CATALOGUE. THIS IS NOT PERMITTED. SCHEMA NAMES MUST BE UNIQUE WITHIN A CATALOGUE.	Text:	ILLEGAL PE OR GROUP %S SPECIFIED FOR TABLE %S
4892 KEYWORD 'DESCRIPTION' ERRONEOUSLY PRESENT OR MISSING FOR %S Text: KEYWORD 'DESCRIPTION' ERRONEOUSLY PRESENT OR MISSING FOR %S Expl: THE KEYWORD 'DESCRIPTION' WAS FOUND TO BE EITHER MISSING FOR A CREATE TABLE DESCRIPTION CLAUSE WITHIN A CREATE CLUSTER DESCRIPTION STATEMEN OR WAS FOUND TO BE PRESENT IN A CREATE TABLE CLAUSE WITHIN A CREATE CLUSTER STATEMENT. EITHER CASE IS NOT PERMITTED. Actn: CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE. 4893 ATTEMPT TO CREATE DUPLICATE SCHEMA %S Expl: A SCHEMA NAME WAS SPECIFIED WITHIN A CREATE SCHEMA STATEMENT FOR WHICH A SCHEMA ALREADY EXISTS WITHIN THE CATALOGUE. THIS IS NOT PERMITTED. SCHEMA NAMES MUST BE UNIQUE WITHIN A CATALOGUE.	Expl:	AN ATTEMPT WAS MADE TO SPECIFY EITHER A PE OR A GROUP WITHIN A CREATE STATEMENT WHICH WAS OTHER THAN A CREATE INTERNAL TABLE STATEMENT. THIS IS NOT PERMITTED.
Text: KEYWORD 'DESCRIPTION' ERRONEOUSLY PRESENT OR MISSING FOR %S Expl: THE KEYWORD 'DESCRIPTION' WAS FOUND TO BE EITHER MISSING FOR A CREATE TABLE DESCRIPTION CLAUSE WITHIN A CREATE CLUSTER DESCRIPTION STATEMEN OR WAS FOUND TO BE PRESENT IN A CREATE TABLE CLAUSE WITHIN A CREATE CLUSTER STATEMENT. EITHER CASE IS NOT PERMITTED. Actn: CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE. 4893 ATTEMPT TO CREATE DUPLICATE SCHEMA %S Text: ATTEMPT TO CREATE DUPLICATE SCHEMA %S Expl: A SCHEMA NAME WAS SPECIFIED WITHIN A CREATE SCHEMA STATEMENT FOR WHICH A SCHEMA ALREADY EXISTS WITHIN THE CATALOGUE. THIS IS NOT PERMITTED. SCHEMA NAMES MUST BE UNIQUE WITHIN A CATALOGUE.	Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
Expl: THE KEYWORD 'DESCRIPTION' WAS FOUND TO BE EITHER MISSING FOR A CREATE TABLE DESCRIPTION CLAUSE WITHIN A CREATE CLUSTER DESCRIPTION STATEMEN OR WAS FOUND TO BE PRESENT IN A CREATE TABLE CLAUSE WITHIN A CREATE CLUSTER STATEMENT. EITHER CASE IS NOT PERMITTED. Actn: CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE. 4893 ATTEMPT TO CREATE DUPLICATE SCHEMA %S Expl: A SCHEMA NAME WAS SPECIFIED WITHIN A CREATE SCHEMA STATEMENT FOR WHICH A SCHEMA ALREADY EXISTS WITHIN THE CATALOGUE. THIS IS NOT PERMITTED. SCHEMA NAMES MUST BE UNIQUE WITHIN A CATALOGUE.		
TABLE DESCRIPTION CLAUSE WITHIN A CREATE CLUSTER DESCRIPTION STATEMEN OR WAS FOUND TO BE PRESENT IN A CREATE TABLE CLAUSE WITHIN A CREATE CLUSTER STATEMENT. EITHER CASE IS NOT PERMITTED. Actn: CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE. 4893 ATTEMPT TO CREATE DUPLICATE SCHEMA %S Text: ATTEMPT TO CREATE DUPLICATE SCHEMA %S Expl: A SCHEMA NAME WAS SPECIFIED WITHIN A CREATE SCHEMA STATEMENT FOR WHICH A SCHEMA ALREADY EXISTS WITHIN THE CATALOGUE. THIS IS NOT PERMITTED. SCHEMA NAMES MUST BE UNIQUE WITHIN A CATALOGUE.	Text:	KEYWORD 'DESCRIPTION' ERRONEOUSLY PRESENT OR MISSING FOR %S
4893 ATTEMPT TO CREATE DUPLICATE SCHEMA %S Text: ATTEMPT TO CREATE DUPLICATE SCHEMA %S Expl: A SCHEMA NAME WAS SPECIFIED WITHIN A CREATE SCHEMA STATEMENT FOR WHICH A SCHEMA ALREADY EXISTS WITHIN THE CATALOGUE. THIS IS NOT PERMITTED. SCHEMA NAMES MUST BE UNIQUE WITHIN A CATALOGUE.	Expl:	
Text: ATTEMPT TO CREATE DUPLICATE SCHEMA %S Expl: A SCHEMA NAME WAS SPECIFIED WITHIN A CREATE SCHEMA STATEMENT FOR WHICA SCHEMA ALREADY EXISTS WITHIN THE CATALOGUE. THIS IS NOT PERMITTED. SCHEMA NAMES MUST BE UNIQUE WITHIN A CATALOGUE.	Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
Expl: A SCHEMA NAME WAS SPECIFIED WITHIN A CREATE SCHEMA STATEMENT FOR WHICH A SCHEMA ALREADY EXISTS WITHIN THE CATALOGUE. THIS IS NOT PERMITTED. SCHEMA NAMES MUST BE UNIQUE WITHIN A CATALOGUE.	4893	ATTEMPT TO CREATE DUPLICATE SCHEMA %S
A SCHEMA ALREADY EXISTS WITHIN THE CATALOGUE. THIS IS NOT PERMITTED. SCHEMA NAMES MUST BE UNIQUE WITHIN A CATALOGUE.	Text:	ATTEMPT TO CREATE DUPLICATE SCHEMA %S
Actn: CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.	Expl:	
	Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.

4894	ILLEGAL SCHEMA NAME QUALIFIER %S IN CREATE SCHEMA STATEMENT
Text:	
Expl:	AN ATTEMPT WAS MADE TO QUALIFY THE SCHEMA NAME IN A CREATE SCHEMA STATEMENT, PROBABLY WITH THE NAME OF A CATALOGUE. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
4895	ATTRIBUTE OR CLAUSE %S CURRENTLY NOT SUPPORTED
Text:	ATTRIBUTE OR CLAUSE %S CURRENTLY NOT SUPPORTED
Expl:	THE SPECIFIED ATTRIBUTE OR CLAUSE IS CURRENTLY NOT SUPPORTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
4896	FATAL INTERNAL ERROR OCURRED WITH RESPONSES %S %S
Text:	FATAL INTERNAL ERROR OCURRED WITH RESPONSES %S %S
Expl:	A FATAL INTERNAL ERROR HAS OCURRED
Actn:	CONTACT YOUR SOFTWARE AG REPRESENTATIVE.
	CONSTRAINT OR INDEX %S OF TABLE %S NOT IN PARENT TABLE %S
Text:	CONSTRAINT OR INDEX %S OF TABLE %S NOT IN REFERENCE TABLE %S
Expl:	AN ATTEMPT HAS BEEN MADE TO CREATE A SUB TABLE OR CREATE A SUB TABLE DESCRIPTION WHERE THE FOREIGN KEY DOES NOT MATCH EITHER A UNIQUE CONSTRAINT OR A PRIMARY KEY DEFINITION. THIS CAN BE CAUSED BY SPECIFYING COLUMNS IN THE FOREIGN KEY DEFINITION WHICH ARE NOT CONTAINED WITHIN THE REFERENCING TABLE. ALTERNATIVELY THIS CAN ALSO BE CAUSED BY NOT SPECIFYING THE CORRECT IDENTICAL NUMBER OF COLUMNS IN THE FOREIGN KEY DEFINITION OR INDEED SPECIFYING A DIFFERENT ORDER OF THE COLUMNS IN THE FOREIGN KEY DEFINITION.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.
4899	FATAL INTERNAL DDL OR DCL ERROR WITH INTERNAL RESPONSE %S
Text:	FATAL INTERNAL DDL OR DCL ERROR WITH INTERNAL RESPONSE %S
Expl:	A FATAL INTERNAL ERROR HAS OCURRED.
Actn:	CONTACT YOUR SOFTWARE AG REPRESENTATIVE.

4900	SCHEMA %S NOT FOUND
Text:	SCHEMA %S NOT FOUND
Expl:	AN IMPLICIT OR EXPLICIT REFERENCE TO A SCHEMA HAS BEEN MADE FOR WHICH THERE IS NO RECORD OF THE SCHEMA IN THE CATALOG. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.
4901	TABLE TYPE MISMATCH FOR TABLE %S
Text:	TABLE TYPE MISMATCH FOR TABLE %S
Expl:	AN ATTEMPT WAS MADE TO PERFORM AN OPERATION ON A TABLE TYPE WHICH IS NOT DESIGNED FOR SUCH AN OPERATION. ONE OF THE FOLLOWING CASES APPLIES: - CREATE INDEX OR ALTER TABLE ADD INDEX/CONSTRAINT ON A VIEW. - ALTER TABLE SET BLOCK SIZE ON A NON-CLUSTER TABLE. - DROP INDEX OR ALTER TABLE DROP INDEX ON A VIEW. - ALTER TABLE ALTER DEFAULT ON A VIEW.
Actn:	CHOOSE A VALID OPERATION FOR THE TABLE TYPE, CORRECT AND RE-COMPILE THE STATEMENT.
4902	COLUMN %S TYPE MISMATCH FOR TABLE %S
Text:	COLUMN %S TYPE MISMATCH FOR TABLE %S
Expl:	AN ATTEMPT WAS MADE TO PERFORM AN ALTER TABLE ALTER COLUMN LENGTH STATEMENT ON A NON-CHARACTER COLUMN.
Actn:	NO ACTION REQUIRED.
4903	TABLE %S ALREADY PRESENT IN SCHEMA %S
Text:	TABLE %S ALREADY PRESENT IN SCHEMA %S
Expl:	AN ATTEMPT HAS BEEN MADE TO CREATE A TABLE OR A TABLE DESCRIPTION WHERE THE TABLE IDENTIFIER IS ALREADY PRESENT WITHIN THE SPECIFIED SCHEMA. TABLE IDENTIFIERS MUST BE UNIQUE WITHIN A PARTICULAR SCHEMA.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.
	4900 - 4903

4904	INTERNAL TABLE OR ADABAS FILE NUMBER %S ALREADY EXISTS
Text:	INTERNAL TABLE OR ADABAS FILE NUMBER %S ALREADY EXISTS
Expl:	AN ATTEMPT HAS BEEN MADE TO CREATE, EITHER IMPLICITLY OR EXPLICITLY, AN ADABAS FILE WHERE EITHER THE ADABAS FILE NUMBER WAS FOUND TO ALREADY BE OCCUPIED OR THE INTERNAL TABLE NAME WAS FOUND TO ALREADY EXIST. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.
4905	COLUMN, INDEX OR CONSTRAINT %S OF TABLE %S NOT FOUND
Text:	COLUMN, INDEX OR CONSTRAINT %S OF TABLE %S NOT FOUND
Expl:	A COLUMN, INDEX OR CONSTRAINT WAS SPECIFIED WITHIN THE STATEMENT, WHERE THE COLUMN, INDEX OR CONSTRAINT COULD NOT BE FOUND. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
4906	COLUMN, INDEX OR CONSTRAINT %S OF TABLE %S ALREADY EXISTS
Text:	COLUMN, INDEX OR CONSTRAINT %S OF TABLE %S ALREADY EXISTS
Expl:	A COLUMN, INDEX OR A CONSTRAINT WAS SPECIFIED WITHIN AN ALTER TABLE STATEMENT OR A CREATE INDEX STATEMENT WHERE THE COLUMN, INDEX OR CONSTRAINT WHICH WAS TO BE CREATED WAS FOUND TO EXIST ALREADY. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
4907	NO FREE ADABAS FILE FOUND WITHIN SPECIFIED FILE RANGE FOR %S
Text:	NO FREE ADABAS FILE FOUND WITHIN SPECIFIED FILE RANGE FOR %S
Expl:	DURING THE EXECUTION OF A CREATE TABLE OR CREATE CLUSTER STATEMENT, NO FREE ADABAS FILE COULD BE FOUND. THIS IS EITHER BECAUSE THE DATABASE IS INDEED FULLY OCCUPIED OR THAT WITHIN THE FREE FILE SEARCH RANGE AS SPECIFIED IN THE PARAMETER PROCESSING FILE, NO FREE FILES REMAIN.
Actn:	EITHER DROP AN UNUSED TABLE/CLUSTER, OR MODIFY THE ADABAS FREE FILE SEARCH RANGE. IF THERE ARE UNLOADED FILES IN THE RANGE (MAINFRAME ONLY) CREATE AN EXPLICIT TABLESPACE WITH THIS FILE NUMBER AND RE-SUBMIT.

4908	DATABASE %S NOT FOUND
Text:	DATABASE %S NOT FOUND
Expl:	A DATABASE WAS SPECIFIED WITHIN A CREATE TABLESPACE STATEMENT OR A CREATE DEFAULT TABLESPACE OR A CREATE TABLE DESCRIPTION STATEMENT OR A CREATE CLUSTER DESCRIPTION STATEMENT, WHICH COULD NOT BE FOUND. THIS IS NOT PERMITTED.
	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
	DATABASE %S ALREADY EXISTS
Text:	DATABASE %S ALREADY EXISTS
Expl:	A DATABASE WAS SPECIFIED WITHIN A CREATE DATABASE STATEMENT WHICH WAS DETERMINED TO ALREADY EXIST WITHIN THE CATALOG. DATABASE IDENTIFIERS MUST BE UNIQUE WITHIN THE CATALOG. ALTERNATIVELY THE DATABASE NUMBER MAY HAVE ALREADY BEEN ASSIGNED TO A DATABASE IDENTIFIER. DATABASE NUMBERS AND DATABASE IDENTIFIERS MUST BE UNIQUE WITHIN THE CATALOG.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
4910	TABLESPACE %S ALREADY EXISTS
Text:	TABLESPACE %S ALREADY EXISTS
Expl:	AN ATTEMPT WAS MADE TO CREATE A TABLESPACE WHICH WAS FOUND TO ALREADY EXIST. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.
	DEFAULT VALUE TYPE MISMATCH FOR COLUMN %S IN TABLE %S
Text:	DEFAULT VALUE TYPE MISMATCH FOR COLUMN %S IN TABLE %S
	A DEFAULT VALUE WAS SPECIFIED FOR A COLUMN, THE TYPE OF WHICH DOES
Expl:	NOT MATCH THAT OF THE TYPE OF THE COLUMN. THIS IS NOT PERMITTED.

4912	DEFAULT VALUE LENGTH MISMATCH FOR COLUMN %S IN TABLE %S
Text:	DEFAULT VALUE LENGTH MISMATCH FOR COLUMN %S IN TABLE %S
Expl:	A DEFAULT VALUE WAS SPECIFIED FOR A COLUMN, THE LENGTH OF WHICH WAS DETERMINED TO BE LONGER THAN THE MAXIMUM AVAILABLE LENGTH OF THE COLUMN. THIS MAY ALSO BE CAUSED IF THE DEFAULT VALUE IS OF AN INAPPROPRIATE TYPE. IN PARTICULAR, COLUMNS OF TYPE DECIMAL REQUIRE APPROPRIATE DEFAULT VALUE SPECIFICATIONS: DEFAULT VALUES WHICH ARE OF TYPE INTEGER WILL BE REJECTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
4914	DROP NOT PERMITTED FOR NOT NULL CONSTRAINT %S OF TABLE %S
Text:	DROP NOT PERMITTED FOR NOT NULL CONSTRAINT %S OF TABLE %S
Expl:	AN ATTEMPT WAS MADE TO DROP A NOT NULL CONSTRAINT, EITHER BY A DROP INDEX STATEMENT OR AN ALTER TABLE STATEMENT. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
4915	ILLEGAL UNIQUE CONSTRAINT DELETION %S OF TABLE %S
Text:	ILLEGAL UNIQUE CONSTRAINT DELETION %S OF TABLE %S
Expl:	AN ATTEMPT WAS MADE TO REMOVE A UNIQUE CONSTRAINT BY EITHER A DROP INDEX STATEMENT OR AN ALTER TABLE STATEMENT, BUT WITHOUT ACTUALLY DROPPING THE UNDERLYING INDEX. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
4916	ILLEGAL CONSTRAINT DELETION %S OF TABLE %S IN CLUSTER
Text:	ILLEGAL CONSTRAINT DELETION %S OF TABLE %S IN CLUSTER
Expl:	AN ATTEMPT WAS MADE TO DELETE A CONSTRAINT BY A DROP INDEX STATEMENT OR AN ALTER TABLE STATEMENT, WHERE THE CONSTRAINT IS AN INTEGRAL PART OF THE CLUSTER. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.

4917	ILLEGAL DROP INDEX %S OF TABLE %S
Text:	ILLEGAL DROP INDEX %S OF TABLE %S
Expl:	AN ATTEMPT WAS MADE TO DROP AN INDEX BY A DROP INDEX STATEMENT OR AN ALTER TABLE STATEMENT, WHERE THE INDEX HAS AN ASSOCIATED UNIQUE CONSTRAINT. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
4920	ILLEGAL NULL ATTRIBUTE FOR COLUMN %S OF TABLE %S
Text:	ILLEGAL NULL ATTRIBUTE FOR COLUMN %S OF TABLE %S
Expl:	AN ATTEMPT HAS BEEN MADE TO SPECIFY A NULL ATTRIBUTE FOR A COLUMN IN A CREATE TABLE DESCRIPTION OR A CREATE CLUSTER DESCRIPTION STATEMENT WHERE NO OTHER ATTRIBUTE WAS SPECIFIED. THIS IS NOT PERMITTED WHEN THE UNDERLYING ADABAS FDT, DEFINES THE FIELD TO HAVE OTHER THAN THE ATTRIBUTE NC.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
4921	ILLEGAL NOT NULL ATTRIBUTE FOR COLUMN %S OF TABLE %S
Text:	ILLEGAL NOT NULL ATTRIBUTE FOR COLUMN %S OF TABLE %S
Expl:	AN ATTEMPT HAS BEEN MADE TO SPECIFY A NOT NULL ATTRIBUTE FOR A COLUMN IN A CREATE TABLE DESCRIPTION OR A CREATE CLUSTER DESCRIPTION STATEMENT WHERE NO OTHER ATTRIBUTE WAS SPECIFIED. THIS IS NOT PERMITTED WHEN THE UNDERLYING ADABAS FDT, DEFINES THE FIELD TO HAVE OTHER THAN THE COMBINED ATTRIBUTES NN AND NC.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
4922	ILLEGAL SEQNO COLUMN IN VIRTUAL INDEX %S
Text:	ILLEGAL SEQNO COLUMN IN VIRTUAL INDEX %S
Expl:	AN ATTEMPT WAS MADE TO DEFINE A VIRTUAL INDEX, USING A SEQNO COLUMN. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.

4000	
4923	ANSI VIOLATION : DELETE CONSTRAINT %S MISSING RESTRICT OR CASCADE
Text:	ANSI VIOLATION : DELETE CONSTRAINT %S MISSING RESTRICT OR CASCADE
Expl:	THE KEYWORDS 'RESTRICT' OR 'CASCADE' MUST BE SPECIFIED WHEN IN ANSI MODE UPON ATTEMPTING TO DELETE A CONSTRAINT VIA A DROP CONSTRAINT CLAUSE WITHIN AN ALTER TABLE STATEMENT.
Actn:	CHANGE THE SYNTAX AS SUGGESTED ABOVE OR ALTER THE COMPILATION OPTIONS AS REQUIRED IF PERMITTED.
4924	ESQ EXTENSION : ALTER TABLE %S DROP INDEX %S SPECIFIED.
Text:	ESQ EXTENSION : ALTER TABLE %S DROP INDEX %S SPECIFIED.
Expl:	AN ALTER TABLE STATEMENT WAS SPECIFIED WHICH INCLUDED A DROP INDEX CLAUSE. THIS IS AN ADABAS SQL SERVER EXTENSION.
Actn:	CHANGE THE SYNTAX AS SUGGESTED ABOVE OR ALTER THE COMPILATION OPTIONS AS REQUIRED IF PERMITTED.
4925	ESQ EXTENSION : ALTER TABLE %S DROP CONSTRAINT %S KEEPING INDEX
Text:	ESQ EXTENSION : ALTER TABLE %S DROP CONSTRAINT %S KEEPING INDEX
Expl:	AN ALTER TABLE STATEMENT WAS SPECIFIED WHICH INCLUDED A DROP CONSTRAINT CLAUSE WHICH IN TURN INCLUDED A KEEPING INDEX OPTION. THIS USE OF THE KEEPING INDEX OPTION IS AN ADABAS SQL SERVER EXTENSION.
Actn:	CHANGE THE SYNTAX AS SUGGESTED ABOVE OR ALTER THE COMPILATION OPTIONS AS REQUIRED IF PERMITTED.
4926	ILLEGAL COLUMN LENGTH CHANGE FOR COLUMN %S OF TABLE %S
Text:	ILLEGAL COLUMN LENGTH CHANGE FOR COLUMN %S OF TABLE %S
Expl:	AN ATTEMPT WAS MADE TO DECREASE THE SIZE OF A COLUMN OF TYPE CHARACTER BY THE ALTER TABLE STATEMENT. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.

4928	MISSING NOT NULL ATTRIBUTE FOR LONG ALPHA COLUMN %S OF TABLE %S
Text:	MISSING NOT NULL ATTRIBUTE FOR LONG ALPHA COLUMN %S OF TABLE %S
Expl:	AN ATTEMPT WAS MADE TO DEFINE A COLUMN OF CHARACTER WHERE THE LENGTH WAS SPECIFIED AS GREATER THAN 253 CHARACTERS AND WHERE THE ATTRIBUTE NOT NULL WAS OMITTED. THIS IS NOT PERMITTED. WHEN THE NOT NULL ATTRIBUTE IS APPENDED, THEN THE ADDITIONAL DEFAULT ADABAS ATTRIBUTE IS ALSO REQUIRED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
4929	TABLESPACE %S NOT FOUND IN CATALOG
Text:	TABLESPACE %S NOT FOUND IN CATALOG
Expl:	THE TABLESPACE COULD NOT BE FOUND IN THE CATALOG WHEN PERFORMING A DROP TABLESPACE OR DROP DEFAULT TABLESPACE STATEMENT
Actn:	CHECK STATEMENT SPECIFICATION E.G. TABLESPACE NAME, SCHEMA NAME
4930	
Text:	ILLEGAL %S WITHIN DEFAULT TABLESPACE DEFINITION
Expl:	AN ATTEMPT WAS MADE TO SPECIFY ONE OR MORE OF THE FOLLOWING ILLEGAL OPTIONS WITHIN A CREATE DEFAULT TABLESPACE STATEMENT : FILE, FILENAME, ACRABN, DSRABN, NIRABN, UIRABN. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
4931	NO PHYSICAL COLUMNS SPECIFIED IN TABLE DEFINITION %S
Text:	NO PHYSICAL COLUMNS SPECIFIED IN TABLE DEFINITION %S
Expl:	A CREATE TABLE STATEMENT FAILED AS NO ACTUAL PHYSICAL COLUMNS (ADABAS FIELDS) WHERE SPECIFIED. THIS CAN OCCUR FOR INSTANCE IF ONLY COLUMNS OF THE TYPE SEQNO ARE SPECIFIED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.

4932	SCHEMA IDENTIFIER MISMATCH BETWEEN %S AND %S
Text:	SCHEMA IDENTIFIER MISMATCH BETWEEN %S AND %S
Expl:	A MISMATCH BETWEEN SCHEMA IDENTIFIERS WITHIN A CREATE CLUSTER STATEMENT OR A CREATE CLUSTER DESCRIPTION STATEMENT HAS BEEN DETECTED. SUBTABLES WITHIN A CLUSTER MUST BE QUALIFIED WITH IDENTICAL SCHEMA IDENTIFIERS.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
4933	ADABAS FILE %S ALREADY DESCRIBED
Text:	ADABAS FILE %S ALREADY DESCRIBED
Expl:	AN ATTEMPT HAS BEEN MADE TO EXECUTE A CREATE TABLE DESCRIPTION STATEMENT OR A CREATE CLUSTER DESCRIPTION STATEMENT, WHERE THE SPECIFIED FILE IS ALREADY DESCRIBED WITHIN THE CATALOG. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
4934	MASTER TABLE SPECIFIED MORE THAN ONCE IN CLUSTER %S
Text:	MASTER TABLE SPECIFIED MORE THAN ONCE IN CLUSTER %S
Expl:	AN ATTEMPT HAS BEEN MADE TO SPECIFY MORE THAN ONE MASTER TABLE WITH A CLUSTER DEFINITION. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.
4935	ILLEGAL TABLE %S IN ALTER TABLE ADD COLUMN %S STATEMENT
Text:	ILLEGAL TABLE %S IN ALTER TABLE ADD COLUMN %S STATEMENT
Expl:	AN ATTEMPT HAS BEEN MADE TO EXECUTE AN ALTER TABLE ADD COLUMN STATEMENT WHERE THE TABLE IS EITHER ACTUALLY A VIEW OR A SUBTABLE. THIS IS NOT PERMITTED. A COLUMN CAN ONLY BE ADDED TO A LEVEL 0 BASE TABLE.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-COMPILE.
4950	TABLE PRIVILEGE TO BE REVOKED DOES NOT EXIST FOR TABLE %S
Text:	TABLE PRIVILEGE TO BE REVOKED DOES NOT EXIST FOR TABLE %S
Expl:	AN ATTEMPT WAS MADE TO REVOKE A TABLE PRIVILEGE WHERE THE PRIVILEGE DOES NOT EXIST. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.

4951	COLUMN %S PRIVILEGE TO BE REVOKED DOES NOT EXIST FOR TABLE %S
Text:	COLUMN %S PRIVILEGE TO BE REVOKED DOES NOT EXIST FOR TABLE %S
Expl:	AN ATTEMPT WAS MADE TO REVOKE A COLUMN PRIVILEGE WHERE THE PRIVILEGE DOES NOT EXIST. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
4952 	AUTHORIZATION IDENTIFIER %S NOT FOUND
Text:	AUTHORIZATION IDENTIFIER %S NOT FOUND
Expl:	AN AUTHORIZATION IDENTIFIER (USER NAME) WAS SPECIFIED IN EITHER A CREATE SCHEMA STATEMENT, AN ALTER USER STATEMENT OR A DROP USER STATEMENT, WHERE THE AUTHORIZATION IDENTIFIER (USER NAME) COULD NOT BE FOUND. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
4953	USER NAME %S ALREADY EXISTS
Text:	USER NAME %S ALREADY EXISTS
Expl:	AN ATTEMPT WAS MADE TO CREATE A USER, WHERE THE SPECIFIED USER NAME WAS FOUND TO ALREADY EXIST. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
 4954 	AUTHORIZATION VIOLATION FOR CREATE, ALTER OR DROP USER %S
Text:	AUTHORIZATION VIOLATION FOR CREATE, ALTER OR DROP USER %S
Expl:	AN ATTEMPT WAS MADE TO CREATE, ALTER OR DROP A USER, WHERE THE EXECUTOR OF THE STATEMENT DID NOT POSSES THE NECESSARY AUTHORIZATION.
Actn:	CONTACT YOUR SYSTEM ADMINISTRATOR.
4955 	AUTHORIZATION VIOLATION FOR CREATE OR DROP SCHEMA %S
Text:	AUTHORIZATION VIOLATION FOR CREATE OR DROP SCHEMA %S
Expl:	AN ATTEMPT WAS MADE TO CREATE OR DROP A SCHEMA, WHERE THE EXECUTOR OF THE STATEMENT DID NOT POSSES THE NECESSARY AUTHORIZATION.

4956	PASSWORD TOO LONG
Text:	PASSWORD TOO LONG
Expl:	AN ATTEMPT WAS MADE TO SPECIFY A PASSWORD WITHIN A CREATE USER STATEMENT OR AN ALTER USER STATEMENT, WHERE THE PASSWORD STRING WAS LONGER THAN THE MAXIMUM PERMITTED LENGTH.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
4957	ILLEGAL PASSWORD FORMAT
Text:	ILLEGAL PASSWORD FORMAT
Expl:	AN ATTEMPT WAS MADE TO SPECIFY A PASSWORD WITHIN A CREATE USER STATEMENT OR AN ALTER USER STATEMENT, WHERE THE PASSWORD STRING WAS DETERMINED TO BE ILLEGAL.
Actn:	. CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE - COMPILE.
4958	DROP USER %S FAILED DUE TO OBJECTS STILL IN EXISTENCE
Text:	DROP USER %S FAILED DUE TO OBJECTS STILL IN EXISTENCE
Expl:	AN ATTEMPT WAS MADE TO DROP A USER, WHERE THE USER STILL HAS ASSOCIATED OBJECTS IN THE CATALOG. ALL OBJECTS BELONGING TO A USER MUST BE REMOVED BEFORE A DROP USER CAN PROCEED
Actn:	REMOVE ALL OBJECTS BELONGING TO THE USER BEFORE ATTEMPTING TO DROP THE USER
	ESQ EXTENSION : %S STATEMENT SPECIFIED
Text:	ESQ EXTENSION: %S STATEMENT SPECIFIED
Expl:	A STATEMENT WAS SPECIFIED WHICH IS NOT PART OF THE ANSI STANDARD. SUCH A STATEMENT IS AN ADABAS SQL SERVER EXTENSION.
Actn:	CHANGE THE SYNTAX AS SUGGESTED ABOVE OR ALTER THE COMPILER OPTIONS AS REQUIRED IF PERMITTED.

6001	METAPROGRAM NOT FOUND IN ESQ DIRECTORY
Text:	METAPROGRAM NOT FOUND IN ESQ DIRECTORY
Expl:	THE METAPROGRAM BELONGING TO THE APPLICATION PROGRAM WAS NOT FOUND IN THE DATABASE AT EXECUTION.
Actn:	EITHER CHECK THE CORRECT DATABASE IS BEING USED AT RUN-TIME, OR REPRECOMPILE AND EXECUTE THE APPLICATION PROGRAM.
6011	MULTI - FETCHING META PROGRAM FROM ESQ DIRECTORY FAILED
Text:	MULTI - FETCHING META PROGRAM FROM ESQ DIRECTORY FAILED
Expl:	A RUN-TIME ERROR HAS OCCURRED WHILE READING A METAPROGRAM FROM THE ESQ DIRECTORY USING THE MULTI-FETCH MECHANISM.
Actn:	AN INTERNAL FATAL ERROR HAS OCCURRED CONCERNING ADABAS, CONTACT YOUR SOFTWARE AG REPRESENTATIVE
6051	EXPECTED INDEX NOT FOUND
Text:	EXPECTED INDEX NOT FOUND
Expl:	AN INDEX EXPECTED IN THE METAPROGRAM COULD NOT BE FOUND
Actn:	AN INTERNAL FATAL ERROR HAS OCCURRED. CONTACT YOUR SOFTWARE AGREPRESENTATIVE
	INDEX REFERENCED IN A CREATE TABLE ALREADY EXISTS AS DESCRIPTION
Text:	INDEX REFERENCED IN A CREATE TABLE ALREADY EXISTS AS DESCRIPTOR
Expl:	A CREATE INDEX WAS ATTEMPTED, WHEREBY THE COLUMN SPECIFIED ALREADY EXISTS AS A DESCRIPTOR.
Actn:	REDEFINE THE INDEX, OR RE-CREATE THE TABLE WITHOUT THE RELEVANT COLUMN BEING USED AS A DESCRIPTOR.
6101	DDL STATEMENT FAILED DUE TO UNKNOWN TABLE
Text:	DDL STATEMENT FAILED DUE TO UNKNOWN TABLE
Expl:	A DDL STATEMENT WAS ATTEMPTED ON A TABLE WHICH DOES NOT EXIST. THIS IS NOT PERMITTED.
	NO ACTION REQUIRED.

6102	DROP TABLE FAILED AS NOT QUALIFIED WITH CASCADE
Text:	DROP TABLE FAILED AS NOT QUALIFIED WITH CASCADE
Expl:	A DROP WAS ATTEMPTED ON A TABLE FOR WHICH THERE WERE STILL VIEWS IN EXISTENCE.
Actn:	QUALIFY THE DROP TABLE STATEMENT WITH THE 'CASCADE' OPTION.
 6103 	TABLE CANNOT BE DROPPED OR ALTERED
Text:	TABLE CANNOT BE DROPPED OR ALTERED
Expl:	AN ATTEMPT WAS MADE TO DROP OR ALTER A TABLE FOR WHICH THE ASSOCIATED TABLE DESCRIPTION HAS BEEN QUALIFIED WITH THE 'MODIFICATION NOT ALLOWED CLAUSE. THIS IMPLIES THAT THE TABLE ITSELF IS ONLY ACCESSIBLE VIA ADA-STAR AND IS NOT A DIRECTLY ACCESSIBLE TABLE. SUCH TABLES CANNOT BE MODIFIED FROM ESQ.
Actn:	CONSULT YOUR LOCAL DBA
6112	CREATE TABLESPACE STATEMENT MISSING DATABASE SPECIFICATION
Text:	CREATE TABLESPACE STATEMENT MISSING DATABASE SPECIFICATION
Expl:	AN ATTEMPT WAS MADE TO CREATE A TABLE FOR WHICH THE CORRESPONDING TABLESPACE HAS NO ASSOCIATED DATABASE SPECIFICATION. THIS IS A FATAL ERROR.
Actn:	CONTACT YOUR SOFTWARE AG REPRESENTATIVE.
 6114 	CANNOT CREATE AN ALREADY EXISTING TABLE SPACE
Text:	CANNOT CREATE AN ALREADY EXISTING TABLE SPACE
Expl:	AN ATTEMPT WAS MADE TO EXECUTE A CREATE TABLESPACE STATEMENT WHEN THE TABLESPACE ACTUALLY ALREADY EXISTS. THIS IS NOT PERMITTED.
Actn:	DROP THE TABLESPACE PRIOR TO TRYING TO RE-CREATING IT. NOTE MAKE SURE YOU REALLY WANT TO DROP AND RE-CREATE THIS TABLESPACE.

6201 	UNKNOWN DATABASE SPECIFIED
Text:	UNKNOWN DATABASE SPECIFIED
Expl:	A DATABASE HAS BEEN SPECIFIED WHICH IS CURRENTLY UNKNOWN TO THE SYSTEM
Actn:	EITHER CREATE THE SPECIFIED DATABASE OR CORRECT THE DATABASE REFERENCE
6202	INVALID INTERNAL DT STRUCTURE UPON CREATING OR DROPPING DATABASE
Text:	INVALID INTERNAL DT STRUCTURE UPON CREATING OR DROPPING DATABASE
Expl:	THE DT STRUCTURE IN THE METAPROGRAM WAS FOUND TO BE INVALID AT RUN-TIME.
Actn:	AN INTERNAL FATAL ERROR HAS OCCURRED. RE-BUILD THE APPLICATION PROGRAM IF THE ERROR PERSISTS CONTACT YOUR SOFTWARE AG REPRESENTATIVE.
6251	COLUMN NOT FOUND
Text:	COLUMN NOT FOUND
Expl:	DURING PRE-COMPILATION THERE WERE NO COLUMNS FOUND FOR THE SPECIFIED TABLE / VIEW.
Actn:	AN INTERNAL FATAL ERROR HAS OCCURRED. THIS IS POSSIBLY DUE TO A CORRUPTED ESQ DIRECTORY. OTHERWISE CONTACT YOUR SOFTWARE AG REPRESENTATIVE.
6252	COLUMN DOUBLY DEFINED FOR A TABLE
Text:	COLUMN DOUBLY DEFINED FOR A TABLE
Expl:	FOR THE SPECIFIED TABLE A COLUMN HAS BEEN STORED MORE THAN ONCE. THIS INDICATES THAT THE ESQ DIRECTORY MAY HAVE BEEN CORRUPTED.
Actn:	AN INTERNAL FATAL ERROR HAS OCCURRED, CONTACT YOUR SOFTWARE AG REPRESENTATIVE.
6301	DDL STATEMENT FAILED DUE TO UNKNOWN TABLE
Text:	DDL STATEMENT FAILED DUE TO UNKNOWN TABLE
Expl:	A DDL STATEMENT WAS ATTEMPTED ON A TABLE WHICH DOES NOT EXIST. THIS IS NOT PERMITTED.
Actn:	NO ACTION REQUIRED.
	6201 - 6301

	VIEW CREATION FAILED DUE TO LACK OF INTERNAL TOKEN STREAM
Text:	VIEW CREATION FAILED DUE TO LACK OF INTERNAL TOKEN STREAM
Expl:	THE TOKEN STREAM NEEDED TO CREATE A VIEW WAS FOUND NOT TO BE PRESENT IN THE METAPROGRAM AT RUN-TIME. THIS INDICATES THAT THE ESQ DIRECTORY MAY BE CORRUPTED.
Actn:	AN INTERNAL FATAL ERROR HAS OCCURRED. CONTACT YOUR SOFTWARE AG REPRESENTATIVE.
 6401 	PREDICT CROSS REFERENCE LIBRARY NOT DEFINED
Text:	PREDICT CROSS REFERENCE LIBRARY NOT DEFINED
Expl:	THE SPECIFIED PREDICT FILE DOES NOT CONTAIN AN EXPLICITLY DEFINED CROSS REFERENCE LIBRARY. UNDER SUCH CIRCUMSTANCES THE PREDICT DEFAULT LIBRARY IS USED AND THE GENERATED CROSS REFERENCE INFORMATION WILL BE STORED IN THIS DEFAULT LIBRARY.
Actn:	NO ACTION REQUIRED.
6402	SPECIFIED PREDICT FILE NOT AVAILABLE
Text:	SPECIFIED PREDICT FILE NOT AVAILABLE
Expl:	THE PREDICT FILE AS SPECIFIED IN THE START UP PARAMETERS IS NOT AVAILABLE. UNDER SUCH CIRCUMSTANCES NO CROSS REFERENCE INFORMATION CAN BE STORED.
Actn:	AMEND START UP PARAMETER FILE TO REFLECT THE CORRECT PREDICT FILE AND RESUBMIT THE SOURCE FILE FOR PRE-COMPILATION.
6403	SPECIFIED PREDICT CROSS REFERENCE FILE NOT OF TYPE 3GL
Text:	SPECIFIED PREDICT CROSS REFERENCE FILE NOT OF TYPE 3GL
Expl:	THE SPECIFIED PREDICT CROSS REFERENCE FILE MUST BE DEFINED AS TYPE 3GL THIS PROVED NOT TO BE THE CASE AND SO NO CROSS REFERENCE INFORMATION WAS STORED.
	ENSURE THAT THE CORRECT PREDICT FILE HAS BEEN SPECIFIED AND IT IS OF

6501	TABLE CREATION FAILED DUE TO MISSING TABLESPACE
Text:	TABLE CREATION FAILED DUE TO MISSING TABLESPACE
Expl:	A CREATE TABLE STATEMENT WAS NOT SUCCESSFUL BECAUSE THE REQUIRED ASSOCIATED TABLESPACE COULD NOT BE FOUND IN THE DIRECTORY. BEFORE A TABLE CAN BE CREATED A TABLESPACE MUST HAVE BEEN CREATED FOR IT.
Actn:	CREATE AN APPROPRIATE TABLESPACE AND THEN ATTEMPT TO CREATE THE TABLE AGAIN.
6700 	FATAL SECURITY ERROR WITH INTERNAL CODE %S %S
Text:	FATAL SECURITY ERROR WITH INTERNAL CODE %S %S
Expl:	FATAL ERROR HAS OCCURRED WITHIN THE ESQLNK LIBRARY
Actn:	CONTACT YOUR SOFTWARE AG REPRESENTATIVE
6701 	CONNECT REJECTED DUE TO AUTHORIZATION FAILURE
	CONNECT REJECTED DUE TO AUTHORIZATION FAILURE CONNECT REJECTED DUE TO AUTHORIZATION FAILURE
Text: Expl: Actn:	CONNECT REJECTED DUE TO AUTHORIZATION FAILURE AN ATTEMPT WAS MADE TO CONNECT TO AN ESQ SERVER, WHERE THE PASSWORD WAS NOT RECOGNIZED. CONTACT YOUR SYSTEM ADMINISTRATOR.
Text: Expl: Actn:	CONNECT REJECTED DUE TO AUTHORIZATION FAILURE AN ATTEMPT WAS MADE TO CONNECT TO AN ESQ SERVER, WHERE THE PASSWORD WAS NOT RECOGNIZED.
Text: Exp1: Actn:6702	CONNECT REJECTED DUE TO AUTHORIZATION FAILURE AN ATTEMPT WAS MADE TO CONNECT TO AN ESQ SERVER, WHERE THE PASSWORD WAS NOT RECOGNIZED. CONTACT YOUR SYSTEM ADMINISTRATOR.
Text: Expl: Actn: 6702 Text:	CONNECT REJECTED DUE TO AUTHORIZATION FAILURE AN ATTEMPT WAS MADE TO CONNECT TO AN ESQ SERVER, WHERE THE PASSWORD WAS NOT RECOGNIZED. CONTACT YOUR SYSTEM ADMINISTRATOR. SPECIFIED PRIVILEGES COULD NOT BE GRANTED

	GRANT FAILED DUE TO ALREADY EXISTING PRIVILEGE.
Text:	GRANT FAILED DUE TO ALREADY EXISTING PRIVILEGE.
Expl:	THE GRANT STATEMENT FAILED BECAUSE AN ATTEMPT WAS MADE TO GRANT A PRIVILEGE TO A GRANTEE, WHICH THE GRANTEE ALREADY POSSES. THIS IS NOT PERMITTED. THIS MAY EITHER BE BECAUSE THE GRANTOR HAS ALREADY GRANTED THE PRIVILEGE OR IT MAY BE BECAUSE ANOTHER GRANTOR HAS ALREADY GRANTED THE PRIVILEGE.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE.
6705	GRANT OPTION FOR GRANTEE PUBLIC NOT PERMITTED
Text:	GRANT OPTION FOR GRANTEE PUBLIC NOT PERMITTED
Expl:	AN ATTEMPT WAS MADE TO GRANT A PRIVILEGE TO THE GRANTEE 'PUBLIC' WITH THE GRANT OPTION SPECIFIED. THIS IS NOT PERMITTED.
Actn:	
6708	REVOKE FAILED DUE TO DEPENDENT PRIVILEGES
Text:	REVOKE FAILED DUE TO DEPENDENT PRIVILEGES
Expl:	AN ATTEMPT WAS MADE TO REVOKE A PRIVILEGE, WHERE THE OWNER OF THIS PRIVILEGE HAS IN TURN GRANTED PRIVILEGES BASED UPON IT. THESE PRIVILEGES STILL EXIST. BEFORE THE ACTUAL PRIVILEGE CAN BE REVOKED, THESE DEPENDENT PRIVILEGES MUST THEMSELVES BE EXPLICITLY REVOKED.
Actn:	PERFORM THE ACTION AS OUTLINED ABOVE.
6711	REVOKE FAILED DUE TO DEPENDENT VIEW
Text:	REVOKE FAILED DUE TO DEPENDENT VIEW
Expl:	AN ATTEMPT WAS MADE TO REVOKE A PRIVILEGE WHERE THE OWNER OF THE PRIVILEGE HAS CREATED A VIEW BASED UPON THE OBJECT TO WHICH THE PRIVILEGE REFERS. BEFORE THE PRIVILEGE CAN BE REVOKED, THE DEPENDENT VIEW MUST BE EXPLICITLY DROPPED BY THE OWNER.
Actn:	PERFORM THE ACTIONS AS SUGGESTED ABOVE.
	6703 - 6711

6722	PUBLIC NOT THE ONLY GRANTEE
Text:	PUBLIC NOT THE ONLY GRANTEE
Expl:	AN ATTEMPT WAS MADE TO GRANT A PRIVILEGE TO THE USER 'PUBLIC' AND TO OTHER EXPLICIT USERS WITHIN THE SAME STATEMENT. THIS IS NOT PERMITTED.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE.
6901	INTERNAL ERROR DURING DEALLOCATE/PREPARE PROCESSING
Text:	INTERNAL ERROR DURING DEALLOCATE/PREPARE PROCESSING
Expl:	A FATAL INTERNAL ERROR HAS OCCURRED DURING DEALLOCATE/PREPARE PROCESSING.
Actn:	RE-BUILD THE APPLICATION PROGRAM. IF ERROR PERSISTS CONTACT YOUR SOFTWARE AG REPRESENTATIVE.

8001	SINGLE ROW SELECT RESULTED WITH MORE THAN ONE ROW
Text:	SINGLE ROW SELECT RESULTED WITH MORE THAN ONE ROW.
Expl:	A SINGLE ROW SELECT STATEMENT PRODUCED A RESULTANT TABLE WHICH CONTAINED MORE THAN ONE ROW WHEN EXECUTED. SUCH AN EMBEDDED SELECT STATEMENT MAY ONLY PRODUCED ONE ROW OR THE EMPTY SET.
Actn:	CONSIDER RE-PHRASING THE SELECT SO IT IS GUARANTEED TO PRODUCE A MAXIMUM OF ONE ROW.
8002	DYNAMIC MEMORY ALLOCATION FAILED DURING STATEMENT EXECUTION
Text:	DYNAMIC MEMORY ALLOCATION FAILED DURING STATEMENT EXECUTION
Expl:	ESQ COULD NOT OBTAIN SUFFICIENT DYNAMIC MEMORY TO BE ABLE TO EXECUTE THE STATEMENT.
Actn:	REDUCE THE DYNAMIC MEMORY REQUIREMENTS OF THE STATEMENT OR INCREASE THE AMOUNT OF DYNAMIC MEMORY AVAILABLE TO ESQ.
8003	INSERT OR UPDATE WHERE SOURCE IS NULL VALUE FOR NOT NULL COLUMN
Text:	INSERT OR UPDATE WHERE SOURCE IS THE NULL VALUE FOR NOT NULL COLUMN
Expl:	AN ATTEMPT HAS BEEN MADE TO INSERT OR UPDATE A VALUE OF A COLUMN WHICH EXPLICITLY DOES NOT SUPPORT NULLS BY SPECIFYING THE NULL VALUE IN THE ACCOMPANYING HOST VARIABLE OR OTHER DATA SOURCE. THIS IS NOT PERMITTED.
Actn:	MAKE SURE THAT SOURCE DATA DOES NOT CONTAIN THE NULL VALUE
8004	TOO FEW HOST VARIABLES SUPPLIED TO SATISFY HOST VARIABLE MARKERS
Text:	TOO FEW HOST VARIABLES SUPPLIED TO SATISFY HOST VARIABLE MARKERS
Expl:	A STATEMENT HAS BEEN PREPARED CONTAINING A CERTAIN NUMBER OF HOST VARIABLE MARKERS ('?') BUT WHEN THE PREPARED STATEMENT WAS EXECUTED NOT ENOUGH HOST VARIABLES WERE SUPPLIED. THIS IS NOT PERMITTED. HOST VARIABLES CAN BE SUPPLIED EITHER BY EXPLICIT REFERENCES TO THEM IN THE DYNAMIC OPEN OR EXECUTE STATEMENTS OR VIA AN SQLDA.
Actn:	ENSURE THAT SUFFICIENT HOST VARIABLES ARE SUPPLIED.

8005 A NON QUANTIFIED SUBQUERY RESULTED IN MORE THAN ONE ROW Text: A NON QUANTIFIED SUBQUERY RESULTED IN MORE THAN ONE ROW Expl: A SUBQUERY WHICH WAS NOT IN AN EXISTS OR IN PREDICATE NOR WAS IT QUALIFIED WITH THE KEYWORDS 'ANY', 'SOME' OR 'ALL' RESULTED WITH MORE THAN ONE ROW IN ITS RESULTANT TABLE. THIS IS NOT PERMITTED. Actn: CHANGE THE SUBQUERY SO THAT IT IS GUARANTEED NOT TO RETURN MORE THAN ONE ROW OR CHANGE THE ACTUAL PREDICATE THAT IT IS SITUATED IN. UNIQUE CONSTRAINT VIOLATION Text: UNIQUE CONSTRAINT VIOLATION Expl: AN ATTEMPT WAS MADE EITHER VIA AN INSERT OR AN UPDATE STATEMENT TO AMEND THE CONTENTS OF A TARGET TABLE IN SUCH A WAY THAT THE UNIQUENESS OF A COLUMN OR COLLECTION OF COLUMNS WOULD BE INFRINGED. THE DATA TO BE ADDED WOULD HAVE RESULTED IN THE COLUMN OR COLUMNS CONSTRAINED TO BE UNIQUE CONTAINING THE SAME VALUES AS SOME OTHER ROW IN THE TABLE. ALTERNATIVELY, IT IS POSSIBLE THAT AN ATTEMPT WAS MADE TO ASSIGN AN INVALID VALUE TO A COLUMN OF TYPE SEONO. IN PARTICULAR IF THE VALUE WAS ZERO OR LESS THAN ZERO, OR IF THE VALUE WAS GREATER THAN THE MAXIMUM PERMITTED ISN VALUE AS DEFINED BY THE UNDERLYING ADABAS/C MAXISN SETTING. Actn: NO ACTION REQUIRED 8007 REFERENTIAL CONSTRAINT VIOLATION Text: REFERENTIAL CONSTRAINT VIOLATION Expl: AN ATTEMPT WAS MADE TO INSERT A ROW INTO A TABLE THAT IS SUBJECT TO A FOREIGN KEY CONSTRAINT WHERE THE VALUE WAS NOT UNIQUELY IDENTIFIABLE IN THE REFERENCED TABLE. Actn: ENSURE THAT THE REFERENCED TABLE CONTAINS A ROW THAT THE FOREIGN KEY MAY REFER TO.

8008	ILLEGAL VALUE FOR TARGET INSERT OR UPDATE
Text:	ILLEGAL VALUE FOR TARGET INSERT OR UPDATE
Expl:	AN INSERT OR UPDATE HAS BEEN ATTEMPTED WITH A VALUE THAT IS NOT SUPPORTED BY THE TARGET COLUMN. THIS OCCURS UPON TRYING TO INSERT EITHER THE NUMERIC VALUE 'ZERO' (0) OR AN EMPTY STRING INTO A COLUMN WHICH BY DEFINITION USES THESE VALUES TO REPRESENT THE SQL NULL VALUE. THIS IS USUALLY THE CASE WHERE THE COLUMN HAS BEEN MAPPED TO AN ADABAS FIELD WITH THE NU ATTRIBUTE.
Actn:	IF IT IS REQUIRED THAT THE COLUMN MUST CONTAIN EITHER THE NUMERIC VALUE ZERO (0) OR THE EMPTY STRING, THEN THIS CONFLICT CAN ONLY BE RESOLVED B' CHANGING THE DDL DEFINITION. OTHERWISE USE THE EXPLICIT SQL NULL VALUE.
8010	TARGET HOST VARIABLE LIST LARGER THAN ASSOCIATED SELECT LIST
Text:	TARGET HOST VARIABLE LIST LARGER THAN ASSOCIATED SELECT LIST
Expl:	A FETCH STATEMENT HAS BEEN SPECIFIED WITH A CERTAIN NUMBER OF TARGET HOST VARIABLES WHICH EXCEEDS THE NUMBER OF DERIVED COLUMNS WHICH HAVE BEEN SPECIFIED IN THE ASSOCIATED CURSOR DECLARATION. THIS IS NOT PERMITTED
Actn:	EITHER CORRECT THE EXCESS OF HOST VARIABLES BY THE FETCH STATEMENT OR BY THE DECLARE CURSOR OR SELECT STATEMENT (DYNAMIC) AND ENSURE THAT THE CORRECTED STATEMENT IS RE-COMPILED.
8101	RUN TIME SYSTEM FAILED WITH INTERNAL ERROR %S %S %S
Text:	RUN TIME SYSTEM FAILED WITH INTERNAL ERROR %S %S %S
Expl:	DURING THE EXECUTION OF A STATEMENT, THE ESQ RTS ENCOUNTERED A FATAL INTERNAL ERROR. IT IS POSSIBLE THAT EITHER THE META PROGRAM HAS SOMEHOW BEEN CORRUPTED OR THAT THE APPLICATION PROGRAM.
Actn:	TRY RE-COMPILING AND RE-RUNNING THE STATEMENT. OTHERWISE CONTACT YOUR SOFTWARE AG REPRESENTATIVE.

8102	RUN TIME SYSTEM STACK ERROR
Text:	RUN TIME SYSTEM STACK ERROR
Expl:	DURING THE EXECUTION OF A STATEMENT, THE RUN TIME SYSTEM ATTEMPTED TO EXTRACT AN ENTRY OFF THE INTERNAL STACK WHEN IT WAS IN FACT EMPTY. THIS IS A FATAL ERROR. THIS IS DUE TO A CORRUPTED META PROGRAM OR JUST POSSIBLE CAUSED BY THE APPLICATION PROGRAM CORRUPTING ESQ GENERATED STRUCTURES IN THE APPLICATION PROGRAM.
Actn:	MAKE SURE THAT THE APPLICATION PROGRAM IS NOT CAUSING THE CORRUPTION. OTHERWISE RE-COMPILE AND RE-RUN THE PROGRAM. IF THE ERROR PERSISTS CONTACT YOUR SOFTWARE AG REPRESENTATIVE.
8103	RUN TIME SYSTEM STACK OVERFLOW
Text:	RUN TIME SYSTEM STACK OVERFLOW
Expl:	DURING THE EXECUTION OF A STATEMENT, THE CAPACITY OF THE INTERNAL STACK WAS EXCEEDED. THIS IS A FATAL ERROR.
Actn:	INCREASE THE DEFAULT SIZE OF THE RUN TIME STACK AS DEFINED AS A START UP PARAMETER.
8104	NUMERIC FIELD CONVERSION ERROR
Text:	NUMERIC FIELD CONVERSION ERROR
Expl:	AN ERROR HAS OCCURRED DURING THE EXECUTION OF THE STATEMENT CONCERNING THE MOVING OR CONVERSION OF A NUMERIC VALUE. IF AN SQLDA HAS BEEN SUPPLIED WITH THE STATEMENT THEN A VARIABLE WHICH SHOULD BE NUMERIC HAS IN FACT BEEN SUPPLIED AS OF TYPE CHARACTER. ALTERNATIVELY IF THE FETCH STATEMENT RESIDES IN A DIFFERENT COMPILATION UNIT TO THE ASSOCIATED DECLARE CURSOR, THEN ITS FIELD TYPES HAVE NOT BEEN CHECKED AT COMPILATION TIME. THIS PROBABLY MEANS THAT A GIVEN FIELD IN THE FETCH STATEMENT IS OF AN INCOMPATIBLE TYPE COMPARED TO THE ASSOCIATED QUERY SPECIFICATION.
Actn:	CHECK THE ABOVE SUGGESTIONS AS TO THE CAUSE. OTHERWISE RE-COMPILE AND RE-RUN AS META PROGRAM MAY SIMPLY BE CORRUPTED.

8105	UNKNOWN INTERNAL META PROGRAM TABLE TYPE ERROR
Text:	UNKNOWN INTERNAL META PROGRAM TABLE TYPE ERROR
Expl:	A FATAL INTERNAL ERROR HAS OCCURRED. THE META PROGRAM HAS SOMEHOW BEEN CORRUPTED.
Actn:	RE-BUILD THE APPLICATION PROGRAM. IF ERROR PERSISTS CONTACT YOUR SOFTWARE AG REPRESENTATIVE.
8106	UNKNOWN INTERNAL META PROGRAM FIELD TYPE ERROR
Text:	UNKNOWN INTERNAL META PROGRAM FIELD TYPE ERROR
Expl:	AN ATTEMPT HAS BEEN MADE TO MOVE OR CONVERT A VARIABLE OF ONE BASIC TYPE TO A VARIABLE OF ANOTHER INCOMPATIBLE BASIC TYPE. THIS IMPLIES THAT THE META PROGRAM IS CORRUPTED IN SOME WAY. THIS IS A FATAL ERROR.
Actn:	RE-BUILD THE APPLICATION PROGRAM. IF THE ERROR PERSISTS THEN CONTACT YOUR SOFTWARE AG REPRESENTATIVE.
8107	META PROGRAM CODE TABLE ERROR
Text:	META PROGRAM CODE TABLE ERROR
Expl:	DURING THE EXECUTION OF THE STATEMENT IT WAS DISCOVERED THAT THE META PROGRAM HAS BEEN CORRUPTED. THIS IS A FATAL ERROR.
Actn:	RE-BUILD THE APPLICATION PROGRAM. IF THE ERROR PERSISTS CONTACT YOUR SOFTWARE AG REPRESENTATIVE.
8108	META PROGRAM OP CODE ERROR
Text:	META PROGRAM OP CODE ERROR
Expl:	DURING THE EXECUTION OF THE STATEMENT IT WAS DISCOVERED THAT THE META PROGRAM HAS BEEN CORRUPTED. THIS IS A FATAL ERROR.
Actn:	RE-BUILD THE APPLICATION PROGRAM. IF THE ERROR PERSISTS CONTACT YOUR SOFTWARE AG REPRESENTATIVE.

Text: INTERNAL ARITHMETIC OVERFLOW DURING INTERMEDIATE CALCULATION
Expl: DURING AN INTERNAL CALCULATION, THE SIZE OF AN INTERMEDIATE RESULT WAS DETERMINED TO BE LARGER THAN THE MAXIMUM SIZE ALLOWED FOR THE DATA TYPE THIS IS A LEGITIMATE RUN TIME ERROR.
Actn: NO ACTION REQUIRED.
8110 CURSOR ALREADY OPEN
Text: CURSOR ALREADY OPEN
Expl: AN ATTEMPT WAS MADE TO OPEN A CURSOR WHICH IS CURRENTLY ALREADY OPEN. THIS IS NOT PERMITTED.
Actn: CLOSE THE CURSOR, EITHER EXPLICITLY BY EXECUTING A CLOSE STATEMENT OR IMPLICITLY BY COMPLETING THE TRANSACTION BEFORE ATTEMPTING TO OPEN IT AGAIN.
8111 CURSOR NOT OPEN
Text: CURSOR NOT OPEN
Expl: AN ATTEMPT WAS MADE TO ACCESS A CURSOR WHICH IS CURRENTLY NOT OPEN. THE IS NOT PERMITTED.
Actn: OPEN THE CURSOR BEFORE ATTEMPTING TO EXECUTE A FETCH, POSITIONED UPDATE OR POSITIONED DELETE OR CLOSE STATEMENTS FOR THIS CURSOR.
8112 CURSOR NOT USABLE
Text: CURSOR NOT USABLE
Expl: AN ATTEMPT HAS BEEN MADE TO ACCESS A CURSOR FOR WHICH ITS STATE IS CURRENTLY NEITHER OPEN NOR CLOSED. THIS CAN OCCUR IF AN ERROR HAS PREVIOUSLY OCCURRED CONCERNING THIS CURSOR AND THE APPLICATION PROGRAM HAS PERSISTED IN ATTEMPTING TO USE IT. IF AN ERROR OCCURS DURING THE EXECUTION OF CURSOR RELATED STATEMENTS THEN THE CURSOR MUST BE CLOSED BEFORE IT CAN BE USED AGAIN.
Actn: CLOSE AND RE-OPEN THE CURSOR.
8109 - 8112

8113 	META PROGRAM COULD NOT BE FOUND
Text:	NO PREPARED STATEMENT ASSOCIATED WITH SPECIFIED STATEMENT IDENTIFIER.
Expl:	AN ATTEMPT WAS MADE TO EXECUTE A DYNAMIC SQL STATEMENT FOR WHICH THERE WAS NO PREPARED STATEMENT ASSOCIATED WITH THE SPECIFIED STATEMENT IDENTIFIER. STATEMENT IDENTIFIERS WHICH ARE SPECIFIED AS HOST VARIABLES ARE PARTICULARLY PRONE TO THIS ERROR.
Actn:	MAKE SURE THAT DYNAMIC STATEMENTS ARE PREPARED PRIOR TO ATTEMPTED EXECUTION.
8114 	TARGET TABLE IS READ-ONLY AND CAN NOT BE MODIFIED
Text:	TARGET TABLE IS READ-ONLY AND CAN NOT BE MODIFIED
Expl:	A FATAL INTERNAL ERROR HAS OCCURRED CONCERNING A META PROGRAM ATTEMPTING TO WRITE TO AN INTERNAL READ ONLY TABLE. THIS IS POSSIBLY DUE TO META PROGRAM CORRUPTION.
	RE-BUILD THE APPLICATION PROGRAM. IF THE ERROR PERSISTS CONTACT YOUR SOFTWARE AG REPRESENTATIVE.
	INTERNAL DIVISION BY ZERO ERROR
Text:	INTERNAL DIVISION BY ZERO ERROR
Expl:	DURING AN INTERNAL ARITHMETIC CALCULATION A DIVISION BY ZERO ERROR CONDITION WAS ENCOUNTERED. THIS IS A LEGITIMATE ERROR CONDITION.
	NO ACTION REQUIRED.
8116	META PROGRAM PERFORMED AN ABORT OPERATION
Text:	META PROGRAM PERFORMED AN ABORT OPERATION
Expl:	A FATAL INTERNAL ERROR HAS OCCURRED.
Actn:	RE-BUILD THE APPLICATION PROGRAM. IF THE ERROR PERSISTS CONTACT YOUR SOFTWARE AG REPRESENTATIVE.

8117	A VARCHAR LENGTH EVALUATED TO LESS THAN 1
Text:	A VARCHAR LENGTH EVALUATED TO LESS THAN 1
Expl:	A HOST VARIABLE SOURCE STATEMENT SPECIFICATION FOR A PREPARE OR EXECUTE IMMEDIATE STATEMENT HAS BEEN CORRUPTED. THIS IS A FATAL ERROR.
Actn:	THE APPLICATION PROGRAM MUST PROVIDE VALID SOURCE STATEMENTS.
8118	ATTEMPT TO SET HOST VARIABLE WITHOUT INDICATOR VARIABLE TO NULL
Text:	ATTEMPT TO SET HOST VARIABLE WITHOUT INDICATOR VARIABLE TO NULL
Expl:	A TARGET HOST VARIABLE HAS BEEN SPECIFIED WITHOUT AN ACCOMPANYING INDICATOR VARIABLE AND THE CORRESPONDING FIELD HAS RETURNED A NULL. THIS IS AN ERROR CONDITION BECAUSE ESQ HAS NO OTHER MEANS OF INFORMING THE APPLICATION PROGRAM THAT A NULL VALUE HAS TO BE RETURNED.
Actn:	IF A FIELD CAN RETURN THE NULL VALUE THEN AN ACCOMPANYING INDICATOR VARIABLE MUST BE PROVIDED. CORRECT THE APPLICATION PROGRAM AND RE-BUILD IT.
8119	POSITIONED DELETE OR UPDATE ATTEMPTED FOR EXHAUSTED CURSOR
Text:	POSITIONED DELETE OR UPDATE ATTEMPTED FOR EXHAUSTED CURSOR
Expl:	AN ATTEMPT WAS MADE TO EXECUTE A POSITIONED DELETE OR UPDATE STATEMENT WHERE THE ASSOCIATED CURSOR HAD ALREADY BEEN EXHAUSTED. THIS MEANS THAT A PREVIOUSLY EXECUTED FETCH STATEMENT HAD MOVED THE CURSOR PAST THE END OF THE RESULTANT TABLE AND HENCE THE CURSOR IS NOT CURRENTLY POINTING AT A VALID ROW.
Actn:	CHECK THE ASSOCIATED FETCH STATEMENT THAT THE CURSOR IS NOT ALREADY POINTING PAST THE END OF THE RESULTANT TABLE. IN SUCH A CASE THE FETCH WILL RECEIVE AN SQLCODE OF ± 100 .
8120	SQLDA SIZE SPECIFICATIONS CONTRADICTORY
Text:	SQLDA SIZE SPECIFICATIONS CONTRADICTORY.
Expl:	THE FIELD SQLDABC IN THE SQLDA WHICH SPECIFIES HOW LARGE THE SQLDA IS IN BYTES DOES NOT AGREE WITH THE FIELD SQLN WHICH SPECIFIES HOW MANY OCCURRENCES OF THE SQLVAR STRUCTURE ARE CONTAINED IN THIS SQLDA. THIS IS NOT PERMITTED. THE APPLICATION PROGRAM IS RESPONSIBLE FOR PROVIDING A VALID SQLDA.
Actn:	MAKE SURE THE CONTENTS OF THE SQLDA ARE CORRECT.
	8117 - 8120

8121	MAXIMUM NUMBER OF CONCURRENT DYNAMIC STATEMENTS EXCEEDED
Text:	MAXIMUM NUMBER OF CONCURRENT DYNAMIC STATEMENTS EXCEEDED
Expl:	THE LIMIT ON THE NUMBER OF STATEMENTS THAT CAN BE CONCURRENTLY PREPARED HAS BEEN EXCEEDED. THIS LIMIT IS SET BY SPECIFYING THE PARAMETER: 'MAXIMUM DYNAMIC MPS' IN THE PARAMETER FILE.
Actn:	INCREASE THE LIMIT OF THE NUMBER OF DYNAMIC STATEMENTS WHICH CAN BE PREPARED AS DEFINED IN THE START UP PARAMETERS. RE-RUN THE PROGRAM.
8122	CANNOT DEALLOCATE PREPARED STATEMENT WHEN CURSOR STILL OPEN
Text:	CANNOT DEALLOCATE PREPARED STATEMENT WHEN CURSOR STILL OPEN
Expl:	AN ATTEMPT WAS MADE TO DEALLOCATE A PREPARED STATEMENT, WHEN THE ASSOCIATED CURSOR WAS STILL OPEN. THIS IS NOT PERMITTED.
Actn:	CLOSE THE CURSOR, EITHER EXPLICITLY OR IMPLICITLY BEFORE ATTEMPTING TO DEALLOCATE THE PREPARED STATEMENT.
8123	META PROGRAM EXCLUSIVE LOCK ERROR
Text:	META PROGRAM EXCLUSIVE LOCK ERROR
Expl:	AN ATTEMPT WAS MADE TO EXCLUSIVELY LOCK A META PROGRAM FAILED AS THE META PROGRAM IS CURRENTLY IN USE BY ANOTHER USER.
Actn:	
	ATTEMPT THE OPERATION AGAIN. IF THIS FAILS, THIS IS AN INDICATION THAT SOMEBODY ELSE IS RUNNING A DIFFERENT VERSION OF THE APPLICATION PROGRAM. CO-ORDINATE THE VERSIONS.
8130	SOMEBODY ELSE IS RUNNING A DIFFERENT VERSION OF THE APPLICATION PROGRAM. CO-ORDINATE THE VERSIONS.
 8130 	SOMEBODY ELSE IS RUNNING A DIFFERENT VERSION OF THE APPLICATION PROGRAM. CO-ORDINATE THE VERSIONS. MAXIMUM NUMBER OF CONCURRENTLY OPEN CURSORS EXCEEDED
	SOMEBODY ELSE IS RUNNING A DIFFERENT VERSION OF THE APPLICATION PROGRAM. CO-ORDINATE THE VERSIONS. MAXIMUM NUMBER OF CONCURRENTLY OPEN CURSORS EXCEEDED
Text:	SOMEBODY ELSE IS RUNNING A DIFFERENT VERSION OF THE APPLICATION PROGRAM. CO-ORDINATE THE VERSIONS. MAXIMUM NUMBER OF CONCURRENTLY OPEN CURSORS EXCEEDED MAXIMUM NUMBER OF CONCURRENTLY OPEN CURSORS EXCEEDED AN ATTEMPT WAS MADE TO OPEN A CURSOR SUCH THAT THE MAXIMUM PERMITTED NUMBER OF CONCURRENTLY OPEN CURSORS WAS EXCEEDED. THIS FIGURE IS DEFINED
Text: Expl:	SOMEBODY ELSE IS RUNNING A DIFFERENT VERSION OF THE APPLICATION PROGRAM. CO-ORDINATE THE VERSIONS. MAXIMUM NUMBER OF CONCURRENTLY OPEN CURSORS EXCEEDED MAXIMUM NUMBER OF CONCURRENTLY OPEN CURSORS EXCEEDED AN ATTEMPT WAS MADE TO OPEN A CURSOR SUCH THAT THE MAXIMUM PERMITTED NUMBER OF CONCURRENTLY OPEN CURSORS WAS EXCEEDED. THIS FIGURE IS DEFINED IN THE START UP PARAMETERS FOR THE RUNTIME SYSTEM. INCREASE THE MAXIMUM PERMITTED NUMBER OF CURSORS BY STOPPING THE RUNTIME SYSTEM, CHANGING THE START UP PARAMETER AND RE-STARTING THE
Text: Expl:	SOMEBODY ELSE IS RUNNING A DIFFERENT VERSION OF THE APPLICATION PROGRAM. CO-ORDINATE THE VERSIONS. MAXIMUM NUMBER OF CONCURRENTLY OPEN CURSORS EXCEEDED MAXIMUM NUMBER OF CONCURRENTLY OPEN CURSORS EXCEEDED AN ATTEMPT WAS MADE TO OPEN A CURSOR SUCH THAT THE MAXIMUM PERMITTED NUMBER OF CONCURRENTLY OPEN CURSORS WAS EXCEEDED. THIS FIGURE IS DEFINED IN THE START UP PARAMETERS FOR THE RUNTIME SYSTEM. INCREASE THE MAXIMUM PERMITTED NUMBER OF CURSORS BY STOPPING THE RUNTIME SYSTEM, CHANGING THE START UP PARAMETER AND RE-STARTING THE

8131	A SELECT STATEMENT CANNOT BE SUBMITTED TO AN EXECUTE STATEMENT
Text:	A SELECT STATEMENT CANNOT BE SUBMITTED TO AN EXECUTE STATEMENT
Expl:	AN ATTEMPT WAS MADE TO EXECUTE A STATEMENT WHICH HAS PREVIOUSLY BEEN PREPARED, WHICH WAS IN FACT A SELECT STATEMENT. SELECT STATEMENTS CANNOT BE EXECUTED RATHER ONCE THEY HAVE BEEN PREPARED THEY MUST BE ASSOCIATED WITH A DYNAMIC CURSOR.
Actn:	ONLY EXECUTE NON-SELECT STATEMENTS.
8132	ASSOCIATED PREPARED STATEMENT WAS NOT A SELECT STATEMENT
Text:	ASSOCIATED PREPARED STATEMENT WAS NOT A SELECT STATEMENT
Expl:	AN ATTEMPT WAS MADE TO OPEN A DYNAMIC CURSOR WHERE THE ASSOCIATED PREPARED STATEMENT WAS SOMETHING OTHER THAN THE PERMITTED SELECT STATEMENT. SUCH STATEMENTS CAN ONLY BE DYNAMICALLY EXECUTED.
	AMEND THE LOGIC OF THE APPLICATION PROGRAM SO THAT IT CAN IDENTIFY PREPARED SELECT STATEMENTS. SEE THE PROGRAMMER'S REFERENCE GUIDE.
	SECURITY VIOLATION
Text:	SECURITY VIOLATION
Expl:	THE CURRENT STATEMENT WAS TERMINATED BECAUSE THE USER HAS NOT BEEN GRANTED THE NECESSARY ACCESS RIGHTS TO ONE OR MORE DATA STRUCTURES REFERENCED IN THE STATEMENT.
Actn:	CONTACT YOUR SYSTEM ADMINISTRATOR AND REVIEW THE ACCESS RIGHTS THAT ARE GRANTED TO YOU.
8135	SECURITY SERVER INTERNAL ERROR
Text:	SECURITY SERVER INTERNAL ERROR
Expl:	IN PROCESSING A REQUEST FOR SECURITY CLEARANCE FOR THE CURRENT STATEMENT, THE SECURITY SERVER ENCOUNTERED SOME KIND OF INTERNAL ERROR
Actn:	INSTRUCT YOUR SYSTEM ADMINISTRATOR TO INVESTIGATE THE FAULT.

8136 	INCOMPATIBLE META PROGRAM VERSION
Text:	INCOMPATIBLE META PROGRAM VERSION
Expl:	AN ATTEMPT WAS MADE TO EXECUTE A PERSISTENT META PROGRAM FOR WHICH THE SUPPLIED VERSION DOES NOT MATCH THE VERSION ASSOCIATED WITH THE STORED META PROGRAM.
	ENSURE THAT THE META PROGRAM IS ESTABLISHED AFRESH.
8137	USER NAME IS CURRENTLY NOT AVAILABLE
Text:	USER NAME IS CURRENTLY NOT AVAILABLE
Expl:	THE CURRENT STATEMENT COULD NOT BE EXECUTED BECAUSE THE REQUIRED SECURITY CHECK COULD NOT BE PERFORMED. THIS IS DUE TO THE FACT THAT A USER NAME IS NOT CURRENTLY AVAILABLE. A USER NAME MUST BE SUPPLIED AS PART OF A CONNECT STATEMENT.
Actn:	SUPPLY A VALID USER NAME BY EXECUTING AN APPROPRIATE CONNECT STATEMENT BEFORE ATTEMPTING TO EXECUTE THE CURRENT STATEMENT AGAIN.
8138	CHARACTER STRING TOO LONG FOR TARGET COLUMN
Text:	CHARACTER STRING TOO LONG FOR TARGET COLUMN
Expl:	AN ATTEMPT WAS MADE TO INSERT OR UPDATE A COLUMN OF TYPE CHARACTER WITH A VALUE WHICH IS LONGER THAN THE TARGET COLUMN CONCERNED. THIS IS NOT PERMITTED.
Actn:	NO ACTION REQUIRED
8139	TABLE NAME DOES NOT MATCH CURSOR DECLARATION
Text:	TABLE NAME DOES NOT MATCH CURSOR DECLARATION
Expl:	A POSITIONED UPDATE OR DELETE HAS BEEN ATTEMPTED THAT REFERENCES A DIFFERENT TABLE THAN WAS SPECIFIED IN THE CURSOR DECLARATION.
Actn:	USE CORRECT TABLE NAME IN UPDATE OR DELETE STATEMENT.

8140	CURSOR IS NOT POSITIONED ON A ROW
Text:	CURSOR IS NOT POSITIONED ON A ROW
Expl:	A POSITIONED UPDATE OR POSITIONED DELETE WAS ATTEMPTED WHEN THE ASSOCIATED CURSOR WAS NOT POSITIONED ON A ROW. THIS CAN OCCUR BEFORE THE FIRST FETCH, AFTER A FETCH THAT HAD RETURNED "NOT FOUND", OR AFTER A PREVIOUS POSITIONED DELETE HAS BEEN EXECUTED AND A NEW POSITION HAS NOT BEEN SET BY A FETCH.
Actn:	CORRECT APPLICATION LOGIC.
8141	DML STATEMENTS WITHIN SAME TRANSACTION AS DCL OR DDL
Text:	DML STATEMENTS WITHIN SAME TRANSACTION AS DCL OR DDL
Expl:	A MIXTURE OF DATA MANIPULATION STATEMENTS AND DATA DEFINITION AND/OR DATA CONTROL STATEMENTS WAS SPECIFIED WITHIN THE SAME TRANSACTION. THIS IS NOT PERMITTED. THE RESULTS OF ANY PREVIOUSLY SUCCESSFULLY EXECUTED DDL AND/OR DCL STATEMENTS WITHIN THE TRANSACTION WILL NOT BE AFFECTED. THE RESULTS OF ANY PREVIOUSLY SUCCESSFULLY EXECUTED DML STATEMENT WILL BE IMPLICITLY ROLLED BACK. ANY FURTHER STATEMENTS WITHIN THE TRANSACTION WILL BE REJECTED. HENCE AN EXPLICIT COMMIT OR ROLLBACK IS REQUIRED IN ORDER TO TERMINATE THE TRANSACTION.
Actn:	ISSUE A COMMIT OR ROLLBACK STATEMENT TO TERMINATE THE CURRENT TRANSACTION. DO NOT MIX DML STATEMENTS WITH DDL AND/OR DCL IN FUTURE.
8142	INVALID ESCAPE SEQUENCE DETECTED IN LIKE PREDICATE
Text:	INVALID ESCAPE SEQUENCE DETECTED IN LIKE PREDICATE
Expl:	AN INVALID ESCAPE SEQUENCE WAS DETECTED IN THE PATTERN SPECIFICATION OF A LIKE PREDICATE.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE
8143	ILLEGAL UPDATE OR DELETE OF CURSOR ATTEMPTED
Text:	ILLEGAL UPDATE OR DELETE OF CURSOR ATTEMPTED
Expl:	AN ATTEMPT WAS MADE TO EXECUTE AN UPDATE OR DELETE CURRENT OF CURSOR STATEMENT, WHERE THE SPECIFIED CURSOR IS READ ONLY. THIS IS NOT PERMITTED.
Actn:	NO ACTION POSSIBLE
	8140 - 8143

8144 	INVALID STATEMENT IDENTIFICATION SPECIFIED
Text:	INVALID STATEMENT IDENTIFICATION SPECIFIED
Expl:	EITHER AN INVALID PERSISTENT PROCEDURE SPECIFICATION OR STATEMENT IDENTIFICATION FOR A DYNAMIC STATEMENT WAS GIVEN IN ONE OF THE FOLLOWING STATEMENTS: PREPARE, EXECUTE, EXECUTE IMMEDIATE, DESCRIBE, DEALLOCATE PREPARE.
Actn:	ENTER A CORRECT STATEMENT IDENTIFICATION AND EXECUTE THE PREPARE STATEMENT AGAIN.
8218 	DECIMAL ARITHMETIC OR CONVERSION OVERFLOW
Text:	DECIMAL ARITHMETIC OR CONVERSION OVERFLOW
Expl:	DURING THE EVALUATION OF AN EXPRESSION CONCERNING AT LEAST ONE DECIMAL OPERAND, AN OVERFLOW WAS DETECTED.
Actn:	CHECK DECIMAL OPERANDS AND CORRECT THE SQL STATEMENT.
8502 	EXTENDED BUFFER PROCESSING FAILED WITH INTERNAL ERROR %S
Text:	EXTENDED BUFFER PROCESSING FAILED WITH INTERNAL ERROR %S
Expl:	AN UNEXPECTED INTERNAL ERROR CONDITION OCCURRED DURING THE EXTENDED SEARCH BUFFER PROCESSING. THE ERROR CONDITION CANNOT BE HANDLED.
Actn:	CONTACT YOUR SOFTWARE AG REPRESENTATIVE
8503 	RUN TIME SYSTEM SET DOWN: VO_CLOSE_FILE RETURNED %S
Text:	RUN TIME SYSTEM SET DOWN: VO_CLOSE_FILE RETURNED %S
Expl:	AN UNEXPECTED INTERNAL ERROR CONDITION OCCURRED WHILE CLOSING TEMPORARY WORKFILES DURING THE CLEAN UP OF AN EXECUTED META PROGRAM.
Actn:	CONTACT YOUR SOFTWARE AG REPRESENTATIVE
8504	RUN TIME SYSTEM SET DOWN: VO_DELETE_FILE RETURNED %S
Text:	RUN TIME SYSTEM SET DOWN: VO_DELETE_FILE RETURNED %S
Expl:	AN UNEXPECTED INTERNAL ERROR CONDITION OCCURRED WHILE DELETING TEMPORARY WORKFILES DURING THE CLEAN UP OF AN EXECUTED META PROGRAM.
Actn:	CONTACT YOUR SOFTWARE AG REPRESENTATIVE

TUPLE MANAGER WORK FILE NOT OPEN
TUPLE MANAGER WORK FILE NOT OPEN
A FATAL INTERNAL ERROR HAS OCCURRED CONCERNING THE TUPLE MANAGER
CONTACT YOUR SOFTWARE AG REPRESENTATIVE
TUPLE MANAGER WORK FILE ALREADY OPEN
TUPLE MANAGER WORK FILE ALREADY OPEN
A FATAL INTERNAL ERROR HAS OCCURRED CONCERNING THE TUPLE MANAGER
CONTACT YOUR SOFTWARE AG REPRESENTATIVE
TUPLE MANAGER WORK FILE DOES NOT EXIST
TUPLE MANAGER WORK FILE DOES NOT EXISTS
A FATAL INTERNAL ERROR HAS OCCURRED CONCERNING THE TUPLE MANAGER
CONTACT YOUR SOFTWARE AG REPRESENTATIVE
TUPLE MANAGER WORK FILE ALREADY EXISTS
TUPLE MANAGER WORK FILE ALREADY EXISTS
A FATAL INTERNAL ERROR HAS OCCURRED CONCERNING THE TUPLE MANAGER
CONTACT YOUR SOFTWARE AG REPRESENTATIVE
TUPLE MANAGER FILE ID TABLE OFFSET ERROR
TUPLE MANAGER FILE ID TABLE OFFSET ERROR
A FATAL INTERNAL ERROR HAS OCCURRED CONCERNING THE TUPLE MANAGER
CONTACT YOUR SOFTWARE AG REPRESENTATIVE

8510	TUPLE MANAGER FILE OPEN MODE ERROR
Text:	TUPLE MANAGER FILE OPEN MODE ERROR
Expl:	A FATAL INTERNAL ERROR HAS OCCURRED CONCERNING THE TUPLE MANAGER
Actn:	CONTACT YOUR SOFTWARE AG REPRESENTATIVE
8511	TUPLE MANAGER BUFFER CREATION: VO_DEFINE_FILE RETURNED %S
Text:	TUPLE MANAGER BUFFER CREATION: VO_DEFINE_FILE RETURNED %S
Expl:	AN UNEXPECTED ERROR CONDITION WAS SIGNALED BY THE LOW LEVEL OPERATING SYSTEM LAYER DURING THE PROCESSING OF TEMPORARY WORKFILES. THIS ERROR MAY OCCUR DURING THE INITIALIZATION PHASE OF TEMPORARY SET PROCESSING.
Actn:	CONTACT YOUR SOFTWARE AG REPRESENTATIVE
8512	TUPLE MANAGER BUFFER OPEN: VO_OPEN_FILE RETURNED %S
Text:	TUPLE MANAGER BUFFER OPEN: VO_OPEN_FILE RETURNED %S
Expl:	AN UNEXPECTED ERROR CONDITION WAS SIGNALED BY THE LOW LEVEL OPERATING SYSTEM LAYER DURING THE PROCESSING OF TEMPORARY WORKFILES. THIS ERROR MAY OCCUR DURING THE INITIALIZATION OR PROCESSING PHASE OF TEMPORARY SET PROCESSING.
Actn:	CONTACT YOUR SOFTWARE AG REPRESENTATIVE
8513	TUPLE MANAGER BUFFER CLOSE: VO_CLOSE_FILE RETURNED %S
Text:	TUPLE MANAGER BUFFER CLOSE: VO_CLOSE_FILE RETURNED %S
Expl:	AN UNEXPECTED ERROR CONDITION WAS SIGNALED BY THE LOW LEVEL OPERATING SYSTEM LAYER DURING THE PROCESSING OF TEMPORARY WORKFILES. THIS ERROR MAY OCCUR DURING THE PROCESSING OR CLEANUP PHASE OF TEMPORARY SET PROCESSING.
Actn:	CONTACT YOUR SOFTWARE AG REPRESENTATIVE

8514 	TUPLE MANAGER BUFFER DELETION: VO_DELETE_FILE RETURNED %S
Text:	TUPLE MANAGER BUFFER DELETION: VO_DELETE_FILE RETURNED %S
Expl:	AN UNEXPECTED ERROR CONDITION WAS SIGNALED BY THE LOW LEVEL OPERATING SYSTEM LAYER DURING THE PROCESSING OF TEMPORARY WORKFILES. THIS ERROR MAY OCCUR DURING THE CLEANUP PHASE OF TEMPORARY SET PROCESSING.
Actn:	CONTACT YOUR SOFTWARE AG REPRESENTATIVE
 8515 	TUPLE MANAGER BUFFER WRITE: VO_WRITE_FILE RETURNED %S
Text:	TUPLE MANAGER BUFFER WRITE: VO_WRITE_FILE RETURNED %S
Expl:	AN UNEXPECTED ERROR CONDITION WAS SIGNALED BY THE LOW LEVEL OPERATING SYSTEM LAYER DURING THE PROCESSING OF TEMPORARY WORKFILES. THIS ERROR MAY OCCUR DURING THE CREATION PHASE OF TEMPORARY SET PROCESSING. A POSSIBLE PROBLEM AREA MAY BE THAT THE TEMPORARY SET BECOMES GIGANTIC BECAUSE OF AN UNUSUAL JOIN CRITERIA IN THE SQL STATEMENT.
Actn:	CONTACT YOUR SOFTWARE AG REPRESENTATIVE
8516	TUPLE MANAGER BUFFER SORT: VO_EXECUTE_FILE_SORT RETURNED %S
Text:	TUPLE MANAGER BUFFER SORT: VO_EXECUTE_FILE_SORT RETURNED %S
Expl:	AN UNEXPECTED ERROR CONDITION WAS SIGNALED BY THE LOW LEVEL OPERATING SYSTEM LAYER DURING THE PROCESSING OF TEMPORARY WORKFILES. THIS ERROR MAY OCCUR DURING THE SORT PHASE OF TEMPORARY SET PROCESSING. A POSSIBL PROBLEM AREA MAY BE THAT THE TEMPORARY SET BECOMES GIGANTIC BECAUSE OF AN UNUSUAL JOIN CRITERIA IN THE SQL STATEMENT.
Actn:	CONTACT YOUR SOFTWARE AG REPRESENTATIVE
 8517	TUPLE MANAGER BUFFER READ: VO_READ_FILE RETURNED %S
Text:	TUPLE MANAGER BUFFER READ: VO_READ_FILE RETURNED %S
Expl:	AN UNEXPECTED ERROR CONDITION WAS SIGNALED BY THE LOW LEVEL OPERATING SYSTEM LAYER DURING THE PROCESSING OF TEMPORARY WORKFILES. THIS ERROR MAY OCCUR DURING THE RETRIEVAL PHASE OF TEMPORARY SET PROCESSING.
Actn:	CONTACT YOUR SOFTWARE AG REPRESENTATIVE
	 8514 - 8517

8600	FATAL INTERNAL ERROR IN ESQLNK WITH INTERNAL CODE %S %S
Text:	FATAL INTERNAL ERROR IN ESQLNK WITH INTERNAL CODE %S %S
Expl:	A FATAL ERROR HAS OCCURRED WITHIN THE ESQLNK LIBRARY
Actn:	CONTACT YOUR SOFTWARE AG REPRESENTATIVE.
8601	POINTER TO SQLDA STRUCTURE IS NULL
Text:	POINTER TO SQLDA STRUCTURE IS NULL
Expl:	THE POINTER TO AN SQLDA WAS DETERMINED TO BE NULL, RATHER THAN A VALID ADDRESS.
Actn:	THE APPLICATION MUST REFERENCE AN SQLDA AS A HOST VARIABLE WHICH CONTAINS THE ADDRESS OF THE SQLDA.
8602	POINTER TO SQLDA DOES NOT POINT TO A RECOGNIZABLE STRUCTURE
Text:	POINTER TO SQLDA DOES NOT POINT TO A RECOGNIZABLE STRUCTURE
Expl:	THE SPECIFIED ADDRESS OF THE SQLDA DID NOT POINT TO A MEMORY AREA CORRESPONDING TO A RECOGNIZABLE SQLDA STRUCTURE.
Actn:	THE APPLICATION PROGRAM MUST PROVIDE A VALID SQLDA REFERENCE.
8603	ANOTHER ESQLNK CALL IS STILL ACTIVE
Text:	ANOTHER ESQLNK CALL IS STILL ACTIVE
Expl:	A SECOND ESQLNK CALL HAS BEEN ISSUED WHILE THE FIRST ONE IS STILL BEING PROCESSED.
Actn:	ISSUE ONLY ONE CALL AT A TIME.
8606	COMMUNICATION PROTOCOL IS NOT AVAILABLE
Text:	COMMUNICATION PROTOCOL IS NOT AVAILABLE
Expl:	DURING EXECUTION AN ATTEMPT WAS MADE TO CONNECT TO A SERVER WHICH HAS BEEN DEFINED, EITHER EXPLICITLY OR BY DEFAULT, AS ACCESSIBLE VIA A COMMUNICATION PROTOCOL (CSCI, BROKER, ETC) WHICH IS NOT AVAILABLE FOR YOUR ESQLNK (ESQCSI OR ESQRTS).
Actn:	USE A COMMUNICATION PROTOCOL WHICH IS AVAILABLE OR CONTACT YOUR SOFTWARE AG REPRESENTATIVE.
	0.500

8607	IMPLICIT ESQLNK EXIT HANDLER ALREADY EXECUTED
Text:	IMPLICIT ESQLNK EXIT HANDLER ALREADY EXECUTED
Expl:	DURING THE TERMINATION OF AN APPLICATION, THE IMPLICIT ESQ EXIT HANDLER WAS CALLED WITHOUT PROBLEM. HOWEVER SUBSEQUENT TO ITS EXECUTION, FURTHER SQL STATEMENTS WERE SUBMITTED FOR EXECUTION. SUCH STATEMENTS WERE PROBABLY DEFINED IN A USER SPECIFIED EXIT ROUTINE
Actn:	NO ACTION REQUIRED. SHOULD A USER REQUIRE A SPECIFIC USER EXIT ROUTINE WITH SQL STATEMENTS, THEN THE CALL TO ADEXIT SHOULD TAKE PLACE AFTER THE EXECUTION OF THE FIRST SQL STATEMENT.
8609	SESSION MEMORY IS NOT RELIABLE FOR CURRENT ESQLNK PLATFORM
Text:	SESSION MEMORY IS NOT RELIABLE FOR CURRENT ESQLNK PLATFORM
Expl:	AN ATTEMPT HAS BEEN MADE TO USE FUNCTIONALITY WHICH REQUIRES SESSION MEMORY, ON A PLATFORM WHERE SESSION MEMORY IS EITHER NOT AVAILABLE OR RELIABLE BETWEEN ESQLNK REQUESTS. THIS LEADS TO A RESTRICTION IN THE AVAILABLE FUNCTIONALITY OF ESQLNK, AND HENCE ALSO TO THE APPLICATION CLIENT. AN EXAMPLE OF SUCH FUNCTIONALITY IS MULTIFETCH.
Actn:	AVOID USING FUNCTIONALITY WHICH REQUIRES SESSION MEMORY OR CONFIGURE YOUR SYSTEM SO IT PROVIDES SESSION MEMORY.
8610	MEMORY ALLOCATION ERROR IN %S
Text:	MEMORY ALLOCATION ERROR IN %S
Expl:	THE SPECIFIED MODULE WAS UNABLE TO ACQUIRE SUFFICIENT DYNAMIC MEMORY IN THE APPLICATION PROGRAM'S ADDRESS SPACE (IF YOU ARE USING ESQRTS THEN NOTE THAT ESQLNK IS PART OF ESQRTS).
Actn:	INCREASE THE AMOUNT OF MEMORY AVAILABLE TO THE APPLICATION PROGRAM. OTHERWISE REDUCE THE DEMANDS OF THE APPLICATION PROGRAM.
8611	ESQLNK ROUTER CALL FAILED WITH RESPONSE %S
Text:	ESQLNK ROUTER CALL FAILED WITH RESPONSE %S
Expl:	THE ESQLNK COMMUNICATIONS MODULE RECEIVED THE SPECIFIED RESPONSE CODE FROM THE UNDERLYING COMMUNICATIONS SOFTWARE. THIS IS A FATAL ERROR
Actn:	CONTACT YOUR SOFTWARE AG REPRESENTATIVE.
	8607 - 8611

8612	ESQLNK ROUTER CALL FAILED WITH RESPONSE %S %S
Text:	ESQLNK ROUTER CALL FAILED WITH RESPONSE %S %S
Expl:	THE ESQLNK COMMUNICATIONS MODULE RECEIVED THE SPECIFIED RESPONSE CODE FROM THE UNDERLYING COMMUNICATIONS SOFTWARE. THIS IS A FATAL ERROR.
Actn:	CONTACT YOUR SOFTWARE AG REPRESENTATIVE.
8613	ESQ SERVER %S IS NOT ACTIVE OR WAS TERMINATED
Text:	ESQ SERVER %S IS NOT ACTIVE OR WAS TERMINATED
Expl:	AN ATTEMPT WAS MADE TO COMMUNICATE WITH THE SPECIFIED SERVER. HOWEVER THE ESQ SERVER WAS FOUND NOT TO BE ACTIVE OR WHILE REQUEST EXECUTION THE SERVER WAS TERMINATED.
Actn:	EITHER START THE SPECIFIED SERVER OR DO NOT ATTEMPT TO COMMUNICATE WITH NON-ACTIVE SERVERS. IN CASE OF ABNORMAL SERVER TERMINATION CONTACT YOUR SOFTWARE AG REPRESENTATIVE.
8614	NET-WORK ERROR %S RECEIVED UPON COMMUNICATING WITH SERVER %S
Text:	NET-WORK ERROR %S RECEIVED UPON COMMUNICATING WITH SERVER %S
Expl:	ESQCSI ATTEMPTED TO COMMUNICATE WITH THE SPECIFIED ESQ SERVER. HOWEVER THE UNDERLYING NET-WORK RESPONDED WITH AN ERROR.
Actn:	EXAMINE THE STATUS OF THE ASSOCIATED NET-WORK AT BOTH THE CLIENT AS WELL AS THE SERVER SITES.
8615	TIMEOUT RECEIVED BY ESQLNK UPON COMMUNICATING WITH SERVER %S
Text:	TIMEOUT RECEIVED BY ESQLNK UPON COMMUNICATING WITH SERVER %S
Expl:	THE ESQLNK RECEIVED A TIMEOUT WHILE TRYING TO COMMUNICATE WITH THE SPECIFIED SERVER. THE PERIOD REQUESTED AS SPECIFIED BY DEFAULT OR BY THE PARAMETER FILE HAS ELAPSED WITHOUT ANY REPLY ARRIVING TO SATISFY THE REQUEST.
Actn:	EITHER EDIT YOUR PARAMETER FILE AND INCREASE THE REPLY TIMEOUT. IN ADDITION, CHECK THE TIMEOUT SETTINGS OF CSCI (BROKER) AND NET-WORK (IF RELEVANT) OR CHECK THE ESQ SERVER THREAD HAS NOT TERMINATED UNEXPECTEDLY

8616	PRE-DEFINED NUMBER OF SESSIONS FOR THE SERVER EXCEEDED
Text:	PRE-DEFINED NUMBER OF SESSIONS FOR THE SERVER EXCEEDED
Expl:	AN ATTEMPT HAS BEEN MADE TO EXCEED THE NUMBER OF SESSIONS AVAILABLE TO THE ACCESSED ADABAS SQL SERVER. THIS NUMBER IS DEFINED UPON initialization OF THE SERVER AND CANNOT BE CHANGED WHILE THE SERVER IS UP.
Actn:	CONTACT YOUR SYSTEM ADMINISTRATOR TO SEE IF AN INCREASE IN THE NUMBER OF SESSIONS AVAILABLE TO THE SERVER CAN BE INSTIGATED.
8617	INVALID VERSION OF COMMUNICATION SOFTWARE
Text:	INVALID VERSION OF COMMUNICATION SOFTWARE
Expl:	THE UNDERLYING COMMUNICATION SOFTWARE ON CLIENT AND ON SERVER SIDE ARE NOT FROM THE SAME VERSION AND INCOMPATIBLE.
Actn:	CONTACT YOUR SYSTEM ADMINISTRATOR.
8618	COMMUNICATION COMPONENT %S IS NOT ACTIVE %S
Text:	COMMUNICATION COMPONENT %S IS NOT ACTIVE %S
Expl:	THE UNDERLYING COMMUNICATION SOFTWARE (CSCI, BROKER, ETC) BETWEEN CLIENT AND ESQ SERVER IS NOT ACTIVE OR THE SPECIFIED BROKER-ID IS NOT KNOWN.
Actn:	CHECK THE TYPE OF COMMUNICATION SOFTWARE USING ESQSHOW. TRY TO START THE COMMUNICATION SOFTWARE AS GIVEN IN THE ERROR MESSAGE. MAKE SURE THAT A VALID BROKER ID HAS BEEN SPECIFIED.
	COMMUNICATION SOFTWARE HAS FINISHED THE CONVERSATION WITH %S
Text:	COMMUNICATION SOFTWARE HAS FINISHED THE CONVERSATION WITH %S
Expl:	THE UNDERLYING COMMUNICATION SOFTWARE BETWEEN THE ESQ CLIENT AND THE ESQ SERVER HAS FINISHED THE CONVERSATION (CONNECTION). ONE POSSIBLE REASON COULD BE A SESSION TIMEOUT.
Actn:	CONTACT YOUR SYSTEM ADMINISTRATOR.

8620	ROUTING DEFINITION FILE SYNTAX ERROR DETECTED IN LINE %S
Text:	ROUTING DEFINITION FILE SYNTAX ERROR DETECTED IN LINE %S
Expl:	A SYNTAX ERROR WAS DETECTED IN THE SPECIFIED LINE OF THE ROUTING DEFINITION FILE.
Actn:	CORRECT THE ERROR IN THE ROUTING DEFINITION FILE AND RE-START THE APPLICATION PROGRAM
8621	THE SERVER IDENTIFIER SPECIFIED IN LINE NUMBER %S IS TOO LONG
Text:	THE SERVER IDENTIFIER SPECIFIED IN LINE NUMBER %S IS TOO LONG
Expl:	A SERVER HAS BEEN DEFINED IN THE ROUTING DEFINITION FILE AT THE THE SPECIFIED LINE NUMBER, FOR WHICH THE ACTUAL SERVER IDENTIFIER IS TOO LONG.
Actn:	CORRECT THE ROUTING DEFINITION FILE AS SUGGESTED ABOVE AND RE-START THE APPLICATION PROGRAM.
8622	SERVER IDENTIFIER DEFINED AT LINE NUMBER %S IS ALREADY DEFINED
Text:	SERVER IDENTIFIER DEFINED AT LINE NUMBER %S IS ALREADY DEFINED
Expl:	THE SERVER DEFINED IN THE ROUTING DEFINITION FILE AT THE SPECIFIED LINE HAS ALREADY BEEN DEFINED IN A PREVIOUS LINE. DUPLICATE SERVER DEFINITIONS ARE NOT PERMITTED.
Actn:	CORRECT THE ROUTING DEFINITION FILE AS SUGGESTED ABOVE AND RE-START THE APPLICATION PROGRAM.
8623	DATABASE NUMBER GIVEN AT LINE NUMBER %S IS ALREADY SPECIFIED
Text:	DATABASE NUMBER GIVEN AT LINE NUMBER %S IS ALREADY SPECIFIED
Expl:	THE DATABASE GIVEN IN THE ROUTING DEFINITION FILE AT THE SPECIFIED LINE HAS ALREADY BEEN SPECIFIED IN A PREVIOUS LINE. DUPLICATE DATABASE SPECIFICATIONS ARE NOT PERMITTED.
Actn:	CORRECT THE ROUTING DEFINITION FILE AS SUGGESTED ABOVE AND RE-START THE APPLICATION PROGRAM.

8624	ENVIRONMENT VARIABLE SYNTAX ERROR DETECTED WITH VALUE '%S'
Text:	ENVIRONMENT VARIABLE SYNTAX ERROR DETECTED WITH VALUE '%S'
Expl:	A SYNTAX ERROR WAS DETECTED IN THE ENVIRONMENT VARIABLES TO SPECIFY THE DEFAULT SERVER (ESQSRV).
Actn:	CORRECT THE ERROR IN THE ENVIRONMENT VARIABLE AND RE-START THE APPLICATION PROGRAM
8625	TOO MANY SERVERS SPECIFIED IN ROUTING DEFINITION FILE
Text:	TOO MANY SERVERS SPECIFIED IN ROUTING DEFINITION FILE
Expl:	THE NUMBER OF SERVERS SPECIFIED IN THE ROUTING DEFINITION FILE EXCEEDED THE PERMITTED MAXIMUM.
Actn:	REDUCE THE NUMBER OF SPECIFIED SERVERS AND RE-START THE APPLICATION PROGRAM.
8626	SERVER IDENTIFICATION SYNTAX ERROR DETECTED WITH VALUE '%S'
Text:	SERVER IDENTIFICATION SYNTAX ERROR DETECTED WITH VALUE '%S'
Expl:	A SYNTAX ERROR WAS DETECTED IN THE SERVER IDENTIFICATION OF A CONNECT STATEMENT.
Actn:	CORRECT THE SYNTAX ERROR IN THE SERVER SPECIFICATION.
8630	NO SESSION CURRENTLY ESTABLISHED FOR DESIRED SERVER
8630 	
Text:	NO SESSION CURRENTLY ESTABLISHED FOR DESIRED SERVER AN ATTEMPT WAS MADE TO EXECUTE AN SQL STATEMENT AGAINST A PARTICULAR SERVER FOR WHICH THERE IS CURRENTLY NO SESSION ESTABLISHED. THIS IS PROBABLY DUE TO THE CORRESPONDING CONNECT STATEMENT ENCOUNTERING AN
Text:	NO SESSION CURRENTLY ESTABLISHED FOR DESIRED SERVER AN ATTEMPT WAS MADE TO EXECUTE AN SQL STATEMENT AGAINST A PARTICULAR SERVER FOR WHICH THERE IS CURRENTLY NO SESSION ESTABLISHED. THIS IS PROBABLY DUE TO THE CORRESPONDING CONNECT STATEMENT ENCOUNTERING AN ERROR DURING EXECUTION. DO NOT ATTEMPT TO INTERACT WITH SERVERS WHEN THE CORRESPONDING CONNECT DID NOT COMPLETE SUCCESSFULLY, I.E ALWAYS CHECK THE SQLCODE AFTER THE

8631 	UNKNOWN SESSION SPECIFIED IN DISCONNECT OR SET CONNECTION REQUEST
Text:	UNKNOWN SESSION SPECIFIED IN DISCONNECT OR SET CONNECTION REQUEST
Expl:	A DISCONNECT OR A SET CONNECTION STATEMENT REFERRED TO A SESSION FOR WHICH THERE WAS NO PREVIOUS CONNECT STATEMENT SUBMITTED.
Actn:	CORRECT THE ERROR AS SUGGESTED ABOVE AND RE-RUN THE APPLICATION PROGRAM
8632 	SERVER IDENTIFICATION FOR SERVER %S MISSING
Text:	SERVER IDENTIFICATION FOR SERVER %S MISSING
Expl:	A CONNECT STATEMENT WAS EXECUTED EITHER EXPLICITLY OR IMPLICITLY FOR WHICH THE SERVER IDENTIFICATION WAS NOT FOUND.
Actn:	ADD A SERVER IDENTIFICATION IN THE ROUTING DEFINITION FILE.
8633 	ATTEMPT TO CONNECT TO AN ALREADY ACTIVE SESSION DETECTED
Text:	ATTEMPT TO CONNECT TO AN ALREADY ACTIVE SESSION DETECTED
Expl:	A CONNECT STATEMENT WAS EXECUTED EITHER EXPLICITLY OR IMPLICITLY FOR WHICH THE SPECIFIED SESSION IS CURRENTLY ALREADY ACTIVE. THIS IS NOT PERMITTED.
Actn:	CORRECT SESSION SPECIFICATION AS SUGGESTED ABOVE.
	MAXIMUM NUMBER OF CONCURRENTLY ACTIVE SESSIONS EXCEEDED
Text:	MAXIMUM NUMBER OF CONCURRENTLY ACTIVE SESSIONS EXCEEDED
Expl:	AN ATTEMPT WAS MADE TO CONNECT TO A NEW SESSION WHICH WOULD EXCEED THE PERMITTED MAXIMUM NUMBER OF CONCURRENTLY ACTIVE SESSIONS. THIS LIMIT IS DETERMINED BY THE LENGTH OF THE ADABAS SQL SERVER CLIENTS ANCHOR BLOCK.
Actn:	INCREASE THE LENGTH OF THE CLIENT ANCHOR BLOCK BY SETTING THE ENVIRONMENT VARIABLE ESQABLEN OR DECREASE THE NUMBER OF CONCURRENTLY ACTIVE SESSIONS.

8635	MAXIMUM NUMBER OF LINKED IN SESSIONS EXCEEDED
Text:	MAXIMUM NUMBER OF LINKED IN SESSIONS EXCEEDED
Expl:	AN ATTEMPT WAS MADE TO CONNECT TO ANOTHER LINKED IN SESSION, ALTHOUGH AN EXISTING CONNECTION HAD ALREADY BEEN ESTABLISHED. FOR APPLICATIONS FOR WHICH THE ADABAS SQL SERVER IS LINKED IN, IT IS NOT PERMITTED TO HAVE MORE THAN ONE SESSION.
Actn:	NO ACTION POSSIBLE
8640	CONTENTS OF HOST VARIABLE NO. %S DID NOT MATCH PACKED FORMAT
Text:	CONTENTS OF HOST VARIABLE NO. %S DID NOT MATCH PACKED FORMAT
Expl:	THE CONTENTS OF THE SPECIFIED INPUT HOST VARIABLE DID NOT CORRESPOND TO THE EXPECTED PACKED FORMAT.
Actn:	THE APPLICATION PROGRAM MUST SUPPLY VALUES OF THE CORRECT FORMAT.
8641	CONTENTS OF HOST VARIABLE NO. %S DID NOT MATCH UNPACKED FORMAT
Text:	CONTENTS OF HOST VARIABLE NO. %S DID NOT MATCH UNPACKED FORMAT
Expl:	THE CONTENTS OF THE SPECIFIED INPUT HOST VARIABLE DID NOT CORRESPOND TO THE EXPECTED UNPACKED FORMAT.
Actn:	THE APPLICATION PROGRAM MUST SUPPLY VALUES OF THE CORRECT FORMAT.
8642	CONTENTS OF HOST VARIABLE NO. %S DID NOT MATCH VARYING FORMAT
Text:	CONTENTS OF HOST VARIABLE NO. %S DID NOT MATCH VARYING FORMAT
Expl:	THE CONTENTS OF THE SPECIFIED INPUT HOST VARIABLE DID NOT CORRESPOND TO THE EXPECTED VARYING FORMAT.
Actn:	THE APPLICATION PROGRAM MUST SUPPLY VALUES OF THE CORRECT FORMAT.
8645	OVERFLOW OCCURRED UPON LOADING HOST VARIABLE NO. %S WITH DATA
Text:	OVERFLOW OCCURRED UPON LOADING HOST VARIABLE NO. %S WITH DATA
Expl:	THE SPECIFIED TARGET HOST VARIABLE WAS DETERMINED TO BE OF INSUFFICIENT SIZE IN ORDER TO ACCOMMODATE THE RETURNED DATA.
Actn:	MODIFY HOST CODE AS SUGGESTED ABOVE AND PRE-COMPILE APPLICATION AGAIN.

8646 	INVALID CURSOR NAME
Text:	INVALID CURSOR NAME
Expl:	A CURSOR NAME THAT HAS BEEN SPECIFIED IN A HOST VARIABLE DOES NOT CONFORM TO THE SYNTAX SPECIFICATION OF AN IDENTIFIER.
Actn:	USE A VALID IDENTIFIER AS THE CURSOR NAME.
8647	FETCH CU ID DIFFERS FROM THAT OF PREVIOUS FETCH STATEMENT
Text:	FETCH CU ID DIFFERS FROM THAT OF PREVIOUS FETCH STATEMENT
Expl:	WHEN RUNNING IN MULTIFETCH MODE, AN ATTEMPT WAS MADE TO FETCH FROM A CURSOR USING A FETCH STATEMENT WHICH ALTHOUGH DIRECTED AT THE SAME CURSOR, WAS IN FACT A PHYSICALLY DIFFERENT FETCH STATEMENT FROM ONE PREVIOUSLY EXECUTED. WHEN IN MULTIFETCH MODE, IT IS ONLY PERMITTED TO USE THE SAME PHYSICAL FETCH STATEMENT PER CURSOR.
Actn:	EITHER SWITCH OFF MULTIFETCH MODE VIA THE PARAMETER FILE OR RESTRICT FETCH OPERATIONS TO ONE STATEMENT PER CURSOR.
8649	CLIENT'S REQUEST OR REPLY BUFFER EXCEEDS 64 KB
Text:	CLIENT'S REQUEST OR REPLY BUFFER EXCEEDS 64 KB
Expl:	AN ESQ REQUEST INTERNALLY RESULTS IN EITHER A REQUEST OR REPLY BUFFE SIZE OF MORE THAN $64\ \text{KB}$, WHICH IS THE UPPER LIMIT FOR CLIENT-SERVER COMMUNICATION.
Actn:	MODIFY THE SQL STATEMENT IN ORDER TO REDUCE THE AMOUNT OF DATA THAT MUST BE TRANSFERRED.
8650	FATAL INTERNAL ERROR IN ESQ SERVER WITH INTERNAL CODE %S %S
	FATAL INTERNAL ERROR IN ESQ SERVER WITH INTERNAL CODE %S %S
Text:	
	A FATAL ERROR HAS OCCURRED WITHIN THE ESQ SERVER.

8651	SERVERS'S REPLY BUFFER DETERMINED TO BE TOO SMALL
Text:	SERVER'S REPLY BUFFER DETERMINED TO BE TOO SMALL
Expl:	THE SERVER HAS A REPLY WHICH EXCEEDS THE SERVER'S REPLY BUFFER SIZE.
Actn:	EITHER INCREASE 'MAX REPLY LENGTH' IN THE SERVER'S PARAMETER FILE OR DECREASE THE SIZE OF THE DATA TO BE RETURNED.
8652	SERVERS'S REQUEST BUFFER DETERMINED TO BE TOO SHORT
Text:	SERVERS'S REQUEST BUFFER DETERMINED TO BE TOO SMALL
Expl:	THE SERVER HAS RECEIVED A CLIENT REQUEST WHICH EXCEEDS THE SERVER REQUEST BUFFER SIZE.
Actn:	EITHER INCREASE 'MAX REQUEST LENGTH' IN THE SERVER'S PARAMETER FILE OR DECREASE THE SIZE OF THE CLIENT REQUEST.
8653	ADABAS %S WAS NOT ACTIVE WHEN A CONNECT STATEMENT WAS ISSUED
Text:	ADABAS %S WAS NOT ACTIVE WHEN A CONNECT STATEMENT WAS ISSUED
Expl:	A CONNECT STATEMENT WAS EXECUTED EITHER EXPLICITLY OR IMPLICITLY FOR WHICH THE SPECIFIED ADABAS IS CURRENTLY NOT ACTIVE. IF HOWEVER THE ADABAS NUCLEUS IS UP, THEN IT IS POSSIBLE THAT THERE IS A CONFLICT BETWEEN THE SHARED MEMORIES OF THE ADABAS SQL SERVER AND THE ADABAS NUCLEUS. ON A UNIX PLATFORM THIS CONFLICT CAN BE RESOLVED BY RESETTING THE ENVIRONMENT VARIABLE ESQSHMADDR TO A LOWER VALUE. FOR EXAMPLE: % SETENV ESQSHMADDR 0X60000000
Actn:	START THE ADABAS NUCLEUS AND RE-START THE APPLICATION PROGRAM.
8654	NO SPACE IN COMMUNICATION PROTOCOL BUFFER %S %S %S
Text:	NO SPACE IN COMMUNICATION PROTOCOL BUFFER %S %S %S
Expl:	THE ESQLNK COMMUNICATION MODULE RECEIVED THE RESPONSE THAT THE BUFFER USED FOR CLIENT/SERVER COMMUNICATION IS FULL OR TOO SMALL.
Actn:	INCREASE THE COMMUNICATION PROTOCOL BUFFER (CSCOPR) OR DECREASE THE SIZE OF THE DATA TO BE EXCHANGED.

8660	VERSION INCOMPATIBILITY DETECTED BETWEEN ESQ CLIENT AND SERVER
Text:	VERSION INCOMPATIBILITY DETECTED BETWEEN ESQ CLIENT AND SERVER
Expl:	AN ESQ CLIENT APPLICATION HAS ATTEMPTED TO CONNECT TO A SERVER. HOWEVER THE ESQLNK VERSION NUMBER PROVED TO BE DIFFERENT TO THAT OF THE TARGET SERVER. THIS IS A FATAL ERROR.
Actn:	SUCCESSFUL OPERATION CAN ONLY OCCUR BETWEEN VERSION COMPATIBLE COMPONENTS.
8661	VERSION INCOMPATIBILITY DETECTED IN APPLICATION PROGRAM
Text:	VERSION INCOMPATIBILITY DETECTED IN APPLICATION PROGRAM
Expl:	THE APPLICATION PROGRAM HAS BEEN PRE-COMPILED USING A PARTICULAR VERSION OF THE ESQ PRE-COMPILER AND THEN SUBSEQUENTLY LINKED WITH THE ESQ LIBRARY. HOWEVER THE VERSION OF THIS LIBRARY PROVED TO BE DIFFERENT TO THAT OF THE ESQ PRE-COMPILER. THIS IS A FATAL ERROR
Actn:	SUCCESSFUL OPERATION CAN ONLY OCCUR BETWEEN VERSION COMPATIBLE COMPONENTS.
8680	DYNAMIC LOAD OF %S FAILED, ENV-VAR HAS NOT BEEN DEFINED
Text:	DYNAMIC LOAD OF %S FAILED, ENV-VAR HAS NOT BEEN DEFINED
Expl:	THE SHARED LIBRARY/IMAGE ENV-VAR WAS FOUND TO BE UNDEFINED UPON ATTEMPTING TO LOAD THE SHARED LIBRARY/IMAGE SUPPOSEDLY SPECIFIED BY IT.
Actn:	MAKE THE DEFINITION OF THE ABOVE ENVIRONMENT VARIABLE AVAILABLE TO ESQ.
8681	DYNAMIC LOAD OF %S FAILED
Text:	DYNAMIC LOAD OF %S FAILED
Expl:	THE SHARED LIBRARY/IMAGE COULD NOT BE LOADED. IF THE LIBRARY TO BE LOADED IS ESQTHS AND IT IS INTENDED THAT THE CLIENT APPLICATION COMMUNICATES WITH THE SERVER IN A MODE OTHER THAN LINKED IN, THEN THIS IS POSSIBLY AN INDICATION THAT THE ROUTING FILE IS INCORRECTLY SPECIFIED. IN PARTICULAR IT MIGHT BE THE CASE THAT THE SERVER IS SIMPLY NOT DEFINED IN THE ROUTING FILE, IN WHICH CASE THE DEFAULT OF LINKED IN IS ASSUMED. ALTERNATIVELY, THE SERVER IS POSSIBLY INCORRECTLY SPECIFIED IN THE ROUTING FILE.
Actn:	CHECK THE ROUTING FILE AS INDICATED ABOVE. OTHERWISE CONTACT YOUR SYSTEM ADMINISTRATOR.

8682	DYNAMIC LOAD OF %S FAILED, ACCESS PROBLEMS
Text:	DYNAMIC LOAD OF %S FAILED, ACCESS PROBLEMS
Expl:	THE ENVIRONMENT VARIABLE SPECIFIES A SHARED LIBRARY/IMAGE WHICH MUST BE LOADED BY ESQ. ALTHOUGH THE LIBRARY COULD BE IDENTIFIED, IT COULD NOT BE ACCESSED.
Actn:	CONTACT YOUR SYSTEM ADMINISTRATOR.
	%S TERMINATED ABNORMALLY.
Text:	<module> HAS TERMINATED ABNORMALLY.</module>
Expl:	THE ADABAS SQL UTILITY HAS TERMINATED ABNORMALLY. THE PRECEDING MESSAGES SHOULD PROVIDE INSIGHT AS TO THE CAUSE.
Actn:	CHECK PRECEDING MESSAGES AND ANALYZE.
	INSTALLATION ERROR: %S NOT FOUND.
Text:	INSTALLATION ERROR: %S NOT FOUND.
Expl:	AN INSTALLATION ERROR HAS BEEN DETECTED - A RESOURCE WITHIN THE ENVIRONMENT DESCRIPTION TABLE COULD NOT BE LOCATED.
Actn:	CHECK AND CORRECT THE ENVIRONMENT DESCRIPTION TABLE.
8704	INSTALLATION ERROR; ENVIRONMENT DESCRIPTION TABLE INVALID
Text:	INSTALLATION ERROR; ENVIRONMENT DESCRIPTION TABLE INVALID
Expl:	AN INSTALLATION ERROR HAS BEEN DETECTED - THE ENVIRONMENT DESCRIPTION TABLE IS INVALID OR CORRUPT.
Actn:	CHECK AND CORRECT THE ENVIRONMENT DESCRIPTION TABLE.
8705	INSTALLATION ERROR: %S NOT IN ADDON-TABLE.
Text:	INSTALLATION ERROR: ENTRY <resource> NOT IN ADDON-TABLE.</resource>
Expl:	A REQUIRED ENTRY IN THE ADABAS SQL ENVIRONMENT DESCRIPTION TABLE COULD NOT BE LOCATED.
Actn:	CHECK AND CORRECT THE ENVIRONMENT DESCRIPTION TABLE. ENSURE THAT THE PROPER ENVIRONMENT DESCRIPTION TABLE IS IN USE.

E DURING ' <system-function>' WITH REG.15=%S. 22000 SYSTEM FUNCTION HAS RETURNED A NON-ZERO RESPONSE. 3 FOR CAUSE AND CORRECT. 3 CCT YOUR SOFTWARE AG REPRESENTATIVE, WHEN THE PROBLEM PERSISTS. 3 CERMINATED WITH RESPONSE-CODE(CC=%S). 4 LITY> TERMINATED WITH RESPONSE-CODE (CC=%S). 4 DABAS SQL UTILITY HAS TERMINATED WITH A CONDITION CODE. 4 DABAS SQL PRECOMPILER, FOR EXAMPLE, TERMINATES WITH A NON-ZERO 5 CTION CODE (CC=4), WHEN WARNING MESSAGES HAVE BEEN ISSUED. 5 ADABAS SQL UTILITY OUTPUT FOR THE REASON. 5 IN STXIT-HANDLER. 5 CURSIVE ERROR CONDITION HAS OCCURRED WITHIN THE STXIT-HANDLER. 5 CAUSE OF THE SITUATION SHOULD BE ANALYZED TO DETERMINE 1 EVEN OR NOT AN INTERNAL ERROR CONDITION EXISTS. 1 STXIT-HANDLER REQUESTS AN ABNORMAL TERMINATION, WHEN CALLED</system-function>
TO FOR CAUSE AND CORRECT. ACT YOUR SOFTWARE AG REPRESENTATIVE, WHEN THE PROBLEM PERSISTS. TERMINATED WITH RESPONSE-CODE(CC=%S). ADABAS SQL UTILITY HAS TERMINATED WITH A CONDITION CODE. ADABAS SQL PRECOMPILER, FOR EXAMPLE, TERMINATES WITH A NON-ZERO ATTION CODE (CC=4), WHEN WARNING MESSAGES HAVE BEEN ISSUED. TADABAS SQL UTILITY OUTPUT FOR THE REASON. TO STXIT-HANDLER. TO STXIT-HANDLER.
CT YOUR SOFTWARE AG REPRESENTATIVE, WHEN THE PROBLEM PERSISTS. CERMINATED WITH RESPONSE-CODE(CC=%S). CLITY> TERMINATED WITH RESPONSE-CODE (CC=%S). CLITY> TERMINATED WITH RESPONSE-CODE (CC=%S). CLOABAS SQL UTILITY HAS TERMINATED WITH A CONDITION CODE. CLOABAS SQL PRECOMPILER, FOR EXAMPLE, TERMINATES WITH A NON-ZERO CTION CODE (CC=4), WHEN WARNING MESSAGES HAVE BEEN ISSUED. CLOADABAS SQL UTILITY OUTPUT FOR THE REASON.
TERMINATED WITH RESPONSE-CODE (CC=%S). LLITY> TERMINATED WITH RESPONSE-CODE (CC=%S). LDABAS SQL UTILITY HAS TERMINATED WITH A CONDITION CODE. LDABAS SQL PRECOMPILER, FOR EXAMPLE, TERMINATES WITH A NON-ZERO LTION CODE (CC=4), WHEN WARNING MESSAGES HAVE BEEN ISSUED. LADABAS SQL UTILITY OUTPUT FOR THE REASON. LE IN STXIT-HANDLER. LURSIVE ERROR CONDITION HAS OCCURRED WITHIN THE STXIT-HANDLER. LAUSE OF THE SITUATION SHOULD BE ANALYZED TO DETERMINE LER OR NOT AN INTERNAL ERROR CONDITION EXISTS.
ADABAS SQL UTILITY HAS TERMINATED WITH A CONDITION CODE. ADABAS SQL PRECOMPILER, FOR EXAMPLE, TERMINATES WITH A NON-ZERO ATTION CODE (CC=4), WHEN WARNING MESSAGES HAVE BEEN ISSUED. ADABAS SQL UTILITY OUTPUT FOR THE REASON. A IN STXIT-HANDLER. CURSIVE ERROR CONDITION HAS OCCURRED WITHIN THE STXIT-HANDLER. CAUSE OF THE SITUATION SHOULD BE ANALYZED TO DETERMINE HER OR NOT AN INTERNAL ERROR CONDITION EXISTS.
ADABAS SQL PRECOMPILER, FOR EXAMPLE, TERMINATES WITH A NON-ZERO CTION CODE (CC=4), WHEN WARNING MESSAGES HAVE BEEN ISSUED. ADABAS SQL UTILITY OUTPUT FOR THE REASON. IN STXIT-HANDLER. SURSIVE ERROR CONDITION HAS OCCURRED WITHIN THE STXIT-HANDLER. CAUSE OF THE SITUATION SHOULD BE ANALYZED TO DETERMINE SER OR NOT AN INTERNAL ERROR CONDITION EXISTS.
IN STXIT-HANDLER. URSIVE ERROR CONDITION HAS OCCURRED WITHIN THE STXIT-HANDLER. CAUSE OF THE SITUATION SHOULD BE ANALYZED TO DETERMINE HER OR NOT AN INTERNAL ERROR CONDITION EXISTS.
IN STXIT-HANDLER. URSIVE ERROR CONDITION HAS OCCURRED WITHIN THE STXIT-HANDLER. CAUSE OF THE SITUATION SHOULD BE ANALYZED TO DETERMINE HER OR NOT AN INTERNAL ERROR CONDITION EXISTS.
CURSIVE ERROR CONDITION HAS OCCURRED WITHIN THE STXIT-HANDLER. CAUSE OF THE SITUATION SHOULD BE ANALYZED TO DETERMINE LER OR NOT AN INTERNAL ERROR CONDITION EXISTS.
CAUSE OF THE SITUATION SHOULD BE ANALYZED TO DETERMINE HER OR NOT AN INTERNAL ERROR CONDITION EXISTS.
SIVELY.
ILT YOUR SOFTWARE AG REPRESENTATIVE FOR FURTHER ASSISTANCE.
E '%S' COULD NOT BE LOCATED.
E ' <module-name>' COULD NOT BE LOCATED.</module-name>
DABAS SQL INTERFACE MODULE COULD NOT BE LOCATED. LES ARE DYNAMICALLY LOADED FROM THE ADABAS SQL LOAD LIBRARY (ESQLIB) THE ALTERNATE LOAD LIBRARIES (BLSLIBNN).
E THAT THE REQUIRED FILE ASSIGNMENTS ARE CORRECT THAT THE MODULE EXISTS.

8712	ERROR LOADING '%S' (RC=%S).
Text:	ERROR LOADING ' <module>' (RC=%S).</module>
Expl:	A NON-ZERO RESPONSE CODE HAS BEEN RETURNED BY THE 'BIND' MACRO.
Actn:	ENSURE THAT THE REQUIRED FILE ASSIGNMENTS ARE CORRECT AND THAT THE MODULE EXISTS.
8713	ERROR LOADING '%S';MACRO '%S' (RC=%S).
Text:	ERROR LOADING ' <module>'; MACRO '<macro-name>' (RC=%S).</macro-name></module>
Expl:	A NON-ZERO MACRO RESPONSE-CODE WAS RECEIVED ACCESSING A RESOURCE DEFINED IN THE ADABAS SQL (BS2000) ENVIRONMENT DESCRIPTION TABLE.
Actn:	ENSURE THAT THE CORRECT ENVIRONMENT DESCRIPTION TABLE IS IN USE, AND THAT THE REQUIRED (ALTERNATE) LOAD LIBRARIES ARE ASSIGNED.
8716	FUNCTION NOT FOUND: '%S' (RC=%S).
Text:	FUNCTION NOT FOUND: ' <function-code>' (RC=%S).</function-code>
Expl:	AN INTERNAL ERROR HAS OCCURRED. PLEASE CONTACT YOUR SOFTWARE AG REPRESENTATIVE FOR FURTHER ASSISTANCE.
Actn:	CONTACT YOUR SOFTWARE AG REPRESENTATIVE.
8717	NON-ZERO RESPONSE; SQLIOR-FUNCTION '%S' (RC=%S).
Text:	NON-ZERO RESPONSE; SYSTEM-FUNCTION ' <code>' (RC=%S).</code>
Expl:	A NON-ZERO RESPONSE HAS BEEN RECEIVED EXECUTING A SYSTEM FUNCTION CALL. THE VALUE RETURNED IS IN MOST CASES A BS2000 MACRO RESPONSE-CODE AND CAN BE THUS INTERPRETED. IF NOT, PLEASE CONTACT YOUR SOFTWARE AG REPRESENTATIVE FOR FURTHER ASSISTANCE.
Actn:	ANALYZE THE RESPONSE CODE AND CONTACT YOUR SOFTWARE AG REPRESENTATIVE FOR FURTHER ASSISTANCE.

8718	REQUIRED MODULE MISSING: '%S'.
Text:	REQUIRED MODULE MISSING: ' <module-name>'.</module-name>
Expl:	A REQUIRED ADABAS SQL INTERFACE MODULE COULD NOT BE LOCATED DURING THE INITIALIZATION. ADABAS SQL LOADS FROM THE FILE LINK NAME 'ESQLIB' AND THE ALTERNATE LOAD LIBRARIES ASSIGNED VIA 'BLSLIBXX'.
Actn:	ENSURE THAT THE REQUIRED FILE ASSIGNMENTS ARE CORRECT AND THAT THE MODULE EXISTS.
	REQUIRED FILE LINK NAME '%S' IS NOT DEFINED.
Text:	REQUIRED FILE LINK NAME ' <link-name>' IS NOT DEFINED.</link-name>
Expl:	A REQUIRED FILE LINK NAME COULD NOT BE LOCATED. THE FILE LINK NAME 'ESQLIB', FOR EXAMPLE, IS REQUIRED BY THE ADABAS SQL INTERFACE (BS2000). THE FILE ASSIGNED 'ESQLIB' SHOULD CONTAIN THE ADABAS SQL PARAMETER MODULES WHICH WERE CREATED DURING THE INSTALLATION.
Actn:	ENSURE THAT THE REQUIRED FILE ASSIGNMENTS ARE ASSIGNED.
8721	ADABAS SQL INTERFACE (BS2000) INITIALIZATION FAILED.
Text:	ADABAS SQL INTERFACE (BS2000) INITIALIZATION FAILED.
Expl:	THE INITIALIZATION OF ADABAS SQL INTERFACE (BS2000) HAS FAILED. THE CAUSE OF THE INITIALIZATION FAILURE IS DESCRIBED IN THE PRECEDING MESSAGES.
Actn:	CORRECT AND RE-TRY.
8722 	TYPE OF ADABAS COMMUNICATION IS '%S' (%S).
Text:	TYPE OF ADABAS COMMUNICATION IS ' <mode>' (<module-name>).</module-name></mode>
Expl:	THE DATABASE COMMUNICATION TYPE IS DEPENDENT UPON THE ADABAS LINK MODULE IN USE. THE FOLLOWING COMMUNICATION TYPES ARE INDICATED: 'BATCH' WHEN THE ADABAS LINK MODULE 'ADALNK' IS IN USE, AND 'DIALOG' WHEN OTHER ADABAS LINK MODULES ARE IN USE.
Actn:	NO ACTION REQUIRED.

8725	ADABAS SQL (UTM) INVALID ADDRESS MODE (AMODE=24)
Text:	ADABAS SQL (UTM) INVALID ADDRESS MODE (AMODE=24)
Expl:	ADABAS SQL INTERFACE (UTM) REQUIRES 31-BIT ADDRESS MODE AT EXECUTION.
Actn:	EXECUTE ADABAS SQL IN 31-BIT ADDRESS MODE.
8726 	ADABAS SQL RESPONSE (RC=%S);%S,%S,%S.
Text:	ADABAS SQL RESPONSE (RC=%S);%S,%S,%S.
Expl:	NO MESSAGE TEXT COULD BE LOCATED FOR THE ADABAS SQL RESPONSE. THE ADABAS SQL RESPONSE AND PARAMETERS ARE PROVIDED FOR PROBLEM ANALYSIS.
Actn:	CHECK THE ADABAS SQL MESSAGE MANUAL FOR FURTHER DETAIL.
8727	INTERNAL ERROR: ADABAS SQL INTERFACE '%S', '%S'.
Text:	INTERNAL ERROR: ADABAS SQL INTERFACE '%S', '%S'.
Expl:	AN INTERNAL ERROR HAS OCCURRED. THE PROVIDED INDICATOR 'UTM/I2B' CAN BE USED IN THE ERROR ANALYSIS. THIS MESSAGE IS ALSO USED TO INDICATE THAT THE PREREQUISITE MODULE 'ADAI2B' COULD NOT BE LOCATED UNDER UTM - 'UTM/I2B'.
Actn:	ENSURE THAT THE REQUIRED MODULES ARE AVAILABLE, AND CONTACT YOUR SOFTWARE AG REPRESENTATIVE WHEN THE PROBLEM PERSISTS.
8731	ADABAS SQL INTERFACE (UTM) INITIALIZATION FAILED.
Text:	ADABAS SQL INTERFACE (UTM) INITIALIZATION FAILED.
Expl:	THE INITIALIZATION OF ADABAS SQL UNDER UTM HAS FAILED. THE PRECEDING MESSAGES DESCRIBED THE CAUSE OF THE FAILURE.
Actn:	CORRECT AND RE-TRY.

8732	ADABAS SQL (UTM) REQUIRED MODULE MISSING: '%S'.
Text:	ADABAS SQL (UTM) REQUIRED MODULE MISSING: ' <module-name>'.</module-name>
Expl:	A REQUIRED ADABAS SQL (UTM) MODULE IS EITHER NOT STATICALLY BOUND TO THE UTM APPLICATION OR COULD NOT BE DYNAMICALLY LOADED.
Actn:	CHECK THAT ALL REQUIRED MODULES ARE BOUND TO THE UTM APPLICATION AND LOAD LIBRARY 'ESQLIB' IS ASSIGNED.
8733	UTM/ADABAS SQL INTERFACE (BS2000) CANNOT BE LOCATED.
Text:	UTM/ADABAS SQL INTERFACE (BS2000) CANNOT BE LOCATED.
Expl:	THE ADABAS SQL INTERFACE MODULE (BS2000) COULD NOT BE LOCATED. THE MODULE 'ESQIFRTN' IS DYNAMICALLY LOADED FROM THE ADABAS SQL LOAD LIBRARY (ESQLIB) OR THE ALTERNATE LOAD LIBRARIES (BLSLIBNN).
Actn:	CHECK / CORRECT THE FILE ASSIGNMENTS AND RESTART.
8734	MSDRV: RESPONSE - %S.
Text:	MSDRV: RESPONSE - <msdriv-response>.</msdriv-response>
Expl:	THE MULTI/SINGLE SESSION DRIVER HAS RETURNED A NON-ZERO RESPONSE. THE RESPONSE-CODES ARE DESCRIBED IN THE ADABAS SQL INSTALLATION MANUAL FOR BS2000.
Actn:	CHECK THE PARAMETERS OF THE MSDRIV MACRO AND REASSEMBLE / RE-LINK THE MULTI/SINGLE SESSION DRIVER AS NEEDED.
8735	
Text:	MSDRV: RESPONSE - <msrdiv-response>;SUBCODE=<macro-response>.</macro-response></msrdiv-response>
Expl:	THE MULTI/SINGLE SESSION DRIVER HAS RECEIVED A NON-ZERO RESPONSE FOR A BS2000 MACRO. THE MSDRIV-RESPONSE ARE DESCRIBED IN THE ADABAS SQL INSTALLATION THE RESPONSE-CODES ARE DESCRIBED IN THE ADABAS SQL INSTALLATION MANUAL FOR BS2000.
Actn:	CHECK THE PARAMETERS OF THE MSDRIV MACRO AND REASSEMBLE / RE-LINK THE MULTI/SINGLE SESSION DRIVER AS NEEDED.

8736	MSDRV: UNEXPECTED RESPONSE - %S (RC=%S).
Text:	MSDRV: UNEXPECTED RESPONSE - <msrdiv-response> (RC=<macro-response>).</macro-response></msrdiv-response>
Expl:	THE MULTI/SINGLE SESSION DRIVER HAS RECEIVED AN UNEXPECTED RESPONSE-CODE THE RESPONSE-CODES ARE DESCRIBED IN THE ADABAS SQL INSTALLATION MANUAL FOR BS2000.
Actn:	CHECK THE PARAMETERS OF THE MSDRIV MACRO AND REASSEMBLE / RE-LINK THE MULTI/SINGLE SESSION DRIVER AS NEEDED.
8737	MSDRV: MEMORY REQUEST FAILED: %S (RC=%S).
Text:	MSDRV: MEMORY REQUEST FAILED: <buffer-id> (RC=%S).</buffer-id>
Expl:	A MULTI/SINGLE SESSION MEMORY-REQUEST (MSGETM) HAS FAILED. THE THREADSLOT SIZE IS TOO SMALL FOR THE APPLICATION AND MUST BE INCREASED.
Actn:	INCREASE THE THREADSIZE OF THE MULTI/SINGLE SESSION DRIVER AND RETRY.
8738	MSDRV: INSUFFICIENT MEMORY FOR '%S' REQUEST.
Text:	MSDRV: INSUFFICIENT MEMORY FOR ' <buffer-id>' REQUEST.</buffer-id>
Expl:	THE MULTI/SINGLE SESSION DRIVER (ESQMSRTN) HAS DETERMINED THAT THE REMAINING MEMORY IS INSUFFICIENT TO SATISFY THE BUFFER REQUEST. THE THREADSLOT SIZE IS TOO SMALL FOR THE APPLICATION.
Actn:	INCREASE THE THREADSIZE OF THE MULTI/SINGLE SESSION DRIVER AND RETRY.
8739	MSDRV: INTERNAL ERROR - LENGTH NEGATIVE '%S'.
Text:	MSDRV: INTERNAL ERROR - LENGTH NEGATIVE ' <buffer-id>'.</buffer-id>
Expl:	AN INTERNAL ERROR HAS OCCURRED. THE REMAINING AMOUNT OF FREE MEMORY IS 'NEGATIVE'.
Actn:	INCREASE THE THREADSIZE OF THE MULTI/SINGLE SESSION DRIVER AND RETRY. SHOULD THE PROBLEM PERSIST, CONTACT YOUR SOFTWARE AG REPRESENTATIVE FOR FURTHER ASSISTANCE.

2

ADABAS SQL Server Messages and Codes Manual

8747	ENABLE/DISABLE MACRO-RESPONSE: %S(RC=%S) %S.
Text:	ENABLE/DISABLE MACRO-RESPONSE: <macro> (RC=%S) <resource>.</resource></macro>
Expl:	A NON-ZERO RESPONSE HAS BEEN RECEIVED FROM AN EVENT-MACRO - ENABLE RESOURCE: ENAEI/ENACO - DISABLE RESOURCE: DISEI/DISCO RESOURCES ARE IDENTIFIED BY THEIR ENVIRONMENT DESCRIPTION TABLE ENTRY VALUE: NAME AND POOL-ID.
Actn:	ENSURE THAT THE DESIRED RESOURCE IS NOT ALREADY ACTIVE AND THAT THE PROPER ENVIRONMENT DESCRIPTION TABLE IS IN USE.
8748	ESQSTUB-RESPONSE (RC=%S) %S.
Text:	ESQSTUB-RESPONSE (RC=%S) <resource>.</resource>
Expl:	A NON-ZERO RESPONSE CODE HAS BEEN RECEIVED FROM THE ENVIRONMENT DESCRIPTION TABLE SERVICES (ESQSTUB). EITHER THE ENVIRONMENT DESCRIPTION TABLE IS INCONSISTENT OR MANDATORY ENTRIES ARE MISSING.
Actn:	CHECK AND CORRECT THE ENVIRONMENT DESCRIPTION TABLE.
8749	%S - ATTEMPT TO START A DUPLICATE RESOURCE; %S
Text:	<pre><utility>- ATTEMPT TO START A DUPLICATE RESOURCE;<resource></resource></utility></pre>
Expl:	THE RESOURCE REQUIRED BY THE STARTED UTILITY IS ALREADY AVAILABLE. THIS CAN OCCUR WHEN A DUPLICATE RESOURCE IS STARTED; FOR EXAMPLE, ANOTHER INSTANCE OF THE ADABAS SQL PRECOMPILER WITH THE SAME RESOURCE IDENTIFICATION.
Actn:	ENSURE THAT THE DESIRED RESOURCE IS NOT ALREADY ACTIVE AND THAT THE PROPER ENVIRONMENT DESCRIPTION TABLE IS IN USE.
8750	%S - RESOURCE IS NOT ACTIVE; %S.
Text:	<pre><utility>- RESOURCE IS NOT ACTIVE; <resource>.</resource></utility></pre>
Expl:	THE RESOURCE REQUIRED BY THE STARTED UTILITY IS NOT AVAILABLE. THIS COULD OCCUR, WHEN THE ADABAS SQL SERVER /PRECOMPILER TASKS HAVE NOT BEEN STARTED PRIOR TO STARTING THE UTILITY.
Actn:	ENSURE THAT THE ADABAS SQL SERVER AND/OR PRECOMPILER ARE ACTIVE AND THAT THE SAME ENVIRONMENT DESCRIPTION TABLE ARE IN USE.

8751 VOEDR/GBP ACTIVE: %S. Text: VOEDR/GBP ACTIVE: BPID, LOC, ADDR, SIZE, WKFNAM Expl: THE MESSAGE PROVIDES INFORMATION ABOUT THE PARAMETERS USED TO ACCESS THE GLOBAL EDITOR BUFFER POOL. THE BUFFER POOL IS INITIALIZED BY THE ADABAS SQL SERVER, AND IS ACCESSED BY THE ADABAS SQL CLIENT. PARAMETER LIST: BPID BUFFER POOL IDENTIFICATION LOC LOCATION: ABOVE/BELOW ADDR FIXED ADDRESS OF THE BUFFER POOL SIZE OF BUFFER POOL SIZE WKFNAM FILE LINK NAME OF WORK FILE Actn: NO ACTION REQUIRED. 8752 FIXED ADDRESS %S MB INVALID FOR LOCATION %S. Text: FIXED ADDRESS %S MB INVALID FOR LOCATION %S. Expl: THE FIXED ADDRESS OF THE GLOBAL BUFFER POOL CONFLICTS WITH LOCATION PARAMETER. FOR EXAMPLE, THE ADDRESS 256MB IS LOCATED 'ABOVE' AND NOT 'BELOW'. Actn: CHECK AND CORRECT THE GLOBAL EDITOR BUFFER POOL DEFINITIONS IN THE ENVIRONMENT DESCRIPTION TABLE. GLOBAL BUFFER POOL NOT AVAILABLE %S.

Text: GLOBAL BUFFER POOL NOT AVAILABLE %S.

Expl: DURING INITIALIZATION OF THE ADABAS SQL INTERFACE THE GLOBAL EDITOR BUFFER POOL COULD NOT BE LOCATED OR INITIALIZED.

Actn: ENSURE THAT THE ADABAS SQL SERVER IS ACTIVE AND THAT BOTH ADABAS SQL CLIENT AND SERVER ARE USING THE SAME ENVIRONMENT DESCRIPTION TABLE.

8754	VOEDR RETURNED: %S %S.
Text:	VOEDR RETURNED: RESPONSE-CODE / MESSAGE-TEXT
Expl:	THE EDITOR BUFFER POOL MANAGER RETURNED A NON-ZERO RESPONSE-CODE WITH AN MESSAGE TEXT AND SHOULD ONLY OCCUR DURING THE INITIALIZATION OF THE ADABAS SQL SERVER / EDITOR BUFFER POOL MANAGER. POSSIBLE ERROR CONDITIONS ARE: EBP0004 ERROR IN ENAMP, BUFFERPOOL NOT ALLOCATED EBP0005 ERROR IN REQMP, BUFFERPOOL NOT ALLOCATED EBP0032 ERROR IN LINK TO WORKFILE, BUFFERPOOL NOT ALLOCATED EBP0033 ERROR IN FSTAT FOR WORKFILE, BUFFERPOOL NOT ALLOCATED EBP0034 WORKFILE NOT SHAREABLE, BUFFERPOOL NOT ALLOCATED
	· · · · · · · · · · · · · · · · · · ·
Actn:	TAKE THE APPROPRIATE ACTION AS DESCRIBED: ENAMP/REQMP CHECK AND CORRECT THE ENVIRONMENT DESCRIPTION TABLE WORKFILE CHECK AND CORRECT THE DEFINITION OF THE WORKFILE
8755	NON-ZERO RESPONSE: EDRBPMB (RC=%S)S.
Text:	NON-ZERO RESPONSE: EDRBPMB (RC=%S)S.
Expl:	DURING INITIALIZATION OF THE ADABAS SQL INTERFACE THE EDITOR BUFFER POOL RESPONDED WITH A NON-ZERO RESPONSE. POSSIBLE RESPONSE CODES ARE: 01/02 FILE/BLOCK NOT ALLOCATED 03/04 NO MORE FILES/BLOCKS TO ALLOCATE 05 NOT ENOUGH SPACE 06/07 ERROR OPEN/CLOSING FILE 08/09 ERROR READING/WRITING TO FILE 10 FILE LINK NAME MISSING 11 FILE TOO SMALL/ALREADY IN USE. 12/13 FILE ALREADY IN USE / FILE NOT ACTIVE. 14/15 INVALID REQUEST/USER-ID 20 INTERNAL ERROR
Actn:	CHECK AND CORRECT THE FILE DEFINITIONS AND RESTART THE ADABAS SQL SERVE ENSURING THAT BOTH THE ADABAS SQL SERVER AND CLIENT USE THE SAME ENVIRONMENT DESCRIPTION TABLE.

8756	INTERNAL ERROR: VOEDRITU (RC=%S)S.
Text:	NON-ZERO RESPONSE: EDRBPMB (RC=%S)S.
Expl:	DURING INITIALIZATION OF THE ADABAS SQL INTERFACE UNDER UTM THE EDITOR BUFFER POOL RESPONDED WITH A NON-ZERO RESPONSE. POSSIBLE RESPONSE CODES ARE: 01/02 FILE/BLOCK NOT ALLOCATED 03/04 NO MORE FILES/BLOCKS TO ALLOCATE 05 NOT ENOUGH SPACE 06/07 ERROR OPEN/CLOSING FILE 08/09 ERROR READING/WRITING TO FILE 10 FILE LINK NAME MISSING 11 FILE TOO SMALL/ALREADY IN USE. 12/13 FILE ALREADY IN USE / FILE NOT ACTIVE. 14/15 INVALID REQUEST/USER-ID 20 INTERNAL ERROR
Actn:	CHECK AND CORRECT THE FILE DEFINITIONS AND RESTART THE ADABAS SQL SERVER ENSURING THAT BOTH THE ADABAS SQL SERVER AND CLIENT USE THE SAME ENVIRONMENT DESCRIPTION TABLE.
8800	FATAL INTERNAL ERROR %S %S DURING EXECUTION OF A DDL STATEMENT
Text:	FATAL INTERNAL ERROR %S %S DURING EXECUTION OF A DDL STATEMENT
Expl:	FATAL INTERNAL ERROR %S %S DURING EXECUTION OF A DDL STATEMENT
Actn:	CONTACT YOUR SOFTWARE AG REPRESENTATIVE
8801	REMOVAL OF UNIQUE ATTRIBUTE OF INDEX NOT SUPPORTED
Text:	REMOVAL OF UNIQUE ATTRIBUTE OF INDEX NOT SUPPORTED
Expl:	AN ATTEMPT WAS MADE TO REMOVE THE UNIQUE ATTRIBUTE OF AN INDEX VIA THE ALTER TABLE DROP CONSTRAINT KEEPING INDEX. THE ATTEMPT WAS MADE ON A SERVER WHICH WAS RESIDENT ON THE MAINFRAME. THIS FUNCTIONALITY IS NOT SUPPORTED ON THE MAINFRAME.
Actn:	NO ACTION REQUIRED.
	CREATE INDEX NOT SUPPORTED IN SINGLE-USER LINKED-IN MODE
	CREATE INDEX NOT SUPPORTED IN SINGLE-USER LINKED-IN MODE
	AN ATTEMPT WAS MADE TO EXECUTE A CREATE INDEX STATEMENT IN SINGLE-USER LINKED-IN MODE. THIS IS CURRENTLY NOT SUPPORTED.
Actn:	EXECUTE THE STATEMENT IN MULTI-USER CLIENT/SERVER MODE.

2

ADABAS SQL Server Messages and Codes Manual

1804 INVALID NUMBER OF FIELDS IN A SUPER-DESCRIPTOR DEFINITION Expl: INVALID NUMBER OF FIELDS IN A SUPER-DESCRIPTOR DEFINITION Expl: A DDL STATEMENT HAS BEEN PERFORMED, WHEREBY THE NUMBER OF FIELDS FOR A SUPER-DESCRIPTOR (INDEX OR UNIQUE DEFINITION) IS TOO HIGH. Actn: ALTER THE DDL STATEMENT TO DECREASE THE NUMBER OF COLUMNS FOR A UNIQUE OR INDEX DEFINITION. 8810 ADABAS UTILITY FAILED WITH CODE %S %S Text: ADABAS UTILITY FAILED WITH CODE %S %S Expl: A DDL STATEMENT HAS BEEN PERFORMED, BUT THE EXECUTION WAS TERMINATED BY THE UNDERLYING ADABAS UTILITY. MORE INFORMATION CAN BE FOUND IN THE ASSOCIATED GENERATED OUTPUT FILE. ON UNIX THE FILE CAN BE FOUND IN: SYS\$SCRATCH: ESQADU*.OUT. ON WMS THE FILE CAN BE FOUND IN: SYS\$SCRATCH: ESQADU*.OUT. ON MUST THE FILE CAN BE FOUND IN: SYS\$SCRATCH: ESQADU*.OUT. ON MUST THE FILE CAN BE FOUND IN: THE DDPRINT FILE CREATED BY ADAINV IF A RESPONSE -13 IS RECEIVED THAN THIS GENERALLY IS CAUSED BY: ON UNIX: THE ASSIGN SHELL SCRIPT CANNOT BE FOUND IN THE DIRECTORY. SADADIR/DBS/DBID>. ON VMS: THE COMMAND PROCEDURE ASSIGN.COM CANNOT BE FOUND IN THE . DIRECTORY SAGSROOT: [ADABAS.DB		
Expl: A DDL STATEMENT HAS BEEN PERFORMED, WHEREBY THE NUMBER OF FIELDS FOR A SUPER-DESCRIPTOR (INDEX OR UNIQUE DEFINITION) IS TOO HIGH. ACTH: ALTER THE DDL STATEMENT TO DECREASE THE NUMBER OF COLUMNS FOR A UNIQUE OR INDEX DEFINITION. 8810 ADABAS UTILITY FAILED WITH CODE %S %S EXX: ADABAS UTILITY FAILE CAN BE FOUND IN :/TMP/ESQ*STDOUT* ON UNIX THE FILE CAN BE FOUND IN :/TMP/ESQ*STDOUT* ON WMS THE FILE CAN BE FOUND IN : THE DDRRINT FILE CREATED BY ADAINV IF A RESPONSE -13 IS RECEIVED THAN THIS GENERALLY IS CAUSED BY: ON UNIX : THE ASSIGN SHELL SCRIPT CANNOT BE FOUND IN THE DIRECTORY. SADADIR/DB <td>8804</td> <td>INVALID NUMBER OF FIELDS IN A SUPER-DESCRIPTOR DEFINITION</td>	8804	INVALID NUMBER OF FIELDS IN A SUPER-DESCRIPTOR DEFINITION
FOR A SUPER-DESCRIPTOR (INDEX OR UNIQUE DEFINITION) IS TOO HIGH. Actn: ALTER THE DDL STATEMENT TO DECREASE THE NUMBER OF COLUMNS FOR A UNIQUE OR INDEX DEFINITION. 8810 ADABAS UTILITY FAILED WITH CODE %S %S Expl: A DDL STATEMENT HAS BEEN PERFORMED, BUT THE EXECUTION WAS TERMINATED BY THE UNDERLYING ADABAS UTILITY. MORE INFORMATION CAN BE FOUND IN THE ASSOCIATED GENERATED OUTPUT FILE. ON UNIX THE FILE CAN BE FOUND IN: /TMP/ESQ*STDOUT* ON VMS THE FILE CAN BE FOUND IN: SYS\$SCRATCH:ESQADU*.OUT. ON MYS THE FILE CAN BE FOUND IN: SYS\$SCRATCH:ESQADU*.OUT. ON MYS THE FILE CAN BE FOUND IN: THE DDPRINT FILE CREATED BY ADAINV IF A RESPONSE -13 IS RECEIVED THAN THIS GENERALLY IS CAUSED BY: ON UNIX: THE ASSIGN SHELL SCRIPT CANNOT BE FOUND IN THE DIRECTORY. \$ADADIR/DB+OBID>. ON VMS: THE COMMAND PROCEDURE ASSIGN.COM CANNOT BE FOUND IN THE . DIRECTORY SAG\$ROOT:[ADABAS.DB+OBID>]. Actn: RESOLVE THE PROBLEM ACCORDING TO THE INFORMATION PRESENTED IN THE GENERATED FILE. 8811 SYNTAX ERRORS HAVE BEEN DETECTED IN THE FDT Text: SYNTAX ERRORS HAVE BEEN DETECTED IN THE FDT Expl: A DDL STATEMENT HAS BEEN PERFORMED, BUT THE EXECUTION WAS TERMINATED BY THE ADABAS UTILITY. REASON: FDT SYNTAX ERROR. 8812 FDT OVERFLOW, TOO MANY ENTRIES DEFINED Text: FDT OVERFLOW, TOO MANY ENTRIES DEFINED Expl: A DDL STATEMENT HAS BEEN PERFORMED, BUT THE EXECUTION WAS TERMINATED BY THE ADABAS UTILITY. REASON: FDT OVERFLOW (FDTOVFL). Actn: ALTER THE DDL STATEMENT TO A SMALLER TABLE (FILE) DEFINITION,	Text:	INVALID NUMBER OF FIELDS IN A SUPER-DESCRIPTOR DEFINITION
UNIQUE OR INDEX DEFINITION. 8810 ADABAS UTILITY FAILED WITH CODE %S %S Expl: A DDL STATEMENT HAS BEEN PERFORMED, BUT THE EXECUTION WAS TERMINATED BY THE UNDERLYING ADABAS UTILITY. MORE INFORMATION CAN BE FOUND IN THE ASSOCIATED GENERATED OUTPUT FILE. ON UNIX THE FILE CAN BE FOUND IN : /TMP/ESQ*STDOUT* ON WMS THE FILE CAN BE FOUND IN: SYS\$SCRATCH:ESQADU*.OUT. ON MVS THE FILE CAN BE FOUND IN: THE DDPRINT FILE CREATED BY ADAINV IF A RESPONSE -13 IS RECEIVED THAN THIS GENERALLY IS CAUSED BY: ON UNIX : THE ASSIGN SHELL SCRIPT CANNOT BE FOUND IN THE DIRECTORY. \$ADADIM/DB <dbid>. ON VMS: THE COMMAND PROCEDURE ASSIGN.COM CANNOT BE FOUND IN THE DIRECTORY. SAGSROOT:[ADABAS.DB<dbid>]. Actn: RESOLVE THE PROBLEM ACCORDING TO THE INFORMATION PRESENTED IN THE GENERATED FILE. 8811 SYNTAX ERRORS HAVE BEEN DETECTED IN THE FDT Expl: A DDL STATEMENT HAS BEEN PERFORMED, BUT THE EXECUTION WAS TERMINATED BY THE ADABAS UTILITY. REASON: FDT SYNTAX ERROR. Actn: CONTACT YOUR SOFTWARE AG REPRESENTATIVE. Text: FDT OVERFLOW, TOO MANY ENTRIES DEFINED Expl: A DDL STATEMENT HAS BEEN PERFORMED, BUT THE EXECUTION WAS TERMINATED BY THE ADABAS UTILITY. REASON: FDT SYNTAX ERROR. Actn: FDT OVERFLOW, TOO MANY ENTRIES DEFINED Expl: A DDL STATEMENT HAS BEEN PERFORMED, BUT THE EXECUTION WAS TERMINATED BY THE ADABAS UTILITY. REASON: FDT OVERFLOW (FDTOVFL). Actn: ALTER THE DDL STATEMENT TO A SMALLER TABLE (FILE) DEFINITION,</dbid></dbid>	Expl:	·
Text: ADABAS UTILITY FAILED WITH CODE %S %S Expl: A DDL STATEMENT HAS BEEN PERFORMED, BUT THE EXECUTION WAS TERMINATED BY THE UNDERLYING ADABAS UTILITY. MORE INFORMATION CAN BE FOUND IN THE ASSOCIATED GENERATED OUTPUT FILE. ON UNIX THE FILE CAN BE FOUND IN :/TMP/ESQ*STDOUT* ON VMS THE FILE CAN BE FOUND IN : SYS\$SCRATCH:ESQADU*.OUT. ON MVS THE FILE CAN BE FOUND IN: THE DDPRINT FILE CREATED BY ADAINV IF A RESPONSE -13 IS RECEIVED THAN THIS GENERALLY IS CAUSED BY: ON UNIX: THE ASSIGN SHELL SCRIPT CANNOT BE FOUND IN THE DIRECTORY. \$ADADIR/DB \$ADADIR/DB **ON VMS: THE COMMAND PROCEDURE ASSIGN.COM CANNOT BE FOUND IN THE . DIRECTORY SAG\$ROOT: [ADABAS.DB **OBSTATE OF THE PROBLEM ACCORDING TO THE INFORMATION PRESENTED IN THE GENERATED FILE. ***SYNTAX ERRORS HAVE BEEN DETECTED IN THE FDT** **Expl: A DDL STATEMENT HAS BEEN PERFORMED, BUT THE EXECUTION WAS TERMINATED BY THE ADABAS UTILITY. REASON: FDT SYNTAX ERROR. **Actn: CONTACT YOUR SOFTWARE AG REPRESENTATIVE.** ***Expl: A DDL STATEMENT HAS BEEN PERFORMED, BUT THE EXECUTION WAS TERMINATED BY THE ADABAS UTILITY. REASON: FDT OVERFLOW (FDTOVFL). ***ACTN: ADDL STATEMENT HAS BEEN PERFORMED, BUT THE EXECUTION WAS TERMINATED BY THE ADABAS UTILITY. REASON: FDT OVERFLOW (FDTOVFL). ***ACTN: ALTER THE DDL STATEMENT TO A SMALLER TABLE (FILE) DEFINITION,	Actn:	
Expl: A DDL STATEMENT HAS BEEN PERFORMED, BUT THE EXECUTION WAS TERMINATED BY THE UNDERLYING ADABAS UTILITY. MORE INFORMATION CAN BE FOUND IN THE ASSOCIATED GENERATED OUTPUT FILE. ON UNIX THE FILE CAN BE FOUND IN :/TMP/ESQ*STDOUT* ON VMS THE FILE CAN BE FOUND IN : SYS\$SCRATCH: ESQADU*.OUT. ON MVS THE FILE CAN BE FOUND IN: SYS\$SCRATCH: ESQADU*.OUT. ON MVS THE FILE CAN BE FOUND IN: THE DDPRINT FILE CREATED BY ADAINV IF A RESPONSE -13 IS RECEIVED THAN THIS GENERALLY IS CAUSED BY: ON UNIX: THE ASSIGN SHELL SCRIPT CANNOT BE FOUND IN THE DIRECTORY. \$ADADIR/DB <dbid>. ON VMS: THE COMMAND PROCEDURE ASSIGN.COM CANNOT BE FOUND IN THE . DIRECTORY SAG\$ROOT: [ADABAS.DB<db]. (fdtovfl).="" (file)="" ****="" ***b811="" ***expl:="" a="" according="" actn:="" adabas="" addl="" ag="" alter="" been="" but="" by="" contact="" ddl="" definition,<="" detected="" error.="" errors="" execution="" expl:="" fdt="" fdt**="" file.="" generated="" has="" have="" in="" information="" overflow="" performed,="" presented="" problem="" reason:="" representative.="" resolve="" smaller="" software="" statement="" syntax="" table="" td="" terminated="" text:="" the="" to="" utility.="" was="" your=""><td>8810</td><td>ADABAS UTILITY FAILED WITH CODE %S %S</td></db].></dbid>	8810	ADABAS UTILITY FAILED WITH CODE %S %S
BY THE UNDERLYING ADABAS UTILITY. MORE INFORMATION CAN BE FOUND IN THE ASSOCIATED GENERATED OUTPUT FILE. ON UNIX THE FILE CAN BE FOUND IN :/TMP/ESQ*STDOUT* ON VMS THE FILE CAN BE FOUND IN : SYS\$SCRATCH:ESQADU*.OUT. ON MVS THE FILE CAN BE FOUND IN: THE DDPRINT FILE CREATED BY ADAINV IF A RESPONSE -13 IS RECEIVED THAN THIS GENERALLY IS CAUSED BY: ON UNIX: THE ASSIGN SHELL SCRIPT CANNOT BE FOUND IN THE DIRECTORY. \$ADADIR/DB \$ADADIR/DB ON VMS: THE COMMAND PROCEDURE ASSIGN.COM CANNOT BE FOUND IN THE . DIRECTORY SAG\$ROOT: [ADABAS.DB DBIRECTORY SAG\$ROOT: [ADABAS.DB DBILE DBIRECTORY SAG\$ROOT: TO THE INFORMATION PRESENTED IN THE GENERATED FILE. ***SYNTAX ERRORS HAVE BEEN DETECTED IN THE FDT************************************	Text:	ADABAS UTILITY FAILED WITH CODE %S %S
GENERATED FILE. 8811 SYNTAX ERRORS HAVE BEEN DETECTED IN THE FDT Text: SYNTAX ERRORS HAVE BEEN DETECTED IN THE FDT Expl: A DDL STATEMENT HAS BEEN PERFORMED, BUT THE EXECUTION WAS TERMINATED BY THE ADABAS UTILITY. REASON: FDT SYNTAX ERROR. Actn: CONTACT YOUR SOFTWARE AG REPRESENTATIVE. 8812 FDT OVERFLOW, TOO MANY ENTRIES DEFINED Text: FDT OVERFLOW, TOO MANY ENTRIES DEFINED Expl: A DDL STATEMENT HAS BEEN PERFORMED, BUT THE EXECUTION WAS TERMINATED BY THE ADABAS UTILITY. REASON: FDT OVERFLOW (FDTOVFL). Actn: ALTER THE DDL STATEMENT TO A SMALLER TABLE (FILE) DEFINITION,	Expl:	BY THE UNDERLYING ADABAS UTILITY. MORE INFORMATION CAN BE FOUND IN THE ASSOCIATED GENERATED OUTPUT FILE. ON UNIX THE FILE CAN BE FOUND IN :/TMP/ESQ*STDOUT* ON VMS THE FILE CAN BE FOUND IN : SYS\$SCRATCH:ESQADU*.OUT. ON MVS THE FILE CAN BE FOUND IN : THE DDPRINT FILE CREATED BY ADAINV IF A RESPONSE -13 IS RECEIVED THAN THIS GENERALLY IS CAUSED BY: ON UNIX : THE ASSIGN SHELL SCRIPT CANNOT BE FOUND IN THE DIRECTORY. \$ADADIR/DB <dbid>. ON VMS : THE COMMAND PROCEDURE ASSIGN.COM CANNOT BE FOUND IN THE.</dbid>
Text: SYNTAX ERRORS HAVE BEEN DETECTED IN THE FDT Expl: A DDL STATEMENT HAS BEEN PERFORMED, BUT THE EXECUTION WAS TERMINATED BY THE ADABAS UTILITY. REASON: FDT SYNTAX ERROR. Actn: CONTACT YOUR SOFTWARE AG REPRESENTATIVE. 8812 FDT OVERFLOW, TOO MANY ENTRIES DEFINED Text: FDT OVERFLOW, TOO MANY ENTRIES DEFINED Expl: A DDL STATEMENT HAS BEEN PERFORMED, BUT THE EXECUTION WAS TERMINATED BY THE ADABAS UTILITY. REASON: FDT OVERFLOW (FDTOVFL). Actn: ALTER THE DDL STATEMENT TO A SMALLER TABLE (FILE) DEFINITION,	Actn:	
Expl: A DDL STATEMENT HAS BEEN PERFORMED, BUT THE EXECUTION WAS TERMINATED BY THE ADABAS UTILITY. REASON: FDT SYNTAX ERROR. Actn: CONTACT YOUR SOFTWARE AG REPRESENTATIVE. 8812 FDT OVERFLOW, TOO MANY ENTRIES DEFINED Text: FDT OVERFLOW, TOO MANY ENTRIES DEFINED Expl: A DDL STATEMENT HAS BEEN PERFORMED, BUT THE EXECUTION WAS TERMINATED BY THE ADABAS UTILITY. REASON: FDT OVERFLOW (FDTOVFL). Actn: ALTER THE DDL STATEMENT TO A SMALLER TABLE (FILE) DEFINITION,	8811	SYNTAX ERRORS HAVE BEEN DETECTED IN THE FDT
BY THE ADABAS UTILITY. REASON: FDT SYNTAX ERROR. Actn: CONTACT YOUR SOFTWARE AG REPRESENTATIVE. 8812 FDT OVERFLOW, TOO MANY ENTRIES DEFINED Text: FDT OVERFLOW, TOO MANY ENTRIES DEFINED Expl: A DDL STATEMENT HAS BEEN PERFORMED, BUT THE EXECUTION WAS TERMINATED BY THE ADABAS UTILITY. REASON: FDT OVERFLOW (FDTOVFL). Actn: ALTER THE DDL STATEMENT TO A SMALLER TABLE (FILE) DEFINITION,	Text:	SYNTAX ERRORS HAVE BEEN DETECTED IN THE FDT
8812 FDT OVERFLOW, TOO MANY ENTRIES DEFINED Text: FDT OVERFLOW, TOO MANY ENTRIES DEFINED Expl: A DDL STATEMENT HAS BEEN PERFORMED, BUT THE EXECUTION WAS TERMINATED BY THE ADABAS UTILITY. REASON: FDT OVERFLOW (FDTOVFL). Actn: ALTER THE DDL STATEMENT TO A SMALLER TABLE (FILE) DEFINITION,	Expl:	·
Text: FDT OVERFLOW, TOO MANY ENTRIES DEFINED Expl: A DDL STATEMENT HAS BEEN PERFORMED, BUT THE EXECUTION WAS TERMINATED BY THE ADABAS UTILITY. REASON: FDT OVERFLOW (FDTOVFL). Actn: ALTER THE DDL STATEMENT TO A SMALLER TABLE (FILE) DEFINITION,	Actn:	CONTACT YOUR SOFTWARE AG REPRESENTATIVE.
Expl: A DDL STATEMENT HAS BEEN PERFORMED, BUT THE EXECUTION WAS TERMINATED BY THE ADABAS UTILITY. REASON: FDT OVERFLOW (FDTOVFL). Actn: ALTER THE DDL STATEMENT TO A SMALLER TABLE (FILE) DEFINITION,	8812	FDT OVERFLOW, TOO MANY ENTRIES DEFINED
BY THE ADABAS UTILITY. REASON: FDT OVERFLOW (FDTOVFL). Actn: ALTER THE DDL STATEMENT TO A SMALLER TABLE (FILE) DEFINITION,	Text:	FDT OVERFLOW, TOO MANY ENTRIES DEFINED
	Expl:	
	Actn:	

8813	FILE (%S) ALREADY LOADED FOR TABLE %S
Text:	FILE (%S) ALREADY LOADED FOR TABLE %S
Expl:	AN ATTEMPT TO EXECUTE A CREATE TABLE/CLUSTER STATEMENT FAILED. THIS IS DUE TO THE TARGET ADABAS FILE BEING ALREADY OCCUPIED.
Actn:	ALTER THE ASSOCIATED EXPLICIT TABLESPACE SO THAT IT REFERS TO AN UNOCCUPIED ADABAS FILE NUMBER. ALTERNATIVELY, IF THERE IS NO EXPLICIT TABLESPACE, CHECK THE ADABAS FREE FILE SEARCH RANGE PARAMETER.
8814	FILE (%S) NOT LOADED FOR TABLE %S
Text:	FILE (%S) NOT LOADED FOR TABLE %S
Expl:	AN ATTEMPT TO EXECUTE A CREATE TABLE/CLUSTER DESCRIPTION FAILED. THIS IS BECAUSE THE SPECIFIED ADABAS FILE DOES NOT EXIST. OTHER DDL STATEMENTS MAY ALSO ENCOUNTER THIS ERROR. THIS IS CAUSED BY THE ASSOCIATED ADABAS FILE HAVING BEEN DIRECTLY REMOVED BY EXPLICIT ADABAS FUNCTIONALITY.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-SUBMIT.
8815	FILE SPECIFICATION (%S) INVALID FOR TABLE %S
Text:	FILE SPECIFICATION (%S) INVALID FOR TABLE %S
Expl:	A CREATE TABLE/CLUSTER FAILED BECAUSE ACCESS TO THE UNDERLYING ADABAS FILE WAS NOT POSSIBLE. THIS IS BECAUSE THE FILE SPECIFICATION WAS FOUND TO BE INVALID. A FILE SPECIFICATION CAN BE INVALID EITHER IF IT IS LESS THAN OR EQUAL TO ZERO OR IF IT IS GREATER TO THE MAXIMUM PERMITTED NUMBER OF FILES.
Actn:	ALTER THE EXPLICIT FILE SPECIFICATION AS DEFINED IN THE ASSOCIATED TABLESPACE. RE-SUBMIT THE STATEMENT.
8816	INVALID ADABAS DATABASE ID %S
Text:	INVALID ADABAS DATABASE ID %S
Expl:	A DDL STATEMENT HAS BEEN PERFORMED, BUT THE EXECUTION WAS TERMINATED BY THE ADABAS UTILITY. REASON: A MISMATCH OCCURRED BETWEEN THE DBID AND THE EXISTING DATABASES. THE SPECIFIED ADABAS DATABASE ID IS UNKNOWN.
Actn:	SPECIFY A VALID DBID IN YOUR TABLESPACE, RE-PRECOMPILE, LINK, AND RUN.

8817	ADABAS UTILITY FAILED WITH SYNTAX ERROR
Text:	ADABAS UTILITY FAILED WITH SYNTAX ERROR
Expl:	A DDL STATEMENT WAS PERFORMED, WHEREBY THE EXECUTION WAS TERMINATED BY THE ADABAS UTILITY. REASON: PARAMETER SYNTAX ERROR.
Actn:	CONTACT YOUR SOFTWARE AG REPRESENTATIVE.
8818	ADABAS FAILED WITH PENDING AUTORESTART
Text:	ADABAS FAILED WITH PENDING AUTORESTART
Expl:	A DDL STATEMENT HAS BEEN PERFORMED, BUT THE EXECUTION WAS TERMINATED BY ADABAS: REASON: PENDING AUTORESTART.
Actn:	TRY IT ONCE AGAIN.
	DUPLICATE ADABAS SUPER DESCRIPTOR CREATE TABLE FAILURE
	DUPLICATE ADABAS SUPER DESCRIPTOR CREATE TABLE FAILURE
Expl:	DURING THE EXECUTION OF A CREATE TABLE, THE UNDERLYING ADABAS UTILITY CAUSED THE STATEMENT TO TERMINATE ABNORMALLY. THIS WAS BECAUSE AN ATTEMPT WAS MADE TO CREATE AN ADABAS SUPER DESCRIPTOR, WHICH REFERENCES A PARTICULAR SEQUENCE OF COLUMNS FOR WHICH A SUPER DESCRIPTOR ALREADY EXISTS. ON THE MAINFRAME THIS IS PERMITTED BUT ON THE UNIX OR VMS PLATFORMS THIS IS NOT PERMITTED. THIS CAN OCCUR FOR INSTANCE WHEN A CREATE TABLE WAS PERFORMED FOR WHICH CERTAIN COLUMNS WERE DECLARED TO BE UNIQUE AND THEN SUBSEQUENTLY AN ATTEMPT WAS MADE TO CREATE AN INDEX, REFERENCING EXACTLY THE SAME COLUMNS.
Actn:	MODIFY THE STATEMENT AS SUGGESTED ABOVE.
8820	NOT ENOUGH FREE SPACE ON THE DATABASE %S
Text:	NOT ENOUGH FREE SPACE ON THE DATABASE %S
Expl:	A DDL STATEMENT HAS BEEN PERFORMED, BUT THE EXECUTION WAS TERMINATED BY THE ADABAS UTILITY. REASON: NO MORE SPACE IN THE DATABASE. THERE IS NO MORE STORAGE AVAILABLE IN THE ASSO AND/OR DATA CONTAINER FILES.
Actn:	ADD A NEW ASSO / DATA CONTAINER FILE USING THE ADABAS UTILITY ADADBM. THEN EXECUTE IT ONCE AGAIN.

8821	ADABAS FILE (%S) ASSOCIATED WITH TABLE %S IN USE
Text:	ADABAS FILE (%S) ASSOCIATED WITH TABLE %S IN USE
Expl:	A DDL STATEMENT HAS ABORTED DUE TO THE PREMATURE TERMINATION OF THE UNDERLYING ADABAS UTILITY. THE ADABAS UTILITY ABORTED BECAUSE THE SPECIFIED ADABAS FILE IS CURRENTLY IN USE. PLEASE REFER TO THE ADABAS MESSAGES AND CODES DOCUMENTATION UNDER THE UTILITY RESPONSE MESSAGE 'NOTAVL' FOR MORE INFORMATION.
Actn:	ENSURE THAT THE FILE IS NO LONGER IN USE AND RETRY THE STATEMENT.
8823	ADABAS UTILITY WAS NOT FOUND
Text:	ADABAS UTILITY WAS NOT FOUND
Expl:	A DDL STATEMENT HAS BEEN PERFORMED, BUT THE EXECUTION WAS TERMINATED BECAUSE THE ADABAS UTILITY COULD NOT BE FOUND.
Actn:	CONTACT YOUR ADABAS SYSTEM ADMINISTRATOR.
8824	INSUFFICIENT PROCESS QUOTAS TO EXECUTE ADABAS UTILITY
Text:	INSUFFICIENT PROCESS QUOTAS TO EXECUTE ADABAS UTILITY
Expl:	A DDL STATEMENT HAS BEEN PERFORMED, BUT THE EXECUTION WAS TERMINATED BY THE ADABAS UTILITY. REASON: INSUFFICIENT PROCESS QUOTAS (PGFLQUO OR DIOLM OR ASTLM).
Actn:	CONTACT YOUR SYSTEM ADMINISTRATOR.
8825 	ADABAS DATASET DATA, ASSO, SORT OR TEMP COULD NOT BE OPENED
Text:	ADABAS DATASET DATA, ASSO, SORT OR TEMP COULD NOT BE OPENED
Expl:	THE EXECUTION OF A DDL STATEMENT WAS ABORTED BY THE UNDERLYING ADABAS UTILITY BECAUSE IT WAS NOT ABLE TO OPEN THE ADABAS DATA, ASSO, SORT OR TEMP DATASET. THIS WAS PROBABLY DUE TO INSUFFICIENT PRIVILEGES OR FILE PROTECTION VIOLATION OR EVEN THAT THE FILES DO NOT EXIST.
Actn:	ENABLE ACCESS TO THE FILE OR CONTACT YOUR SYSTEM ADMINISTRATOR.

8826 	STRUCTURE LEVEL MISMATCH WITH ADABAS
Text:	STRUCTURE LEVEL MISMATCH WITH ADABAS
Expl:	A DDL STATEMENT HAS BEEN PERFORMED, BUT THE EXECUTION WAS TERMINATED BY THE ADABAS UTILITY. REASON: STRUCTURE LEVEL MISMATCH WITH ADABAS. THE VERSION OF THE UTILITY DIFFERS FROM THE VERSION OF THE DATABASE.
Actn:	CONTACT YOUR SOFTWARE AG REPRESENTATIVE.
8827 	INSUFFICIENT PRIVILEGE TO EXECUTE ADABAS UTILITY
Text:	INSUFFICIENT PRIVILEGE TO EXECUTE ADABAS UTILITY
Expl:	A DDL STATEMENT HAS BEEN PERFORMED, BUT THE EXECUTION WAS TERMINATED BY THE ADABAS UTILITY. REASON: INSUFFICIENT PRIVILEGE OR FILE PROTECTION VIOLATION.
Actn:	CONTACT YOUR SYSTEM ADMINISTRATOR.
8828	ADABAS UTILITY CANNOT ACCESS TO SPECIFIED DATABASE ON SERVER NODE
Text:	ADABAS UTILITY CANNOT ACCESS TO SPECIFIED DATABASE ON SERVER NODE
Expl:	A DDL STATEMENT HAS BEEN PERFORMED, BUT THE EXECUTION WAS TERMINATED BY THE ADABAS UTILITY. REASON: THE UNDERLYING ADABAS DATABASE SYSTEM HAS TO RUN ON THE SAME MACHINE (NODE) AS THE ADABAS SQL SERVER AND CANOT BE ACCESSED VIA NET-WORK.
Actn:	MAKE SURE THAT THE ADABAS DATABASE SYSTEM AND THE ADABAS SQL SERVER RUN ON THE SAME MACHINE (NODE).
8852	ADABAS AOS CANNOT %S FILE (%S) FOR TABLE %S
Text:	ADABAS AOS CANNOT %S FILE (%S) FOR TABLE %S
Expl:	A DDL STATEMENT HAS BEEN PERFORMED, BUT THE EXECUTION WAS TERMINATED BY ADABAS AOS. THIS IS BECAUSE IT IS ILLEGAL TO PERFORM THE REQUESTED ACTION ON THE SPECIFIED ADABAS FILE.

	ADABAS AOS FAILED, MASTER FILE DEFINITION MISSING
Text:	ADABAS AOS FAILED, MASTER FILE DEFINITION MISSING
Expl:	A DDL STATEMENT HAS BEEN PERFORMED, BUT THE EXECUTION WAS TERMINATED BY ADABAS AOS. REASON: THE MASTER FILE DEFINITION IS MISSING.
Actn:	CONTACT YOUR SOFTWARE AG REPRESENTATIVE.
	ADABAS AOS FAILED, DUE TO ATTEMPT TO MODIFY FIXED COLUMNS
Text:	ADABAS AOS FAILED, DUE TO ATTEMPT TO MODIFY FIXED COLUMNS
Expl:	AN ATTEMPT HAS BEEN MADE, DURING THE EXECUTION OF AN ALTER TABLE STATEMENT, MODIFY COLUMN, WHILE RUNNING IN A MAINFRAME ENVIRONMENT, TO CHANGE THE LENGTH OF AN EXISTING COLUMN. THIS IS NOT PERMITTED.
	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-SUBMIT.
8855	ADABAS AOS FAILED, DUE TO LOCKED FILE (%S)
	ADABAS AOS FAILED, DUE TO LOCKED FILE (%S)
Expl:	A DDL STATEMENT HAS BEEN PERFORMED, WHEREBY THE ADABAS FILE CONCERNED IS STILL BEING USED BY ANOTHER ADABAS USER.
Actn:	ENSURE THAT THE ADABAS FILE IS NOT BEING USED BY ANOTHER USER AND RE-SUBMIT THE STATEMENT AGAIN.
	ADABAS AOS FAILED, AS FDT (%S) LONGER THAN 4 BLOCKS
Text:	ADABAS AOS FAILED, AS FDT (%S) LONGER THAN 4 BLOCKS
Expl:	A FATAL AOS ERROR OCURRED DURING THE EXECUTION OF EITHER A CREATE TABLE/CLUSTER STATEMENT OR AN ALTER TABLE ADD COLUMN STATEMENT. THIS WAS CAUSED BY THE FACT THAT THE ASSOCIATED FDT EXCEEDED THE MAXIMUM PERMITTED 4 ASSO BLOCKS.
Actn:	REDUCE THE SIZE OF THE TABLE/CLUSTER AND HENCE THE SIZE OF THE FDT.

8857	ADABAS AOS FAILED, AS MORE THAN 255 FIELDS DEFINED FOR PE GROUP
Text:	ADABAS AOS FAILED, AS MORE THAN 255 FIELDS DEFINED FOR PE GROUP
Expl:	A FATAL AOS ERROR OCURRED DURING THE EXECUTION OF A CREATE TABLE/CLUSTE STATEMENT. THIS WAS CAUSED BY AN ATTEMPT TO DEFINE MORE THAN THE PERMITTED 255 COLUMNS WITHIN A PERIODIC GROUP.
Actn:	REDUCE THE NUMBER OF FIELDS WHICH ARE DEFINED FOR THE PERIODIC GROUP. RE-SUBMIT THE STATEMENT.
 8858 	ADABAS AOS FAILED, AS UNIQUE DESCRIPTOR DEFINED WITHIN A PE GROUP
Text:	ADABAS AOS FAILED, AS UNIQUE DESCRIPTOR DEFINED WITHIN A PE GROUP
Expl:	A FATAL AOS ERROR WAS ENCOUNTERED DURING THE EXECUTION OF A CREATE TABLE/CLUSTER STATEMENT. THIS WAS CAUSED BY AN ATTEMPT TO DEFINE A UNIQUE DESCRIPTOR WITHIN A PERIODIC GROUP.
	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-SUBMIT.
	ADABAS AOS FAILED, MORE THAN ONE MU DEFINED IN INDEX.
Text:	ADABAS AOS FAILED, MORE THAN ONE MU DEFINED IN INDEX.
Expl:	A FATAL AOS ERROR WAS ENCOUNTERED DURING THE EXECUTION OF A CREATE TABLE CLUSTER STATEMENT. THIS WAS CAUSED BY AN ATTEMPT TO DEFINE MORE THAN ONE MULTIPLE VALUE FIELDS IN AN INDEX DEFINITION.
Actn:	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-SUBMIT.
 8860	ADABAS AOS FAILED, AS THE FDT DOES NOT EXIST (%S) FOR TABLE %S
Text:	ADABAS AOS FAILED, AS THE FDT DOES NOT EXIST (%S) FOR TABLE %S
Expl:	AN AOS FATAL ERROR WAS ENCOUNTERED DURING THE EXECUTION OF AN ALTER TABLE ADD COLUMN STATEMENT. THIS WAS PROBABLY CAUSED BY ANOTHER USER REMOVING THE FILE WITH DIRECT ADABAS AOS/UTILITY MEANS.
	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-SUBMIT.

8857 - 8860

8861 	ADABAS AOS FAILED, INVALID MAXIMUM COMPRESSED RECORD LENGTH
Text:	ADABAS AOS FAILED, INVALID MAXIMUM COMPRESSED RECORD LENGTH
Expl:	DURING THE EXECUTION OF EITHER A CREATE TABLE OR CREATE CLUSTER STATEMENT, AN FATAL ERROR WAS ENCOUNTERED CONCERNING ADABAS AOC.
Actn:	INCREASE THE VALUE OF THE SETTING MAXRECL IN THE ASSOCIATED TABLESPACE RE-SUBMIT THE STATEMENT.
8862 	ADABAS AOS FAILED, INVALID %S DEFINITION
Text:	ADABAS AOS FAILED, INVALID %S DEFINITION
Expl:	A DDL STATEMENT HAS BEEN PERFORMED, BUT THE EXECUTION WAS TERMINATED BY ADABAS AOS.
Actn:	ALTER THE DDL STATEMENT (TABLE SPACE INFO) TO INSERT A VALID SIZE DEFINITION, RE-PRECOMPILE, LINK, AND RUN.
8863	ADABAS AOS FAILED, INVALID %S PADDING FACTOR
Text:	ADABAS AOS FAILED, INVALID %S PADDING FACTOR
Expl:	A DDL STATEMENT HAS BEEN PERFORMED, BUT THE EXECUTION WAS TERMINATED BY ADABAS AOS.
Actn:	ALTER DDL STATEMENT (TABLE SPACE INFO) TO INSERT A VALID PADDING FACTOR, RE-PRECOMPILE, LINK, AND RUN.
8864	ADABAS AOS FAILED, INVALID DEVICE TYPE
Text:	ADABAS AOS FAILED, INVALID DEVICE TYPE
Expl:	A DDL STATEMENT HAS BEEN PERFORMED, BUT THE EXECUTION WAS TERMINATED BY ADABAS AOS. REASON: THE DEVICE TYPE IS INVALID.
Actn:	CONTACT YOUR SOFTWARE AG REPRESENTATIVE.
8865 	ADABAS AOS FAILED, CONFLICTING FIELD OPTIONS USED
Text:	ADABAS AOS FAILED, CONFLICTING FIELD OPTIONS USED
Expl:	A FATAL AOS ERROR WAS ENCOUNTERED DURING THE EXECUTION OF A CREATE TABLE/CLUSTER STATEMENT OR AN ALTER TABLE ADD COLUMN STATEMENT.
	CORRECT THE STATEMENT AS SUGGESTED ABOVE AND RE-SUBMIT.

8861 - 8865

8867	ADABAS AOS FAILED, DESCRIPTOR NAME TABLE OVERFLOW
Text:	ADABAS AOS FAILED, DESCRIPTOR NAME TABLE OVERFLOW
Expl:	A DDL STATEMENT HAS BEEN PERFORMED, BUT THE EXECUTION WAS TERMINATED BY ADABAS AOS. REASON: OVERFLOW OF THE DESCRIPTOR NAME TABLE. THE LENGTH OF ONE WORK BLOCK IS NOT SUFFICIENT TO STORE THE DESCRIPTORS OF THE FILE (3 BYTES PER DE ENTRY).
Actn:	CONTACT YOUR SOFTWARE AG REPRESENTATIVE.
	ADABAS AOS FAILED, MAXIMUM NUMBER OF DATA EXTENTS EXCEEDED
Text:	ADABAS AOS FAILED, MAXIMUM NUMBER OF DATA EXTENTS EXCEEDED
Expl:	A DDL STATEMENT HAS BEEN PERFORMED, BUT THE EXECUTION WAS TERMINATED BY ADABAS AOS.
Actn:	INCREASE THE VALUE SPECIFIED FOR THE DSSIZE PARAMETER AS DEFINED IN THE ASSOCIATED TABLE SPACE. RE-SUBMIT THE TABLE SPACE AND THEN RE-SUBMIT THE STATEMENT.
	ADABAS AOS FATAL INTERNAL ERROR %S DURING %S
	ADABAS AOS FATAL INTERNAL ERROR %S DURING %S
Expl:	A DDL STATEMENT HAS BEEN PERFORMED, BUT THE EXECUTION WAS TERMINATED BY ADABAS AOS. REASON: THE FIELD COMPILATION FOUND A SYNTAX ERROR IN THE FIELD DEFINITION.
Actn:	CONTACT YOUR SOFTWARE AG REPRESENTATIVE.

9000 A NON-ZERO RESPONSE CODE WAS RECEIVED FROM THE DATABASE

Text: A non-zero response code was received from the database.

Expl: The NATURAL error messages NAT3001 - NAT3999 deal with database response
 codes, i.e., an error message 'NAT3nnn' indicates that the database has
 replied to a command with a response code 'nnn'.
 The error may be caused by one of the following:

- An invalid request was made to the database.

- A malfunction occurred in the database.

Actn: Retain the number of the response code and contact your database administrator.

Adabas SQL Server error numbers 9001 – 9255 encountered during an Adabas Call are original Adabas error numbers 1 – 255 and are explained in the Adabas Messages and Codes Manual.

9400	COULD NOT OPEN CATALOG FILE, INVALID FILE LAYOUT.
Text:	COULD NOT OPEN CATALOG FILE, INVALID FILE LAYOUT.
Expl:	AN ATTEMPT HAS BEEN MADE TO OPEN THE CATALOG FILE AND AN INVALID FILE LAYOUT HAS BEEN DETECTED.
	CHECK THE CATALOG PARAMETER IN THE ESQPARMS FILE FOR A VALID DATABASE AND FILE NUMBER.
	INTERNAL ERROR %S %S OCCURRED WITHIN THE BUFFER MANAGER
Text:	INTERNAL ERROR %S %S OCCURRED WITHIN THE BUFFER MANAGER
Expl:	INTERNAL ERROR OCCURRED WITHIN THE BUFFER MANAGER DUE TO INCORRECT USAGE BY THE ADABAS SQL SERVER
Actn:	CONTACT YOUR SOFTWARE AG REPRESENTATIVE.
	BUFFER MANAGER WAS CALLED WITH INVALID PARAMETERS
Text:	BUFFER MANAGER WAS CALLED WITH INVALID PARAMETERS
Expl:	BUFFER MANAGER WAS CALLED WITH INVALID PARAMETERS.
Actn:	CONTACT YOUR SOFTWARE AG REPRESENTATIVE.

9000 - 9649

9650 BUFFER MANAGER OVERFLOW ENCOUNTERED

Text: BUFFER MANAGER OVERFLOW ENCOUNTERED

Expl: THE BUFFER MANAGER ATTEMPTED TO STORE A NEW ENTRY IN ITS BUFFER BUT WAS UNABLE TO FIND SUFFICIENT SPACE. THIS WAS BECAUSE EITHER THE ENTRY WAS SIMPLY TOO BIG OR THERE ARE CURRENTLY NO ENTRIES AVAILABLE FOR DELETION IN THE BUFFER. THIS IS AN INDICATION THAT THE SYSTEM IS OVERLOADED.

Actn: IT IS POSSIBLE VIA THE START UP PARAMETERS TO INCREASE THE SIZE OF THE BUFFER. HOWEVER ESQ MUST BE STOPPED AND RE-STARTED IN ORDER TO DO THIS.

ADABAS SQL Server Messages and Codes Manual

9651	BUFFER MANAGER LOGON LIMIT EXCEEDED
Text:	BUFFER MANAGER LOGON LIMIT EXCEEDED
Expl:	THE NUMBER OF SEPARATE USERS CURRENTLY USING THE BUFFER MANAGER HAS REACHED THE LIMIT AS DEFINED IN THE START UP PARAMETERS.
Actn:	IT IS POSSIBLE TO INCREASE THE MAXIMUM NUMBER OF BUFFER MANAGER USERS VIA THE START UP PARAMETERS. HOWEVER ESQ MUST BE STOPPED AND RE-STARTEI IN ORDER TO DO THIS.
9652	BUFFER MANAGER USER DEPENDENT LOCK TABLE OVERFLOWED
Text:	BUFFER MANAGER USER DEPENDENT LOCK TABLE OVERFLOWED
Expl:	THE TOTAL NUMBER OF ENTRIES WHICH ARE IN HOLD IN THE BUFFER MANAGER FOR A PARTICULAR USER HAS EXCEEDED THE LIMIT AS DEFINED IN THE START UP PARAMETERS.
Actn:	IT IS POSSIBLE TO INCREASE THE LIMIT OF ENTRIES WHICH CAN BE PUT INTO HOLD IN THE BUFFER MANAGER FOR A PARTICULAR USER VIA THE START UP PARAMETERS. ESQ MUST BE STOPPED IN ORDER TO DO THIS.
9653	BUFFER MANAGER BUFFER LENGTH TOO SMALL
Text:	BUFFER MANAGER BUFFER LENGTH TOO SMALL
Expl:	THE SPECIFIED LENGTH FOR THE BUFFER IS TOO SMALL.
Actn:	INCREASE THE LENGTH OF THE BUFFER OR DECREASE OTHER PARAMETERS (NUMBER OF USERS, LENGTH OF HASH-TABLE, ETC).
	9650 - 9653
9654	BUFFER MANAGER HASH TABLE DETERMINED TO BE TOO LONG
Text:	BUFFER MANAGER HASH TABLE DETERMINED TO BE TOO LONG
Expl:	THE CALCULATED LENGTH FOR THE HASH TABLE (WHICH IS SITUATED IN THE BUFFER) IS TOO LONG.
Actn:	INCREASE LENGTH FOR THE BUFFER OR DECREASE PARAMETERS FOR THE LENGTH OF THE HASH TABLE.
9656	BUFFER MANAGER HASH FUNCTION CALL ERROR

Text:	BUFFER MANAGER HASH FUNCTION CALL ERROR
Expl:	AN INVALID HASH FUNCTION WAS CALLED BY THE BUFFER MANGER.
Actn:	SPECIFY A VALID ID FOR A HASH FUNCTION WHICH DOES EXIST FOR THE CURRENT ESQ SYSTEM.
	BUFFER MANAGER SERIALIZATION CALL FAILED
Text:	BUFFER MANAGER SERIALIZATION CALL FAILED
Expl:	IT IS NOT POSSIBLE TO SERIALIZE THE ACCESS TO THE SHARED MEMORY OF THE BUFFER MANAGER. THE INTERNAL SERIALIZATION CALL FAILED.
Actn:	CONTACT YOUR SYSTEM ADMINISTRATOR. YOUR SYSTEM ADMINISTRATOR SHOULD CHECK THE SEMAPHORES (FOR UNIX ONLY) OR THE LOCK PARAMETERS OF SYSGEN (FOR VMS ONLY).ALTERNATIVELY ENABLE VO LOGGING VIA THE VOLOG VARIABLE
9749	FATAL ERROR %S %S OCCURRED WITHIN THE BUFFER MANAGER
Text:	FATAL ERROR %S %S OCCURRED WITHIN THE BUFFER MANAGER
Expl:	INTERNAL FATAL ERROR OCCURRED WITHIN THE BUFFER MANAGER.
Actn:	CONTACT YOUR SOFTWARE AG REPRESENTATIVE.
9769 	BUFFER IS IN FATAL INCONSISTENT STATE
Text:	BUFFER IS IN FATAL INCONSISTENT STATE
Expl:	BUFFER IS IN FATAL INCONSISTENT STATE.
Actn:	CONTACT YOUR SOFTWARE AG REPRESENTATIVE.
	0.554 0.750
	9654 - 9769
9770	BUFFER MANAGER INTERNAL BUFFER CREATION FAILED
Text:	BUFFER MANAGER INTERNAL BUFFER CREATION FAILED
Expl:	IT WAS NOT POSSIBLE TO ALLOCATE THE MEMORY FOR THE SHARED BUFFER.
Actn:	CONTACT YOUR SYSTEM ADMINISTRATOR. THE PROBLEM CAN BE INVESTIGATED BY ENABLING SYSTEM CALLS LOGGING BY SETTING THE VOLOG ENVIRONMENT VARIABLE
9771	BUFFER MANAGER SR TABLE OVERFLOW OCCURRED

Text: BUFFER MANAGER SR TABLE OVERFLOW OCCURRED Expl: OVERFLOW OF AN INTERNAL TABLE OF BM TO SERIALIZE REQUEST ON THE BUFFER MANAGER. Actn: TRY THE REQUEST AGAIN ONCE THE NUMBER OF CONCURRENTLY LINKED-IN THREADS HAS REDUCED TO THE CURRENT MAXIMUM ALLOWED. METAPROGRAM IN BUFFER NOT CONSISTENT WITH APPLICATION PROGRAM Text: METAPROGRAM IN BUFFER NOT CONSISTENT WITH APPLICATION PROGRAM Expl: THE TIMESTAMP ASSOCIATED WITH THE METAPROGRAM FOR THE CURRENT STATEMENT IN THE ESO INTERNAL BUFFER IS NEWER THAN THAT ASSOCIATED WITH THE THE CURRENT STATEMENT IN THE APPLICATION PROGRAM. THIS IS CAUSED BY AN OLDER VERSION OF THE APPLICATION PROGRAM RUNNING AFTER THE ACTUAL CURRENT VERSION HAS BEEN RUN. Actn: TERMINATE AND DELETE THE OLDER VERSION OF THE APPLICATION PROGRAM AND RE-RUN THE NEWER VERSION. METAPROGRAM IN DIRECTORY NOT CONSISTENT WITH APPLICATION PROGRAM Text: METAPROGRAM IN DIRECTORY NOT CONSISTENT WITH APPLICATION PROGRAM Expl: THE TIMESTAMP ASSOCIATED WITH THE METAPROGRAM IN THE ESQ DIRECTORY FOR THE CURRENT STATEMENT IS NOT EQUAL TO THAT ASSOCIATED WITH THE STATEMENT IN THE APPLICATION PROGRAM. THIS CAN OCCUR IF AN ATTEMPT HAS BEEN MADE TO RUN AN OLDER VERSION OF THE APPLICATION PROGRAM. ALTERNATIVELY IF THE CURRENT APPLICATION PROGRAM WAS COMPILED USING ONE PARTICULAR ESQ DIRECTORY ADABAS FILE AND WAS THEN SUBSEQUENTLY EXECUTED USING ANOTHER ESQ DIRECTORY ADABAS FILE THEN THE THE TIMESTAMPS WILL AGAIN BE INCONSISTENT. Actn: ENSURE THAT THE CORRECT ESQ DIRECTORY IS CURRENTLY BEING USED AND IF SO THEN RE-COMPILE THE APPLICATION PROGRAM.

9770 - 9861

9865 INTERNAL DIRECTORY FATAL ERROR

Text: INTERNAL DIRECTORY FATAL ERROR

Expl: A FATAL INTERNAL ERROR OCCURRED DURING THE EXECUTION OF THE DDL STATEMENT.

Actn: RE-BUILD THE APPLICATION PROGRAM. IF THE ERROR PERSISTS CONTACT YOUR SOFTWARE AG REPRESENTATIVE.

Notes

Notes