9 software AG



ARIS SYSTEM REQUIREMENTS

Version 10.0 - Service Release SR8
April 2019

This document applies to ARIS Version 10.0 and to all subsequent releases. Specifications contained herein are subject to change and these changes will be reported in subsequent release notes or new editions.

Copyright © 2010 - 2019 Software AG, Darmstadt, Germany and/or Software AG USA Inc., Reston, VA, USA, and/or its subsidiaries and/or its affiliates and/or their licensors.

The name Software AG and all Software AG product names are either trademarks or registered trademarks of Software AG and/or Software AG USA Inc. and/or its subsidiaries and/or its affiliates and/or their licensors. Other company and product names mentioned herein may be trademarks of their respective owners. Detailed information on trademarks and patents owned by Software AG and/or its subsidiaries is located at http://documentation.softwareag.com/legal/. Use of this software is subject to adherence to Software AG's licensing conditions and terms. These terms are part of the product documentation, located at http://documentation.softwareag.com/legal/ and/or in the root installation directory of the licensed product(s).

This software may include portions of third-party products. For third-party copyright notices and license terms, please refer to "License Texts, Copyright Notices and Disclaimers of Third Party Products". This document is part of the product documentation, located at http://documentation.softwareag.com/legal/ and/or in the root installation directory of the licensed product(s).

Supported Server Operating System Platforms														
	Operatin (on	g System ly 64 bit) (1) (4)	200	Windows Server 2008 R2	Windows Server 2012	Windows Server 2012 R2	Windows Server 2016	Windows 10	Linux RedHat ES 6.x (8)	Linux RedHat ES 7.x (9)	Linux CentOS 7.x (10)	SUSE Linux ES 12	Hosted Software (Microsoft Azure)	Hosted Software (Amazon EC2 with Windows / Linux)
ARIS Connect Server	10.0	YCS	✓	✓	✓	✓	✓	✓	✓	√ (6)	√ (6)	✓	✓	✓
ARIS Design Server	10.0	YDS	✓	✓	✓	✓	✓	✓	✓	√(6)	√(6)	✓	✓	✓
ARIS Publisher Server (3)	10.0	YPS	✓	✓	✓	✓	✓	✓	✓	✓				
ARIS Process Performance Manager	10.4	YPI			✓	✓	✓	✓		√(7)		√(7)		√ (5)
ARIS Risk and Compliance Manager (3)	10.0	YRC	✓	✓	✓	✓	✓	✓	✓	√(6)	√ (6)		✓	✓

Legend	
✓	Supported / Released
	Not supported / Not released / Not planned
1	Including all manufacturer's service packs & updates
2	Planned for next Release (October 2019)
3	For ARIS Publisher Server and ARIS Risk and Compliance Manager you need a dedicated machine.
3	This cannot be installed on a machine that running ARIS Connect / Design Server. Please follow instructions in Installation guideline.
4	x86_64 platforms
5	PPM only supports Windows based Images on Amazon EC2
6	For RedHat/CentOS 7.4 also provided as Docker containers to be used with Docker 17.09, 18.06 or Kubernetes 1.9 ff. The update of a Docker/Kubernetes-based ARIS installation from any older version to ARIS 10 SR8 has to be done via a side-by-side installation. Download ARIS Connect on Docker: https://hub.docker.com/_/softwareag-aris-connect Download ARIS Risk & Compliance Manager on Docker: https://hub.docker.com/_/softwareag-arcm
7	SAP Content packages SD and MM for ARIS PPM SAP-2-PPM Extractor are not supported on Linux OS
8	Tested with Linux RedHat ES 6.8 ff
9	Tested with Linux RedHat ES 7.4 ff
10	Tested with Linux CentOS7.4 ff

upported Client Operating System Platforms															
	Operatii	ng System nly 64 bit) (1) (4)	<u>.</u> ;	Windows 8	Windows 10 (Prof., Ent.)	Windows Server 2008 Windows Server 2008 R2	Windows Server 2012 Windows Server 2012 R2	Windows Server 2016	Linux RedHat ES 6.x (10)	Linux RedHat ES 7.x (11)	SUSE Linux ES 12	Linux CentOS 7.x (12)	MacOS 10.13 (13)	Hosted Software (Microsoft Azure)	Hosted Software (Amazon EC2 with Windows)
ARIS Viewer (5) (7) (9)	10.0	YBU	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
ARIS Designer (3) (7) (9)	10.0	YAD	√ (3)	√ (3)	✓	✓	✓	✓						✓	✓
ARIS Architect (3) (7) (9)	10.0	YAA	√ (3)	✓ (3)	✓	✓	✓	✓						✓	✓
UML Designer (7) (9)	10.0	YUD	✓	✓	✓	✓	✓	✓						✓	✓
ARIS Connect Viewer (6) (7) (9)	10.0	YCSCC	✓	✓	✓	✓	✓	✓					✓	✓	✓
ARIS Connect Designer (6) (7) (9)	10.0	YCSDC	✓	✓	✓	✓	✓	✓					✓	✓	✓
ARIS PPM Analysis GUI (7) (9)	10.4	YPI		✓	✓		✓	✓							√(8)
ARIS Business Optimizer (7) (9)	10.0	YBO	✓	✓	✓	✓	✓	✓						✓	✓

Legend	
✓	Supported / Released
	Not supported / Not released / Not planned
1	Including all manufacturer's service packs & updates
2	Planned for next Release (October 2019)
3	ARIS Client with LOCAL only under 64bit Windows
4	x86_64 platforms
5	A single license to view ARIS repository contents on all information in ARIS Publisher, to access and maintain IT system attributes in ARIS IT Inventory, and to manage ARIS Process Governance tasks using a browser.
6	Supported minimal resolution size: 1152 x Y or higher
7	Please be aware the user interface will be hard to read in case you are using a very high screen resolution (e.g. 4k).
8	PPM GUI only supports Windows based images on Amazon EC2.
9	To increase ARIS security, the TLS 1.0 protocol is not supported. TLS 1.2 is supported.
10	Tested with Linux RedHat ES 6.8 ff
11	Tested with Linux RedHat ES 7.4 ff
12	Tested with Linux CentOS7.4 ff
13	Tested with MacBook Pro (2017)

Supported Database Systems	jupported Database Systems													
	Databas	e System (1)	+2	Oracle 11.x	Oracle 12.x (5)	Oracle 18	MS SQL 2012	MS SQL 2014	MS SQL 2016	MS SQL 2017	IBM DB2 UDB 10.5			
ARIS Connect Server	10.0	YCS	✓ (3)		✓	(2)	✓	✓	✓	✓	√ (4)			
ARIS Design Server	10.0	YDS	✓ (3)		✓	(2)	✓	✓	✓	✓	√ (4)			
ARIS Publisher Server	10.0	YPS	✓ (3)		✓	(2)	✓	✓	✓	✓				
ARIS Process Performance Manager (8)	10.4	YPI		✓	✓ (6)	✓			✓ (7)	√ (7)	✓			
ARIS Process Extractor JDBC-2-PPM	10.4	YPIJP		✓	√	√			√	✓	✓			
ARIS Risk and Compliance Manager	10.0	YRC	√ (3)		√ (9)	(2)	✓	✓	√	✓	✓			

Legend	
✓	Supported / Released
	Not supported / Not released / Not planned
1	Including all manufacturer's service packs & updates
2	Planned for next Release (October 2019)
3	Only for demo scenarios or small number of users
4	Installation only with support from Software AG
5	Usage of Oracle 12 is strongly recommended. Oracle 12 using 'SECURE FILES' approach for persistence as default, while 'BAISC FILES' is default in Oracle 11. SECURE FILES do provide much better performance but within Oracle 11 we do have issue with that approach.
6	Supported JDBC driver: 11.2.0.2.0 and higher
7	SQL Server Standard and Enterprise Editions are supported.
8	Database connections use the standard JDBC interface. The required JDBC drivers are database-specific and are either part of the database installation or can be acquired from the database manufacturer.
9	Oracle 12.2.0.2 is recommended. If Oracle 12.1.0.2 is used, the Patch 19509982 must be installed

Supported Web Browser & JAVA version									
	Web	Browser (1)	Internet Explorer 11	Microsoft Edge	Firefox 52 or higher (7)	Google Chrome	Safari 11 or higher	JAVA version	Zulu Java 8.x (1.8.0_x)
ARIS Viewer	10.0	YBU	√ (3)	√ (5)	√ (5)	√ (5)	√ (5)		n.a.
ARIS Designer	10.0	YAD	√ (3)	✓	√ (5)	√ (5)			✓ (4)
ARIS Architect	10.0	YAA	✓ (3)	✓	√ (5)	√ (5)			✓ (4)
UML Designer	10.0	YUD	✓ (3)	✓	√ (5)	√ (5)			✓ (4)
ARIS Connect Viewer	10.0	YCSCC	✓ (3)	✓	✓	✓	✓		n.a.
ARIS Connect Designer	10.0	YCSDC	✓ (3)	✓	✓	✓	✓		n.a.
ARIS Business Optimizer	10.0	YBO	√ (3)	✓	√ (5)	√ (5)			✓ (4)
ARIS Process Performance Manager	10.4	YPI	✓ (3)	✓	√ (6)	√ (6)			✓
ARIS Risk and Compliance Manager	10.0	YRC	✓ (3)	✓	✓	✓			n.a.

Legend	
✓	Supported / Released
	Not supported / Not released / Not planned
n.a.	Not applicable
1	Including all manufacturer's service packs & updates
2	Planned for next Release (October 2019)
3	Enterprise mode of Internet Explorer 11 is not supported. (due to various control incompatibilties)
4	Locally installed clients (e.g. ARIS Architect/Designer, UML-Designer etc" require a 32-Bit JRE. 64-Bit-JREs are not supported for locally installed products. Download clients run with 64-Bit-JREs, but with partly limited functionality, such as using OLE objects in models or saving statistics in Minitab format during simulation.
5	For security reasons, Java applets are blocked by an increasing number of recent versions of browsers. Due to this blocking behavior, the ARIS download clients can be neither downloaded nor started in such browsers. For this reason, for some releases we provide the ARIS downloader as an additional means of starting download clients. This downloader is a JAR file that can be run using a locally installed Java Runtime Environment (JRE). The download process is identical to the one performed with a Java applet. The downloader checks whether the ARIS download client already exists, downloads a newer version of the ARIS download client, if required, and then launches ARIS. With some browser versions, the new download option is used as the default. Further information is available in the documents on ARIS installation and ARIS administration (Configuration \rightarrow Download Client). ARIS Publisher extension "SAP connectivity" (start SAP transactions from Publisher) is not supported due to this reason with Microsoft Edge, Google Chrome and Firefox 52 or higher.
6	For security reasons, Java applets are blocked by an increasing number of recent versions of browsers. Due to this blocking behavior, the ARIS PPM Applet based client can not be started in such browsers. Furthermore Java Applets and Java Webstart are not supported anymore for ARIS PPM 10.3. In this case the ARIS PPM Donwload Client needs to be used. To use ARIS PPM Donwload Client on your local desktop computer, you need to have a JRE 1.8.0 installed.
7	Firefox 60 or higher is recommended.

Supported Web Application Server													
V	Veb Applicatio	n Server (1)											
ARIS Connect Server (3)	10.0	YCS	✓										
ARIS Publisher Server	10.0	YPS	✓										
ARIS Process Performance Manager	10.4	YPI	✓										
ARIS Risk and Compliance Manager	10.0	YRC	✓										

Legend	
✓	Supported / Released
	Not supported / Not released / Not planned
1	Including all manufacturer's service packs & updates
2	Planned for next Release (October 2019)
3	ARIS Connect Applications are running within Apache Tomcat 8.5.x. Deployment within other Application Server is currently not supported.

Supported Mobile Platforms												
	Mobile OS (1)		iOS 10.x	iOS 11.x								
ARIS Connect Viewer	10.0 YCSCC	✓	✓	✓								
						<u> </u>						
	sted Mobile Devices	iPad 5 th gen										
ARIS Connect Viewer	10.0 YCSCC	✓										
Legend												
✓	Supported / Released											
	Not supported / Not released / Not planned											
1	ncluding all manufacturer's service packs & updates											
2	Planned for next R	elease (Octob	er 2019)									
3	Tested with iPad 5	h generation	(2017)							_	_	

Supported LDAP systems	Supported LDAP systems												
Other LDAP systems have to be configured by Software AG Global Consulting Services (GCS).													
Active Directory Domain Services Windows 2008 Server Active Directory Bomain Services Windows 2012 Server Coracle Directory Server Enterprise Edition 11g BM Tivoli Directory Server 6.1													
ARIS Connect Server	10.0	YCS	✓	√	✓	✓	√						
ARIS Design Server	10.0	YDS	✓	✓	✓	✓	✓						
ARIS Publisher Server	10.0	YPS	✓	√ (3)	√ (3)	√ (3)	√ (3)						
ARIS Process Performance Manager	10.4	YPI	✓	√	✓	✓	✓						
ARIS Risk and Compliance Manager	10.0	YRC	✓	√ (3)	√ (3)	√ (3)	√ (3)						

Legend								
✓ Supported / Released								
Not supported / Not released / Not planned								
1 Including all manufacturer's service packs & updates								
2 Planned for next Release (October 2019)								
3 If Publisher authenticates against ARIS Central User Management (UMC)								

Supported Single Sign-On Technologie								
	e Sign-On (1)		SAML 2.0 (3)					
ARIS Viewer	10.0	YBU	✓	✓				
ARIS Designer	10.0	YAD	✓					
ARIS Architect	10.0	YAA	✓					
UML Designer	10.0	YUD	✓					
ARIS Connect Viewer	10.0	YCSCC	✓	✓				
ARIS Connect Designer	10.0	YCSDC	√	✓				
ARIS Publisher Server	10.0	YPS	✓					
ARIS Business Optimizer	10.0	YBO	✓					
ARIS Process Performance Manager	10.4	YPI	✓	✓				
ARIS Risk and Compliance Manager	10.0	YRC	✓	✓				

Legend										
✓ Supported / Released										
Not supported / Not released / Not planned										
1 Including all manufacturer's service packs & updates										
2 Planned for next Release (October 2019)										
For more details see "ARIS Installation and Administration Guide"										

Supported Document Management S	ystems								
Document M	Document Management System (1) (3)			Microsoft SharePoint 2013	Microsoft SharePoint 2016				
ARIS Connect Server	10.0	YCS		✓	✓				
ARIS Design Server	10.0	YDS		✓	✓				
ARIS Publisher Server	10.0	YPS		✓	✓				
ARIS Risk and Compliance Manager	10.0	YRC		✓	✓				

Legend										
✓ Supported / Released (
Not supported / Not released / Not planned										
1 Including all manufacturer's service packs & updates										
2 Planned for next Release (October 2019)										
Provided by the SharePoint Adapter for ARIS (SAA). Requires ARIS version 10.0.4 and above and additional license										

ARIS Compatibility with other Software AG Products	IS Compatibility with other Software AG Products											
Software AG Products	Alfabet 10.0	API Portal 10.0	ARIS 10.0	ARIS Process Performance Manager 10.4	ARIS Risk and Compliance Manager 10.0	CentraSite / webMethods 9.8	CentraSite / webMethods 9.9	CentraSite / webMethods 9.10	CentraSite / webMethods 9.12	CentraSite / webMethods 10.2	CentraSite / webMethods 10.3	MashZone NextGen 10.4
ARIS 10.0	✓	✓		√ (4)	✓	√ (1)	√ (1)	√ (1)	√ (1,3)	✓		
ARIS Process Performance Manager 10.4			√ (4)								✓	✓
ARIS Risk and Compliance Manager 10.0			✓									✓ (4)

Legend							
✓	Supported / Released						
Not supported / Not released / Not planned							
1	M2E Use case						
2	Planned for next Release (October 2019)						
3 Support of REST service in service request szenario between ARIS and CentraSite							
4 Only with ARIS 10.0 SR8 / ARCM 10.0 SR8							

Languages	anguages																			
		Languages	Arabic	Chinese (Simplified Chinese)	Czech	Danish	Dutch	English	French	German	Hungarian	Korean	Italian	Japanese	Polish	Portuguese (Brazilian Portuguese)	Russian	Spanish	Swedish	Turkish
ARIS Connect Server	10.0	YCS	√ (1)	✓ (1)	√ (1)		√ (1)	✓	✓	✓	√ (1)	✓ (1)	√ (1)	✓	✓ (1)	✓ (1)	✓ (1)	√ (1)		√ (1)
ARIS Design Server	10.0	YDS	√ (1)	✓ (1)	√ (1)		√ (1)	✓	✓	✓	√ (1)	✓ (1)	√ (1)	✓	✓ (1)	✓ (1)	√ (1)	√ (1)		√ (1)
ARIS Viewer	10.0	YBU	√ (1)	√ (1)	✓ (1)		✓ (1)	✓	✓	✓	√ (1)	✓ (1)	√ (1)	✓	√ (1)	✓ (1)	✓ (1)	√ (1)		√ (1)
ARIS Designer	10.0	YAD	√ (1)	√ (1)	✓ (1)		√ (1)	✓	✓	✓	√ (1)	✓ (1)	√ (1)	✓	√ (1)	✓ (1)	✓ (1)	√ (1)		√ (1)
ARIS Architect	10.0	YAA	√ (1)	√ (1)	√ (1)		√ (1)	✓	✓	✓	√ (1)	√ (1)	√ (1)	✓	√ (1)	√ (1)	√ (1)	√ (1)		√ (1)
UML Designer	10.0	YUD	√ (1)	√ (1)	√ (1)		√ (1)	✓	✓	✓	√ (1)	√ (1)	√ (1)	✓	√ (1)	√ (1)	√ (1)	√ (1)		√ (1)
ARIS Connect Viewer	10.0	YCSCC	√ (1)	√ (1)	√ (1)	√ (1)	√ (1)	✓	✓	✓	√ (1)	√ (1)	√ (1)	✓	√ (1)	√ (1)	√ (1)	√ (1)	√ (1)	√ (1)
ARIS Connect Designer	10.0	YCSDC	√ (1)	√ (1)	√ (1)	√ (1)	✓ (1)	✓	✓	✓	√ (1)	√ (1)	√ (1)	✓	√ (1)	√ (1)	√ (1)	√ (1)	√ (1)	√ (1)
ARIS Business Optimizer	10.0	YBO	√ (1)	√ (1)	√ (1)		√ (1)	✓	✓	✓	√ (1)	√ (1)	√ (1)	✓	√ (1)	√ (1)	√ (1)	√ (1)		√ (1)
ARIS Publisher Server	10.0	YPS	√ (1)	√ (1)	√ (1)		√ (1)	✓	✓	✓	√ (1)	√ (1)	√ (1)	✓	√ (1)	√ (1)	√ (1)	√ (1)		√ (1)
ARIS Process Performance Manager	10.3	YPI		√ (1)				✓	√ (1)	✓				✓			√ (1)			
ARIS Risk and Compliance Manager	10.0	YRC	√ (3)	√ (1)				✓	✓	✓	√ (1)		√ (1)	✓		√ (1)		✓		

Legend										
✓ Supported / Released										
	Not supported / Not released / Not planned									
1	Documentation and online help in English									
2 Planned for next Release (October 2019)										
3	No RTL layout, translation only									

Recommended Hardware Configuration AR	IS Design / Conne	ct Server										
Scenario	# Conc. Users	Single Server	Distributed / Fail safe									
Recommended Hardware Configuration AR	IS Design / Conne	ct Server (without Dashboarding)										
Demo scenario	only for demo	7 GB (free RAM) / 6 CPU Cores >= 50GB free HD Space										
Medium	1-50	24 GB (free RAM) / 12 CPU Cores >= 100GB free HD Space (2)										
Large (Oracle or MS SQL recommended)	50-200	36 GB (free RAM) / >= 16 CPU Cores >= 200GB free HD Space (2)	(Individual) Configuration (1)									
XL, XXL, (Custom) (only with Oracle or MS SQL)	>200	· ·	vidual) ration (1)									
Recommended Hardware Configuration ARIS Design / Connect Server (with Dashboarding)												
Demo scenario	only for demo	8 GB (free RAM) / 6 CPU Cores >= 50GB free HD Space										
Medium	1-50	28 GB (free RAM) / 12 CPU Cores >= 100GB free HD Space (2)										
Large (Oracle or MS SQL recommended)	30-200											
XL, XXL, (Custom) (Individual) (only with Oracle or MS SQL) >200 Configuration (1)												
Recommended Hardware Configuration AR	IS Design / Conne	ct Server (with ARIS Risk & Compliancer Manager with	out ARIS Aware)									
Demo scenario	only for demo	9 GB (free RAM) / 8 CPU Cores >= 50GB free HD Space										
Medium	1-50	28 GB (free RAM) / 16 CPU Cores >= 100GB free HD Space (2)										
Large (Oracle or MS SQL recommended)	50-200	44 GB (free RAM) / >= 24 CPU Cores >= 200GB free HD Space (2)	(Individual) Configuration (1)									
XL, XXL, (Custom) (only with Oracle or MS SQL)	>200	·	vidual) ration (1)									
Recommended Hardware Configuration AR	IS Design / Conne	ct Server (with ARIS Risk & Compliancer Manager & AR	IS Aware)									
Demo scenario	only for demo	10 GB (free RAM) / 8 CPU Cores >= 50GB free HD Space										
Medium	1-50	32 GB (free RAM) / 16 CPU Cores >= 100GB free HD Space (2)										
Large (Oracle or MS SQL recommended)	50-200	52 GB (free RAM) / >= 24 CPU Cores (Individual) >= 200GB free HD Space (2) Configuration (1)										
XL, XXL, (Custom) (only with Oracle or MS SQL)	>200	,	vidual) ration (1)									
(1) Please contact ARIS Support												

(2) We recommend this disc space for a new installation. For an update, we recommend more free HD space (at least 100GB plus size of current work space). We recommend to use SSD (> 5.000 IOPS) for best performance.

(free RAM) This is the memory required for ARIS itself. Additional memory for the operating system or other applications must be added.

Software AG recommends to install ARIS 10.0 not on the same host together with ARIS 9.x. Due to additional functionality, hardware requirements are higher as ARIS 9.8.

Software AG recommends to monitor utilization (of RAM & CPU Cores) in productive environment. Due to the number of users / databases, complexity of databases and other influencing factors, hardware recommendation could be higher. Software AG recommends to run ARIS on dedicated hardware (no other application systems than ARIS on the same host).

The database server (MSSQL/Oracle) must be installed, configured and sized according to the manufacturer's instructions. To avoid performance issues, the following is recommended:

- A dedicated Oracle database instance should be provided to host ARIS data only
- ARIS Servers and the DBMS server should be on different hosts
- The DMBS server should be on a physical host
- ARIS servers and the DBMS server have to be connected with a high performance network (> 1Gbit/s, very low latency). Network bandwidth and latency should be monitored and have to be ensured at all times, independent from the load on the ARIS servers or other systems that might share the same network connection.

Concerning the sizing of an Oracle database server we recommend to set the memory_target to a minimum value of 4 GB or 10% of the total size of all segments in all schemas, whichever is higher.

Concerning the sizing of a SQL Server instance we recommend to set the "max server memory (MB)" parameter to a minimum of 4000 or 10% of the space that is used in the SQL Server database for ARIS, whichever is higher. In case the SQL server is not dedicated to host only ARIS as application, the value has to be increased in the respective sense.

ı	commended Hardware Configuration ARIS Client (Installed ARIS Architect)										
	Scenario	# users	Hardware	Bandwith							
	without local database system	1	4 CPU Cores / 4GB (free RAM) >= 2GB free HD Space	400 Hb is (s							
	with local database system	1	4 CPU Cores / >8GB (free RAM) >= 20GB free HD Space (plus sufficient disk space for user databases)	100 Mbit/s Lower bandwidths can result in reduced performance.							

Recommended Hardware Configuration ARIS Download Client										
Scenario #users Hardware Bandwith										
without local database system	1	4 CPU Cores / 4GB (free RAM) >= 200MB free HD Space	100 Mbit/s Lower bandwidths can result in reduced performance.							

Recommended Hardware Configuration ARIS Publisher Server					
Scenario	# Conc. Users	Single Server	Controller & Hard disk		
Demo scenario	only for demo	3 GB / 4 CPU Cores >= 10GB free HD Space			
Medium	1 - 100	12 GB (2) / 8 CPU Cores >= 50GB free HD Space	SAS/SATA/SSD with RAID 0 option Rapid RAID array		
Large	100 - 300	32GB (2) / 16 CPU Cores >= 100GB free HD Space	SAS/SATA/SSD with RAID 0 option Rapid RAID array		
XL, XXL, (Custom)	> 300	(Individual) Configuration (1)			

(1) Please contact ARIS Support

(2) ARIS Publisher Server setup will configure the memory lower. To increase the memory settings, please provide additional memory for publisher runnable.

Please contact ARIS Support for XL or larger scenarios.

Software AG recommends to monitor utilization (of RAM & CPU Cores) in productive environment. Due to the number of users / databases, complexity of databases and other influencing factors, hardware recommendation could be higher.

If you are about to use all ARIS server types in your system, ARIS Connect Server, ARIS Design Server, ARIS Publisher Server and ARIS Risk & Compliance Manager Server must be installed on different machines. You can only install one server on one machine.

Scenario	# Conc. Users	Single Server	Distributed / Fail safe
Demo scenario	only for demo	8 GB / 4 CPU Cores >= 10GB free HD Space	
Medium	1-50	24 GB / 8 CPU Cores >= 50GB free HD Space	
Large (Oracle or MS SQL recommended)	50-300	32 GB / 16 CPU Cores >= 100GB free HD Space	(Individual) Configuration (1)
XL, XXL, (Custom) (only with Oracle or MS SQL)	>300	(Individual) Configuration (1)	

Hardware Scenarios ARIS Process Performance Manager					
Scenario (1)	# Conc. Users	Single Server (Recommended HW)	Distributed / Fail Safe		
Small (Demo scenario)	up to 5	4 GB 2 CPU Cores >= 20GB free HD Space			
Medium	up to 10	8 GB 4 CPU Cores >= 50GB free HD Space			
Large	up to 100	32 GB 8 CPU Cores >= 80GB free HD Space			
PPM Client configuration (2)	-	(individual) Configuration (2)	(individual) Configuration (2)		

(1) Small, Medium and Large configuration scenarios only affect ARIS Infrastructure, PPM Core and PPM Web component. PPM Client configuration is not covered

(2) Hardware estimations for PPM Client depend on many attributes of the PPM Customizing. Please contact ARIS Support

Virtual Machine Support

Software AG provides for all its software the definitions of supported, documented platform configurations (referred to here just as 'supported platform') which will include specific Operating System (OS) and hardware configurations, and may include Java Virtual Machine (JVM) and database versions. Customers can use a commercially available virtualization environment for a Software AG production environment if it accurately and completely emulates one of the supported platforms.

Customers who use virtual environments are required to comply fully with their contractual terms and conditions for licensing.

Software AG tests its software for operation on the supported platforms and not specifically against all possible combinations of hardware that might be comprised that operating system (for example, file system, disk controllers, memory configuration, display devices and so on). Therefore, the correct expertise, provision and management of a hardware configuration to support the platform remain the responsibility of our customers, whether directly using physical hardware or a virtualization environment. Software AG recommends physical hardware or, if ARIS products are used in a virtual environment, sufficient resources must be available in order to avoid the risk of overbooking.

Software AG tests and supports certain products on the specific virtualized environments listed in the system requirements section of the product documentation. Customers can use a different virtualized environment that accurately and completely emulates one of the supported platforms; however, if they encounter an issue that Software AG judges might be caused by the virtualized environment, then the customer is responsible for reproducing the issue on an actual supported platform before further analysis can take place. Software AG Global Support will refer customers to the Global Consulting Services group for guidance or recommendation about the use of virtualization software, or, if required, the best approaches for copying a system to a supported platform.

Disclaimer

ARIS products are intended and developed for use by persons. Automated processes, such as the generation of content and the import of objects/artifacts via interfaces, can lead to an outsized amount of data, and their execution may exceed processing capacities and physical limits. For example, processing capacities are exceeded if models and diagrams transcend the size of the modeling area or an extremely high number of processing operations is started simultaneously. Physical limits may be exceeded if the memory available is not sufficient for the execution of operations or the storage of data.

Proper operation of ARIS products requires the availability of a reliable and fast network connection. Networks with insufficient response time will reduce system performance and may cause timeouts.

If ARIS products are used in a virtual environment, sufficient resources must be available there in order to avoid the risk of overbooking.

The system was tested using scenarios that included 100,000 groups (folders), 100,000 users, and 1,000,000 modeling artifacts. It supports a modeling area of 25 square meters.

If projects or repositories are larger than the maximum size allowed, a powerful functionality is available to break them down into smaller, more manageable parts.

Some restrictions may apply when working with process administration, ARIS Administration ARIS document storage, and ARIS Process Board, and when generating executable processes. Process Governance has been tested and approved for 1000 parallel process instances. However, the number may vary depending on process complexity, for example, if custom reports are integrated.

ARIS document storage was tested with 40.000 document items. This includes documents, document versions or folders. We recommend monitoring the number and overall size of stored document items and archiving some document items if needed.