

# **ARIS**

# Functional Product Matrix



**ARIS 10.0 SR8** 

April 2019

# **ARIS Architect/ARIS Designer/ARIS Connect**

|   | ARIS Architect | ARIS Designer | ARIS Connect<br>Designer | ARIS Connect<br>Viewer |
|---|----------------|---------------|--------------------------|------------------------|
| Product architecture  |                |               |                          |                        |
| Desktop client or download client (Java®)                   | х              | Х             |                          |                        |
| Browser-based client (HTML 5)                               |                |               | Х                        | х                      |
| Central server and shared data repository                   | х              | х             | Х                        | х                      |
| Stand-alone application                                     | х              |               |                          |                        |
| Single sign on for user authentication and authorization    | x              | х             | х                        | х                      |
| User help   | X              | x             | x                        | Х                      |
| Product documentation                                       | X              | X             | X                        | х                      |
| Modeling  |                |               |                          |                        |
| Multi-language support                                      | Х              | x             | x                        | Х                      |
| EPC and BPMN™ support                                       | x              | x             | x                        | Х                      |
| DMN 1.1 / DMN 1.2b support                                  | х              | х             |                          | Х                      |
| EPC-to-BPMN transformation                                  | Х              | х             | х                        |                        |
| Customer journey maps for customer experience<br>management | x              | x             | х                        | х                      |
| Business Strategy   | 2              | 2             | x                        | Х                      |
| Document links  | Х              | x             | X                        | 1                      |
| Database management   | Х              |               |                          |                        |
| Create, manage and navigate content structures              | Х              | х             | х                        | Х                      |
| Content merge from different sources                        | Х              |               |                          |                        |
| Bookmark content within the application                     | Х              | x             | x                        | Х                      |
| Access content via search                                   | Х              | х             | х                        | Х                      |
| Copy and paste models                                       | Х              | х             | х                        |                        |
| Define and change properties of models and objects          | Х              | х             | 1                        |                        |
| End-to-end process generation                               | х              |               |                          |                        |
| Table-based modeling  | х              | х             | Х                        |                        |
| Model comparison  | х              |               |                          |                        |
| Variant creation and management                             | х              |               |                          |                        |
| Versioning and change history                               | х              | х             | Х                        |                        |
| Write protection content                                    | х              | х             | х                        |                        |
| Hide model content  | х              | х             |                          |                        |
| Templates for graphic representation settings               | х              | х             | х                        |                        |
| Pre-defined modeling patterns                               | х              | х             |                          |                        |
| Layout mechanisms and modeling grid                         | х              | х             | х                        |                        |
| Formatting options and format painter                       | х              | х             | х                        |                        |
| Creating layouts  | х              | x             | х                        |                        |
| Graphic import and export                                   | х              | x             | х                        |                        |
| XML import and export                                       | X              |               |                          |                        |

# **ARIS Architect/ARIS Designer/ARIS Connect**

|  | ARIS Architect                     | ARIS Designer                  | ARIS Connect<br>Designer | ARIS Connect<br>Viewer |
|--|------------------------------------|--------------------------------|--------------------------|------------------------|
| Import, Update & Export of BPMN 2.0 and E-BPMN                           | Х                                  |                                | Х                        |                        |
| DMN 1.1 and DMN 1.2b import and export                                   | Х                                  | Х                              |                          |                        |
| Change request management  | х                                  | х                              | Х                        | х                      |
| Use ARIS Process Governance workflows                                    | х                                  | х                              | Х                        | х                      |
| Import functions from PPM  | х                                  | х                              | Х                        |                        |
| Map PPM functions to ARIS functions                                      | х                                  | х                              | Х                        |                        |
| Evaluation & reporting   |                                    |                                |                          |                        |
| Semantic check execution   | Х                                  | Х                              | Х                        |                        |
| Semantic check definition  | х                                  |                                |                          |                        |
| Pre-defined semantic checks  | Х                                  | х                              | Х                        |                        |
| Macro execution  | х                                  | х                              | 1                        |                        |
| Macro definition   | Х                                  |                                |                          |                        |
| Pre-defined macros   | х                                  | х                              |                          |                        |
| Query execution  | х                                  | х                              |                          |                        |
| Query definition   | х                                  |                                |                          |                        |
| Pre-defined queries  | х                                  | х                              |                          |                        |
| Individual ad-hoc queries  | Х                                  |                                |                          |                        |
| Report execution   | Х                                  | X                              | Х                        | х                      |
| Report definition  | Х                                  |                                |                          |                        |
| Pre-defined reports  | х                                  | Х                              | Х                        | х                      |
| Process manual report  | х                                  | Х                              | Х                        | х                      |
| RA(S)CI overview report  | Х                                  | Х                              | Х                        | х                      |
| Create job descriptions  | Х                                  | Х                              | Х                        | х                      |
| Spreadsheet for calculation and data maintenance                         | Х                                  | х                              |                          |                        |
| Feeding MashZone dashboards  | х                                  | 1                              |                          |                        |
| Generate solution design   | Х                                  |                                |                          |                        |
| Report configuration   | х                                  |                                |                          |                        |
| Administration & setup   |                                    |                                |                          |                        |
| Standards management for formats and designs                             | х                                  |                                |                          |                        |
| User management (function and access privileges)                         | х                                  |                                |                          |                        |
| Method configuration and filter management                               | х                                  |                                |                          |                        |
| Documents integration  |                                    |                                |                          |                        |
| Upload, download, delete and manage documents                            | х                                  | х                              | х                        |                        |
| Version documents  | х                                  | х                              | Х                        |                        |
| Search   | Х                                  | х                              | х                        | х                      |
| Share a document   |                                    |                                | х                        | х                      |
| Approve a document   |                                    |                                | Х                        | х                      |
| Submit change requests for a document                                    |                                    |                                | х                        | х                      |
| 1 - Reduced number of options or reduced functionality available 2 - Mac | de available through EP Business S | trategy X - Functionality is a | vailable                 | ı                      |

#### **ARIS Connect/ARIS Viewer**

|  | ARIS Connect<br>Designer | ARIS Connect<br>Viewer | ARIS Viewer |
|--|--------------------------|------------------------|-------------|
| Portal   |                          |                        |             |
| Access content via search                                      | Х                        | Х                      | Х           |
| Recently changed content                                       | Х                        | Х                      |             |
| Role-based access  | Х                        | Х                      |             |
| Dynamic publishing without add. publishing server              | Х                        | Х                      |             |
| Diagram viewer   | Х                        | Х                      | Х           |
| Process steps viewer   | Х                        | Х                      |             |
| Table viewer   | Х                        | Х                      | Х           |
| Overview fact-sheet viewer                                     | Х                        | Х                      |             |
| RACI viewer  | Х                        | Х                      |             |
| Document overview for a model                                  | Х                        | Х                      |             |
| Related objects and connections of objects                     | Х                        | Х                      | Х           |
| Attribute-based content highlighting                           | Х                        | Х                      |             |
| Model views (e.g. swimlane)                                    | Х                        | Х                      |             |
| Custom Portal plug-ins   | Х                        | Х                      |             |
| Reporting  | Х                        | Х                      | 1           |
| Change or add attributes within views                          | Х                        | 2                      |             |
| Add objects and object relationships within views              | Х                        | 2                      |             |
| Advanced filters   | Х                        | Х                      |             |
| Self-service configuration                                     | Х                        | Х                      |             |
| SAP® transactions viewer                                       | Х                        | Х                      |             |
| Multi-media content publication                                | Х                        | Х                      |             |
| Favorites  | Х                        | Х                      |             |
| User profiles  | Х                        | Х                      |             |
| Highlighting of properties (e.g. roles or functions of a role) | Х                        | x                      |             |
| Highlighting of process paths                                  | Х                        | X                      |             |
| Integrate embed view in Third-party systems (e.g. wiki)        | Х                        | X                      |             |
| Mini-fact sheets   | Х                        | Х                      |             |
| Intelligent auto-scrolling in Diagrams                         | Х                        | Х                      |             |
| Governance   |                          |                        |             |
| Share a model  | Х                        | X                      |             |
| Approve a model  | Х                        | X                      |             |
| Submit change requests   | Х                        | X                      |             |
| My task overview   | Х                        | Х                      |             |
| Edit, view or delegate tasks                                   | Х                        | Х                      |             |
| Propose document to be linked to a model                       | Х                        | X                      |             |

#### **ARIS Connect/ARIS Viewer**

| ARIS Connect Designer                   |   | ARIS Connect<br>Viewer | ARIS Viewer |
|---|---|------------------------|-------------|
| Collaboration                           |   |                        |             |
| Comment on models and objects           | Х | х                      |             |
| Tag and tag filters                     | Х | Х                      |             |
| Subscribe to content and user streams   | X | Х                      |             |
| Public and private collaboration groups | Х | X                      |             |
| Notifications on collaboration updates  | Х | Х                      |             |
| My activities overview                  | Х | Х                      |             |
| Email digests                           | Х | Х                      |             |
| Export & archiving                      | Х | X                      |             |

#### **ARIS Cloud**

| Functionalities   |        | ARIS Cloud Advanced |           |       |        | ARIS Cloud Enterprise |           |       |  |
|---|--------|---------------------|-----------|-------|--------|-----------------------|-----------|-------|--|
| Functionalities   | Viewer | Designer            | Architect | Admin | Viewer | Designer              | Architect | Admin |  |
| Generic   |        |                     |           |       |        |                       |           |       |  |
| Software-as-a-Service (SaaS)                            |        |                     | х         |       |        |                       | Х         |       |  |
| Maximum databases allowed                               |        | 20                  | (500 MB)  |       |        | ur                    | limited   |       |  |
| Maximum document storage allowed                        |        |                     | 1 GB      |       |        | ur                    | limited   |       |  |
| Community support                                       |        |                     | Х         |       |        |                       | Х         |       |  |
| Premium support   |        |                     | Х         |       |        |                       | Х         |       |  |
| Shared cloud environment                                |        |                     | Х         |       |        |                       |           |       |  |
| Private cloud environment                               |        |                     |           |       |        |                       | Х         |       |  |
| Multi-language support (user interface)                 |        |                     | Х         |       | Х      |                       |           |       |  |
| Multi-language support (content)                        |        |                     |           |       | X      |                       |           |       |  |
| Design, reporting & analysis                            |        |                     |           |       |        |                       |           |       |  |
| Standard modeling (browser)                             |        | Х                   |           |       |        | Х                     |           |       |  |
| Advanced modeling (Java® client)                        |        |                     |           |       |        |                       | Х         |       |  |
| Central repository                                      |        |                     | Х         |       | x      |                       |           |       |  |
| Reference templates for different project types         |        |                     | х         |       |        |                       |           |       |  |
| Run standard reports<br>(e.g., process manual)          | х      | Х                   | х         |       | х      | х                     | х         |       |  |
| Run custom reports (WYSIWYG-based)                      | х      | Х                   | X         |       | х      | Х                     | х         |       |  |
| Run custom reports (script-based)                       |        |                     |           |       | х      | Х                     | Х         |       |  |
| Create custom reports (WYSIWYG-based)                   |        |                     | х         | Х     |        |                       | х         | Х     |  |
| Create custom reports (script-based)                    |        |                     |           |       |        |                       | х         | Х     |  |
| Set permissions to content access                       |        |                     | х         | Х     |        |                       | х         | Х     |  |
| Cost & time calculation based on spreadsheet & analysis |        |                     |           |       |        |                       | х         |       |  |
| Multi-language modeling with designers                  |        | х                   | Х         |       |        | Х                     |           |       |  |

#### **ARIS Cloud**

|   |        | ARIS Cloud Advanced |           |       |        | ARIS Cloud Enterprise |           |       |  |
|---|--------|---------------------|-----------|-------|--------|-----------------------|-----------|-------|--|
| Functionalities   | Viewer | Designer            | Architect | Admin | Viewer | Designer              | Architect | Admin |  |
| Design, reporting & analysis  |        |                     |           |       |        |                       |           |       |  |
| Vertical and horizontal space insertion                             |        | Х                   | х         |       |        | Х                     |           |       |  |
| "Go to explorer" feature  |        | Х                   | х         |       |        | Х                     |           |       |  |
| Implicit relationships/connections                                  |        | Х                   | х         |       |        | Х                     |           |       |  |
| Content merge from different sources                                |        |                     | х         |       |        |                       |           |       |  |
| Model Comparison  |        |                     | х         |       |        |                       |           |       |  |
| Variant Creation and Management                                     |        |                     | х         |       |        |                       |           |       |  |
| Hide Model Content  |        |                     | х         |       |        |                       |           |       |  |
| Pre-defined modeling patterns                                       |        |                     | х         |       |        |                       |           |       |  |
| Semantic check definition   |        |                     | х         |       |        |                       |           |       |  |
| Report definition   |        |                     | х         |       |        |                       |           |       |  |
| View & consume  |        |                     |           |       |        |                       |           |       |  |
| Dynamic publishing  | Х      | Х                   | X         |       | Х      | Х                     |           |       |  |
| Standard views for easy consumption (steps view, table view)        | х      | х                   | х         |       | х      | х                     |           |       |  |
| Consume with custom views   |        |                     |           |       | Х      | Х                     |           |       |  |
| Create and maintain custom views (e.g., different logic)            |        |                     |           |       |        |                       |           | Х     |  |
| Collaboration, governance & document storage                        |        |                     |           |       |        |                       |           |       |  |
| Advanced collaboration with creation of groups, like, etc.          | Х      | х                   | х         |       | х      | Х                     |           |       |  |
| Comment on models   | Х      | Х                   | х         |       | Х      | Х                     |           |       |  |
| Versioning for models   |        |                     |           |       |        | Х                     | Х         |       |  |
| Versioning for documents  |        | Х                   | х         |       |        | Х                     | Х         |       |  |
| Upload documents  | Х      | Х                   | X         |       | Х      | Х                     | Х         |       |  |
| Release-cycle management (approval workflow, change requests, etc.) |        |                     |           |       | х      | х                     | х         |       |  |
| Adaption of workflows   |        |                     |           |       |        |                       |           | Х     |  |
| Tags filtering  | Х      | х                   | х         |       | Х      | Х                     |           |       |  |
| Administration  |        |                     |           |       |        |                       |           |       |  |
| Custom modeling guidelines (custom filters, templates, etc.)        |        |                     | х         | Х     |        |                       | х         | х     |  |
| Restore database from ARIS 7.2 or 9.x                               |        |                     | Х         | х     |        |                       | Х         | Х     |  |
| Self-service: Repository backup and restore                         |        |                     | Х         | Х     |        |                       | Х         | Х     |  |
| Paid-service: Repository backup and restore                         |        |                     | Х         | Х     |        |                       |           | Х     |  |
| Active Directory/LDAP connectivity                                  |        |                     |           |       |        | Х                     |           |       |  |
| Single sign-on  |        |                     |           |       |        | Х                     |           |       |  |
| New users video introduction  | х      | х                   | Х         | Х     |        |                       |           |       |  |
| User group management   |        |                     | Х         | х     |        |                       |           | Х     |  |
| Database Management   |        |                     | х         |       |        |                       |           |       |  |

#### **ARIS Cloud**

| F 0 100                                 |        | ARIS Cloud Advanced |           |       |        | ARIS Cloud Enterprise |           |       |  |
|---|--------|---------------------|-----------|-------|--------|-----------------------|-----------|-------|--|
| Functionalities                         | Viewer | Designer            | Architect | Admin | Viewer | Designer              | Architect | Admin |  |
| Extensions                              |        |                     |           |       |        |                       |           |       |  |
| ARIS-Alfabet Connectivity               |        |                     |           |       |        |                       | х         |       |  |
| ARIS Enterprise Architecture Management |        |                     | х         |       |        |                       | х         |       |  |
| SAP synchronization                     |        |                     |           |       |        |                       | х         |       |  |
| SAP transactions views                  |        |                     |           |       | Х      | Х                     |           |       |  |
| Microsoft® SharePoint® connectivity     |        | <u>'</u>            |           |       | Х      |                       |           |       |  |
| Simulation                              |        |                     |           |       |        |                       | х         |       |  |
| webMethods Integration                  |        |                     |           |       |        |                       | х         |       |  |
| ARIS Business Strategy                  |        |                     | х         |       |        |                       | х         |       |  |
| ARIS Access                             |        |                     |           |       |        |                       | х         |       |  |
| ARIS API/Mobile                         |        |                     |           |       | X*     |                       |           |       |  |
| ARIS Aware                              |        |                     |           |       | х      | х                     |           |       |  |

<sup>\* -</sup> Availability of ARIS API Mobile/Read/Full Access X - Functionality is available

# **ARIS Architect/ARIS Designer Extension Pack SAP**

|  | ARIS Architect<br>Extension Pack SAP<br>(YAA + YAAPD) | ARIS Designer<br>Extension Pack SAP<br>(YAD + YADPD) | ARIS Connect Designer<br>Extension Pack SAP<br>(YCSDC + YCSPD) |
|--|---|--|--|
| Connectivity to SAP Solution Manager   |   |  |  |
| Synchronization with SAP Solution Manager 7.1  | X   |  |  |
| Synchronization with SAP Solution Manager 7.2  | X   |  |  |
| Migration of existing ARIS projects synchronized with Solution Manager 7.1 to support Solution Manager 7.2 | Х   |  |  |
| Central administration to manage<br>SAP connectivity   | x   |  |  |
| Configurable synchronization method  | Х   |  |  |
| Synchronization of scoped solution documentations  | X   |  |  |
| Process design and blueprinting  |   |  |  |
| Synchronization of Branches from SAP Solution Manager 7.2  | x   |  |  |
| Wizard-based support for using and maintaining the Process Step Library                                    | 2   | 2  | 2  |
| Automatic creation of process step elements in the Process Step Library via synchronization                | 2   |  |  |
| Aggregated view on library objects   | 2   | 2  |  |
| Open solution documentation in SAP Solution Manager  | 2   | 2  |  |

# ARIS Architect/ARIS Designer Extension Pack SAP

|   | ARIS Architect<br>Extension Pack SAP<br>(YAA + YAAPD) | ARIS Designer<br>Extension Pack SAP<br>(YAD + YADPD) | ARIS Connect Designer<br>Extension Pack SAP<br>(YCSDC + YCSPD) |
|---|---|--|--|
| Open business blueprints in SAP Solution Manager  | 3   | 3  |  |
| Synchronization of BPMN™ 2.0, E-BPMN²,<br>EPC models and value-chain diagrams   | х   |  |  |
| Synchronization of master and non-master process<br>diagrams (BPMN 2.0, E-BPMN, EPC) from ARIS to<br>BPMN Process Diagrams (system-based and<br>role-based) in SAP Solution Manager | 2   |  |  |
| Download BPMN Process Diagrams from<br>SAP Solution Manager to Process and Collaboration<br>Diagrams in ARIS  | 2   |  |  |
| Bi-directional synchronization of folder elements   | 2   |  |  |
| Bi-directional synchronization of scenario elements   | Х   |  |  |
| Bi-directional synchronization of process elements  | Х   |  |  |
| Bi-directional synchronization of process step elements   | х   |  |  |
| Bi-directional synchronization of the<br>Process Step Library   | 2   |  |  |
| Bi-directional synchronization of the<br>Executable Library   | 2   |  |  |
| Bi-directional synchronization of the Interface Library   | Х   |  |  |
| Bi-directional synchronization of customer attributes   | Х   |  |  |
| Bi-directional synchronization of documents and end user roles  | х   |  |  |
| Support for change documents  | Х   |  |  |
| Update synchronized documents   | 2   |  |  |
| Delete documents managed by ARIS  | 2   |  |  |
| Bi-directional synchronization of keywords  | 3   |  |  |
| Bi-directional synchronization of global attributes   | 3   |  |  |
| Synchronization of technical names at documents   | 3   |  |  |
| Define and synchronize order of process steps sequence  | 3   |  |  |
| Usage of shortcuts  | 3   | 3  |  |
| Usage of shadow symbols in EPC and E-BPMN models  | x   | Х  | х  |
| Use document links from ADS and<br>Microsoft SharePoint   | х   | Х  | x  |
| Transfer model links to SAP Solution Manager  | Х   |  |  |
| Consistent renaming of group, model and object with changes in ARIS   | Х   | х  | Х  |
| SAP synchronization consistency check   | 3   |  |  |
| Supporting roll-out process   | 4   |  |  |
| Supporting roll-out by one-click consolidation  | 3   |  |  |
| Supporting release cycle management   | 4   |  |  |
| Maintain different languages for SAP Business Process Repositories (BPR)  | 3   |  |  |

# **ARIS Architect/ARIS Designer Extension Pack SAP**

|   | ARIS Architect<br>Extension Pack SAP<br>(YAA + YAAPD) | ARIS Designer<br>Extension Pack SAP<br>(YAD + YADPD) | ARIS Connect Designer<br>Extension Pack SAP<br>(YCSDC + YCSPD) |  |  |  |  |
|---|---|--|--|--|--|--|--|
| Training and go-live  |   |  |  |  |  |  |  |
| Start transactions  | 3   | 3  |  |  |  |  |  |
| Start executables of type transaction and URLs  | 2   | 2  |  |  |  |  |  |
| Excecute SAP customizing activities   | Х   | Х  |  |  |  |  |  |
| Open transaction-specific R/3 help  | 3   | 3  |  |  |  |  |  |
| Open SAP Solution Manager documents   | Х   | Х  |  |  |  |  |  |
| Testing   |   |  |  |  |  |  |  |
| ARIS Test Designer  | X   | 1  |  |  |  |  |  |
| Automatic test path capturing   | X   | 1  |  |  |  |  |  |
| Capturing of end-to-end test scenarios  | Х   | 1  |  |  |  |  |  |
| Navigation in the ARIS Test Designer  | Х   | 1  |  |  |  |  |  |
| Transaction scoping during test path capturing  | Х   | 1  |  |  |  |  |  |
| Communication   |   |  |  |  |  |  |  |
| Connect server administration   | Х   |  |  |  |  |  |  |
| Start executables of type transaction, Fiori Apps and URLs and show documents from published models |   | requires ARIS Connect                                |  |  |  |  |  |
| Open process model from SAP systems ("F1" help)   | requires ARIS Connect                                 |  |  |  |  |  |  |
| Open ARIS process diagrams from SAP Solution<br>Manager   |   | requires ARIS Connect                                |  |  |  |  |  |
| SAP NetWeaver® specific functionalities   |   |  |  |  |  |  |  |
| BPMN 2.0 import und export  | Х   | Х  | X  |  |  |  |  |
| SAP NetWeaver business client support   | Х   | Х  |  |  |  |  |  |

- 1 Made available through ARIS Designer Extension Pack Test Design (YADTD); also available as a stand-alone Extension Pack (EP) for ARIS Architect (YAATD)
   2 Only supported in combination with SAP Solution Manager 7.2
   3 Only supported in combination with SAP Solution Manager 7.1
   4 Requires customized scripts
   X Functionality is available

#### **ARIS Connect Extension Pack for SAP Enable Now**

|   | ARIS Connect Server Extension Pack for SAP Enable Now (YCSEN) |  |  |  |  |
|---|---|--|--|--|--|
| Connectivity to SAP Enable Now  |   |  |  |  |  |
| Transfer process structures from ARIS to SAP Enable Now   | 1   |  |  |  |  |
| Transfer links to trainings assets from SAP Enable Now to ARIS                                      | 1   |  |  |  |  |
| 1 - Requires compatible version of SAP Enable Now. Initial supporting version planned for May 2019. |   |  |  |  |  |

#### ARIS Architect/ARIS Design Server/ **ARIS Connect Server Extension Pack Process Governance**

| Functionalities                                | ARIS<br>Architect<br>(YAA) &<br>ARIS<br>Designer<br>(YAD) | ARIS Architect Extension Pack Process Governance (YAA + YAAPG) | ARIS<br>Connect<br>Viewer<br>(YCSCC) | ARIS<br>Connect<br>Designer<br>(YCSDC) | ARIS<br>Viewer<br>(YBU) | ARIS<br>Connect<br>Server<br>(YCS) | ARIS Connect Server Extension Pack Process Governance (YCSPG) | ARIS Design<br>Server<br>Extension<br>Pack<br>Process<br>Governance<br>(YDSPG) |
|--|---|--|--------------------------------------|--|-------------------------|------------------------------------|---|--|
| Designing governance processes                 |   | х  |                                      |  |                         |                                    |   |  |
| Governance process modeling                    |   | х  |                                      |  |                         |                                    |   |  |
| Graphical data flow designer                   |   | х  |                                      |  |                         |                                    |   |  |
| Dialog designer                                |   | х  |                                      |  |                         |                                    |   |  |
| Model organizational structures (roles)        |   | х  |                                      |  |                         |                                    |   |  |
| Usage of predefined services                   |   | х  |                                      |  |                         |                                    |   |  |
| Deploy governance processes                    |   | х  |                                      |  |                         | (X)*                               | х   |  |
| Monitor governance processes                   |   |  |                                      |  |                         |                                    | х   |  |
| Monitor human tasks                            |   |  |                                      |  |                         | Х                                  | х   |  |
| Monitor process instances                      |   |  |                                      |  |                         | х                                  | х   |  |
| Simulate governance processes                  |   |  |                                      |  |                         |                                    | х   |  |
| Manage process instances                       |   |  |                                      |  |                         | Х                                  | Х   |  |
| MashZone integration                           |   |  |                                      |  |                         | х                                  | Х   |  |
| PPM export                                     |   |  |                                      |  |                         |                                    | Х   |  |
| Participate in governance processes            |   |  |                                      |  |                         |                                    |   |  |
| Initiate governance<br>workflow                | х   | х  | х                                    | х                                      | х                       |                                    |   |  |
| Organize tasks in personal process board       |   | х  | Х                                    | х                                      | х                       |                                    |   |  |
| Delegate task                                  |   | х  | Х                                    | Х                                      | Х                       |                                    |   |  |
| Specify substitute                             |   | х  | Х                                    | Х                                      | Х                       |                                    |   |  |
| Predefined reference content, reports & macros |   | х  |                                      |  |                         |                                    |   |  |
| Predeployed, built-in mini<br>workflows        |   | Х  |                                      |  |                         | х                                  | х   | х  |

 $<sup>^{\</sup>star}$  - Mini workflows can be adapted and deployed if there is an Architect EP Process Governance X - Functionality is available

#### **ARIS Connect Server Extension Pack Aware**

| Functionalities  | ARIS Connect Server Extension Pack<br>Aware (YCSAW) + ARIS Connect Viewer<br>Ext. Aware (YCSCA) / ARIS Connect<br>Designer Ext. Aware (YCSDA) |
|--|---|
| Designing data feeds   | x   |
| Mash up different data sources (queries, spreadsheets, ARIS Process Governance, ARIS Governance Risk & Compliance Manager, ARIS Process Performance Manager, Excel®, CSV, XML, JSON, JDBC) | х   |
| Designing dashboards   | x   |
| Visualize process logs as function flow  | X   |
| Assign dashboards to ARIS content  | X   |
| Interactive dashboards   | x   |
| Content-based filtering  | x   |
| Filter-Bookmarks   | х   |
| Context-sensitive dashboard refresh  | х   |
| Drill-down to models and details   | х   |
| Profile-based configuration of dashboarding areas  | х   |
| View dashboards in fact sheet, dashboard tab, side by side with a model and on home page   | х   |
| Predefined ready-to-use reference content (feeds and dashboards)   | х   |
| Predefined generic and use-case-specific templates (feeds and dashboards)  | х   |
| Predefined configurable data acquisition reports   | х   |
| Dashboard-specific access privileges for users and user groups   | х   |
| Import & export data feeds   | х   |
| Import & export dashboards   | х   |

#### **ARIS Architect/ARIS Designer Extension Pack for Enterprise Architecture** Management (EAM)

| Functionalities   | ARIS Architect Extension Pack EAM (YAA + YAAIT) | ARIS Designer<br>Extension Pack<br>EAM<br>(YAD + YADIT) | ARIS Alfabet<br>Interoperability<br>for ARIS Connect<br>Server (YCSAL) | ARIS Alfabet<br>Interoperability<br>for ARIS Design<br>Server (YDSAL) |
|---|---|---|--|---|
| Basic functionality   |   |   |  |   |
| ARIS Architect functionalities and methods  | х   |   |  |   |
| ARIS Designer functionalities and methods   |   | X   |  |   |
| Enterprise Architecture (EA) specific functionalities                                     |   |   |  |   |
| EA-specific method extensions<br>(architecture matrix, process support maps, etc.)        | х   | х   |  |   |
| Create and maintain IT system registers   | x   | х   |  |   |
| Document IT portfolios  | х   | x   |  |   |
| Document IT infrastructure  | х   | х   |  |   |
| Document technology and architecture standards  | х   | x   |  |   |
| Describe reference architectures and solutions  | Х   | x   |  |   |
| Maintain lifecycle information for systems,<br>technologies and standards                 | х   | х   |  |   |
| Maintain and plan IT landscapes (using process support maps)                              | х   | х   |  |   |
| Integration of IT landscape planning information with project and requirements management | х   | x   |  |   |
| ARIS-Alfabet interface  | 1   | 1   | х  | Х   |
| Create system fact sheets   | х   | х   |  |   |
| Analyze system redundancies   | x   | x   |  |   |
| Evaluate system portfolios  | x   | X   |  |   |
| Create system lists (users, supported processes, technologies, standards, etc.)           | х   | x   |  |   |
| Evaluation and display of interfaces and data flows                                       | х   | х   |  |   |
| Evaluation of lifecycle information   | X   | X   |  |   |
| Evaluation, generation and management of landscape planning views (as-is, plan, to-be)    | х   | x   |  |   |
| Import changes from ARIS IT Inventory   | х   | х   |  |   |
| Analyze system landscape in terms of system consolidation                                 | х   | х   |  |   |
| Service specific functionalities  |   |   |  |   |
| Create/edit/delete service  | х   | х   |  |   |
| Show service view   | х   | х   |  |   |
| CentraSite integration  | Х   |   |  |   |

X - Functionality is available

# ARIS Design Server Extension Pack for ArchiMate® and TOGAF® ARIS Extension Pack Design Server ArchiMate® (YDS + YDSAR) Methodological enhancements according to ArchiMate framework (required to make full use of the ArchiMate content package) Methodological enhancements according to TOGAF framework (required to make full use of the TOGAF content package)

#### **ARIS Architect/ARIS Designer Extension Pack for Business Strategy**

| Functionalities  | ARIS Architect<br>Extension Pack<br>Business Strategy<br>(YAA + YAABS) | ARIS Designer<br>Extension Pack<br>Business Strategy<br>(YAD + YADBS) |
|--|--|---|
| Set up a Balanced Scorecard                            | Х  |   |
| Business Motivation Model (BMM)                        | Х  |   |
| Strategy & tactics modeling                            | X  |   |
| Business Model Canvas®                                 | Х  |   |
| KPI modeling   | X  |   |
| SWOT analysis  | Х  | Business Strategy<br>functionalities for                              |
| Business segment matrix                                | X  | ARIS Designer are   |
| SIPOC (Supplier Input Process Output Customer) diagram | Х  | the same as for<br>ARIS Architect                                     |
| RASCI chart  | X  |   |
| Highlighting of critical factors, input and output     | X  |   |
| Priority matrix for input and output                   | Х  |   |
| Fishbone (cause-effect) diagram                        | Х  |   |
| Fishbone layout  | Х  |   |

#### **ARIS Architect Extension Pack for Simulation**

| Functionalities             | ARIS Architect Extension Pack<br>ARIS Simulation (YAA + YAASI) |
|-----------------------------|--|
| ARIS model types            | х  |
| BPMN model types            | x  |
| Process instantiation plans | х  |
| Shift calendars             | x  |
| Warm-up phase               | х  |
| Object animation            | х  |
| Attribute animation         | x  |
| Statistics                  | х  |
| Charts                      | х  |
| Experiments                 | x  |
| Tiled user interface        | x  |
| BPMN 2.0 simulation         | х  |
| E-BPMN simulation           | х  |

# **ARIS Architect Extension Pack for webMethods Integration**

| Functionalities  | ARIS Architect<br>(YAA) | ARIS Architect Extension Pack webMethods Integration (YAA + YAAME) |
|--|-------------------------|--|
| System check   |                         | x  |
| Process roundtripping  |                         | x  |
| Validate for BPMN (semantic check)                                     | Х                       | X  |
| EPC-to-BPMN transformation   | Х                       | х  |
| EBPMN-to-BPMN transformation   | Х                       | х  |
| Share with IT (process roundtrip)                                      |                         | х  |
| Validate for IT (semantic check)                                       |                         | х  |
| Align solution process (BPMN) with business process (EPC/EBPMN)        |                         | х  |
| Go to between solution process (BPMN) and business process (EPC/EBPMN) |                         | х  |
| Bottom-up process import   |                         | х  |
| BPM workflow table   |                         | Х  |
| Implementation documentation report                                    |                         | Х  |
| XPDL file export   |                         | х  |
| CentraSite connectivity  |                         | Х  |
| Service request to CentraSite  |                         | Х  |
| Service import from CentraSite   |                         | х  |
| Service update from CentraSite   |                         | Х  |
| Schedulable service import script for CentraSite                       |                         | Х  |
| OpenBPM/service management   | Х                       | Х  |

# **ARIS Architect Extension Pack for webMethods Integration**

| Functionalities   | ARIS Architect<br>(YAA) | ARIS Architect Extension Pack webMethods Integration (YAA + YAAME) |
|---|-------------------------|--|
| Find software service (for capability)                                      | X                       | х  |
| Find service type (for capability)  | X                       | X  |
| Service views   | X                       | Х  |
| New business service (guided modeling)                                      | Х                       | х  |
| Edit business service (guided modeling)                                     | Х                       | х  |
| XSD data export   | Х                       | х  |
| BPMN file export  | Х                       | Х  |
| BPMN file import  | Х                       | Х  |
| Solution design sharing   | Х                       | Х  |
| Solution design method  | Х                       | Х  |
| Solution design report  | Х                       | Х  |
| Data modeling for M2E—modeling conventions & consistency checks             | Х                       | Х  |
| Data modeling for M2E—solution design export/import for webMethods Designer |                         | Х  |
| UI modeling for M2E—modeling conventions & consistency checks               | Х                       | Х  |
| UI modeling for M2E—solution design export/import for webMethods Designer   |                         | Х  |
| Solution design—process roundtrip   |                         | х  |
| Solution design—CS services   |                         | х  |

# **ARIS Risk & Compliance Manager**

| Functionalities*  | ARIS Risk &<br>Compliance<br>Manager | ARIS Risk &<br>Compliance<br>Manager Ext.<br>Pack Risk<br>Management | ARIS Risk &<br>Compliance<br>Manager Ext.<br>Pack Internal<br>Control System | ARIS Risk &<br>Compliance<br>Manager Ext.<br>Pack Audit<br>Management |
|---|--------------------------------------|--|--|---|
| Whistle blow  | X                                    |  |  |   |
| Administration base objects (incl. hierarchies)   | X                                    | x  | x  | х   |
| Administration generated objects  | X                                    | x  | x  | х   |
| Administration database/clients   | X                                    | x  |  |   |
| Administration user/user groups   | X                                    |  |  |   |
| Administration offline objects  | X                                    | x  | x  | х   |
| Administration news   | X                                    |  |  |   |
| Import and exports databases / clients  | X                                    |  |  |   |
| Monitoring (user, objects, application, jobs, actions)                                      | X                                    |  |  |   |
| Initiate actions (create, check, update forms, synchronize, link types, event types)        | x                                    | x  | x  | х   |
| Administration subscriptions (events) per client  | х                                    |  |  |   |
| * - Available elements partly depending on extension pack<br>X - Functionality is available |                                      |  |  |   |

# **ARIS Risk & Compliance Manager**

| Functionalities*                                    | ARIS Risk &<br>Compliance<br>Manager | ARIS Risk &<br>Compliance<br>Manager Ext.<br>Pack Risk<br>Management | ARIS Risk &<br>Compliance<br>Manager Ext.<br>Pack Internal<br>Control System | ARIS Risk &<br>Compliance<br>Manager Ext.<br>Pack Audit<br>Management |
|---|--------------------------------------|--|--|---|
| Administration of dimensions for risk assessment    |                                      | х  |  |   |
| Administration of heat matrices for risk assessment |                                      | Х  |  |   |
| Filtering lists (base and generated objects)        | Х                                    | Х  | х  | Х   |
| Configuring filters                                 | Х                                    | Х  | х  | х   |
| Access lists (base and generated objects)           | Х                                    | Х  | Х  | х   |
| Access forms (base and generated objects)           | х                                    | Х  | х  | Х   |
| Access task lists                                   | Х                                    | Х  | Х  | Х   |
| Access messages/Inbox                               | х                                    | Х  | х  | Х   |
| Access hierarchies (business elements)              | Х                                    | Х  | Х  | Х   |
| PDF/XLS export of lists                             | Х                                    | Х  | Х  | Х   |
| PDF export of forms                                 | Х                                    | Х  | Х  | Х   |
| Automated start/close of scheduled workflows        | Х                                    | Х  | Х  | Х   |
| Notification/remaindering/escalation (Email)        | Х                                    | Х  | Х  | Х   |
| Workflow for issue management                       | Х                                    | Х  | Х  | х   |
| Workflow for survey management                      | Х                                    |  |  |   |
| Incident documentation                              | Х                                    | Х  | Х  | Х   |
| Workflow for risk assessment                        |                                      | Х  |  |   |
| Workflow for incident and loss management           |                                      | Х  |  |   |
| Workflow for control testing                        |                                      |  | Х  |   |
| Workflow for control execution                      |                                      |  | х  |   |
| Workflow for policy approval                        |                                      |  | х  |   |
| Workflow for policy confirmation                    |                                      |  | Х  |   |
| Workflow for policy review                          |                                      |  | х  |   |
| Exceptions documentation for policies               |                                      |  | х  |   |
| Workflow for regulatory change management           |                                      |  | Х  |   |
| Workflow for deficiency management                  |                                      |  | х  |   |
| Workflow for sign-off management                    |                                      |  | х  |   |
| Workflow for audit management                       |                                      |  |  | х   |
| Filtering elements for evaluations                  | х                                    | Х  | х  | х   |
| Evaluations survey management                       | х                                    |  |  |   |
| Evaluations incident                                | х                                    |  |  |   |
| Evaluations risk management                         |                                      | х  |  |   |
| Evaluations incident and loss management            |                                      | х  |  |   |
| Evaluations test management                         |                                      |  | х  |   |
| Evaluations control management                      |                                      |  | Х  |   |

# **ARIS Risk & Compliance Manager**

| Functionalities*                                   | ARIS Risk &<br>Compliance<br>Manager | ARIS Risk &<br>Compliance<br>Manager Ext.<br>Pack Risk<br>Management | ARIS Risk &<br>Compliance<br>Manager Ext.<br>Pack Internal<br>Control System | ARIS Risk &<br>Compliance<br>Manager Ext.<br>Pack Audit<br>Management |
|--|--------------------------------------|--|--|---|
| Evaluations policy management                      |                                      |  | x  |   |
| Evaluations audit management                       |                                      |  |  | х   |
| Evaluation survey/questionnaire                    | Х                                    |  |  |   |
| Evaluations risks                                  |                                      | х  |  |   |
| Evaluations controls                               |                                      |  | х  |   |
| Evaluations policies                               |                                      |  | х  |   |
| Evaluations deficiencies                           |                                      |  | х  |   |
| Evaluations audit/audit steps                      |                                      |  |  | х   |
| Audit plan (structure/Gantt)                       |                                      |  |  | х   |
| Charts for evaluations                             | х                                    | х  | х  | х   |
| PDF/XLS export of evaluations                      | Х                                    | х  | х  | х   |
| Forecast for planned generation of forms           | Х                                    | х  | х  | х   |
| Access log information and version comparison      | х                                    | х  | х  | Х   |
| PDF/XLS export of version information              | х                                    | х  | х  | Х   |
| Execute ARCM reports (defined in ARIS Architect)** | х                                    | х  | х  | Х   |
| Create Dashboard URL                               | х                                    | х  | х  | Х   |
| Enable event processing for Apama                  | Х                                    | Х  | Х  |   |

 $<sup>^\</sup>star$  - Available elements partly depending on extension pack  $^{\star\star}$  - ARIS Report Server required X - Functionality is available

# **ARIS—IoT-driven Business Transformation**

| Functionalities*  | ARIS Connect Designer<br>(YCSDC) & ARIS Architect<br>(YAA) & ARIS Designer<br>(YAD) | ARIS Connect/<br>Design Server EP IoT<br>(YCSOT/YDSOT) |
|---|---|--|
| IoT modeling method (new model types: IoT object definition & IoT object context, new symbols: IoT object, IoT sensor component, IoT actuator component, Data protocol, Connectivity, Security) | х   |  |
| IoT object fact sheet   | X   |  |
| Import IoT object types   |   | Х  |

#### ARIS RESTful API

The ARIS API grants external applications, in particular mobile apps, access to the contents of the ARIS repository and ARIS Document Storage. The API requires a server-side license for ARIS Design Server (EP Access Infrastructure) as well as a per-user license (ARIS API Mobile Access resp. ARIS Connect Viewer/Designer, ARIS API Read Access or ARIS API Full Access).

In addition to licenses, the API requires a certification of the application, available at ARIS Community:

http://www.ariscommunity.com/aris-access-certification-inquiry-form

A complete ARIS API reference available online via <a href="http://localhost/apidocs">http://localhost/apidocs</a> including a technical introduction to the ARIS API.

| ARIS User Management API Encapsulates all functionality related to authentication, authorization & user management  Generate new API token POST User 1 1 1 1 Invalidate API token DELETE User X X X Retrieve users GET User X X X Retrieve users by name GET User X X X Retrieve users by name GET User X X X Retrieve licenses of the user GET User X X X Retrieve user picture GET User X X X ARIS Repository API Encapsulates all functionality related to the ARIS repository Get list of databases GET Database 2 2 Get details of database X X X | Access<br>(YDSSA/<br>YDSSA) |
|--|-----------------------------|
| Invalidate API token  DELETE User X X X X  Retrieve users GET User X X X X  Retrieve users by name GET User X X X X X  Retrieve licenses of the user GET User X X X X X  Retrieve user picture GET User X X X X X  Retrieve user picture GET User X X X X X  ARIS Repository API Encapsulates all functionality related to the ARIS repository  Get list of databases GET Database Z GET Database X X X  |                             |
| Retrieve users  GET User X X X X Retrieve users by name GET User X X X X X Retrieve licenses of the user GET User X X X X X X X X Retrieve user picture GET User X X X X X X X ARIS Repository API Encapsulates all functionality related to the ARIS repository Get list of databases GET Database Z Get details of database X X X X  | 1                           |
| Retrieve users by name GET User X X X  Retrieve licenses of the user GET User X X X  Retrieve user picture GET User X X X  ARIS Repository API Encapsulates all functionality related to the ARIS repository  Get list of databases GET Database 2 2  Get details of database X X X  | X                           |
| Retrieve licenses of the user GET User X X X  Retrieve user picture GET User X X X X  ARIS Repository API Encapsulates all functionality related to the ARIS repository  Get list of databases GET Database 2 2  Get details of database X X X X   | X                           |
| Retrieve user picture  GET  User  X  X  X  ARIS Repository API Encapsulates all functionality related to the ARIS repository  Get list of databases  GET  Database  Z  Get details of database  X  X  X  | х                           |
| ARIS Repository API Encapsulates all functionality related to the ARIS repository  Get list of databases  GET Database  2 2  Get details of database  X X X  | Х                           |
| Encapsulates all functionality related to the ARIS repository  Get list of databases  GET Database  2 2  Get details of database  K X X X  | Х                           |
| Get details of database GET Database X X X   |                             |
|  | 2                           |
|  | Х                           |
| Find items in database GET Database 3 2 2  | 2                           |
| Create a group POST Group X X  | Х                           |
| Delete a group DELETE Group X X  | Х                           |
| Retrieve group by GUID GET Group X X X   | Х                           |
| Update a group PUT Group X X   | Х                           |
| Delete attributes of a group DELETE Group 4 X  | Х                           |
| Get children of a group GET Group 3 2 2  | 2                           |
| Get parent group of a group by group-GUID GET Group X X X  | X                           |
| Generic query starting on model POST Model 3   | 2                           |
| Delete a model DELETE Model X X  | х                           |
| Retrieve model by GUID GET Model X X X   | Х                           |
| Update a model PUT Model 5 X   | Х                           |
| Delete attributes of a model DELETE Model 4 X  | Х                           |
| Delete model connections  DELETE Model 4  X  |                             |

Requires a certificate, to be requested via <a href="https://www.ariscommunity.com/aris-access-certification-inquiry-form">https://www.ariscommunity.com/aris-access-certification-inquiry-form</a>
 Nax. 5000 items per call with max. 500 items/page
 A Max. 5000 items per call with max. 100 items/page
 A Max. 1 item can be deleted per request with ARIS API Mobile Access
 Max. 1 model object/connection can be created per request with ARIS API Mobile Access

X - Functionality is available

| ARIS APIs   | API<br>Method | ARIS<br>Item Type | ARIS API<br>Light Access<br>(YCSMA/<br>YDSMA)<br>& ARIS<br>Connect<br>Contributor<br>(YCSCO) | ARIS API Read Access (YDSRA/ YCSRA) & ARIS Connect Viewer (YCSCC) | ARIS API Full<br>Access (YDSFA/<br>YCSFA) &<br>ARIS Connect<br>Designer<br>(YCSDC) &<br>ARIS Architect<br>(YAA) & ARIS<br>Designer (YAD) | ARIS API<br>System<br>Access<br>(YDSSA/<br>YCSSA) |
|---|---------------|-------------------|--|---|--|---|
| Get PNG graphic of model by GUID  | GET           | Model             | х  | Х   | х  | Х   |
| Get group of a model-by-model GUID  | GET           | Model             | Х  | Х   | х  | х   |
| Delete model objects  | DELETE        | Model             | 4  |   | х  | х   |
| Create a new object definition  | POST          | Object            | х  |   | х  | Х   |
| Generic query starting on object  | POST          | Object            | 3  |   | 2  | 2   |
| Delete an object definition   | DELETE        | Object            | Х  |   | х  | Х   |
| Retrieve definition object by GUID  | GET           | Object            | Х  | Х   | Х  | Х   |
| Update a definition object  | PUT           | Object            | Х  |   | Х  | Х   |
| Delete assignment from definition object to model                               | DELETE        | Object            | Х  |   | Х  | Х   |
| Create assignment from definition object to model                               | POST          | Object            | Х  |   | Х  | Х   |
| Delete attributes of definition object  | DELETE        | Object            | 4  |   | Х  | Х   |
| Get group of a definition object  | GET           | Object            | Х  | Х   | Х  | Х   |
| ARIS Document Storage API Encapsulates all functionality related to document ma | anagement     |                   |  |   |  |   |
| Create new document   | POST          | Document          | Х  |   | Х  | Х   |
| Retrieve documents linked to ARIS model or object                               | GET           | Document          | Х  | Х   | Х  | Х   |
| Retrieve document by ID   | GET           | Document          | Х  | Х   | Х  | Х   |
| Retrieve document content by ID   | GET           | Document          | Х  | Х   | Х  | Х   |
| Link document to ARIS model or object   | POST          | Document          | Х  |   | Х  | Х   |
| ARIS Collaboration API  |               |                   |  |   |  |   |
| Get activities of streams of followed items of group                            | GET           | Activity          | Х  | Х   | Х  | Х   |
| Get person  | GET           | Person            | Х  | Х   | Х  | Х   |
| Get read notifications of logged-in user  | GET           | Notification      | Х  | Х   | Х  | Х   |
| Get unread notifications of the logged-in person                                | GET           | Notification      | Х  | Х   | Х  | Х   |
| Get count of read notifications of logged-in user                               | GET           | Notification      | Х  | Х   | Х  | Х   |
| Get count of unread notifications of logged-in user                             | GET           | Notification      | Х  | Х   | х  | Х   |
| Get all notifications (read and unread) of the given person                     | GET           | Notification      | х  | Х   | х  | Х   |
| Mark list of notifications as read  | POST          | Notification      | Х  | Х   | Х  | Х   |
| Delete list of notifications  | DELETE        | Notification      | Х  | Х   | Х  | Х   |
| Get notification settings of logged-in user                                     | GET           | Notification      | Х  | Х   | х  | Х   |
| Update notification settings of logged-in user                                  | POST          | Notification      | Х  | х   | х  | х   |

Requires a certificate, to be requested via <a href="https://www.ariscommunity.com/aris-access-certification-inquiry-form">https://www.ariscommunity.com/aris-access-certification-inquiry-form</a>
 Pax. 5000 items per call with max. 500 items/page
 Max. 5000 items per call with max. 100 items/page
 Max. 1 item can be deleted per request with ARIS API Mobile Access
 Max. 1 model object/connection can be created per request with ARIS API Mobile Access
 X - Functionality is available

| ARIS APIs  | API<br>Method | ARIS<br>Item Type        | ARIS API<br>Light Access<br>(YCSMA/<br>YDSMA)<br>& ARIS<br>Connect<br>Contributor<br>(YCSCO) | ARIS API<br>Read Access<br>(YDSRA/<br>YCSRA)<br>& ARIS<br>Connect<br>Viewer<br>(YCSCC) | ARIS API Full<br>Access (YDSFA/<br>YCSFA) &<br>ARIS Connect<br>Designer<br>(YCSDC) &<br>ARIS Architect<br>(YAA) & ARIS<br>Designer (YAD) | ARIS API<br>System<br>Access<br>(YDSSA/<br>YCSSA) |
|--|---------------|--------------------------|--|--|--|---|
| Retrieves all groups                                 | GET           | Group                    | х  | х  | х  | Х   |
| Create group   | POST          | Group                    | Х  | Х  | Х  | Х   |
| Delete group   | DELETE        | Group                    | х  | Х  | х  | Х   |
| Update group   | PUT           | Group                    | х  | Х  | х  | Х   |
| Get activities of group stream                       | GET           | Activity                 | х  | Х  | х  | Х   |
| Create activity for group stream                     | POST          | Activity                 | Х  | Х  | Х  | Х   |
| Delete activity of group stream                      | DELETE        | Activity                 | Х  | Х  | Х  | Х   |
| Change activity of group stream                      | PUT           | Activity                 | Х  | Х  | Х  | Х   |
| To follow a group                                    | POST          | Follower                 | Х  | Х  | Х  | Х   |
| Get list of followers of a group                     | GET           | Follower                 | Х  | Х  | Х  | Х   |
| Get count of followers of a group                    | GET           | Follower                 | х  | Х  | х  | Х   |
| Get followed items of group                          | GET           | Follower                 | Х  | Х  | Х  | Х   |
| Create followed item for group                       | POST          | Follower                 | Х  | Х  | Х  | Х   |
| Delete followed item of group                        | POST          | Follower                 | Х  | Х  | Х  | Х   |
| Get tag assignments of activity of group stream      | GET           | Tag                      | Х  | Х  | Х  | Х   |
| Create tag assignment for activity of group stream   | POST          | Tag                      | Х  | Х  | Х  | Х   |
| Delete tag assignment from activity of group stream  | DELETE        | Tag                      | Х  | Х  | Х  | Х   |
| Retrieve comment(s) for an activity                  | GET           | Comment                  | Х  | Х  | Х  | Х   |
| Creation of comment                                  | POST          | Comment                  | Х  | Х  | х  | Х   |
| Delete a comment                                     | DELETE        | Comment                  | Х  | Х  | х  | Х   |
| Updating an existing comment                         | PUT           | Comment                  | Х  | Х  | Х  | Х   |
| Flag an activity                                     | POST          | Activity                 | Х  | Х  | Х  | Х   |
| Get activities of streams of observed items of group | GET           | Activity                 | Х  | Х  | Х  | Х   |
| Create external item                                 | POST          | Model<br>(External item) | х  | Х  | х  | Х   |
| Delete external item                                 | DELETE        | Model<br>(External item) | х  | х  | х  | Х   |
| Follow an external item                              | POST          | Follower                 | х  | Х  | х  | Х   |
| Is user following external item                      | GET           | Follower                 | Х  | Х  | Х  | Х   |
| Unfollow an external item                            | POST          | Follower                 | Х  | Х  | Х  | Х   |

Requires a certificate, to be requested via <a href="http://www.ariscommunity.com/aris-access-certification-inquiry-form">http://www.ariscommunity.com/aris-access-certification-inquiry-form</a>
 Nax. 5000 items per call with max. 500 items/page
 A Max. 5000 items per call with max. 100 items/page
 A Max. 1 item can be deleted per request with ARIS API Mobile Access
 A Max. 1 model object/connection can be created per request with ARIS API Mobile Access
 X - Functionality is available

| ARIS APIs   | API<br>Method | ARIS<br>Item Type | ARIS API<br>Light Access<br>(YCSMA/<br>YDSMA)<br>& ARIS<br>Connect<br>Contributor<br>(YCSCO) | ARIS API<br>Read Access<br>(YDSRA/<br>YCSRA)<br>& ARIS<br>Connect<br>Viewer<br>(YCSCC) | ARIS API Full<br>Access (YDSFA/<br>YCSFA) &<br>ARIS Connect<br>Designer<br>(YCSDC) &<br>ARIS Architect<br>(YAA) & ARIS<br>Designer (YAD) | ARIS API<br>System<br>Access<br>(YDSSA/<br>YCSSA) |
|---|---------------|-------------------|--|--|--|---|
| Create follower for external item                           | POST          | Follower          | Х  | х  | X  | Х   |
| Delete follower of external item                            | DELETE        | Follower          | Х  | X  | X  | Х   |
| Get group followers of external item                        | GET           | Follower          | Х  | X  | Х  | Х   |
| Get count of group followers of external item               | GET           | Follower          | Х  | X  | Х  | Х   |
| Get person followers of external item                       | GET           | Follower          | Х  | Х  | Х  | Х   |
| Get count of person followers of external item              | GET           | Follower          | Х  | х  | Х  | Х   |
| Get external item activities                                | GET           | Activity          | Х  | х  | Х  | Х   |
| Create activity for external item stream                    | POST          | Activity          | Х  | х  | х  | Х   |
| Delete activity of external item stream                     | DELETE        | Activity          | Х  | х  | Х  | Х   |
| Change activity of external item stream                     | PUT           | Activity          | Х  | х  | Х  | Х   |
| Flag an activity  | POST          | Activity          | Х  | х  | х  | Х   |
| Get tags assignments of activity of external item stream    | GET           | Tag               | х  | х  | х  | Х   |
| Create tag assignment for activity of external item stream  | POST          | Tag               | х  | Х  | х  | х   |
| Delete tag assignment from activity of external item stream | DELETE        | Tag               | х  | х  | х  | Х   |
| Retrieve comment(s) for an activity                         | GET           | Comment           | х  | х  | х  | Х   |
| Creation of comment   | POST          | Comment           | х  | х  | х  | Х   |
| Delete a comment  | DELETE        | Comment           | х  | х  | Х  | Х   |
| Updating an existing comment                                | PUT           | Comment           | Х  | х  | X  | Х   |

Requires a certificate, to be requested via <a href="http://www.ariscommunity.com/aris-access-certification-inquiry-form">http://www.ariscommunity.com/aris-access-certification-inquiry-form</a>
 Max. 5000 items per call with max. 500 items/page
 A Max. 5000 items per call with max. 100 items/page
 A Max. 1 item can be deleted per request with ARIS API Mobile Access
 A Max. 1 model object/connection can be created per request with ARIS API Mobile Access
 X - Functionality is available

| Functionalities  | ARIS PPM Server<br>(YPI) |
|--|--------------------------|
| Flexible Ad-Hoc Analysis   |                          |
| Easy-to-use and powerful graphical user interface showing several charts at one time   | Х                        |
| Multi-analysis concept allowing multiple analyses at one time  | Х                        |
| Flexible ad-hoc queries based on dynamic filtering   | Х                        |
| Specify multiple filters   | Х                        |
| Drill-down analysis  | Х                        |
| Slice-and-dice analysis  | Х                        |
| Represent analysis in various business charts (e.g. column, bar, 2D and 3D line, pie charts, speedometer)  | Х                        |
| Distribution charts (with optional statistics such as percentiles and standard deviation)  | Х                        |
| Filter interactively within charts and overlay comparison values   | Х                        |
| Define step-width for axis values (e.g. year, month, day)  | Х                        |
| Tabular views (list table, pivot tables)   | Х                        |
| Process Analysis   |                          |
| Process Discovery to reconstruct process models from numerous process execution instances  | 1                        |
| Graphical visualization of discovered process models (e.g. EPC or BPMN-like representation)  | 1                        |
| Discovery of process variants, i.e. the aggregation of identical process executions that represent e.g. the standard execution of a business process           | 1                        |
| Export of discovered process models as well as individual process instances to ARIS design clients   | 1                        |
| List of all process instances  | 1                        |
| Aggregate multiple process instances and visualize the result  | 1                        |
| Hiding of least-frequent branches in aggregated processes  | 1                        |
| Visualize process sequences as function flow graphs  | 1                        |
| Display process executions in Gantt-like flow charts   | 1                        |
| URL in attributes for navigating to 3rd party systems (process link)   | 1                        |
| Dashboard integration with ARIS Aware and MashZone NextGen   |                          |
| Easy comprehensible analysis dashboards  | 4                        |
| Web application for generating HTML 5-based front-end  | 4                        |
| Flexible layout and arrangement of widgets (e.g. function flows, analysis charts and tables)   | 4                        |
| Support for interactive ad-hoc analysis, e.g. drill-down functionalities via flexible filtering  | 4                        |
| End-user friendly WYSIWYG dashboard editor   | 4                        |
| Jump from ARIS Aware Dashboard to ARIS PPM (incl. SSO)   | 5                        |
| Jump from PPM to MZNG (incl. SSO)  | 6                        |
| PPM Edition of MashZone NextGen (incl. PPM as well as CSV and XML data connectors)   | 7                        |
| Direct acces to ARIS PPM data based on data source "Process Mining context"  | 4                        |
| Interactive filter panel in dashboards to flexibly add filters during run time   | 4                        |
| Add filters to filter panel during design time   | 4                        |
| Automatic configuration of filters based on Process Mining context   | 4                        |
| Visualization of discovered process variants incl. their frequency and a selected KPI  | 4                        |
| Root Cause Miner: Automatic identification of root causes leading to the occurrence of a symptom that is interactively specified in dashboards during run time | 4                        |
| Store and share analysis results via bookmarks   | 4                        |

| Functionalities Control of the Contr | ARIS PPM Server<br>(YPI) |
|--|--------------------------|
| Process Conformance Checking   |                          |
| Bi-directional interaction between ARIS design clients and ARIS PPM  | 3                        |
| Calculation of conformance level   | 3                        |
| Calculation of root causes for non-compliance  | 3                        |
| Interaction Analysis   |                          |
| Displays interactions between processes, organizations and employees   | 1                        |
| Visualize and analyze organization structures and their collaboration and communication patterns   | 1                        |
| Usage of data and document relationships to discover how they are used in processes  | 1                        |
| Identifies who is performing which task, how often, and with whom  | 1                        |
| Flexible customizing of relations, relation KPIs and dimension   | 1                        |
| Cross Analysis   |                          |
| Combine process with non-process data  | 2                        |
| Import data directly from databases  | 2                        |
| Link data tables   | 2                        |
| Use any imported field as a measure or dimension and query every combination of these  | 2                        |
| Easily measure and monitor performance from data-driven, process-driven and collaboration-driven points of view  | 1 & 2                    |
| Process Instance Monitoring & Controlling  |                          |
| Early alert of critical process instances  | х                        |
| Deviations of critical process instances from alarm values   | х                        |
| E-mail notification on critical process instances  | Х                        |
| Search for process instances   | х                        |
| Outlier analysis   | х                        |
| Visualization of planned values  | х                        |
| Graphical user-interface for input for defining planned values   | х                        |
| Distinct planned values for different filters  | х                        |
| Advanced features for analysis   |                          |
| Automatic detection of weak points, anomalies and root causes for process deviations   | х                        |
| User-defined KPIs  | х                        |
| Ranking analysis   | х                        |
| ABC analysis   | х                        |
| Top-flop analysis  | х                        |
| User-defined dimensions (filter dimensions depending on a KPI value)   | х                        |
| Search functionality for all available dimension/measures independent of process type  | Х                        |
| Scarciff affectionality for all available affection/fileasares macpenaetic of process type   |                          |

| Functionalities Control of the Contr | ARIS PPM Server<br>(YPI) |
|--|--------------------------|
| Personalization  |                          |
| Favorites for bookmarking interesting analyses and queries   | X                        |
| Personal access permissions for favorite folders   | х                        |
| Shared Favorites for common usage of important bookmarks by different users  | х                        |
| Usage of favorites in dashboards (e.g. ARIS Aware, MashZone NextGen)   | X                        |
| Formatting charts and table views  | X                        |
| Saving filter, formats, step width in favorite templates   | X                        |
| Single Sign-On   | x                        |
| Activities and Comments on analyses  | х                        |
| Publishing   |                          |
| Printing in graphical front-end (chart, tables)  | х                        |
| Ad-hoc reports as PDF output via PPM clipboard functionality   | х                        |
| WYSIWYG editor for off-line reports  | х                        |
| Generating off-line reports (PDF, HTML, RTF, XLS, XLSX)  | x                        |
| User administration  | х                        |
| Assign users to user groups  | x                        |
| Grant functional privileges  | x                        |
| Grant process access rights  | х                        |
| Grant data access rights   | Х                        |
| LDAP integration   | х                        |
| Data import and administration   |                          |
| Automation of data import incl. scheduling options   | х                        |
| Data import in XML format  | х                        |
| Data import from SAP   | 8                        |
| Data import from databases (JDBC)  | 9                        |
| Data import from CSV   | 10                       |
| Data import from webMethods EDA events, e.g. webMethods BPMS   | 11                       |
| Pre-configured data import from SAP SD and MM  | 12                       |
| Import of non-process related KPIs   | Х                        |
| Anonymization of employees   | Х                        |
| Manual input of non-process data in graphical front-end  | Х                        |
| Deletion of data   | Х                        |
| Permanent aggregation of data  | Х                        |
| All footnotes are listed on page 25.   |                          |

| Functionalities  | ARIS PPM Server<br>(YPI) |
|--|--------------------------|
| Customizing  |                          |
| Web-based Process Mining Configurator for quick processes scans of CSV-based process event log files | Х                        |
| Predefined SAP KPIs and dimensions of modules SD and MM  | 12                       |
| Flexible, customer-specific configuration of KPIs (metrics)  | X                        |
| Flexible, customer-specific configuration of dimensions  | X                        |
| Mashing/Mixing data from different sources   | х                        |
| Web access to data sources   | X                        |
| Configuration in XML   | х                        |
| Graphical user interface for configuration   | х                        |
| Multi-language support of process types  | Х                        |

<sup>1 =</sup> requires ARIS PPM Server Process Instances (YPPPR) 2 = requires ARIS PPM Server Data Instance Package (YPIDI)

<sup>2 =</sup> requires ARIS PPM Server Data Instance Package (YPIDI)
3 = requires ARIS Designer (YAD) or Architect (YAA) or Connect Designer (YCSDC)
4 = requires ARIS Aware (YCSAW) or MashZone NextGen (JBP)
5 = requires ARIS Aware (YCSAW)
6 = requires MashZone NextGen (JBP)
7 = requires MashZone NextGen PPM Edition (JBPPM)
8 = requires ARIS PPM Process Extractor SAP-2-PPM (YPISP)
9 = requires ARIS PPM Process Extractor JDBC-2-PPM (YPIJP)
10 = requires ARIS PPM Process Extractor CSV-2-PPM (YPICP)
11 = requires ARIS PPM Content Package for BPMS (YPIBP)
12 = requires ARIS PPM Content Package for SAP MM (YPISM) or ARIS PPM Content Package for SAP SD (YPISD)

#### **ARIS Administration**

| ARIS Administration   |                    |                     |  |  |
|---|--------------------|---------------------|--|--|
| Functionalities   | ARIS Design Server | ARIS Connect Server |  |  |
| ARIS User Management  |                    |                     |  |  |
| Central management of user and user groups  | X                  | Х                   |  |  |
| Central assignment of privileges (functional, license, content)                                       | Х                  | Х                   |  |  |
| License pooling   | Х                  | Х                   |  |  |
| Usage reporting   | Х                  | Х                   |  |  |
| LDAP import   | Х                  | Х                   |  |  |
| Single-sign on via Kerberos   | Х                  | Х                   |  |  |
| Single-sign on via SAML™ 2.0 (web clients only)   | Х                  | Х                   |  |  |
| Support of multiple parallel LDAP system  | Х                  | Х                   |  |  |
| Document Storage  |                    |                     |  |  |
| Restrict folder privileges for users and user groups  | Х                  | Х                   |  |  |
| Enable local folder administrators  | Х                  | Х                   |  |  |
| Change history  | Х                  | Х                   |  |  |
| Upload new versions   | Х                  | Х                   |  |  |
| Integration with ARIS modeling clients  | Х                  | Х                   |  |  |
| Integration with ARIS Process Governance  | X                  | Х                   |  |  |
| Connectivity to Microsoft® SharePoint®  | 1                  | 1                   |  |  |
| Out-of-the-box workflows (change request, approval)   |                    | Х                   |  |  |
| Tenant Management   |                    |                     |  |  |
| Administrate tenants in a GUI   | X                  | Х                   |  |  |
| Backup and restore tenants  | Х                  | Х                   |  |  |
| Schedule tenant backups   | X                  | Х                   |  |  |
| Copy, delete and lock tenants   | X                  | X                   |  |  |
| Retrieve tenant status and license usage  | X                  | Х                   |  |  |
| Asset roll out (databases, reports, filters, templates)   | X                  | X                   |  |  |
| Asset import and export (databases, reports, filters, templates)                                      | X                  | Х                   |  |  |
| ARIS Connect Portal   |                    |                     |  |  |
| Adapt UI according to corporate design (e.g., logo, colors)   |                    | Х                   |  |  |
| Develop own publication items, fact sheets and views  |                    | Х                   |  |  |
| Self-service capabilities for simple configurations   |                    | Х                   |  |  |
| XML changes for advanced configurations   |                    | Х                   |  |  |
| 1 - Requires additional product lincense: Extension Pack SharePoint<br>X - Functionality is available |                    |                     |  |  |

#### **About Software AG**

Software AG, an independent software company, enables enterprises to connect any technology—clouds, apps, devices and data—anywhere and any way they choose. More than Software as a Service, we're "Freedom as a Service," enabling faster innovation in an increasingly connected world. Trusted by top brands for 50 years, we'll never stop pioneering the future of data. More on our analyst-recognized software for the Internet of Things and self-service analytics, integration and APIs, and business transformation at SoftwareAG.com.

© 2019 Software AG. All rights reserved. Software AG and all Software AG products are either trademarks or registered trademarks of Software AG. Other product and company names mentioned herein may be the trademarks of their respective owners.

 $2019\_4\_Corporate\_ARIS\_Functional\_Product\_Matrix$ 



