



ARIS PUBLISHER WORKING BARRIER-FREE

VERSION 10.0 - SERVICE RELEASE 10

October 2019

Document content not changed since release 10.0.. It applies to the current version without changes.

This document applies to ARIS Version 10.0 and to all subsequent releases.

Specifications contained herein are subject to change and these changes will be reported in subsequent release notes or new editions.

Copyright © 2010 - 2019 Software AG, Darmstadt, Germany and/or Software AG USA Inc., Reston, VA, USA, and/or its subsidiaries and/or its affiliates and/or their licensors.

The name Software AG and all Software AG product names are either trademarks or registered trademarks of Software AG and/or Software AG USA Inc. and/or its subsidiaries and/or its affiliates and/or their licensors. Other company and product names mentioned herein may be trademarks of their respective owners.

Detailed information on trademarks and patents owned by Software AG and/or its subsidiaries is located at <http://softwareag.com/licenses>.

Use of this software is subject to adherence to Software AG's licensing conditions and terms. These terms are part of the product documentation, located at <http://softwareag.com/licenses> and/or in the root installation directory of the licensed product(s).

This software may include portions of third-party products. For third-party copyright notices, license terms, additional rights or restrictions, please refer to "License Texts, Copyright Notices and Disclaimers of Third Party Products". For certain specific third-party license restrictions, please refer to section E of the Legal Notices available under "License Terms and Conditions for Use of Software AG Products / Copyright and Trademark Notices of Software AG Products". These documents are part of the product documentation, located at <http://softwareag.com/licenses> and/or in the root installation directory of the licensed product(s).

Contents

1	Screen layout.....	1
1.1	Home.....	4
1.2	Explorer.....	5
1.3	Search.....	9
1.4	Favorites.....	10
2	Procedure.....	11
2.1	Open Publisher export.....	11
2.2	Change own password.....	12
2.3	Find contents.....	13
3	Valuable information.....	14
3.1	What mouse functions are available in models?.....	15
4	Legal information.....	17
4.1	Documentation scope.....	17
4.2	Data protection.....	17
4.3	Disclaimer.....	18

1 Screen layout

In addition to the default layout, we now also offer a layout that enables you to create exports regardless of a disability. This layout, in combination with voice control and the screen reader makes work for users with visual impairments easier, for example. The functions were tested with the program **JAWS** version 12. In order to achieve optimal display of exports in this layout, users must have one of the approved browsers. Microsoft® Internet Explorer supports these functions from version 8 and higher.


Without a mouse, you can reach all interface items using the following keys.

Area	Keys	
	Mozilla Firefox	Microsoft® Internet Explorer 8
Home	Alt+Shift+1	Alt+1 then press Enter
Explorer	Alt+Shift+S	Alt+S then press Enter
Search	Alt+Shift+4	Alt+4 then press Enter
Favorites	Alt+Shift+5	Alt+5 then press Enter
Details	Alt+Shift+I	Alt+I then press Enter
Navigation tree	Arrow keys	Arrow keys
Next interface item	Tab	Tab
Previous interface item	Shift key+Tab	Shift key+Tab

*Shift = shift

The ARIS Publisher user interface is divided into the following modules in the barrier-free view:

- Home (page 4)
- Explorer (page 5)
- Search (page 9)
- Favorites (page 10)



Besides the module-specific functionality, the following functions are always available.

LOGIN

You are logged in as: <user name>

Shows the user name you used when logging in.

Log out

Logs the displayed user out. The Log in dialog opens. You can now log in with a different user name or anonymously and change your password (page 12).

Languages

Changes the language in which the content is displayed. A different number of languages is provided to you depending on the export settings. Database content that is not specified in the selected language can be displayed in an alternative language. The administrator specifies these language settings when creating an export in ARIS.

NAVIGATION VIA THE MODEL HISTORY

History ()

Either select an entry from the model history list, or click **Next** or **Back** to scroll through the model pages previously opened. Please do not use the forward and back buttons of your browser.

INFORMATION

About


Displays program and version information.

Contact [Webmaster]

Sends a feedback mail.

Your administrator can change the address in the configuration file <ARIS Publisher Server installation

directory>\tomcat\webapps\businesspublisher\layouts\default\config\layout.cfg.xml.

Use this functionality when technical problems arise. If you want to give feedback on open processes, click the **Contact**  button above the model or the links under **Details** in the **Enter feedback** area.

Due to a known error at Microsoft

(<http://blogs.msdn.com/ie/archive/2007/02/12/International-Mailto-URIs-in-IE7.aspx>)[®] we recommend that you enable the **Use UTF-8 for "mailto" links** check box on the **Internet Options > Advanced** tab of your browser.

Otherwise, the subject may be displayed incorrectly if you click a link that opens an e-mail form in an export in a language with a non-Western European character set.


Help

Opens this help.

MENU CONTROL

Pop-up menu (page 15)

1.1 Home

<p>Welcome to ARIS Publisher</p> <p>These pages will help you gain an overview of our process landscape and get spec processes and systems. The search function that we offer will assist you in finding search terms and restrict your results by using search term combinations.</p> <hr/> <p>Recently opened models</p> <p> Organizational chart UMG Organizational chart I</p>	<p>News</p> <p>Download best articles of 2010</p> <p>Some weeks ago, we asked you to vote for the best article of 2010. Check this poll to see the results of the voting. Again, we like to thank all authors for the great work they contributed. And please note, that are the best articles out of more than 2,000 articles published here on ARIS Community in 2010! read more</p> <p>ProcessWorld 2011: Networking and more</p> <p>Date: Tue, 2011/05/31 - 7am Hello everyone, ProcessWorld 2011 is around the corner. On May 31 and June 1 BPM experts from around the globe and across all industries meet in Berlin to share their experiences and their know-how. In several sessions and in the exhibition experts give deep product insights and the Maritim Hotel Berlin offers a glamorous atmosphere for the networking with peers. read more</p> <p>Software AG beats Oracle, Accenture and Wipro in BusinessWeek Hot Tech 50</p> <p>In a global ranking of top growth tech companies by Bloomberg BusinessWeek, Software AG took place 7. The ranking shows the list of tech companies with biggest growth (revenue, sales, stock price, etc.) in 2010. The list includes many manufacturers of semiconductor equipment and some usual suspects like Apple and Dell. read more</p> <p>200+ attendees at ProcessForum The Netherlands</p> <p>Software AG's ProcessForum takes this year place in Houten. Today, about 210 attendees (including 30 partners) met in Houten. After a very inspiring presentation of Ivo Totev, Chief Service Officer Software AG, ABN Amro presented their Architecture achievements of the last years. Henk Houtzager, Head of IT Strategy, Innovation & Architecture, took the audience in his journey of the integration of Fortis and ABN Amro. read more</p> <p>ARIS says hello to HTML5</p> <p>HTML5, here we come! ARIS Model File: aris_modelviewer.adf read more</p> <p>Ivo Totev has keynote at ProcessForum BeLux</p> <p>Today's ProcessForum in Brussels, Software AG's annual local Business Process Excellence event, had a great keynote. Software AG's Chief Service Officer, Ivo Totev, gave a very inspiring presentation. One of his topics, is the crucial role of Processes, the Agility Layer of today's companies. It's the successor for the alignment between the Business Model (all about the markets, products and</p>
---	--

In addition to the standard functionality, (page 1) the Home page provides the following features:

Recently opened models

Contains links to recently opened model graphics.

News

Exemplary use of this area is made in the standard export. It can be customized to meet your requirements. Software AG or the sales partner responsible will be pleased to help you with the implementation. For example, you can keep a list of links to the models or objects that have been changed or created since a specific date.


1.2 Explorer

The screenshot displays the Explorer module interface. On the left is a navigation tree with a tree view of folders and subfolders. The central area shows a table titled 'Table' with columns: Object, Successors, Predecessors, Hierarchies, and Documents. The table lists various objects like 'Function: Contract Processing in ERP', 'Screen: Create Contract', etc., and their relationships. On the right is a details panel for the selected object, showing characteristics like Name, Time of generation, Creator, Last, change, Type, SAP ID, and SAP model, along with feedback and superior information.

Object	Successors	Predecessors	Hierarchies	Documents
Function: Contract Processing in ERP	<ul style="list-style-type: none"> reads Information carrier: ARIS model is represented by Screen: Create Contract is represented by Screen: Change Contract is represented by Screen: Display Contract reads Information carrier: Contract Processing reads Information carrier: Contract Processing in ERP 	None	<ul style="list-style-type: none"> Contract processing in ERP (To -Be) (EPC) Contract Processing in ERP (Function allocation diagram) 	None
Information carrier: ARIS model	None	<ul style="list-style-type: none"> is read by Function: Contract Processing in ERP 	None	None
Screen: Create Contract	None	<ul style="list-style-type: none"> represents Function: Contract Processing in ERP 	None	None
Screen: Change Contract	None	<ul style="list-style-type: none"> represents Function: Contract Processing in ERP 	None	None
Screen: Display Contract	None	<ul style="list-style-type: none"> represents Function: Contract Processing in ERP 	None	None
Screen: Periodic billing	None	<ul style="list-style-type: none"> represents Function: Contract Processing in ERP 	None	None
Information carrier: Contract Processing	None	<ul style="list-style-type: none"> is read by Function: Contract Processing in ERP 	None	None
Information carrier: Contract Processing in ERP	None	<ul style="list-style-type: none"> is read by Function: Contract Processing in ERP 	None	None

In the **Explorer** (page 5) module, you can navigate in the models displayed using the **Navigation** bar (tree view) or via assignment relationships, for example. Information on models and objects is also provided.

The user interface is divided into the following areas from left to right: **Navigation tree**, **Model**, and **Details**. You can change the size of all areas by clicking a separator bar and dragging the area to the required size with the mouse button held down.

You can hide the navigation tree or the details by clicking the **Close**  button or disabling the relevant check box.

In addition to the standard functionality (page 1), the Explorer module provides the following features:

Navigation tree check box

Shows or hides the navigation tree (tree view) familiar from ARIS or Windows Explorer. Folders with a + contain subfolders. To expand the folder structure, click a folder or subfolder. To open the models, click the model name. As you navigate further, the view is refreshed and the name of the model displayed is selected.

Details check box

Shows or hides information on models and objects. To show or hide areas, click the icon in front of the heading.

When you select an object in a model, the following information is displayed:

Characteristics

Displays commonly used attributes such as **Name**, **Type**, **Creator**, etc.

Enter feedback

Enables feedback to the last editor or creator if the e-mail address has been specified.

Due to a known error at Microsoft

(<http://blogs.msdn.com/ie/archive/2007/02/12/International-Mailto-URIs-in-IE7.aspx>)[®] we recommend that you enable the **Use UTF-8 for "mailto" links** check box on the **Internet Options > Advanced** tab of your browser. Otherwise, the subject may be displayed incorrectly if you click a link that opens an e-mail form in an export in a language with a non-Western European character set.

Subordinate

Contains links to assigned models. Clicking a link will open the model assigned to the object and positioned one level lower in the hierarchy. The model information for this model is displayed.

Relevant to

Enables navigation to models containing an occurrence of the object.

Connected to

Enables navigation to succeeding and previous objects.

When you click **Model** or in the model background, the following information is displayed:

Characteristics

Displays commonly used attributes such as **Name, Type, Creator**, etc.

Enter feedback

Enables feedback to the last editor or creator if the e-mail address has been specified.

Due to a known error at Microsoft

(<http://blogs.msdn.com/ie/archive/2007/02/12/International-Mailto-URIs-in-IE7.aspx>)[®] we recommend that you enable the **Use UTF-8 for "mailto" links** check box on the **Internet Options > Advanced** tab of your browser. Otherwise, the subject may be displayed incorrectly if you click a link that opens an e-mail form in an export in a language with a non-Western European character set.

Superior

Contains links to object information of superior objects. A superior object is the object that the current model is assigned to. If you click a link, the object information of the superior object is displayed. If you click a link under **Relevant to**, the model and model information of the model one level higher in the hierarchy are displayed.

Objects

Lists all objects of the model. Use the links to go to the object information.

Subordinate

Enables navigation to models one level lower in the hierarchy. If objects with model assignments have an occurrence in the current model, links to the assigned models are displayed. If you click a link, the corresponding model opens and the model information is displayed.

You can use the **Model** and **Object** links to display the corresponding information.

The following functionality is available when you have opened a model:

Superior models ()

Is available if a model is connected to superior models, for example, or if it is connected via interfaces; also opens a link list for the models.

Display

Displays the model graphic in the selected mode.

Table

Displays the model content in table form. If you click the model name, the model details are displayed on the right.

Object column

Contains all of the model's objects. If you click a link, the object details for the relevant object are displayed.

Successors column

Contains all objects and rules that occur in the model after this object. If you click a link, the object details for the relevant object are displayed.

Predecessors column

Contains all objects and rules that occur in the model before this object. If you click a link, the object details for the relevant object are displayed.

Assignments column

Contains all models that are assigned to the object. If you click a link, the table for this assigned model is displayed. In the Details area the model details for the assigned model are displayed.

Documents column


Contains all assigned documents. If you click a link, the document is displayed.

Graphic


Shows the model graphic. If you display the model content in table form, the content can be read aloud. In this view, additional symbols for changing the model view are displayed.

Size [%]


Displays the model in the selected percentage size.

Zoom out (-) ()

Reduces the model size gradually. The administrator sets the scaling levels when creating the export in ARIS.

Zoom in (+) ()

Enlarges the model size gradually. The administrator sets the scaling levels when creating the export in ARIS.

Original size ()

Displays models in the original size in which the models were exported.

Contact [process manager] ()

Feedback ensures that processes are continuously improved. An automatically addressed e-mail form opens by default.

This function is available if the relevant e-mail address for the **Person responsible** model attribute was specified and the **layout.cfg.xml** configuration file was adjusted by your administrator.

Due to a known error at Microsoft


(<http://blogs.msdn.com/ie/archive/2007/02/12/International-Mailto-URIs-in-IE7.aspx>)[®] we recommend that you enable the **Use UTF-8 for "mailto" links** check box on the **Internet Options > Advanced** tab of your browser.

Otherwise, the subject may be displayed incorrectly if you click a link that opens an e-mail form in an export in a language with a non-Western European character set.

If you are working with Process Governance, the e-mail notification of this product is used.

Add to favorites ()

Adds the displayed content to your personal favorites. If, for example, you have opened a model, a matrix, or a search result, you can set a bookmark and display the content quickly at any time. To open your list of bookmarks, click the **Favorites** module (page 10).

Print ()

Prints content. You can define the file format, page size, and paper format. You can also define the number of print pages to be used for printing a large model graphic. The graphic is output in PDF format. You can output information on graphics and symbols in various formats.

1.3 Search

Search term:

Items:

Items:

Look in:


Results: 73 (displayed: 1 - 100)

1


^ Name	^ Type
Customer	Person
Customer	Person
Customer	Entity type
Customer	Cluster/Data model
Customer qualification	Function
Customer enters dealership	Event
Customer enters dealership	Event
Customer informed	Event
Customer interested in vehicle	Event
Customer interested in vehicle	Event
Customer is called	Event
Customer qualification (As Is)	Function
Customer acceptance status	Cluster/Data model

In addition to the standard functions (page 1), the **Search** module provides a search (page 13) for specific objects and models.

1.4 Favorites



You can use the **Favorites** module to manage your bookmarks. You can open pages and delete favorites. To delete favorites, select the relevant check boxes and click **Delete selection**.

You can set favorites using the  **Add to favorites** button.

To add a search to your favorites, click the **Add to favorites** button in the **Search** module. Once you have entered a name for the search favorite, it is displayed on the **Favorites** page.

To delete entries, select the relevant check boxes and click **Delete selection**.

2 Procedure

This area provides you with procedure descriptions on this topic.

2.1 Open Publisher export

Prerequisite

The administrator has activated the Publisher export either on the **Administration** tab or in the export.

Procedure

1. Enter the URL (<ARIS Publisher Server root directory>/<context>) in the address field of your browser. The URL can be obtained from your system administrator. After the standard installation of ARIS Publisher Server, the URL is **http://<server name>:14500/businesspublisher** if you did not change the default settings during installation.
2. Log in with your user name and password and click **OK**.
If you have forgotten your password, ask the system administrator to reset it. You will receive an e-mail containing a new password. Log in with your user name and this password and change the password immediately.
If you log in anonymously, Process Governance functions are not available to you in the export.
If you log in using an LDAP system or if the system has been configured for SSO, certain steps in the login procedure described are skipped.
3. Click the access profile you want to use to log in.
4. Select an interface language.
The interface language that you set for your browser is selected by default.
5. Click **OK**.

The export opens. Further information is available in the online help for the export.

2.2 Change own password

Procedure

1. If you are already logged in, click **Log out**.
2. Enter your user name in the Log in dialog.
3. Click **Change password**. You cannot change the password if user management is being performed using an LDAP server.
4. Enter your old and new passwords in the appropriate fields and click **OK**.

You have changed your password. In the future, log in with the new password.

If you have forgotten your password, ask the system administrator to reset it. You will receive an e-mail containing a new password. Log in with your user name and this password and change the password immediately.

You must complete mandatory fields marked with *.

2.3 Find contents

Find models and/or objects that contain the search term.

Procedure

1. Click the **Search** module.
2. Enter the relevant text in the **Search term** box.

The * wildcard stands for any number of characters. For example, if you are searching for all objects that start with the letter **E**, enter **E***. The wildcard ? stands for one single character. For example, if you are searching for all models that start with **Plan 2001/** and differ only in the last two characters for the month, enter **Plan 2001/??**. As a result, the models **Plan 2001/01**, **Plan 2001/02**, **Plan 2001/03**, **Plan 2001/10** etc. will be returned.

3. Select the item types you wish to search for in the **Items** box:

All: displays models and objects in the list of results.

Only models: displays only models in the list of results.

Only objects: displays only objects in the list of results.

4. In the **Browse** box, select whether only the names or also other characteristics should be searched.
5. Click **Find**.

All items containing the term as a whole word or part of another word are displayed in the list of results. To open an entry, click the corresponding link.

Tip

To save a search in your favorites, click Add to favorites. After you have entered a name you can restart this search at any time from your favorites.

3 Valuable information

This section provides background information to assist you in carrying out the relevant procedures.

3.1 What mouse functions are available in models?

The following mouse functions are available when you have opened a model in the graphic view. Your administrator can adjust the pop-up menu. Therefore, the number and content of menu items may differ.

CLICK

On an object

Updates the data in the **Details** area. If you have hidden this area, it is automatically shown.

An assignment icon

Opens the assigned model located one level lower in the process hierarchy. The process that the object describes is represented in detail. If multiple models are assigned, a window opens in which you can select the model to be opened.

A document

Opens the Office, Excel, or PDF document containing the description of this object.

RIGHT-CLICK (MODELS)

Superior models

Enables navigation to models that are located one level higher in the hierarchy. These models contain occurrences of objects to which the current model is assigned. If multiple models exist, a selection of links is provided.

Zoom out (-)

Reduces the model size gradually. The administrator sets the scaling levels when creating the export in ARIS.

Zoom in (+)

Enlarges the model size gradually. The administrator sets the scaling levels when creating the export in ARIS.

Original size (*)

Displays models in the original size in which the models were exported.

Print

Prints content. You can define the file format, page size, and paper format. You can also define the number of print pages to be used for printing a large model graphic. The graphic is output in PDF format. You can output information on graphics and symbols in various formats.

Details (model background)

Updates the data in the **Details** area. If you have hidden this area, it is automatically shown.

RIGHT-CLICK (OBJECTS)

Details

Updates the data in the **Details** area. If you have hidden this area, it is automatically shown.

4 Legal information

4.1 Documentation scope

The information provided describes the settings and features as they were at the time of publishing. Since documentation and software are subject to different production cycles, the description of settings and features may differ from actual settings and features. Information about discrepancies is provided in the Release Notes that accompany the product. Please read the Release Notes and take the information into account when installing, setting up, and using the product.

If you want to install technical and/or business system functions without Software AG's consulting services, you require extensive knowledge of the system to be installed, its intended purpose, the target systems, and their various dependencies. Due to the number of platforms and interdependent hardware and software configurations, we can only describe specific installations. It is not possible to document all settings and dependencies.

When you combine various technologies, please observe the manufacturers' instructions, particularly announcements concerning releases on their Internet pages. We cannot guarantee proper functioning and installation of approved third-party systems and do not support them. Always follow the instructions provided in the installation manuals of the relevant manufacturers. If you experience difficulties, please contact the relevant manufacturer.

If you need help installing third-party systems, contact your local Software AG sales organization. Please note that this type of manufacturer-specific or customer-specific customization is not covered by the standard Software AG software maintenance agreement and can be performed only on special request and agreement.

If a description refers to a specific ARIS product, the product is named. If this is not the case, names for ARIS products are used as follows:

Name	Includes
ARIS products	Refers to all products to which the license regulations of Software AG standard software apply.
ARIS Clients	Refers to all programs that access shared databases via ARIS Server, such as ARIS Architect or ARIS Designer.
ARIS Download clients	Refers to ARIS clients that can be accessed using a browser.

4.2 Data protection

Software AG products provide functionality with respect to processing of personal data according to the EU General Data Protection Regulation (GDPR).

Where applicable, appropriate steps are documented in the respective administration documentation.

4.3 Disclaimer

ARIS products are intended and developed for use by persons. Automated processes, such as the generation of content and the import of objects/artifacts via interfaces, can lead to an outsized amount of data, and their execution may exceed processing capacities and physical limits. For example, processing capacities are exceeded if models and diagrams transcend the size of the modeling area or an extremely high number of processing operations is started simultaneously. Physical limits may be exceeded if the memory available is not sufficient for the execution of operations or the storage of data.

Proper operation of ARIS products requires the availability of a reliable and fast network connection. Networks with insufficient response time will reduce system performance and may cause timeouts.

If ARIS products are used in a virtual environment, sufficient resources must be available there in order to avoid the risk of overbooking.

The system was tested using scenarios that included 100,000 groups (folders), 100,000 users, and 1,000,000 modeling artifacts. It supports a modeling area of 25 square meters.

If projects or repositories are larger than the maximum size allowed, a powerful functionality is available to break them down into smaller, more manageable parts.

Some restrictions may apply when working with process administration, ARIS Administration, ARIS document storage, and ARIS Process Board, and when generating executable processes. Process Governance has been tested and approved for 1000 parallel process instances. However, the number may vary depending on process complexity, for example, if custom reports are integrated.

ARIS document storage was tested with 40.000 document items. This includes documents, document versions or folders. We recommend monitoring the number and overall size of stored document items and archiving some document items if needed.