



**ARIS**

# SERVER ADMINISTRATOR COMMAND-LINE TOOL

Version 10.0 - Service Release 1

July 2017

This document applies to ARIS Version 10.0 and to all subsequent releases.

Specifications contained herein are subject to change and these changes will be reported in subsequent release notes or new editions.

Copyright © 2010 - 2017 Software AG, Darmstadt, Germany and/or Software AG USA Inc., Reston, VA, USA, and/or its subsidiaries and/or its affiliates and/or their licensors.

The name Software AG and all Software AG product names are either trademarks or registered trademarks of Software AG and/or Software AG USA Inc. and/or its subsidiaries and/or its affiliates and/or their licensors. Other company and product names mentioned herein may be trademarks of their respective owners.

Detailed information on trademarks and patents owned by Software AG and/or its subsidiaries is located at <http://softwareag.com/licenses>.

Use of this software is subject to adherence to Software AG's licensing conditions and terms. These terms are part of the product documentation, located <http://softwareag.com/licenses> and/or in the root installation directory of the licensed product(s).

This software may include portions of third-party products. For third-party copyright notices, license terms, additional rights or restrictions, please refer to "License Texts, Copyright Notices and Disclaimers of Third Party Products". For certain specific third-party license restrictions, please refer to section E of the Legal Notices available under "License Terms and Conditions for Use of Software AG Products / Copyright and Trademark Notices of Software AG Products". These documents are part of the product documentation, located at <http://softwareag.com/licenses> and/or in the root installation directory of the licensed product(s).

## Contents

1	ARIS Server Administrator .....	1
1.1	Execute the backupsystemdb command .....	9
1.2	Execute the restoresystemdb command .....	10
1.3	Execute the updatesystemdb command .....	11

## 1 ARIS Server Administrator

The command line tool **ARIS Server Administrator** is available if you have installed ARIS Server, or the ARIS Administrator Tools (see ARIS Client Installation Guide).

If you have installed ARIS Server, navigate to **ARIS installation**

**path>\server\bin\work\work\_abs\_<s, m or l>\tools\arisadm** and run the batch file.

You can start ARIS Server Administrator from any client computer and access the databases on the server:

1. Click **Start > Programs > ARIS > Administration > ARIS Server Administrator 10.0** if you accepted the program group suggested by the installation program. Under a Linux operating system, execute the **arisadm.sh** shell script instead. The command prompt opens and ARIS Server Administrator is launched in interactive mode.
2. Establish a connection to the server using the server command:

**syntax:** server <server name>: <port number> <tenant> <user name> <password>

**example:** server localhost:80 default system manager

ARIS Server Administrator is connected to the server.

Enter **help** or **help <command>** to get information about the usage of the commands.

Use the console application **ARIS Server Administrator** to manage the ARIS databases of a tenant, or to back up or restore a tenant configuration, for example. The individual commands are transferred as command line parameters. The program provides information on the success and effect of each command executed.

You can start ARIS Server Administrator from any computer on which the ARIS Client is installed either in interactive mode or command-line mode. In command-line mode you can perform actions automatically as there are no prompts in this mode. If you log in as a system user that has at least the **Database administrator** function privilege in ARIS Administration, you can manage all of the server's databases.

You start **interactive mode** by clicking **Start > Programs > ARIS > Administration > ARIS Server Administrator 10.0**.

You start **command-line mode** by opening the command prompt from the directory **<ARIS installation directory>\tools\ArisAdm**.

You can use the following commands and options for the syntax of command-line mode:

**<\_arisadm><version> [<option>] <command> [<command argument 1>]**

or for the syntax of interactive mode:

**<command> [<command argument 1>]**

- If you use values with special characters (e.g., '&' in the password), you need to enclose the value in quotes. For additional information, please refer to the help and support center for your operating system.
- On the server, system messages in ARIS Server Administrator are always output in the ARIS installation language.
- For example, if you use scripts for daily backups, we strongly recommend that you protect these scripts at the operating system level, or enter passwords encrypted.

Option	Description
-s <server[: <port>]>	Server on which the command should be carried out.
-u <user> <password>	User name and password of a system user with the required privileges.
-l <file name>	Enables the logging of all program operations in the specified log file. The file indicates which operation was performed at what time and with what result.
-cf <command file>	Starts a command file containing executable commands.
-sc <schema context>	Context the schema uses. <b>ARIS</b> is set as the default.
-t <tenant>	Tenant for which the command should be carried out. The default is <b>no tenant</b> .
-ssl	The SSL connection used.

The parts of the command that are surrounded by [brackets] are optional, i.e., you can use them if necessary.

Command	Description and syntax
<b>backup</b>	Saves a database <dbname> as an adb file in a directory <archivedir>. <b>Syntax</b> backup <dbname> all <archivedir> [-p <password for encryption>] [<alternatename>]
<b>backupasn</b>	Extracts the state that corresponds to the specified change list number <asn> from a versioned database <dbname> to an ADB file in the directory <archivedir>. You can select either a change list number <asn> or 'head' as a state. 'head' represents the last versioned state <b>Syntax</b> backupasn <dbname> all <archivedir> <asn> head [-p <password for encryption>] [<alternatename>]
<b>backupsystemdb</b>	Saves the central system database that contains data such as filters, model templates, and scripts in an ADB file in a directory <archivedir>. <b>Syntax</b> backupsystemdb <archivedir> [<alternatename>]
<b>copy</b>	Copies a database from <fromdbname> to <toddbname>. <b>Syntax</b> copy <fromdbname> <toddbname>

Command	Description and syntax
<b>createdb</b>	Creates a new ARIS database with the name <b>&lt;dbname&gt;</b> . <b>Syntax</b> createdb <dbname> [versioned]
<b>delete</b>	Deletes the database <b>&lt;dbname&gt;</b> . When using the <b>force</b> option, the database will be deleted even if users are logged in. <b>Syntax</b> delete <dbname>  all [force]
<b>dropversions</b>	Deletes all versions of a database <b>&lt;dbname&gt;</b> up to the version <b>&lt;new min version&gt;</b> . <b>Syntax</b> dropversions <dbname> <new min version>
<b>encrypt</b>	Encrypts passwords <b>&lt;password&gt;</b> for use in batch files. <b>Syntax</b> encrypt <password>
<b>exit</b>	Exits the interactive mode.
<b>exportscript</b>	Exports a script of the type <b>&lt;MACRO REPORT REPORTTEMPLATE SEMCKECK PROFILE &gt;</b> with the identifier <b>&lt;scriptid&gt;</b> to an export directory <b>&lt;exportdirectory&gt;</b> . <b>Syntax</b> <MACRO REPORT REPORTTEMPLATE SEMCKECK PROFILE> <scriptid> <exportdirectory>
<b>help</b>	<b>help</b> provides an overview of all commands including syntax description and possible parameters. <b>help &lt;command&gt;</b> provides help for the command you specified. <b>Syntax</b> help [<command>]
<b>importfilter</b>	Imports a method filter <b>&lt;importfile&gt;</b> . <b>Syntax</b> importfilter <importfile>
<b>importscript</b>	Imports a script <b>&lt;importfile&gt;</b> of the type <b>&lt;MACRO REPORT REPORTTEMPLATE SEMCKECK PROFILE &gt;</b> in the specified category <b>&lt;categoryname&gt;</b> . <b>Syntax</b> importscript <MACRO REPORT REPORTTEMPLATE SEMCKECK PROFILE> <importfile> <categoryname>

Command	Description and syntax
<b>indexstate</b>	Displays the status of the internal cloud search data index. <b>Syntax</b> indexstate <database name>
<b>interactive</b>	Starts the program in the interactive mode.
<b>kill</b>	Terminates the connection <sessionid> of the current server. <b>Syntax</b> kill <sessionid> all
<b>list</b>	Lists all of the tenant's registered databases. By default, only the databases of the current schema context will be listed. When using the <b>all</b> option, all databases will be listed (including BO databases, for example). <b>Syntax</b> list [all]
<b>lockdb</b>	Locks the database with the name <dbname>, or all databases. Users can no longer log in. <b>Syntax</b> lockdb <dbname> all
<b>maintain</b>	Starts the regeneration of search indexes (Cloud Search) for the specified ARIS database or all ARIS databases. Given the fact that running this command may be very time-consuming, it is recommended that you run it only if an error occurs and that you schedule a corresponding maintenance window. <b>Syntax</b> maintain <dbname> all
<b>migrate</b>	Migrates an ARIS 7.x database <dbname> from an adb file <archive>, or migrates all adb files in a directory <archivedir>. You need the password of the system user <b>system</b> to migrate an individual database. To migrate multiple databases the passwords must be supplied to every single database in command-line mode. <b>Syntax</b> migrate [<archive> <archivedir>] <systempassword>
<b>monitor</b>	Displays all tenant activities in progress, such as backup, XML export etc.

Command	Description and syntax
<b>rename</b>	<p>Renames the database from <b>&lt;olddbname&gt;</b> to <b>&lt;newdbname&gt;</b>. When using the <b>force</b> option, the database will be renamed even if users are still logged in.</p> <p><b>Syntax</b></p> <pre>rename &lt;olddbname&gt; &lt;newdbname&gt; [force]</pre>
<b>reorg</b>	<p>Semantically reorganizes the database <b>&lt;dbname&gt;</b> or all databases by deleting all objects and connection definitions that do not have occurrences in any model.</p> <p>Options available:</p> <ul style="list-style-type: none"> <li>▪ <b>CXNDEFS_IN_MATRIX_MODELS</b> Connection definitions for which no occurrence exists are not deleted when used in models of type <b>Matrix model</b>.</li> <li>▪ <b>USERDEF_CONTENT_SYMBOLS</b> User-defined symbols that are not allowed by ARIS Method on the current server are replaced by the method-based default symbol.</li> <li>▪ <b>USERDEF_CONTENT_MODELS</b> User-defined models that are not allowed by ARIS Method on the current server are deleted.</li> <li>▪ <b>USERDEF_CONTENT_ATTRS</b> User-defined attributes that are not allowed by ARIS Method on the current server are deleted.</li> <li>▪ <b>NO_DEFS</b> If you do not set an option, object definitions for which no occurrence exists are deleted by default.</li> </ul> <p><b>Syntax</b></p> <pre>&lt;dbname&gt; all [options]</pre>
<b>restore</b>	<p>Restores a database <b>&lt;dbname&gt;</b> from an ADB file <b>&lt;archive&gt;</b>, or restores all ADB/BDB files from a directory.</p> <p><b>Syntax</b></p> <pre>restore &lt;archive&gt; &lt;archivedir&gt; [&lt;dbname&gt;] [-p &lt;password for decryption&gt;]</pre>

Command	Description and syntax
<b>restoresystemdb</b>	<p>Restores the central system database that contains data such as filters, model templates, and scripts from a system database backup file (ADB) &lt;archive&gt;. It is also possible for you to update the system database using the <b>updatesystemdb</b> command</p> <p>After performing an update setup, please update the system configuration of the tenant (filters, templates, and scripts) based on the supplied system database (ARIS_DVD/Content/SystemDB/*.adb). Any content you have created will be retained.</p> <p><b>Syntax</b></p> <pre>updatesystemdb &lt;archive&gt;</pre> <p><b>Syntax</b></p> <pre>restoresystemdb &lt;archive&gt;</pre>
<b>restoreunversioned</b>	<p>Generates a non-versioned database &lt;dbname&gt; from an ADB file &lt;archive&gt; of a versioned database. Also restores databases based on multiple ADB/BDB files of a directory.</p> <p><b>Syntax</b></p> <pre>restoreunversioned &lt;archive&gt; &lt;archivedir&gt; [&lt;dbname&gt;] [-p &lt;password for decryption&gt;]</pre>
<b>restoreversioned</b>	<p>Generates a versioned database &lt;dbname&gt; from an ADB file &lt;archive&gt; of a non-versioned database. Also restores databases based on multiple ADB/BDB files of a directory. In case the option <b>-no_baseline</b> is specified, no initial version in archive is created.</p> <p><b>Syntax</b></p> <pre>restoreversioned &lt;archive&gt; &lt;archivedir&gt; [&lt;dbname&gt;] [-p &lt;password for decryption&gt;] [-no_baseline]</pre>
<b>schemacontext</b>	<p>Changes the schema context of the current tenant. Thus, it is possible to save ARIS Optimizer databases. Possible values are <b>aris</b> and <b>bo</b>.</p> <p><b>Syntax</b></p> <pre>schemacontext &lt;new schema context&gt;</pre>
<b>server</b>	<p>Changes the current ARIS Server.</p> <p><b>Syntax</b></p> <pre>server &lt;server[:&lt;port&gt;]&gt; &lt;tenant&gt; &lt;user&gt; [&lt;password&gt;] [-ssl]</pre>
<b>sessions</b>	<p>Displays all database connections of the current tenant.</p> <p><b>Syntax</b></p> <pre>sessions [byuser bydatabase]</pre>

Command	Description and syntax
<b>set</b>	<p>Displays or changes tenant settings. If no parameters are specified, all settings are displayed. If only <b>&lt;key&gt;</b> is entered, all settings are deleted. If <b>&lt;key&gt;</b> is entered together with <b>&lt;value&gt;</b>, the settings are changed accordingly.</p> <p><b>Syntax</b></p> <pre>set [&lt;key&gt;] [&lt;value&gt;]</pre>
<b>setindexrank</b>	<p>Sets the initial index rank for a database <b>&lt;dbname&gt;</b>. The higher the rank <b>&lt;rank&gt;</b>, the earlier the index is started during cloud search startup. The rank is a number, e.g. <b>5</b>.</p> <p><b>Syntax</b></p> <pre>setindexrank &lt;dbname&gt; &lt;rank&gt;</pre>
<b>statistic</b>	<p>Returns the number of all database objects.</p> <p><b>Syntax</b></p> <pre>statistic &lt;dbname&gt; all</pre>
<b>unlockdb</b>	<p>Unlocks the database with the name <b>&lt;dbname&gt;</b>, or all databases.</p> <p><b>Syntax</b></p> <pre>unlockdb &lt;dbname&gt; all</pre>
<b>updatesystem</b>	<p>Starts the regeneration of search indexes (Cloud Search) for all ARIS 9.7 databases. In addition, the <b>CanRead</b> flag is set for the ARIS databases. If an update was performed for an ARIS version older than 9.7, it is recommended to run the command once. Otherwise, ARIS databases will be invisible to all users but the user <b>system</b>. Given the fact that running this command is very time-consuming, it is recommended that you run it only if an error occurs and that you schedule a corresponding maintenance window.</p> <p><b>Syntax</b></p> <pre>updatesystem</pre>
<b>updatesystemdb</b>	<p>After performing an update setup, please update the system configuration of the tenant (filters, templates, and scripts) based on the supplied system database (ARIS_DVD/Content/SystemDB/*.adb). Any content you have created will be retained.</p> <p><b>Syntax</b></p> <pre>updatesystemdb &lt;archive&gt;</pre>
<b>version</b>	<p>Displays the versions of the programs and libraries in use.</p>

In the following example, a database is reorganized, whereby all of the objects and connections in the database that do not have an occurrence are deleted.

### Warning

If you are using an object library, you should reorganize databases only when each object definition occurs in at least one overview model. If elements have already been created for later use but do not yet occur in models, these elements are deleted during the consolidation.

## REORGANIZATION IN INTERACTIVE MODE

1. Click **Start > Programs > ARIS > Administration > ARIS Server Administrator 10.0**. The MS DOS input window opens and ARIS Server Administrator is launched in interactive mode.
2. Use the **server** command to connect to the relevant ARIS Design Server:

### Syntax

```
server <server name>[:<port number>] <tenant> <user name>
```

The parts of the command that are surrounded by brackets are optional, i. e., you can use them if necessary.

### Example

```
server arissrv.eur.ag:80 default system
```

The password is requested.

3. Enter the user's password. In this example, **manager**. The connection is established.
4. Enter the command for the reorganization of the United Motor Group database:

```
reorg "United Motor Group"
```

The database is reorganized. The deleted items are listed.

## REORGANIZATION IN COMMAND-LINE MODE

1. Open the command prompt from the directory **<ARIS installation directory>\tools\ArisAdm**.
2. Enter the command line parameters:

### Syntax

```
arisadm<version> -s <server name> -t <tenant> -u <user name> <password> reorg  
<database name>
```

### Example

```
arisadm.bat -s arissrv.eur.ag -t default -u system manager reorg "United Motor  
Group"
```

The database is reorganized. The deleted items are listed.

To obtain information on the ARIS Server administrator commands, enter **help** or **help <command>**.

## 1.1 Execute the `backupsystemdb` command

You can save the central system database as ADB file in a directory `<archivedir>` manually. It contains data such as filters, model templates, and scripts.

If you use ARIS 9.8 service release 2 or newer versions, the system database will be backed up automatically while backing up a tenant.

### Prerequisites

- **ARIS Server Administrator** is installed (see ARIS Client Installation Guide)
- You know the credentials of the superuser, or you have the Server administrator function privilege.

### Procedure

1. Click **Start > Programs > ARIS > Administration > ARIS Server Administrator 10.0** if you accepted the program group suggested by the installation program. Under a Linux operating system, execute the `arisadm.sh` shell script instead. The command prompt opens and ARIS Server Administrator is launched in interactive mode.
2. Establish a connection to the server and tenant:  
**syntax:** `server <server name>:<port number> <tenant> <user name> <password>`  
e.g.  
**server arissrv:1080 default system manager**
3. Enter **`backupsystemdb <archivedir>[<alternatename>]`**.

The system configuration, managing e.g. report scripts, scheduled reports, macros, semantic checks, filters and templates, of this tenant will be saved.

## 1.2 Execute the `restoresystemdb` command

Restores the central system database that contains data such as filters, model templates, and scripts from a previously saved system database (page 9) (ADB file) `<archive>`. You can also update the system database using the `updatesystemdb` (page 11) command.

### Prerequisites

- **ARIS Server Administrator** is installed (see ARIS Client Installation Guide)
- You know the credentials of the superuser, or you have the Server administrator function privilege.
- You have access to the backup file (`<archive>`)

### Procedure

1. Click **Start > Programs > ARIS > Administration > ARIS Server Administrator 10.0** if you accepted the program group suggested by the installation program. Under a Linux operating system, execute the `arisadm.sh` shell script instead. The command prompt opens and ARIS Server Administrator is launched in interactive mode.
2. Establish a connection to the server and tenant:  
**syntax:** `server <server name>:<port number> <tenant> <user name> <password>`  
e.g.  
**server arissrv:1080 default system manager**
3. Enter `restoresystemdb <archive>`.

The system configuration, managing e.g. report scripts, macros, semantic checks, filters and templates, of this tenant will be restored.

## 1.3 Execute the updatesystemdb command

If you have updated your installation, the **default** tenant's system database will be updated automatically only if you are using the standard database system or a Microsoft SQL server. For all additional tenants, please update the system databases with the provided database manually. In case of an Oracle database system, you must update the **default** tenant's system database as well. If you do not update system databases, all updates concerning e.g. scripts, filters and templates will not be available.

### Prerequisites

- **ARIS Server Administrator** is installed (see ARIS Client Installation Guide)
- You know the credentials of the superuser, or you have the Server administrator function privilege.
- You have access to the most recent system database (<installation DVD>/Content/SystemDB/<ADB file>)
- You have backed up all data that will be overwritten during the update.

### Procedure

1. Click **Start > Programs > ARIS > Administration > ARIS Server Administrator 10.0** if you accepted the program group suggested by the installation program. Under a Linux operating system, execute the **arisadm.sh** shell script instead. The command prompt opens and ARIS Server Administrator is launched in interactive mode.
2. Establish a connection to the server and tenant:  
**syntax:** server <server name>:<port number> <tenant> <user name> <password>  
e.g.  
**server arissrv:1080 default system manager**
3. Enter **updatesystemdb <name of ADB file on DVD>**.

The system configuration, managing e.g. report scripts, scheduled reports, macros, semantic checks, filters and templates, of this tenant will be updated. User defined changes made in the configuration will remain.