

Software AG MashZone NextGen 10.15 Readme

October 2022

This file contains important information you must read before using MashZone NextGen Server 10.15. You can find system requirements, user documentation , installation and upgrade instructions on the [Documentation website](#) or the [TECHcommunity website](#). At those locations, you can also find suite-related security and globalization information.

Included in this file is information about functionality that has been added, removed, deprecated, or changed for this product. Deprecated functionality continues to work and is supported by Software AG, but may be removed in a future release. Software AG recommends against using deprecated functionality in new projects.

1.0	Critical Information.....	2
2.0	Known Issues.....	2
3.0	Usage Notes.....	2
4.0	Fixes Included in Each Release	3
5.0	Other Resolved Issues.....	5
6.0	Documentation Changes	6
7.0	Terminology Changes	6
8.0	Added, Removed, Deprecated, or Changed Items.....	7
9.0	Added, Removed, Deprecated, or Changed Built-In Services.....	17
10.0	Added, Removed, Deprecated, or Changed Parameters.....	20
11.0	Added, Removed, Deprecated, or Changed APIs	20
12.0	Copyright Information.....	25
13.0	Support.....	25

1.0 Critical Information

This section lists any critical issues for the current release that were known when this readme was published. For critical information found later, go to the Knowledge Center on the [Empower website](#).

- none

2.0 Known Issues

This section lists any issues for the current release that were known when this readme was published. For known issues found later, go to the Knowledge Center on the [Empower website](#).

- none

3.0 Usage Notes

This section provides any additional information you need to work with the current release of this product.

MashZone NextGen Server

- If the MashZone NextGen server is running behind a firewall, the TCP ports specified during the installation (default is 8080) must be open in the firewall.

Browsers

- If you have used a previous version of MashZone NextGen, we recommend deleting the browser cache (Internet Explorer: Internet options -> General -> Delete, FireFox: Tools -> Options -> Privacy & Security -> Goto Cookies and Site Data section -> click Clear Data -> select Cached Web Content, Google Chrome: More Tools -> Clear browsing data).
- We recommend using Firefox or Chrome browser when running MashZone NextGen.

Database connection

- We recommend using the same JDBC driver class only once in the entire JDBC driver configuration (Value given in the column named Class in admin panel -> JDBC Configuration -> JDBC Drivers should be unique).
- If you use a MySQL database connection, we recommend using the driver version 5.1.34 or later.

4.0 Fixes Included in Each Release

This section lists the latest fix level that has been included in each release for each product component. A release is listed in this section only if changes occurred in that release. Go to the Knowledge Center on the [Empower website](#) for detailed information about fixes.

Release 10.11

- MashZone NextGen 10.11.0 Fix Version (10.11.0.9) released 06/17/2022
- MashZone NextGen 10.11.0 Fix Version (10.11.0.8) released 05/20/2022
- MashZone NextGen 10.11.0 Fix Version (10.11.0.7) released 04/29/2022
- MashZone NextGen 10.11.0 Fix Version (10.11.0.6) released 04/12/2022
- MashZone NextGen 10.11.0 Fix Version (10.11.0.5) released 03/11/2022
- MashZone NextGen 10.11.0 Fix Version (10.11.0.4) released 02/11/2022
- MashZone NextGen 10.11.0 Fix Version (10.11.0.3) released 01/20/2022
- MashZone NextGen 10.11.0 Fix Version (10.11.0.2) released 12/21/2021
- MashZone NextGen 10.11.0 Fix Version (10.11.0.1) released 11/25/2021

Release 10.7

- MashZone NextGen 10.7.0 Fix Version (10.7.0.12) released 06/10/2022
- MashZone NextGen 10.7.0 Fix Version (10.7.0.11) released 04/29/2022
- MashZone NextGen 10.7.0 Fix Version (10.7.0.10) released 03/04/2022
- MashZone NextGen 10.7.0 Fix Version (10.7.0.9) released 01/20/2022
- MashZone NextGen 10.7.0 Fix Version (10.7.0.8) released 22/12/2021
- MashZone NextGen 10.7.0 Fix Version (10.7.0.7) released 10/12/2021
- MashZone NextGen 10.7.0 Fix Version (10.7.0.6) released 11/30/2021
- MashZone NextGen 10.7.0 Fix Version (10.7.0.5) released 08/19/2021
- MashZone NextGen 10.7.0 Fix Version (10.7.0.4) released 07/10/2021
- MashZone NextGen 10.7.0 Fix Version (10.7.0.3) released 06/11/2021
- MashZone NextGen 10.7.0 Fix Version (10.7.0.2) released 05/31/2021

- MashZone NextGen 10.7.0 Fix Version (10.7.0.1) released fix in hand

Release 10.5

- MashZone NextGen 10.5.0 Fix Version (10.5.0.12) released 02/18/2021
- MashZone NextGen 10.5.0 Fix Version (10.5.0.11) released 09/14/2020
- MashZone NextGen 10.5.0 Fix Version (10.5.0.10) released 08/01/2020
- MashZone NextGen 10.5.0 Fix Version (10.5.0.9) released 06/19/2020
- MashZone NextGen 10.5.0 Fix Version (10.5.0.8) released 05/11/2020
- MashZone NextGen 10.5.0 Fix Version (10.5.0.7) released 04/27/2020
- MashZone NextGen 10.5.0 Fix Version (10.5.0.6) released 03/16/2020
- MashZone NextGen 10.5.0 Fix Version (10.5.0.5) released 03/02/2020
- MashZone NextGen 10.5.0 Fix Version (10.5.0.4) released 02/03/2020
- MashZone NextGen 10.5.0 Fix Version (10.5.0.3) released 01/20/2020
- MashZone NextGen 10.5.0 Fix Version (10.5.0.2) released 12/24/2019
- MashZone NextGen 10.5.0 Fix Version (10.5.0.1) released 11/12/2019

Release 10.3

- MashZone NextGen 10.3.0 Fix Version (10.3.0.11) released 08/12/2019
- MashZone NextGen 10.3.0 Fix Version (10.3.0.10) released 07/30/2019
- MashZone NextGen 10.3.0 Fix Version (10.3.0.9) released 07/23/2019
- MashZone NextGen 10.3.0 Fix Version (10.3.0.8) released 02/13/2019
- MashZone NextGen 10.3.0 Fix Version (10.3.0.7) released 06/13/2019
- MashZone NextGen 10.3.0 Fix Version (10.3.0.6) released 03/26/2019
- MashZone NextGen 10.3.0 Fix Version (10.3.0.5) released 02/13/2019
- MashZone NextGen 10.3.0 Fix Version (10.3.0.4) released 01/16/2019
- MashZone NextGen 10.3.0 Fix Version (10.3.0.3) released 12/03/2018
- MashZone NextGen 10.3.0 Fix Version (10.3.0.2) released 11/06/2018

- MashZone NextGen 10.3.0 Fix Version (10.3.0.1) fix in hand released 10/15/2018

5.0 Other Resolved Issues

This section lists the issues that were resolved in each release but were not part of the fixes listed in the previous section. A release is listed in this section only if changes occurred in that release.

Release 10.15

- none

Release 10.11

- JBP-13745
Under certain circumstances a dashboard takes long time for loading.
- JBP-13046
Security issue has been fixed (CVE-2019-17566).

Release 10.7

- JBP-13202
Feeds that a non admin user has privileges for is not shown in the list of feeds to be used as included feed.

Release 10.5

- JBP-11860
When retrieving specific JSON data via URL in a grid widget these data are not properly encoded and lead to a CSS vulnerability.
- JBP-11530, JBP-11529, JBP-11403
Some vulnerable 3rd party libs have been updated to latest version: bcprov-jdk15on, hadoop-common, commons-primitives

Release 10.4

- JBP-9591
Slider widget causes a filter removal.
When a slider widget without default settings is used to filter data in other tabs, the filter works not properly.
- JBP-9408
Separator and decimal point are reversed.

Digit grouping separator and decimal point are reversed in Chinese language.

Release 10.3

- Several security issues have been fixed.
- JBP-7974
Using text user inputs for URL parameters from text fields does not work anymore
The parameters that come from the dashboard URL and use text fields and text user inputs are lost when exporting and importing the dashboard.
- JBP-7908
If Oracle/Linux persistence is used, after updating an older ARIS Aware version to SR4b, no required DB table is created at first server start, which leads to error messages.
- JBP-7637
Header of table (grid widget) column cannot be aligned
There is a UI option to change the alignment of table columns, but only the table body is changed, not the table header. Currently, the UI gives the impression that both, table body and header are changeable.

6.0 Documentation Changes

This section describes significant changes to the documentation, such as the addition, relocation, or removal of product guides, online help, chapters, or other major content. A release is listed in this section only if changes occurred in that release.

Mashzone NextGen User Documentation has been upgraded to new build version in the current Release.

7.0 Terminology Changes

A release is listed in this section only if changes occurred in that release Release 10.15

None

Release 10.11

None

Release 10.7

None

Release 10.5

None

Release 10.4

None

Release 10.3

Old Term	New Term
Component	Widget
Views	Tabs
Rich Text Editor	Rich Text Area

8.0 Added, Removed, Deprecated, or Changed Items

This section lists features, functionality, controls, portlets, properties, or other items that have been added, removed, deprecated, or changed. A release is listed in this section only if changes occurred in that release.

Release 10.15

Added Item	Description
Simple time filter control for PPM context filter panel	This simple time filter allows filtering by one date e.g. by a year, a month or a day.

Removed Item	Replacement, if any
TerracottaDB and Materialized Feeds support	

Changed Item	Description
CSP headers	CSP security headers have been adapted to cater for modern security requirements.

Release 10.11

Added Item	Description
Encrypted database password	The password of the MashZone NextGen database backend can be specified using encryption.

Removed Item	Replacement, if any
Event Service (RTBS) (except SendApamaEvent) Command Central integration	SAG Installer and Update Manager for some parts; none for others
Legacy JDBC support, folder <InstallDir>/mashzone/data/jdbcdrivers	Manual creation of JDBC drivers

Changed Item	Description
Java 11	MashZone NextGen uses Java 11 Runtime Environment.
Client error messages	Detailed error messages in client (e.g. SQL error messages) are only visible for the feed editors. Viewers will only see generic error messages to avoid information disclosure.

Release 10.7

Added Item	Description
------------	-------------

Removed Item	Replacement, if any
API console	REST API
Old jQuery versions (1.7.2 and 1.10.4)	jQuery versions 1.10.2, 1.12.1

Deprecated Item	Replacement, if any
Import of MZP archives exported with MashZone classic (flash based)	
Upload of SVG images (XML based vector graphic)	Converting SVG image to PNG
BigMemory	

Release 10.5

Added Item	Description
New filter capabilities with PPM context	Process Mining context supports filtering on function dimensions and functions measures
Multiple selections in time filter widget for PPM context	Multiple selection can be used in PPM context to filter time ranges e.g. Q1/2019 - Q3/2019.
Keep filters in PPM context when using Root Cause Miner widget	When using the Root Cause Miner the filter set initially when starting the Mining procedure, can be restored when closing Root Cause Miner.
Multiple functions measures in Function Flow widget	Multiple measures can be configured for visualization in the Function Flow widget. The user can switch between these at view time
Filter on process pattern in Function Flow widget	Selection one or more functions in the Function Flow widget to set a filter on all processes that flow through the selected functions
Function coloring in Function Flow widget	Functions in in Function Flow widget can be colored according to threshold values on functional measures.
GeoJSON files	GeoJSON files for the Map widget can be uploaded and managed through the Administration console. GeoJSON files are not stored in the database.
URL whitelisting	Optional configuration of a whitelist for URL than can be accessed from data sources that use URLs for loading data. The default is “no restriction”.

Added Item	Description
Chart color mapping	A column with RGB values can be used for setting the color used in the chart. Thus, a dashboard editor can map dimension values on fixed colors.

Removed Item	Replacement, if any
Digital Event Service	Event Routing

Deprecated Item	Replacement, if any
Legacy JDBC driver support: JDBC driver found in folder <InstallDir>\MashZoneNG\mashzone\data\jdbcdrivers will be loaded at server startup.	Upload JDBC driver in the Administration console
API Console	REST API
Command Central integration	SAG Installer and Update Manager for some parts; none for others

Release 10.4

Added Item	Description
Distribution chart	The distribution chart displays a histogram of a measure on the x-axis. This chart is only available for PPM context based dashboards.
Bookmarks	A certain state of a dashboard including filter selections can be saved in a bookmark. Bookmarks can be created by all viewers of a dashboard if the editor has enabled bookmarking for this dashboard. Bookmarks can be optionally shared with other viewers with permissions for the dashboard.
Display measure value on column and bar charts	For column and bar charts, the measure value can be displayed inside or outside the columns / bars.
Display type of numeric axes	The line, column, bar, and bubble chart support display type linear and logarithmic for numeric axes.

Added Item	Description
Display of axis labeling	A new mode “Alternate” allows to display x-axis values in two rows, which provide better readability.
Screen resolution dependent font size	The default styles and themes support the CSS media query on screen resolution and thus enabling smaller font-sizes on small screen devices.
Slider widget	The type Open Range enables filter with infinite limits as well as filter status No Selection .
Enhanced value list support in feed processing	User inputs for list values have been added: Date user input (List), Number user input (List), Text user input (List). The conversion from feed column to value list and vice version is added.
Operators Column to value, Value to column, Named copy, Copy single value	The operators Column to value , Value to column , Named copy , Copy single value have been enhanced to handle list values.
HTTP header for URL data sources	For URL based data sources (CSV, JSON, XML, Excel, ARIS Table) certain HTTP header can be specified.
Enhanced preview in feed-editor	The preview of calculations in feed editor provides different modes (Quick, Full). The Statistics mode displays a column based statistics of the calculated data.
Secure connection to Terracotta DB	The Terracotta connection supports new Terracotta server security features (encryption, authorization).
Terracotta connection pooling	The pooling of Terracotta DB connections increases the performance.
UI for import/export of assets.	The Admin Console has been extended to import and export dashboard, feeds and aliases.
Cross Edition Import	Dashboards, feeds and aliases created with a different edition can be imported. The padmin tool supports an option for a test run to check that imported objects only use features supported in the target edition.
Disallow duplicate feed and dashboard names	It is not possible to save feeds and dashboards if the specified name already exists.

Added Item	Description
Logging performance.log	Setting debug level to DEBUG for performnaceLog enables the logging for JDBC, Terracotta DB, BigMemory and RAQL Inline queries.

Removed Item	Replacement, if any
<p>The following padmin commands have been removed:</p> <ul style="list-style-type: none"> • exportServices, importServices • createApp, exportApps, importApps • exportPolicy, importPolicy • manageResources • exportGlobalAttribs, importGlobalAttribs • exportUserProfiles, importUserProfiles • exportEmmlMacro, importEmmlMacro • exportLib, importLib <p>Presto scheduler for executing EMMML scripts and taking database snapshots</p> <p>Import of dashboards that contain legacy Presto Views and Apps</p> <p>Presto mail service</p>	

Deprecated Item	Replacement, if any
<p>Push-based event data sources and MashZone NextGen’s Event Service (formerly known as RTBS)</p> <p>Apama Connectivity</p> <p>Digital Event Service</p> <p>Event Routing / EDA event data sources</p> <p>Materialized Feeds using TerracottaDB for persisting feed results</p> <p>TerracottaDB data source</p>	<p>Store relevant data from Apama in BigMemory or database or use one of the pull-based data sources.</p> <p>Digital Event Service support is going to be removed in the next release.</p> <p>BigMemory or database</p>

Changed Item	Description
Root Cause Miner widget	MashZone nextGen 10.4 requires RootCause Miner widget from PPM 10.4.
Style / themes	LESS files for styles / themes are stored by default in the MashZone NG persistence. That improves the handling in distributed environments. The old handling of styles / themes in the filesystem can still be used by switching the styling mode to file-based.
User roles	The legacy complex Presto policy management has been replaced by a new simplified role concept.
BigMemory connections	<p>The format and behavior of BigMemory connections has changed. They are now incorporated into the generic MashZone "alias" concept.</p> <p>Existing BigMemory connections cannot be migrated and must be added manually in the new installation.</p>
Handling of time zones	The runtime info operator 'Today's Date' and the RAQL functions to_date, to_string take account of the default time zone specified in property mashzone.feedprocessing.time zone (file mashzone.properties)
padmin runRequestFile command	<p>The format for input files for runRequestFile command has changed.</p> <p>Example: the shown input file for runRequestFile starts a RTBS buffer:</p> <pre> #@RequestId = startBuffer { "description": "start event buffer", "httpPost": "admin/startbuffer", "params": { "alias": "simple_buffer" } } </pre>

Release 10.3

Added Item	Description
Vector Map widget	A vector map typically allows users to interact with or visualize geographic areas of interest.
Map with Markers	Map with markers widget allows users to mark points of interest on a map based on geo-coordinates (latitude & longitude) defined in the assigned data.
Enhanced migration tool	The migration utility supports the upgrade paths 10.1 to 10.2 and 10.1 to 10.3.
Apama Event Deletion	MashZone NextGen supports Apama scenario to delete event from the view.
Multilingual Dashboards	MashZone NextGen allows the creation of multilingual dashboards. Language can be set through different means (URL parameter, UI control, cookie, browser preference).
Materialized feeds	Results of a feed calculation can be stored in TerracottaDB store. The feed calculation and storage in terracotta DB is triggered in the Administration panel interactively or by a REST API call.
Image component accepts dynamic URL	Image component supports dynamic URLs taken from data columns or input parameters, so the image can be changed at run time using filtering.
Adoption of DBP Common Design Language for UX	New set of guidelines for UI adoption, called DELITE Level Two UX changes for all web UIs has been added.
Command Central : Support Life cycle operation Restart	The Command Central life cycle operation "Restart" has been added for MashZone Nextgen server and RTBS services.
PPM context enhanced to support filter on number columns	The dashboard context for filtering PPM data supports textual data type and also filters measures (numeric type).
Add Dimension to filter panel for filtering PPM context based widgets	User can pre-fill filter criterions for filtering PPM context based widgets in edit mode and save it in the dashboard definition. So the user can see the filter criterions on the dashboard in view mode.

Added Item	Description
Define unique columns for selected rows on grid widget	User can define the (key) column which has to be taken care of if new data comes in and the current selection has to be recreated. If values in "no" key columns have changed, the row stays selected even when new data came in.
Exclude Dashboard widget in PPM context from filtering	A new control "Exclude widget from being filtered" is added to the context tab of the widgets properties panel. Enabling this option the widget will show unfiltered context data and will not react on any context filtering.
Hide axes and labels from Cartesian chart widgets	User can configure Cartesian chart widgets (line-, column-, bar-, bubble-chart) to "Hide Title" , "Hide All".
Set exact values in the slider widget	In the PPM use-case, the slider will be used for measures like process cycle . A typical range for this KPI will span a big range and the usage of the slider will not allow to set a specific value. Thus, the user must be able to enter lower and/or upper boundary numerically.

Removed Item	Replacement, if any
Classic Presto components (wires, hub, API console entries and related services, EMMML editor, mashables, mashups , apps , app-depot, and adapt user documentation) have been removed from MashZone NextGen completely.	
Spring configuration for the CAS SSO Solution has also been removed during the Spring update.	
Authentication with Digital Certificates/SSL has been removed.	

Deprecated Item	Replacement, if any
<p>Event Routing</p> <p>All products using Event Routing will continue to use it for event communication. All products that expose EDA events to clients might add a notification that the event format is subject to change when products move to the new event technology (Digital Event Services).</p>	<p>Digital Event Services</p>

Changed Item	Description
<p>Aggregation type for PPM KPIs</p>	<p>The definition of the aggregation of a KPI changed from context configuration to data assignment of the KPI.</p>
<p>PPM Query API / PPM Context</p>	<p>Dimensions of the data type Timerange are no longer supported in Query API / MZNG Context. These dimensions are refused in queries and cannot be used in existing contexts. Timerange dimensions are no longer available in new contexts.</p>
<p>Configuration UM server URL</p>	<p>For DES Event Sources, the provider URL of the UM instance is not maintained in the Admin Console anymore. DES is configured through Command Central only.</p> <p>If default (nsp://localhost:9000) is used no manual migration step is required. In all other cases DES configuration has to be changed manually in Command Central. Please refer to documentation for details.</p>
<p>Sort order grid widget</p>	<p>The sort order of the grid widget changed to not case-sensitive.</p>

9.0 Added, Removed, Deprecated, or Changed Built-In Services

A release is listed in this section only if changes occurred in that release.

Release 10.15

Changed Service	Description
MashZoneNextGen1011	The service was renamed from MashZoneNextGen107 to MashZoneNextGen1015.

Release 10.11

Changed Service	Description
MashZoneNextGen107	The service was renamed from MashZoneNextGen107 to MashZoneNextGen1011.

Removed Service	Replacement, if any
MashZoneNextGenEventServiceCore1011	
MashZoneNextGenEventServiceHA-Store1011	
MashZoneNextGenEventServiceZookeeper1011	

Release 10.7

Changed Service	Description
-----------------	-------------

Changed Service	Description
MashZoneNextGen105	The service was renamed from MashZoneNextGen105 to MashZoneNextGen107.
MashZoneNextGenEventServiceCore105	The service was renamed from MashZoneNextGenEventServiceCore105 to MashZoneNextGenEventServiceCore107.
MashZoneNextGenEventServiceHA-Store105	The service was renamed from MashZoneNextGenEventServiceHA-Store105 to MashZoneNextGenEventServiceHA-Store107.
MashZoneNextGenEventServiceZookeeper105	The service was renamed from MashZoneNextGenEventServiceZookeeper105 to MashZoneNextGenEventServiceZookeeper107.

Release 10.5

Changed Service	Description
MashZoneNextGen104	The service was renamed from MashZoneNextGen104 to MashZoneNextGen105.
MashZoneNextGenEventServiceCore104	The service was renamed from MashZoneNextGenEventServiceCore104 to MashZoneNextGenEventServiceCore105.
MashZoneNextGenEventServiceHA-Store104	The service was renamed from MashZoneNextGenEventServiceHA-Store104 to MashZoneNextGenEventServiceHA-Store105.
MashZoneNextGenEventServiceZookeeper104	The service was renamed from MashZoneNextGenEventServiceZookeeper104 to MashZoneNextGenEventServiceZookeeper105.

Release 10.4

Changed Service	Description
MashZoneNextGen103	The service was renamed from MashZoneNextGen103 to MashZoneNextGen104.
MashZoneNextGenRTBSCore103	The service was renamed from MashZoneNextGenRTBSCore103 to MashZoneNextGenEventServiceCore104.
MashZoneNextGenRTBSHA-Store103	The service was renamed from MashZoneNextGenRTBSHA-Store103 to MashZoneNextGenEventServiceHA-Store104.
MashZoneNextGenRTBSZookeeper103	The service was renamed from MashZoneNextGenRTBSZookeeper103 to MashZoneNextGenEventServiceZookeeper104.

Release 10.3

Changed Service	Description
MashZoneNextGen102	The service was renamed from MashZoneNextGen102 to MashZoneNextGen103.
MashZoneNextGenRTBSCore102	The service was renamed from MashZoneNextGenRTBSCore102 to MashZoneNextGenEventService10.3Core.
MashZoneNextGenRTBSHA-Store102	The service was renamed from MashZoneNextGenRTBSHA-Store102 to MashZoneNextGenEventService10.3HA-Store.
MashZoneNextGenRTBSZookeeper102	The service was renamed from MashZoneNextGenRTBSZookeeper102 to MashZoneNextGen Event Service10.3Zookeeper.

10.0 Added, Removed, Deprecated, or Changed Parameters

A release is listed in this section only if changes occurred in that release.

11.0 Added, Removed, Deprecated, or Changed APIs

A release is listed in this section only if changes occurred in that release.

Release 10.4

Added API	Description
BigMemory Service: deleteBigMemoryConnection, getBigMemoryConnection, getEhcacheDetails, storeBigMemoryConnection, testBigMemoryConnection	
ConfigService: getHttpProxyConfig, getLdapConfig, setHttpProxyConfig, updateLdapConfig	
ManagementService: getAllSystemInfo	
UserManagementService: addGroup, addRoleToUserOrGroup, addUserToGroup, addUserwithEncodePassword, deleteGroup, listAllGroups, listAssignedGroupsForUser, listAssignedRolesForUserOrGroup, listUnassignedGroupsForUser, listUnassignedRolesForUserOrGroup, removeAllRolesFromUserOrGroup, removeRoleFromUserOrGroup, removeUserFromAllGroups, removeUserFromGroup, resetGroupsForUser, resetRolesForUserOrGroups, searchRoles	

Removed API**Replacement, if any**

BigMemory Service:

addConfig, addDynamicCacheConfig,
deleteConfig, deleteDynamicCacheConfig,
getAllConfigSummary,
getAllDynamicCacheConfig, getCacheConfig,
getConfig, getConfigFile,
getDynamicCacheConfig, getEhcacheXml,
updateConfig

ConfigService:

getCertificateSettings, getConfig,
getEventConnectorSettings, getHelpSettings,
getLoggingSettings, getMailNotificationSettings,
getSSOSettings, getSecuritySettings,
getUserLDAPSettings, setCertificateSettings,
setConfig, setEventConnectorSettings,
setHelpSettings, setHttpProxySettings,
setLoggingSettings, setMailNotificationSettings,
setMailServerSettings, setRepositoryDBSettings,
setSecuritySettings, setSnapshotSettings,
setUserDBSettings, setUserLDAPSettings

LocalSupportService:

clearCache, getAllResourceFiles,
getMessage_ClientLocale,
getMessage_ServerLocale

All services of group MailService have been removed:

extractInfo, ping, searchMailbox, send, sendMail

Removed API**Replacement, if any**

UserManagementService:
 addGlobalAttribute,
 addGlobalAttributeEncrypted, addRole,
 addRoleToUser, addUserAttribute,
 addUserAttributeEncrypted,
 createDynamicUserGroup,
 deleteAllRolesFromUser,
 deleteDynamicUserGroup,
 deleteGlobalAttribute, deleteRole,
 deleteRoleFromUser, deleteUserAttribute,
 findDynamicGroupMembers,
 findGlobalAllAttributes,
 findGlobalAllAttributesEncrypted,
 findGlobalAttribute, findGlobalAttributesLike,
 findUserAllAttributes,
 findUserAllAttributesEncrypted,
 findUserAttribute, findUserAttributeNames,
 forgotPassword, getAllDynamicUserGroups,
 getCurrentUserPreviousLoginTime,
 getDefaultGroups, getDynamicUserGroups,
 getUserDetails, isPrincipalExists,
 listAssignedRoles, listUnassignedRoles, login,
 logout, queryUsers, resetRolesForUser,
 searchDynamicGroups, setDefaultGroups,
 updateDynamicUserGroup, verifyUser

Changed API**Description**

REST API

The root path of the URL for REST API calls has changed from /presto/edge/api/rest/ to /mashzone/mzservices/admin/.

Release 10.3**Added API****Description**

The following API services have been added:
 createMaterializedFeedAlias, materializeFeed.

Added API	Description
REST API call to trigger feed calculation with store to Terracota DB	The API call <code>/mashzone/mzservices/tcstore/materializefeed</code> can be used to trigger execution and store to operation from an external scheduler service or through a batch job. The administration UI Materialized Feeds also provides a button to run this REST service.

Removed API	Replacement, if any
<p>ConfigService:</p> <p>addAuditLogExcludedAction, getAuditLogSettings, getCacheSettings, getDBServiceGeneratorSettings, getNTLMSettings, getRepositoryDBSettings, getSnapshotDBSettings, getSnapshotSettings, getSyndicationResponseSettings, getUserDBSettings, removeAuditLogExcludedAction, setAuditLogSettings, setCacheSettings, setDBServiceGeneratorSettings, setMashletSettings, setMashupEngineSettings, setmashupServerSettings, setNTLMSettings, setSnapshotDBSettings, setSnapshotSettings, updateAuditLogExcludeActions</p> <p>ManagementService:</p> <p>clearAllStats, garbageCollect, getAllServerLogFileNames, getAllStatsForServiceType, getAllStatsForServiceTypeForHour, getAllStatsForServiceTypes, getArtifactStatsForTypes, getArtifactStatsForUser, getAuditStatsForUsers, getSurrentStatsForServiceType, getSurrentStatsForServiceTypes, getRequestStatsForServiceForDuration, getRequestStatsForServiceForHourMinute</p>	

Removed API**Replacement, if any**

PolicyService:

addMashletPermissionSets, addMashletPermissions,
getMashletPermissions,
getPrincipalsAllowedToExecuteMashlet,
getPrincipalsAllowedToExecuteService,
getServiceOperationPermissions,
getServicePermissions, isActionAllowedForMashlet,
removeAllMashletPermissions,
removeMashletPermissions,
setPrincipalsAllowedToExecuteAllServiceOperations,
setPrincipalsAllowedToExecuteMashlet

All services of the following service groups have been removed:

AppSearch, AppService, AppStoreService,
CollapService, DBmashupManager,
DependencyService, ExportService, JEMSDesigner,
LibraryService, MashletHubService,
MetaRepositoryService, ResourceService,
SampleRequestWithTestData, ShareManager,
SharePointManager

12.0 Copyright Information

Copyright © 2022 Software AG, Darmstadt, Germany and/or Software AG USA Inc., Reston, VA, USA, and/or its subsidiaries and/or its affiliates and/or their licensors.

The name Software AG and all Software AG product names are either trademarks or registered trademarks of Software AG and/or its subsidiaries and/or its affiliates and/or their licensors. Other company and product names mentioned herein may be trademarks of their respective owners.

Detailed information on trademarks and patents owned by Software AG and/or its subsidiaries is located at <https://softwareag.com/licenses>.

This software may include portions of third-party products. For third-party copyright notices, license terms, additional rights or restrictions, please refer to "License Texts, Copyright Notices and Disclaimers of Third Party Products". For certain specific third-party license restrictions, please refer to section E of the Legal Notices available under "License Terms and Conditions for Use of Software AG Products / Copyright and Trademark Notices of Software AG Products". These documents are part of the product documentation, located at <https://softwareag.com/licenses> and/or in the root installation directory of the licensed product(s).

13.0 Support

Visit the [Empower website](#) to learn about support policies and critical alerts, read technical articles and papers, download products and fixes, submit feature/enhancement requests, and more.

Visit the [TECHcommunity website](#) to access additional articles, demos, and tutorials, technical information, samples, useful resources, online discussion forums, and more.

JBP-1015-20221015