

# WEBIO - Web I/O Interface Screen Rendering

This Natural profile parameter allows you to individually enable or disable the rendering of certain features of the Natural Web I/O Interface display on the basis of a style sheet. It corresponds to the NTWEBIO macro in the parameter module NATPARM.

For further information, see the corresponding sections in *Using Style Sheets* in the *Natural Web I/O Interface* documentation.

<b>Possible settings</b>	See <i>Keyword Subparameters</i> , below.	Possible subparameter keywords:  ML   KEYS   WIN
<b>Default setting</b>	ML=OFF , KEYS=OFF , WIN=OFF	By default, the style sheet based rendering of the message line, PF key buttons and Natural window objects is disabled.
<b>Dynamic specification</b>	yes	The parameter WEBIO can only be specified dynamically. In NATPARM, use the macro NTWEBIO.
<b>Specification within session</b>	no	

The following topics are covered below:

- WEBIO Parameter Syntax
- NTWEBIO Macro Syntax
- Keyword Subparameters

---

## WEBIO Parameter Syntax

The WEBIO parameter is specified as follows:

```
WEBIO=({ML=[ON|OFF],}{KEYS=[ON|OFF],}{WIN=[ON|OFF]})
```

For names and values of keyword subparameters, see *Keyword Subparameters* below.

## NTWEBIO Macro Syntax

The NTWEBIO macro is specified as follows:

```
NTWEBIO {ML=[ON|OFF],}{KEYS=[ON|OFF],}{WIN=[ON|OFF]}
```

## Keyword Subparameters

ML | KEYS | WIN

### ML - Message Line

Enables/disables the style sheet based rendering of the message line. See also *Modifying the Message Line* in the *Natural Web I/O Interface* documentation. Possible values are:

ON	The style sheet based rendering of the message line is enabled.
OFF	The style sheet based rendering of the message line is disabled.

### KEYS - PF Keys

Enables/disables the style sheet based rendering of the PF key buttons. See also *Modifying the Style of the PF Key Buttons* in the *Natural Web I/O Interface* documentation. Possible values are:

ON	The style sheet based rendering of the PF key buttons is enabled.
OFF	The style sheet based rendering of the PF key buttons is disabled.

### WIN - Window Objects

Enables/disables the style sheet based rendering of Natural window objects. See also *Modifying the Natural Windows* in the *Natural Web I/O Interface* documentation. Possible values are:

ON	The style sheet based rendering of Natural window objects is enabled.
OFF	The style sheet based rendering of Natural window objects is disabled.