

# Defining Application-Independent Variables

General syntax of `DEFINE DATA INDEPENDENT`:

```
DEFINE DATA
  INDEPENDENT AIV-data-definition...
END-DEFINE
```

This chapter covers the following topics:

- Function
- Syntax Description

For an explanation of the symbols used in the syntax diagrams, see *Syntax Symbols*.

---

## Function

The `DEFINE DATA INDEPENDENT` statement is used to define application-independent variables (AIVs).

An application-independent variable is referenced by its name, and its content is shared by all programming objects executed within one application that refer to that name. The variable is allocated by the first executed programming object that references this variable and is deallocated by the `LOGON` command or a `RELEASE VARIABLES` statement.

The optional `INIT` clause is evaluated in each executed programming object that contains this clause (not only in the programming object that allocates the variable).


### Note:

In an RPC server, application-independent variables (AIVs) are not deallocated implicitly, but stay active across RPC requests, because different clients may have access to the same variables on the RPC server. This means they must be deallocated explicitly using the `RELEASE VARIABLES` statement. See *Application-Independent Variables* in the *Natural Remote Procedure Call* documentation.

## Syntax Description

<b>INDEPENDENT</b> <i>AIV-data-definition</i>	The <code>DEFINE DATA INDEPENDENT</code> statement can be used to define a single or multiple application-independent variables (AIVs). For each AIV, the syntax shown below applies.
<b>END-DEFINE</b>	The Natural reserved word <code>END-DEFINE</code> must be used to end the <code>DEFINE DATA</code> statement.

### AIV Data Definition



Syntax Element Description:

<b><i>level</i></b>	An application-independent variable must be defined at Level 01. Other levels are only used in a redefinition.
<b><i>variable-definition</i></b>	<p>A <i>variable definition</i> is used to define a single field/variable that may be single-valued (scalar) or multi-valued (array). See <i>Variable Definition</i>.</p> <p><b>Note:</b> The name of an application-independent variable must start with a plus (+) character.</p>
<b><i>redefinition</i></b>	<p>A <i>redefinition</i> may be used to redefine a group, a view, a DDM field or a single field/variable (that is a scalar or an array). See <i>Redefinition</i>.</p> <p>The fields resulting from the redefinition must not be application-independent variables, that is their name must not start with a plus (+). These fields are treated as local variables.</p>
<b><i>handle-definition</i></b>	A handle identifies a dialog element in code and is stored in handle variables. See <i>Handle Definition</i> .

**Note:**

The first character of the name must be a plus (+). Rules for Natural variable names apply, see *Naming Conventions for User-Defined Variables* in the *Using Natural* documentation.