# **Setting up Specific Generation Options**

The generation options are arranged on on two screens and are grouped into data fields and path definition.

The following topics are covered below:

- Invoking the Generation Options Setup Screens
- First Screen
- Second Screen
- Saving Your Options Permanently

### **Invoking the Generation Options Setup Screens**

To invoke the first screen of the generation options function

• On the Main Menu screen, press PF10 **Optio**(n).

The first screen of the Options setup function is displayed. The map fields are described below.

### **First Screen**

Special characters that are not valid in XML have to be converted into valid names. The following map enables you to change the default conversion settings, if required.

```
*** NATURAL XML Toolkit ***
                                                          2007-01-17
09:51:35
                                                     Library SYSEXXT
User DEFAULT
                          - Options -
Additional fields
Counter separator character ..... @
XML name replacements
Namespace separator character ':' with .. $
Dot sign '.' with ..... /
Natural variable name replacements
Plus sign '+' with ..... plus_
Hash / Number sign '#' with ..... hash_
Slash sign '/' with ..... slash___
At sign '@' with ..... at_
Paragraph sign '§' with ..... paragraph_
Ampersand sign '&' with ..... ampersand___
Dollar sign '$' with ..... dollar__
Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF8---PF9---PF10--PF11--PF12---
    Help
              Exit
                                        Next
                                                            Canc
```

### **Field Descriptions**

Counter Separator Character

Belongs to Group:	Additional Fields
Format/Length:	A1
Default Value:	@

Namespace Separator Character ":" WITH:

Belongs to Group:	XML Name Replacements
Format/Length:	A1
Default Value:	\$

Dot Sign '.' WITH:

Belongs to Group:	XML Name Replacements	
Format/Length:	A1	
Default Value:	/	

Plus Sign '+' WITH:

Belongs to Group:	XML Variable Name Replacements	
Format/Length:	A11	
Default Value:	plus	

Hash / Number Sign '#' WITH:

Belongs to Group:	Natural Variable Name Replacements	
Format/Length:	A11	
Default Value:	hash	

Slash Sign '/' WITH:

Belongs to Group:	Natural Variable Name Replacements	
Format/Length:	A11	
Default Value:	slash	

At Sign '@' WITH:

Belongs to Group:	Natural Variable Name Replacements
Format/Length:	A11
Default Value:	at

Paragraph Sign '§' WITH:

Belongs to Group:	Natural Variable Name Replacements
Format/Length:	A11
Default Value:	para

Ampersand Sign '&' WITH:

Belongs to Group:	Natural Variable Name Replacements	
Format/Length:	A11	
Default Value:	amp	

Dollar Sign '\$' WITH:

Belongs to Group:	Natural Variable Name Replacements	
Format/Length:	A11	
Default Value:	dollar	

### **Second Screen**

The second map of the Options function serves to define the location of the target or source DTD file used for the conversion.

**b** To invoke the second screen of the Generation Options function

- 1. On the Main Menu screen, press PF10 **Optio**(n).
- 2. On the first screen, press PF8 Next.

The second screen of the Options function is displayed. The map fields are described below.

11:04:10 User DEFAULT	*** NATURAL XML - Options		2007-01-17 Library SYSEXXT
External file: /nat_64/proj/natc/42	2/samples/sysexxt/emp	ol.dtd	
Natural library: SYSEXXT_			
Enter-PF1PF2PF3 Help Exi		PF7PF8PF9P Prev	F10PF11PF12 Canc

#### **Field Descriptions**

External file

Format/Length:	A253
Default Value:	(Resource directory of current library)

Natural library

Format/Length:	A8
Default Value:	(current library)

## **Saving Your Options Permanently**

All settings made in the Options menu are written to the text member XML-INI.

Whenever a new Natural patch level or service pack is installed, all settings made in the Options menu are overwritten.

In order to keep your settings permanently, you are recommended to save the text member XML-INI to the FUSER before you install a patch level or service pack.