

Natural Monitor Repository File

| | | | |
|-----|--------------------------|-------|----------------------------------|
| V 1 | REVIEW-NM-FILE-VIEW | | REVIEW-NM-FILE |
| G 2 | CONTROL-FIELDS | | /* NM HISTORY CONTROL FIELDS |
| 3 | NM-SUBSYSTEM | A 2 | /* HISTORY SUBSYSTEM |
| 3 | NM-DATE-SAVED | N 8.0 | /* DATE SAVED (YYYYMMDD FORMAT) |
| 3 | NM-TIME-SAVED | N 6.0 | /* TIME SAVED (HHMMSS FORMAT) |
| 3 | NM-DATE-COMPLEMENT | N 8.0 | /* TWOS COMPLEMENT DATE |
| 3 | NM-TIME-COMPLEMENT | N 6.0 | /* TWOS COMPLEMENT TIME |
| 3 | NM-SORT-FLD | A 32 | /* SORT FIELD (REPORT NAME) |
| 3 | NM-SEQ | B 2 | /* HISTORY RECORD SEQ NUMBER |
| 2 | NM-RECORD-TYPE | B 4 | /* HISTORY RECORD TYPE |
| G 2 | RESPONSE-TIME-SUBSYSTEM | | /* RT SUBSYSTEM FIELDS |
| 3 | RT-REPORT-NAME | A 32 | /* REPORT NAME |
| 3 | RT-DEF-INTERVAL | B 2 | /* GRAPH INTERVAL |
| 3 | RT-DEF-THRESHOLD | B 2 | /* DETAIL RECORD THRESHOLD |
| 3 | RT-DEF-MAX-DETAIL | B 2 | /* MAXIMUM DETAIL RECORDS |
| 3 | RT-DEF-WRAP-OPTION | A 4 | /* DETAIL RECORD WRAPPING OPTION |
| 3 | RT-DEF-TS-OPTION | A 4 | /* TRANSACTION SUMMARY OPTION |
| 3 | RT-DEF-AUTOSTART | A 1 | /* AUTOSTARTED REPORT INDICATOR |
| 3 | RT-DEF-HISTORY-INTERVAL | N 3.0 | /* HISTORY REPORT INTERVAL |
| 3 | RT-DEF-USERID | A 8 | /* SEL.CRIT.FOR USERID |
| 3 | RT-DEF-PGMNAME | A 8 | /* SEL.CRIT.FOR TRANS PGM NAME |
| 3 | RT-DEF-NATAPPL | A 8 | /* SEL.CRIT.FOR NATURAL APPL |
| 3 | RT-DEF-NATPGM | A 8 | /* SEL.CRIT.FOR NATURAL PROG |
| 3 | RT-DEF-HISTORY-REFRESH | A 1 | /* HISTORY REPORT REFRESH OPTION |
| 3 | RT-VW-START-DATE | A 8 | /* REPORT START DATE (HISTORY) |
| 3 | RT-VW-START-TIME | A 8 | /* REPORT START TIME (HISTORY) |
| 3 | RT-VW-THRESHOLD | B 4 | /* REPORT THRESHOLD (HISTORY) |
| P 2 | RT-VW-DATA | | /* HISTORY INTERVAL DATA |
| 3 | RT-VW-INTERVAL | B 4 | (1:11) /* INT.RANGE (HISTORY) |
| 3 | RT-VW-TRANS | B 4 | (1:11) /* TRANS/INT.(HISTORY) |
| 3 | RT-VW-ACALLS | B 4 | (1:11) /* CALLS/INT.(HISTORY) |
| 2 | RT-VD-USERID | A 8 | /* DET.REC.TP SYSTEM USERID |
| 2 | RT-VD-TERMINAL-NAME | A 8 | /* DET.REC.TERMINAL NAME |
| 2 | RT-VD-NATURAL-UID | A 8 | /* DET.REC.NATURAL USERID |
| 2 | RT-VD-PROGRAM | A 8 | /* DET.REC.TRANS.PGM.NAME |
| 2 | RT-VD-NATURAL-APPL | A 8 | /* DET.REC.NATURAL APPLICATION |
| 2 | RT-VD-NATURAL-PROGRAM | A 8 | /* DET.REC.NATURAL PROGRAM |
| 2 | RT-VD-TRANS-ENDTIME | A 8 | /* DET.REC.TRANS.END-TIME |
| 2 | RT-VD-TRANS-NUMBER | B 4 | /* DET.REC.TRANS.NUMBER |
| 2 | RT-VD-ADABAS-CALLS | B 4 | /* DET.REC.TOTAL DATABASE CALLS |
| 2 | RT-VD-ADABAS-CALLS-TR | B 4 | /* DET.REC.CALLS(FOR ELPS TIME) |
| 2 | RT-VD-TOTAL-ELAPSE-TIME | B 4 | /* DET.REC.TOTAL ELAPSED TIME |
| 2 | RT-VD-TOTAL-COMMAND-TIME | B 4 | /* DET.REC.TOTAL COMMAND TIME |
| 2 | RT-VD-RSP-TIME | B 4 | /* DET.REC.RESPONSE TIME |
| 2 | RT-VD-CPU-TIME | B 4 | /* DET.REC.CPU TIME |
| 2 | RT-VD-HIGH-CMD | A 2 | /* DET.REC.HIGH DATABASE COMMAND |
| 2 | RT-VD-HIGH-DBID | B 2 | /* DET.REC.HIGH DATABASE ID |
| 2 | RT-VD-HIGH-FNR | B 2 | /* DET.REC.HIGH FILE NUMBER |
| 2 | RT-VD-HIGH-STMT | B 3 | /* DET.REC.HIGH NATURAL STMT |
| 2 | RT-VD-HIGH-LEVEL | B 1 | /* DET.REC.HIGH PGM.CALL LEVEL |
| 2 | RT-VD-THREAD-NUMBER | B 1 | /* DET.REC.NATURAL THREAD NR. |
| 2 | RT-VD-HIGH-ADABAS-CALLS | B 4 | /* DET.REC.HIGH DATABASE CALLS |
| 2 | RT-VD-HIGH-NATURAL-LOADS | B 4 | /* DET.REC.HIGH NAT.PGM.LOADS |
| 2 | RT-VD-HIGH-ELAPSE-TIME | B 4 | /* DET.REC.HIGH ELAPSED TIME |
| 2 | RT-VD-HIGH-COMMAND-TIME | B 4 | /* DET.REC.HIGH DB CMD TIME |
| 2 | NM-KEY | A 50 | /* PRIMARY NM SEARCH KEY(SUPERD) |

| | | | | | | | | |
|---|------------|---|----|----|-----------|----|--------|-----|
| 2 | NM-KEY-2S | A | 50 | /* | SECONDARY | NM | SEARCH | KEY |
| 2 | NM-KEY1 | A | 48 | /* | SECONDARY | NM | SEARCH | KEY |
| 2 | NM-KEY1-2S | A | 48 | /* | SECONDARY | NM | SEARCH | KEY |
| 2 | NM-KEY2-2S | A | 16 | /* | SECONDARY | NM | SEARCH | KEY |