Batch Processing

The functions provided by the SYSBPM utility can also be executed in batch mode.

For this purpose, we recommend that you use the SYSBPM Application Programming Interface USR4340N or USR0340N described in the section *Application Programming Interfaces*.

You can also use the SYSBPM utility in batch by simulating the online input command sequence.

Since SYSBPM uses functionality of the Software AG Editor, when writing your batch job, observe the following instructions:

- Set the profile parameter EDPSIZE. As an alternative, set the profile parameter BPI with TYPE=EDIT for the Software AG Editor buffer pool and define the editor work file in the batch job
- Note that the field **Code** is not available on every SYSBPM screen.
- Note that you may have to skip input fields in order to position the cursor in the Command line input field for entering direct commands.
- Simulate PF keys by using the terminal commands %K to navigate through the SYSBPM utility. For example, use %K3 to leave the **List Objects** screen.
- Use the continuation character defined with the session parameter CF (default is %) to enter more than one line of input for a map.

Listed below are the topics and Natural documentation sources that refer to the instructions mentioned above.

Related Topics

Торіс	Documentation
Blacklist Maintenance in Batch Mode	SYSBPM Utility
SYSBPM Direct Commands	SYSBPM Utility
EDPSIZE - Size of Software AG Editor Auxiliary Buffer Pool	Parameter Reference
BPI - Buffer Pool Initialization	Parameter Reference
Installing the Software AG Editor	Installation
%K and %KP - Simulate PF- and PA-Key	Terminal Commands
EDBP - Software AG Editor Buffer Pool Definitions	Parameter Reference
Editor Buffer Pool	Operations
Editor Work File	Operations
Natural in Batch Mode	Operations
Using the INPUT Statement in Non-Screen Modes	Statements
Using the INPUT Statement in Batch Mode	Statements