

Invoking SYSERR

▶ To invoke the SYSERR utility

- Enter the following system command:

```
SYSERR
```

The main menu of the SYSERR utility is displayed:

```

16:15:35          ***** NATURAL SYSERR UTILITY *****          2008-09-18
                      - Menu -

      Code  Function
      ----  -
      AD    Add new messages
      DE    Delete messages
      DI    Display messages
      MO    Modify messages
      PR    Print messages
      SC    Scan in messages
      SE    Select messages from a list
      TR    Translate messages into another language
      ?     Help
      .     Exit
      ----  -

Code .. ___  Message type .... US
             Library ..... SYSTEM__
             Message number .. 1___ - 9999
             Language codes .. 1_____

Command ==>

Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---
      Help           Exit                                     Canc

```

From the main menu of the SYSERR utility, you can execute all SYSERR utility functions available for creating and maintaining messages. The individual functions are explained in the section *Functions*. The parameters that apply with the functions are explained in general in the section *Parameters*; any restrictions that apply to the use of these parameters are described for each function concerned in the section *Functions*.

The SYSERR utility provides an extensive online help system. To obtain field-specific help information, either enter a question mark in the relevant field and press ENTER or place the cursor in the field and press PF1.

