

Spin Control

This chapter covers the following topics:

- Description
 -
 - Events
-

Description

A spin control allows the user to select a value from a range of possible values by "spinning" (i.e., repeatedly incrementing or decrementing) through them, similar to the process of setting the time on a digital clock.

For more information on spin controls, please refer to the article [Working with Spin Controls](#).

Attribute Name	Query	Set/Modify	In Attr. Window
BUDDY	X	X/X	
CLIENT-DATA	X	X/X	
CLIENT-HANDLE	X	X/X	
CLIENT-KEY	X	X/X	
CLIENT-VALUE	X	X/X	
CONTEXT-MENU	X	X/X	X
ENABLED	X	X/X	X
FIRST-CHILD	X	-/-	
FOLLOWS	X	X/X	
HELP-ID	X	X/X	X
LAST-CHILD	X	-/-	
MAX	X	X/X	X
MIN	X	X/X	X
MODIFIED	X	X/X	
MODIFIED-SUCCESSOR	X	-/-	
OWNER	X	X/-	
PARENT	X	X/-	
POSITION	X	X/-	
PREDECESSOR	X	-/-	
RECTANGLE-H	X	X/X	X
RECTANGLE-W	X	X/X	X
RECTANGLE-X	X	X/X	X
RECTANGLE-Y	X	X/X	X
STYLE	X	X/-	X
SUCCESSOR	X	X/-	
SUPPRESS-CHANGE-EVENT	X	X/X	
SUPPRESS-CONTEXT-MENU-EVENT	X	X/X	
TYPE	X	X/-	
VISIBLE	X	X/X	X

Events

Change Event, Context-Menu Event (all events may be suppressed).