

Object List - LIST Workplan

An object list is a Workplan of the type LIST, which specifies object selection criteria for the objects to be processed in the UNLOAD, LOAD or FIND command. An object list can be used as an alternative to the *select-clause* and the SELECTION Workplan.

The following syntax applies to an object list:

```
TYPE LIST
{ object-type-and-location (object-name-description ...) } ...
```

The syntactical options are explained in the following section. The keywords and variable values contained in the syntax diagrams shown in this section represent parameters that are used to specify object selection criteria. If indicated, a variable value must be supplied with a keyword. Each syntax element (except for the ones enclosed in parentheses) must start on a new line and end on the same line.

For explanations of the keywords contained in the syntax diagrams, refer to the section *select-clause*.

- Syntax of *object-type-and-location*
- Syntax of *object-name-description*
- Example of an Object List

Syntax of *object-type-and-location*

The syntax diagrams that apply to *object-type-and-location* are shown in the following section.

- Natural Objects and DDMs
- Natural System Error Messages
- Natural Command Processor Sources
- Natural-Related Objects
- External Files
- FDTs

Natural Objects and DDMs

```

LIBRARY library-name
[
  DBID dbid FNR fnr [NAME vsam-name] [CIPHER cipher] [ { PASSWORD } password ]
  [ PSW ] ]
[ OBJTYPE group-type ]

```

Notes:

1. No ranges are allowed for *library-name*.
2. For DDMs on mainframe platforms, OBJTYPE must be set to D.

Natural System Error Messages

```

ERROR NATERROR
[
  DBID dbid FNR fnr [NAME vsam-name] [CIPHER cipher] [ { PASSWORD } password ]
  [ PSW ] ]

```

Natural Command Processor Sources

```

PROCESSOR ncp-library-name
[
  DBID dbid FNR fnr [NAME vsam-name] [CIPHER cipher] [ { PASSWORD } password ]
  [ PSW ] ]

```

Note:

No ranges are allowed for *ncp-library-name*.

Natural-Related Objects

```

NATPATH natural-path-name

```

External Files

```

PATH external-path-name

```

FDTs

```

FDT

```

Syntax of *object-name-description*

The syntax diagrams that apply to *object-name-description* are shown in the following section:

- Natural Objects
- Natural System Error Messages
- Natural Command Processor Sources
- Natural-Related Objects
- External Files
- FDTs

Natural Objects

$\left\{ \begin{array}{l} \textit{object-name} \text{ [SCKIND } \textit{object-kind}] \\ \textit{error-number} \text{ [SLKIND } \textit{message-type}] \text{ [LANGUAGE } \textit{languages}] \\ \text{FMNUM } \textit{error-number-from} \text{ TONUM } \textit{error-number-to} \text{ [SLKIND } \textit{message-type}] \text{ [LANGUAGE } \textit{languages}] \end{array} \right\}$
--

Natural System Error Messages

$\left\{ \begin{array}{l} \textit{error-number} \text{ [SLKIND } \textit{message-type}] \text{ [LANGUAGE } \textit{languages}] \\ \text{FMNUM } \textit{error-number-from} \text{ TONUM } \textit{error-number-to} \text{ [SLKIND } \textit{message-type}] \text{ [LANGUAGE } \textit{languages}] \end{array} \right\}$

Natural Command Processor Sources

<i>object-name</i>

Natural-Related Objects

<i>related-object-name</i>

External Files

<i>external-file-name</i>

FDTs

$\text{DBID } \textit{dbid} \text{ FNR } \textit{fnr} \text{ [CIPHER } \textit{cipher}] \left[\left[\begin{array}{l} \text{PASSWORD} \\ \text{PSW} \end{array} \right] \textit{password} \right]$

Example of an Object List

The following is an example of a Workplan of the type LIST:

```
TYPE LIST
  LIBRARY LIB-1 OBJTYPE N      /* process Natural objects from library 'LIB-1'
    ( A* SCKIND S              /* all sources objects whose names start with 'A'
      B1                        /* source and/or cataloged object of 'B1'
      CDE> SCKIND C )          /* all cataloged objects with names greater than/equal to 'CDE'
    /*                          /* comment line
  LIBRARY LIB-2                /* process Natural objects from library 'LIB-2'
    /*                          /* including error messages and shared resources
    ( *                          /* all source and/or cataloged objects
    /*                          /* including shared resources
  FMNUM 1 TONUM 100            /* error messages from 1 to 100
)
```