

Editor Commands for Scrolling

This section describes the editor commands and alternative PF keys (if available) that can be used to scroll in the source code currently contained in the editing area.

You enter an editor command in the command line of the editor screen. Depending on the configuration of your installation, an editor command can be entered in lower case. In this section, however, all commands are shown in upper case to distinguish them as commands.

In the following table, an underlined text portion represents an acceptable command abbreviation.

Command	Function
<u>B</u> OTTOM or ++	Scrolls to the end of the source.
<u>T</u> OP or --	Scrolls to the beginning of the source.
DOWN or + or ENTER key or PF8	Scrolls forwards by the amount specified by the scroll mode .
DOWN <i>n</i>	Scrolls forwards by <i>n</i> lines.
+ <i>n</i>	Scrolls forwards by <i>n</i> lines.
UP or - or PF7	Scrolls backwards by the amount specified by the scroll mode .
UP <i>n</i>	Scrolls backwards by <i>n</i> lines.
- <i>n</i>	Scrolls backwards by <i>n</i> lines.

Command	Function
LEFT	Scrolls to the left by the number of columns that fit on the screen.
LEFT <i>n</i>	Scrolls to the left by <i>n</i> columns.
LEFT MAX	Scrolls the maximum number of columns to the left edge of the screen.
RIGHT	Scrolls to the right by the number of columns that fit on the screen.
RIGHT <i>n</i>	Scrolls to the right by <i>n</i> columns.
RIGHT MAX	Scrolls the maximum number of columns to the right edge of the screen.
FIX <i>n</i>	Specifies the number of columns <i>n</i> , starting with column 1, to remain in display when scrolling to the right.